

kershaw

Kai USA, Ltd., founded as Kershaw Knives in 1974, began with one mission: to design and manufacture tools that knife users would be proud to own, carry, and use. Today, premium materials, state-of-the-art manufacturing, extremely tight tolerances, and meticulous craftsmanship ensure that each Kershaw knife or tool provides a lifetime of performance and pride of ownership. The Kershaw brand is especially known for innovative technologies and materials, resulting in numerous industry awards. We manufacture many of our products in our 55,000 sq. ft. facility located south of Portland Oregon, in the city of Tualatin. Our campus houses a state-of-the-art manufacturing facility, our design, engineering, and manufacturing teams, as well as the customer service experts who sell and support our Kershaw brand knives and tools. Kershaw products are backed with a Limited Lifetime Warranty.

AUTHORIZED DEALERS



Want to be sure the Kershaw you're carrying is the real thing? Buy from our Authorized Dealers. Specially selected by Kershaw for their ability to professionally represent and sell our products, Authorized Dealers carry genuine Kershaw quality products and service. You can be sure your purchase is fully covered under our Limited Lifetime Warranty. Find an Authorized Dealer in your area at our website: kershawknives.com



	READY FOR EVERYTHING	2
	KERSHAW ORIGINALS	3
	CHOOSE YOUR KERSHAW	4
	MANUFACTURING	6
NEW	NEW PRODUCTS	8
A	AUTOMATIC	10
\checkmark	STARTER	14
5	EVERYDAY CARRY - SPEEDSAFE	18
м	EVERYDAY CARRY - MANUAL	40
×	MULTI-FUNCTION	50
	FIXED BLADE	56
▲.	OUTDOOR	58
	FISHING	62
k	GEAR	66
	BLADE STYLES, FINISHES, STEELS	72
	LOCKS, HANDLES, POCKETCLIPS	74
	KNIFE SIZES	76
	INDEX	78
	WARRANTY	81

TRUST YOURSELF. TRUST YOUR TOOLS. BE READY FOR EVERYTHING.

Kershaw makes pocketknives and tools for the men and women who are ready to get out there and get things done—whether on the worksite, in the garage, or in the great outdoors. You're ready to work hard, take care of your family, and solve whatever problems come your way. You're also ready to play hard, challenge yourself, and make life better. We're ready with reliable knives and cutting tools, advanced technologies, and dependable manufacturing quality you count on to help you do it.

Kershaw was founded in 1974 to design and manufacture tools that knife users like you would be proud to own, carry, and use. That simple idea is still the core of our mission. While the very first Kershaws were hunting knives, today we offer a full range of knives to help you do just about everything you need a knife for. Whether it's a low-profile EDC for tasks around the office, a value-priced knife you can toss in your truck box, or an investment-worthy, made-inthe-USA automatic for professional use, there's always a Kershaw that's ready for you.

Wherever life takes you, whatever you're into, with a Kershaw by your side, you can be ready for everything.

KERSHAW ORIGINALS

1

Kershaw proudly collaborates with some of the world's best custom knife designers. And our own in-house team is pretty amazing, too. In fact, our in-house designs are award-winning, fan-winning, customer-winning originals. Is it the style? Is it the engineering? Is it the ever-so-satisfying function? Yes, yes, and yes. Just look for this designation—a KERSHAW ORIGINALS design—to get in on these winning designs yourself.

CHOOSE YOUR KERSHAW


Office worker or avid outdoorsman—or both—Kershaw's got you covered. Our everyday carry knives come in a full range of styles, from gentlemanly to tactical to practical. They're offered in a full range of prices, too. For instance, for value-priced options, check out our Starter Series. You can also find activity-specific knives in the Everyday Carry, Outdoor, and Fishing sections of this catalog.



EVERYDAY CARRY — You carry a knife because it's handy. Opening boxes, taming blister packs, trimming string, sharing a sandwich. In this section, you'll find a wide variety of handy pocketknives, for every type of job and to fit every type of pocket.



OUTDOOR — Gear to keep your campsite operating smoothly. Machetes to clear brush, camp saws to prep firewood. Check the Gear section for other handy camp tools.




FISHING — Kershaw's K-Texture™ or soft-grip handles, provide secure grip in wet and slippery conditions. Pair that with our razor-sharp blades and you've got the right tools for processing your catch.



> BY TECHNOLOGY OR STYLE

You can also choose your Kershaw by its opening mechanism or the fact that it doesn't have one. Some people only want a pocketknife with assisted opening. Some only want one that's manual. Some want the stability of a fixed blade, while others prefer the versatility of a multi-function knife. Whatever technology, whatever style of knife you're looking for, Kershaw is the one.



AUTOMATIC OPENING — The Kershaw Launch series has grown to ten sleek, fast, instant-open knives. A pushbutton lock holds the blade in place, but under pressure from a torsion spring. Pushing the button releases the lock, and the blade springs open, ready for use.



SPEEDSAFE® ASSISTED OPENING — Kershaw launched a revolution with SpeedSafe. When closed, a torsion bar in the handle creates a bias toward the closed position. To open the knife, apply manual pressure to the thumb stud or flipper to overcome the torsion bar's resistance and open the knife.



MANUAL OPENING — No springs or torsion bars, manual-opening knives can be opened with a thumb stud, flipper, or hollow in the blade. Some manual knives also feature our KVT ball-bearing opening. (See KVT for more info.)



KVT OPENING – relies on a ring of "caged" ball bearings that surround the knife's pivot and enable the blade to move out of the handle smoothly when you pull back on the flipper. KVT makes opening manual knives as easy as assisted. Look for these in our EDC-Manual section.



WAVE SHAPED OPENING FEATURE — Designed by Ernest Emerson, the unique wave shape is a hook that enables the user to open the knife as it is withdrawn from the pocket. You'll find this feature on our Kershaw-Emerson CQC-#K knives in the EDC Manual section.



MULTI-FUNCTION — When you're looking for a knife that does more, look to our multifunction pocketknives. They incorporate additional handy features like screwdrivers or bottle openers that just add to the convenience of carrying a knife.



FIXED BLADE — Since they don't fold closed, fixed blade knives are generally stored in a sheath or blade protector. Kershaw offers fixed blades in everything from camp tools to neck knives to fishing blades.

For more about blade shapes, steels, finishes & locks, see page 72-75 or visit KERSHAWKNIVES.COM

MANUFACTURING PRECISION AND CRAFTSMANSHIP

Every Kershaw knife starts with American innovation, American design, and American engineering.

It comes to life with precision manufacturing and meticulous quality control—either in our Tualatin, Oregon factory, located in one of the USA's greatest centers of knife manufacturing, or in our overseas manufacturing facilities. Manufacturing depth like this enables us to build products for every budget and to meet demand throughout the US and worldwide.

While a knife may look simple, it's actually a complex piece of machinery. And, when it comes to production brands like Kershaw—building a million knives each year—the complexity only gets amplified. From CNC machines, precision grinders, lasers, and a factory-full of specialized equipment to hand-assembly and sharpening by hundreds of skilled workers, what it takes to get that knife into your hands is nothing short of amazing.



It always starts with function. What kind of knife do the end user, our retailers, and the market want and need? What style of knife should it be and at what price?



Once these questions are answered, our award-winning designers will create dozens of options for each knife. Finally, one is selected.



Next, each individual part of the knife, from blade to screws must be designed in real dimensions on the computer. The designer ensures the parts fit together precisely, function properly and, based on the knife's ultimate purpose, chooses the materials we'll use.



Now, the design is prototyped. Skilled machinists build prototype knives by hand, either in our Tualatin facility or overseas. Based on their feedback, the design is refined as needed to make it production-ready.



Next, each part must be translated to programs that interact with our production machinery. The machining and engineering teams write and refine these programs for each part in the "assembly," that is, all the parts that make up the knife. In addition, the fixtures the devices that locate and hold the individual pieces during the manufacturing process—must be designed, engineered, and programmed.



Next, this data now goes to the production teams. Production begins. Parts are manufactured and assembly gets underway.



All along the way, Kershaw Quality Control (QC) is in place from parts inspection to final inspection before shipping. Our China-made products receive additional QC before they leave the factory, then again when they arrive in Oregon.



From our warehouse facility, Kershaw knives are shipped to Kershaw Authorized Dealers throughout the US and the world. And every one is backed by our Limited Lifetime Warranty.



We stand behind every Kershaw knife, from high-end, premium-materials knives to value-priced models. Even our budget knives incorporate high-end technology. Because everyone deserves to own a knife with the style and function they need to be ready for everything.



For knives proudly made in our Oregon USA factory, look for this symbol.

All other knives are proudly designed and engineered in the USA, and manufactured in China.

READY FOR my next adventure. STATISTICS IN

0



READY FOR automatic attraction.

 \leq



STEEL	CPM 154, black DLC coating		/	c		
HANDLE Blade	6061-T6 aluminum, black anodized 3.25 in. (8.3 cm)					
CLOSED Dverall	4.5 in. (11.4 cm) 7.75 in. (19.7 cm)	OPENING	G	Push-button open		
WEIGHT Box	3.4 oz. (98 g) 087171048543	LOCK POCKET		Push-button lock release Reversible (right/left, tip-up)	Car (Maland R	
CLAM	-	FEATURI		Integrated backspacer, lanyard tie-off		
LAUNCI	H 3 a KERSHAW ORIGINALS design	MADE IN USS74		lustility (0)		
00022.	d ALINDIANY UNIONALO GOUG.					- 0
STEEL	CPM 154, black DLC coating		2			
HANDLE Blade	6061-T6 aluminum, black anodized 3.4 in. (8.6 cm)					
CLOSED	4.4 in. (11.2 cm)	OPENIN		Durch hutton onon		111
DVERALL Weight	7.8 in. (19.8 cm) 3.4 oz. (98 g)	LOCK		Push-button open Push-button lock release	C autom 3	S GP
BOX Clam	087171039558	POCKET Featur		Reversible (right/left, tip-up) Integrated backspacer	12	A.C.
		_				
LAUNCI 7500BLK	H 4 a KERSHAW ORIGINALS design	USZA				
						On
STEEL Handle	CPM 154, black DLC coating					
BLADE	6061-T6 aluminum, black anodized 1.9 in. (4.8 cm)					
CLOSED Overall	3.2 in. (8.1 cm) 5.1 in. (13 cm)	OPENING	G	Push-button open	CT MURINION DIS	\sim
WEIGHT BOX	1.8 oz. (51 g) 087171041100	LOCK		Push-button lock release Single-position (right, tip-up)	- O O	
CLAM	-	FEATURI		Integrated backspacer		
LAUNCI	H 6	MADE IN				
7800BLK	a KERSHAW ORIGINALS design				Territoria Constanti Santa	30
STEEL	CPM 154, black DLC coating					
HANDLE Blade	6061-T6 aluminum, black anodized 3.75 in. (9.5 cm)					
CLOSED Overall	4.9 in. (12.4 cm) 8.7 in. (22.1 cm)	OPENING	c	Push-button open		10
WEIGHT	3.8 oz. (107.7 g)	LOCK		Push-button lock release		000
BOX Clam	087171044484 -	POCKETO Feature		Reversible (right/left, tip-up) Integrated backspacer, lanyard hole		
LAUNCI	H 7	MADE IN				
7900GRYBL	LK a TIM GALYEAN design			instiff-		Ko-
STEEL	CPM 154, DLC coating					
HANDLE Blade	6061-T6 aluminum, gray anodized 3.75 in. (9.5 cm)					
CLOSED	5 in. (12.7 cm)	OPENING	•	Push-button open	CCCC	
OVERALL	8.6 in. (21.8 cm)					

S Automatic

KETShaw 2019 CATALOG

KERSHAWKNIVES.COM



STARTER

.

1

0

harehenv.

READY FOR getting down to work.

MISDI	RECT NEW				
1365	a KERSHAW ORIGINALS design				
				C lossiner • •	Inner Con
					107 . TV
STEEL	4Cr13, black-oxide BlackWash™ finish			•	- le
HANDLE	Stainless steel, bead-blasted finish				
BLADE CLOSED	2.9 in. (7.6 cm) 4 in. (10.1 cm)	OPENING	SpeedSafe® assisted opening		
OVERALL	6.8 in. (17.5 cm)	LOCK	with flipper		
WEIGHT	3.2 oz. (93 g)	POCKETCLIP	Frame lock 3-position (right/left, tip up; right,		0
BOX	087171055169	TOOKETOEN	tip-down)		
CLAM	087171055688	FEATURES	Lanyard hole		
START	ER		6 644	111111111111111	
1301BW	a KERSHAW ORIGINALS design		Jantelow		Date
				Catter Contractor	191
			1	All manual and a second	2000
STEEL HANDLE	4Cr14, black-oxide BlackWash™ finish Stainless steel, black-oxide BlackWash™ finish			-0	10%
BLADE	3.4 in. (8.6 cm)				
CLOSED	4.5 in. (11.4 cm)	OPENING	SpeedSafe [®] assisted opening with flipper or thumb stud	and the	200
OVERALL	7.9 in. (20.1 cm)	LOCK	Liner lock	A A A A A A A A A A A A A A A A A A A	Contraction of the second
WEIGHT	6.4 oz. (183 g)	POCKETCLIP	Deep-carry, single-position	Contraction of the second	
BOX Clam	087171037646 087171037653	FEATURES	right, tip-down)	Caresson and a state of the sta	1800
CLAN	087171037653	FEATURES	Lanyard hole		
LIETED					
LIFTER 1302BW			istrikov @		
LIFTER 1302BW	a KERSHAW ORIGINALS design	<	isstalative @		
			Idestitoiv @		
			Justilizer ©		
1302BW	a KERSHAW ORIGINALS design		Jasebboy C C C C C C C C C C C C C C C C C C C		
1302BW Steel Handle Blade	a KERSHAW ORIGINALS design 4Cr14, black-oxide BlackWash™ finish Stainless steel, black-oxide BlackWash™ finish 3.5 in. (8.9 cm)	OPENING	SpeedSafe' assisted opening		
1302BW STEEL HANDLE BLADE CLOSED	a KERSHAW ORIGINALS design 4Cr14, black-oxide BlackWash™ finish Stainless steel, black-oxide BlackWash™ finish 3.5 in. (8.9 cm) 4.5 in. (11.4 cm)	OPENING	SpeedSafe* assisted opening with flipper or thumb stud		
1302BW STEEL HANDLE BLADE CLOSED OVERALL	a KERSHAW ORIGINALS design 4Cr14, black-oxide BlackWash™ finish Stainless steel, black-oxide BlackWash™ finish 3.5 in. (8.9 cm) 4.5 in. (11.4 cm) 7.9 in. (20.1 cm)	LOCK	Frame lock		
1302BW STEEL HANDLE BLADE CLOSED	a KERSHAW ORIGINALS design 4Cr14, black-oxide BlackWash™ finish Stainless steel, black-oxide BlackWash™ finish 3.5 in. (8.9 cm) 4.5 in. (11.4 cm)				
1302BW STEEL HANDLE BLADE CLOSED OVERALL WEIGHT	a KERSHAW ORIGINALS design 4Cr14, black-oxide BlackWash™ finish Stainless steel, black-oxide BlackWash™ finish 3.5 in. (8.9 cm) 4.5 in. (11.4 cm) 7.9 in. (20.1 cm) 5.8 oz. (167 g)	LOCK	Frame lock Deep-carry, single-position		
1302BW STEEL HANDLE BLADE CLOSED OVERALL WEIGHT BOX	a KERSHAW ORIGINALS design 4Cr14, black-oxide BlackWash™ finish Stainless steel, black-oxide BlackWash™ finish 3.5 in. (8.9 cm) 4.5 in. (11.4 cm) 7.9 in. (20.1 cm) 5.8 oz. (167 g) 087171037660	LOCK Pocketclip	Frame lock Deep-carry, single-position right, tip-down)		
1302BW STEEL HANDLE BLADE CLOSED OVERALL WEIGHT BOX CLAM	a KERSHAW ORIGINALS design 4Cr14, black-oxide BlackWash™ finish Stainless steel, black-oxide BlackWash™ finish 3.5 in. (8.9 cm) 4.5 in. (11.4 cm) 7.9 in. (20.1 cm) 5.8 oz. (167 g) 087171037660 087171037677	LOCK Pocketclip	Frame lock Deep-carry, single-position right, tip-down)		
1302BW STEEL HANDLE BLADE CLOSED OVERALL WEIGHT BOX	a KERSHAW ORIGINALS design 4Cr14, black-oxide BlackWash™ finish Stainless steel, black-oxide BlackWash™ finish 3.5 in. (8.9 cm) 4.5 in. (11.4 cm) 7.9 in. (20.1 cm) 5.8 oz. (167 g) 087171037660 087171037677	LOCK Pocketclip	Frame lock Deep-carry, single-position right, tip-down)		
1302BW STEEL HANDLE BLADE CLOSED OVERALL WEIGHT BOX CLAM	a KERSHAW ORIGINALS design 4Cr14, black-oxide BlackWash™ finish Stainless steel, black-oxide BlackWash™ finish 3.5 in. (8.9 cm) 4.5 in. (11.4 cm) 7.9 in. (20.1 cm) 5.8 oz. (167 g) 087171037660 087171037677	LOCK Pocketclip	Frame lock Deep-carry, single-position right, tip-down)		
1302BW STEEL HANDLE BLADE CLOSED OVERALL WEIGHT BOX CLAM	A KERSHAW ORIGINALS design 4Cr14, black-oxide BlackWash™ finish Stainless steel, black-oxide BlackWash™ finish 3.5 in. (8.9 cm) 4.5 in. (11.4 cm) 7.9 in. (20.1 cm) 5.8 oz. (167 g) 087171037660 0871710376677	LOCK Pocketclip	Frame lock Deep-carry, single-position right, tip-down)		
1302BW STEEL HANDLE BLADE CLOSED OVERALL WEIGHT BOX CLAM MANIF 1303BW	A KERSHAW ORIGINALS design 4Cr14, black-oxide BlackWash™ finish Stainless steel, black-oxide BlackWash™ finish 3.5 in. (8.9 cm) 4.5 in. (11.4 cm) 7.9 in. (20.1 cm) 5.8 oz. (167 g) 087171037660 087171037667	LOCK Pocketclip	Frame lock Deep-carry, single-position right, tip-down)		
1302BW STEEL HANDLE BLADE CLOSED OVERALL WEIGHT BOX CLAM INTER	A KERSHAW ORIGINALS design 4Cr14, black-oxide BlackWash™ finish Stainless steel, black-oxide BlackWash™ finish 3.5 in. (8.9 cm) 4.5 in. (11.4 cm) 7.9 in. (20.1 cm) 5.8 oz. (167 g) 087171037660 087171037667 CULD A KERSHAW ORIGINALS design 4Cr14, black-oxide BlackWash™ finish	LOCK Pocketclip	Frame lock Deep-carry, single-position right, tip-down)		
1302BW STEEL HANDLE BLADE CLOSED OVERALL WEIGHT BOX CLAM INTERNIE 1303BW	A KERSHAW ORIGINALS design 4Cr14, black-oxide BlackWash™ finish Stainless steel, black-oxide BlackWash™ finish 3.5 in. (8.9 cm) 4.5 in. (11.4 cm) 7.9 in. (20.1 cm) 5.8 oz. (167 g) 087171037660 087171037667 OLD A KERSHAW ORIGINALS design 4Cr14, black-oxide BlackWash™ finish Stainless steel, black-oxide BlackWash™ finish	LOCK POCKETCLIP FEATURES	Frame lock Deep-carry, single-position right, tip-down) Lanyard hole		
1302BW STEEL HANDLE BLADE CLOSED OVERALL WEIGHT BOX CLAM INTER	A KERSHAW ORIGINALS design 4Cr14, black-oxide BlackWash™ finish Stainless steel, black-oxide BlackWash™ finish 3.5 in. (8.9 cm) 4.5 in. (11.4 cm) 7.9 in. (20.1 cm) 5.8 oz. (167 g) 087171037660 087171037667 CULD A KERSHAW ORIGINALS design 4Cr14, black-oxide BlackWash™ finish	LOCK Pocketclip	Frame lock Deep-carry, single-position right, tip-down) Lanyard hole		
1302BW STEEL HANDLE BLADE CLOSED OVERALL WEIGHT BOX CLAM MANIF 1303BW STEEL HANDLE BLADE CLOSED OVERALL	A KERSHAW ORIGINALS design 4Cr14, black-oxide BlackWash™ finish Stainless steel, black-oxide BlackWash™ finish 3.5 in. (8.9 cm) 4.5 in. (11.4 cm) 7.9 in. (20.1 cm) 5.8 oz. (167 g) 087171037660 087171037660 087171037677 OLD A KERSHAW ORIGINALS design 4Cr14, black-oxide BlackWash™ finish Stainless steel, black-oxide BlackWash™ finish 3.5 in. (8.9 cm) 4.5 in. (11.4 cm) 8.1 in. (20.6 cm)	LOCK POCKETCLIP FEATURES	Frame lock Deep-carry, single-position right, tip-down) Lanyard hole		
1302BW STEEL HANDLE BLADE CLOSED OVERALL WEIGHT BOX CLAM STEEL HANDLE BLADE CLOSED OVERALL WEIGHT	A KERSHAW ORIGINALS design 4Cr14, black-oxide BlackWash™ finish Stainless steel, black-oxide BlackWash™ finish 3.5 in. (8.9 cm) 4.5 in. (11.4 cm) 7.9 in. (20.1 cm) 5.8 oz. (167 g) 087171037660 087171037660 087171037677 OLD A KERSHAW ORIGINALS design 4Cr14, black-oxide BlackWash™ finish Stainless steel, black-oxide BlackWash™ finish 3.5 in. (8.9 cm) 4.5 in. (11.4 cm) 8.1 in. (20.6 cm) 5.6 oz. (158.8 g)	LOCK POCKETCLIP FEATURES	Frame lock Deep-carry, single-position right, tip-down) Lanyard hole		
1302BW STEEL HANDLE BLADE CLOSED OVERALL WEIGHT BOX STEEL HANDLE BLADE CLOSED OVERALL WEIGHT BOX	ACr14, black-oxide BlackWash™ finish Stainless steel, black-oxide BlackWash™ finish 3.5 in. (8.9 cm) 4.5 in. (11.4 cm) 7.9 in. (20.1 cm) 5.8 oz. (167 g) 087171037660 087171037667 CDLD AKERSHAW ORIGINALS design 4Cr14, black-oxide BlackWash™ finish Stainless steel, black-oxide BlackWash™ finish Stainless steel, black-oxide BlackWash™ finish 3.5 in. (8.9 cm) 4.5 in. (11.4 cm) 8.1 in. (20.6 cm) 5.6 oz. (158.8 g) 087171037684	LOCK POCKETCLIP FEATURES OPENING LOCK POCKETCLIP	Frame lock Deep-carry, single-position right, tip-down) Lanyard hole		
1302BW STEEL HANDLE BLADE CLOSED OVERALL WEIGHT BOX CLAM STEEL HANDLE BLADE CLOSED OVERALL WEIGHT	A KERSHAW ORIGINALS design 4Cr14, black-oxide BlackWash™ finish Stainless steel, black-oxide BlackWash™ finish 3.5 in. (8.9 cm) 4.5 in. (11.4 cm) 7.9 in. (20.1 cm) 5.8 oz. (167 g) 087171037660 087171037660 087171037677 OLD A KERSHAW ORIGINALS design 4Cr14, black-oxide BlackWash™ finish Stainless steel, black-oxide BlackWash™ finish 3.5 in. (8.9 cm) 4.5 in. (11.4 cm) 8.1 in. (20.6 cm) 5.6 oz. (158.8 g)	LOCK POCKETCLIP FEATURES OPENING LOCK	Frame lock Deep-carry, single-position right, tip-down) Lanyard hole		

FILTER 1306BW

a KERSHAW ORIGINALS design

4Cr14, black-oxide BlackWash™ finish STEEL HANDLE Stainless steel, black-oxide BlackWash™ finish BLADE 3.25 in. (8.3 cm) CLOSED 4.5 in. (11.4 cm) 7.75 in. (19.7 cm) OVERALL WEIGHT 5 oz. (143 g) LOCK BOX 087171039213 CLAM 087171039220

OPENINGSpeedSafe assisted opening
with flipper or thumb studLOCKFrame lockPOCKETCLIPDeep-carry, single-position
right, tip-down)

e





M

STARTER

KETS HEAVY 2019 CATALOG

SPOKE 1313BLK	a KERSHAW ORIGINALS design				-
STEEL HANDLE BLADE CLOSED OVERALL WEIGHT BOX CLAM	4Cr14, black-oxide coating Stainless steel, black-oxide coating 2 in. (5.1 cm) 2.8 in. (7.1 cm) 4.75 in. (12.1 cm) 3.1 oz. (87.9 g) 087171044446 087171044453	OPENING Lock Pocketclip	SpeedSafe [*] assisted opening with flipper Liner lock Deep-carry, reversible (right/left, tip-up)		
GRINDE	ER				
1319	a KERSHAW ORIGINALS design	/	inniaer G	The second second	
STEEL HANDLE BLADE CLOSED OVERALL WEIGHT BOX CLAM	4Cr14, bead-blasted finish Glass-filled nylon 3.25 in. (8.3 cm) 4.5 in. (11.4 cm) 7.75 in. (19.7 cm) 4.5 oz. (127.6 g) 087171044736 087171045771	OPENING Lock Pocketclip	SpeedSafe [*] assisted opening with flipper Liner lock Deep-carry, reversible (right/left, tip-down)		
CATHO	NF				
1324	a KERSHAW ORIGINALS design		In	· · ·	- Al
STEEL HANDLE BLADE	4Cr14, stonewashed finish Stainless steel, hot-stamped texture 2.25 in. (5.7 cm)				
CLOSED	3.25 in. (8.3 cm)			Branning Bottom	
OVERALL WEIGHT	5.5 in. (14 cm)	OPENING	SpeedSafe [®] assisted opening		68883
BOX	2.7 oz. (76.5 g) 087171044903	LOCK	with flipper Frame lock		NOR C
CLAM	087171044910	POCKETCLIP	Reversible (right/left, tip-up)		
DODTA					
PORTA 8600	a KERSHAW ORIGINALS design		1	Contraction of the second second	and the second second
			within the	Contraction of the	antipe in
				the second se	
STEEL	4Cr14, stonewashed finish Glass-filled nylon with extreme texture				
	sides mild hylon with extreme texture				

SpeedSafe[®] assisted opening with flipper Liner lock

POCKETCLIP Reversible (right/left, tip-up)

OPENING

LOCK

STARTER

KETS HEVAN® 2019 CATALOG

BLADE

CLOSED

OVERALL

WEIGHT BOX

CLAM

3.3 in. (8.4 cm)

4.3 in. (10.9 cm)

7.6 in. (19.3 cm)

4.3 oz. (121.9 g) 087171044934



READY FOR getting out there.

itaninger.

N R

EEDSAL

10 IC

T



LINK 1776

a KERSHAW ORIGINALS design

 OPENING
 SpeedSafe* assisted opening with flipper

 LOCK
 Liner lock

 POCKETCLIP
 Reversible (right/left, tip-up)

 FEATURES
 Lanyard hole



" EDC - SPEEDSAFE

LINK	(/made	N	
1776ST • 177		7	A
		1776ST	
STEEL	420HC, stonewashed finish		
HANDLE	Glass-filled nylon		-
BLADE	3.25 in. (8.4 cm)		<
CLOSED	4.4 in. (11.2 cm)	1776	
OVERALL	7.6 in. (19.3 cm)		
WEIGHT	4 oz. (113.4 g)		
BOX	087171044712 serrated • 087171039022 plain		
CLAM	087171039039 plain		







LINK - TANTO

STEEL

HANDLE

BLADE

CLOSED

OVERALL

WEIGHT Box

CLAM



SIEEL	420HC, stonewashed finis
HANDLE	Glass-filled nylon
BLADE	3.25 in. (8.4 cm)
CLOSED	4.4 in. (11.2 cm)
OVERALL	7.6 in. (19.3 cm)
WEIGHT	4 oz. (113.4 g)
BOX	087171039428
CLAM	-





LINK - GRAY ALUM BLACKWASH™ 1776GRYBWST • 1776GRYBW

3.25 in. (8.4 cm)

4.4 in. (11.2 cm)

7.6 in. (19.3 cm) 4.8 oz. (136.1 g)





1776GRYBW







LINK - TANTO ALUM BLACKWASHTM 1776TGRYBW

420HC, black-oxide BlackWash™ finish

087171044729 serrated • 087171039510 plain

6061-T6 aluminum, gray anodized



STEEL 420HC, black-oxide BlackWash™ finish HANDLE 6061-T6 aluminum, gray anodized BLADE 3.25 in. (8.4 cm) CLOSED 4.4 in. (11.2 cm) OVERALL 7.6 in. (19.3 cm) WEIGHT 4.8 oz. (136.1 g) BOX 087171039626 CLAM 087171039770









LINK - NAVY BLUE BLACKWASHTM



STEEL 420HC, black-oxide BlackWash™ finish HANDLE 6061-T6 aluminum, blue anodized BLADE 3.25 in. (8.4 cm) CLOSED 4.4 in. (11.2 cm) OVERALL 7.6 in. (19.3 cm) WEIGHT 4.8 oz. (136.1 g) BOX 087171048567 087171050317 CLAM






EDC - SPEEDSAFE

Kershaw[®] 2019 Catalog





OPENING SpeedSafe® assisted opening with thumb stud LOCK Inset liner lock **POCKETCLIP** Reversible (right, tip-up/tip-down) FEATURES Lanyard hole



a KEN ONION design

BLUR - BLACK 1670BLKST • 1670BLK

STEEL	Sandvik 14C28N, DLC coating
HANDLE	6061-T6 aluminum, black anodized, Trac-Tec inserts
BLADE	3.4 in. (8.6 cm)
CLOSED	4.5 in. (11.4 cm)
OVERALL	7.9 in. (20 cm)
WEIGHT	3.9 oz. (110.5 g)
BOX	087171167107 serrated • 087171167008 plain
CLAM	087171167114 serrated







BLUR - BLACKWASH™ 1670BW



STEEL	Sandvik 14C28N, black-oxide BlackWash™ coating
HANDLE	6061-T6 aluminum, black anodized, Trac-Tec inserts
BLADE	3.4 in. (8.6 cm)
CLOSED	4.5 in. (11.4 cm)
OVERALL	7.9 in. (20 cm)
WEIGHT	3.9 oz. (110.5 g)
BOX	087171036335
CLAM	-







BLUR - GLASS BREAKER 1670gbblkst

STEEL	Sandvik 14C28N, DLC coating
HANDLE	6061-T6 aluminum, black anodized, Trac-Tec inserts
BLADE	3.4 in. (8.6 cm)
CLOSED	4.5 in. (11.4 cm)
OVERALL	7.9 in. (20 cm)
WEIGHT	3.9 oz. (110.5 g)
BOX	087171033761
CLAM	-









FEATURES Carbide glassbreaker tip





BLUR - CAMO

Sandvik 14C28N, DLC coating 6061-T6 aluminum, camo anodized, Trac-Tec inserts
3.4 in. (8.6 cm)
4.5 in. (11.4 cm)
7.9 in. (20 cm)
3.9 oz. (110.5 g)
087171046426
-







KERSHAWKNIVES.COM

ſ

📂 EDC - SPEEDSAFE

Kershaw

BLUR - TANTO BLACK



STEEL Sandvik 14C28N, DLC coating 6061-T6 aluminum, black anodized, Trac-Tec inserts HANDLE BLADE 3.4 in. (8.6 cm) CLOSED 4.5 in. (11.4 cm) OVERALL 7.9 in. (20 cm) WEIGHT 3.9 oz. (110.5 g) BOX 087171167602 087171167336 CLAM













STEEL	Sandvik 14C28N, DLC coating
HANDLE	6061-T6 aluminum, olive anodized, Trac-Tec inserts
BLADE	3.4 in. (8.6 cm)
CLOSED	4.5 in. (11.4 cm)
OVERALL	7.9 in. (20 cm)
WEIGHT	3.9 oz. (110.5 g)
BOX	087171031644
CLAM	





BLUR - S3OV STONEWASH 1670S30V

.....



STEEL	CPM S30V, stonewashed finish
HANDLE	6061-T6 aluminum, black anodized, Trac-Tec inserts
BLADE	3.4 in. (8.6 cm)
CLOSED	4.5 in. (11.4 cm)
OVERALL	7.9 in. (20 cm)
WEIGHT	4.0 oz. (113.4 g)
BOX	087171167275
CLAM	-





.



BLUR - BLUE STONEWASH

.....

STEEL	Sandvik 14C28N, stonewashed finish
HANDLE	6061-T6 aluminum, blue anodized, Trac-Tec inserts
BLADE	3.4 in. (8.6 cm)
CLOSED	4.5 in. (11.4 cm)
OVERALL	7.9 in. (20 cm)
WEIGHT	3.9 oz. (110.5 g)
BOX	087171039473
CLAM	087171040622











KETS NAW 2019 CATALOG

" EDC - SPEEDSAFE



SCALLION 1620

EDC - SPEEDSAFE

KETShaw 2019 CATALOG

 OPENING
 SpeedSafe* assisted opening with flipper

 LOCK
 Liner lock with Tip-Lock

 POCKETCLIP
 Single-position (right, tip-down)

 FEATURES
 Lanyard hole



a KEN ONION design

SCALL				A
			1620ST	
STEEL	420HC, bead-blasted finish			ALC: N
IANDLE	Glass-filled nylon 2.4 in. (6.1 cm)		1000	
LOSED	3.5 in. (8.9 cm)		1620	
OVERALL	5.75 in. (14.6 cm)			
WEIGHT	2.3 oz. (65.2 g)		a manage	
NOV				
BOX	087171162102 serrated • 087171162003 pla	in		
CLAM	087171162119 serrated • 087171162010 plai			
CLAM	087171162119 serrated • 087171162010 plai			
SCALL	087171162119 serrated • 087171162010 plai	n 		
SCALL	087171162119 serrated • 087171162010 plai	n 		
SCALL 1620FL STEEL HANDLE	087171162119 serrated • 087171162010 plai	n 		
STEEL HANDLE BLADE	087171162119 serrated • 087171162010 plai	n 		
SCALL 1620FL Steel Handle Blade Closed	087171162119 serrated • 087171162010 plai	n 		
SCALL IG2OFL IG2OFL HANDLE BLADE CLOSED OVERALL	087171162119 serrated • 087171162010 plai ION - FRAME LOCK 420HC, bead-blasted finish 410 stainless steel, bead-blasted finish 2.4 in. (6.1 cm) 3.5 in. (8.9 cm) 5.75 in. (14.6 cm)	n 		
SCALL 1620FL Steel Handle Blade Closed	087171162119 serrated • 087171162010 plai	n 		

KERSHAWKNIVES.COM

 STEEL
 420HC, stonewashed finish

 HANDLE
 6061-T6 aluminum, black anodized

 BLADE
 2.4 in. (6.1 cm)

 CLOSED
 3.5 in. (8.9 cm)

 OVERALL
 5.75 in. (14.6 cm)

 WEIGHT
 2.5 oz. (70.9 g)

 BOX
 087171041179


SCALLION - CAMO

SCALLION - BLACK

1620SWBLK

CLAM


























STEEL 420HC, bead-blasted finish HANDLE 6061-T6 aluminum, purple anodized BLADE 2.4 in. (6.1 cm) CLOSED 3.5 in. (8.9 cm) OVERALL 5.75 in. (14.6 cm) WEIGHT 2.5 oz. (70.9 g) BOX 087171035154 087171035161 CLAM



0







SCALLION - OLIVE DRAB



STEEL	420HC, bead-blasted finish
HANDLE	6061-T6 aluminum, olive anodized
BLADE	2.4 in. (6.1 cm)
CLOSED	3.5 in. (8.9 cm)
OVERALL	5.75 in. (14.6 cm)
WEIGHT	2.5 oz. (70.9 g)
BOX	087171035192
CLAM	087171035208

.....

SCALLION - NAVY BLUE



STEEL	420HC, bead-blasted finish
HANDLE	6061-T6 aluminum, blue anodized
BLADE	2.4 in. (6.1 cm)
CLOSED	3.5 in. (8.9 cm)
OVERALL	5.75 in. (14.6 cm)
WEIGHT	2.5 oz. (70.9 g)
BOX	087171035178
CLAM	087171035185









TELL

KETS HAVN 2019 CATALOG

LEEK 1660

 OPENING
 SpeedSafe® assisted opening with flipper

 LOCK
 Frame lock or liner lock with Tip-Lock

 POCKETCLIP
 Reversible (right, tip-up/tip-down)

 FEATURES
 Lanyard hole



a KEN ONION design

LEEK 1660ST•1			1
		1660ST	Luning in
STEEL	Sandvik 14C28N, bead-blasted finish		
HANDLE	410 steel, bead-blasted finish		
BLADE	3 in. (7.6 cm)		
CLOSED	4 in. (10.2 cm)	1660	AR - K
OVERALL	7 in. (17.9 cm)		
WEIGHT	3 oz. (85 g)		a
BOX	087171166100 serrated • 087171166001 plain		
CLAM	087171166117 serrated • 087171166018 plain	FEATURES	Frame lock with Tip-Lock

LEEK - BLACK 1660CKTST · 1660CKT



1660ST

1660

STEEL	Sandvik 14C28N, black DLC coating
HANDLE	410 steel, DLC coating
BLADE	3 in. (7.6 cm)
CLOSED	4 in. (10.2 cm)
OVERALL	7 in. (17.9 cm)
WEIGHT	3 oz. (85 g)
BOX	087171166148 serrated • 087171166049 plain
BOX	087171166148 serrated • 087171166049 plain
Clam	087171166216 plain

.....






FEATURES Frame lock with Tip-Lock

LEEK - BLACKWASH™ 1660BLKW











FEATURES Frame lock with Tip-Lock

LEEK - CARBON FIBER







KETShaw 2019 CATALOG



FEATURES Liner lock with Tip-Lock

CLAM

087171035123

5

EDC - SPEEDSAFE



28

KERSHAWKNIVES.COM

Kershaw 2019 Catalog



5500	akerohav	V ORIGINALS design	/	Jamin Contractor		10
STEEL Handle		ish with sanded flats nium carbo-nitride finish, isert				
BLADE	3.25 in. (8.3 cm)					
CLOSED	4.5 in. (11.4 cm)					
OVERALL	7.75 in. (19.7 cm)		OPENING	SpeedSafe® assisted opening with SLT tab	ALL DEPENDING AN	
WEIGHT BOX	4.5 oz. (130 g) 087171054773		LOCK	Frame lock Reversible pocketclip (right/left, tip-up)		60
CLAM	-		FEATURES	Custom backspacer		~
TURISM		NEW				
5505		V ORIGINALS design		anter (al a
STEEL		ish with sanded flats				
HANDLE	Stainless steel, blac	ck-oxide coating				
BLADE Closed	2.8 in. (7.3 cm) 3.9 in. (10 cm)					
OVERALL	6.6 in. (16.9 cm)		OPENING LOCK	SpeedSafe® assisted opening with SLT tab Frame lock		1
WEIGHT	3.8 oz. (110 g)		POCKETCLIP	Frame lock Reversible deep-carry pocketclip	0	12
BOX	087171054780			(right/left, tip-up)		Sel.
CLAM	-		FEATURES	Custom backspacer, inset pocketclip		
BOILER	MAKER	NEW				
3475	al	LES GEORGE design	<		212	
STEEL Handle		VD coating, stonewashed fi wn PVD coating, stonewash				
	finish	in i i bootting, stonender				
BLADE CLOSED	3.3 in. (8.5 cm)		OPENING	SpeedSafe® assisted opening with flipper		
OVERALL	4.25 in. (10.8 cm) 7.6 in. (19.2 cm)		LOCK	Frame lock		
WEIGHT	4.4 oz. (127 g)		POCKETCLIP	Single-position deep-carry pocketclip (right, tip-up)		NA.
BOX	087171054797		FEATURES	Custom pivot and backspacer, logo window		
CLAM	-			blade window		
SEGUIN		NEW		······································	ATTS INTERNET	
3490	al	ES GEORGE design		harden (G.	Sall and the second sec	
STEEL	8Cr13MoV, gray PVE			A		
HANDLE Blade	Stainless steel, bea 3.1 in. (8 cm)	ad-blasted finish				
CLOSED	4.25 in. (10.8 cm)		OPENING	SpeedSafe® assisted opening with flipper		
OVERALL	7.25 in. (18.3 cm)		LOCK	Frame lock		(and the second
WEIGHT	4.8 oz. (138 g)		POCKETCLIP	Single-position deep-carry pocketclip (right, tip-up)	0	
BOX Clam	087171054162		FEATURES	Custom pivot and backspacer, custom handle texture		
ULAN	-			nandie texture		
		NEW				
OBLIVI	ON		and the second	1	0 0 0	1
OBLIVI 3860		V ORIGINALS design				
3860 STEEL	a KERSHAW 8Cr13MoV, bead-bla	asted & stonewashed finish				
3860	a KERSHAW 8Cr13MoV, bead-bla	asted & stonewashed finish ad-blasted & stonewashed				
3860 STEEL HANDLE BLADE	a KERSHAW 8Cr13MoV, bead-bla Stainless steel, bea finish, glass-filled n 3.5 in. (9 cm)	asted & stonewashed finish ad-blasted & stonewashed				
3860 STEEL HANDLE BLADE CLOSED	a KERSHAW 8Cr13MoV, bead-bla Stainless steel, bea finish, glass-filled n 3.5 in. (9 cm) 4.6 in. (11.8 cm)	asted & stonewashed finish ad-blasted & stonewashed	OPENING	SpeedSafe® assisted opening with flipper	Can-1	
3860 STEEL HANDLE BLADE CLOSED OVERALL	a KERSHAW 8Cr13MoV, bead-bla Stainless steel, bea finish, glass-filled n 3.5 in. (9 cm) 4.6 in. (11.8 cm) 8.1 in. (20.6 cm)	asted & stonewashed finish ad-blasted & stonewashed	LOCK	Frame lock, with over-travel stop		E
3860 STEEL HANDLE BLADE CLOSED	a KERSHAW 8Cr13MoV, bead-bla Stainless steel, bea finish, glass-filled n 3.5 in. (9 cm) 4.6 in. (11.8 cm)	asted & stonewashed finish ad-blasted & stonewashed				E

KERSHAWKNIVES.COM

PICO 3470	a LES GEORGE design			,
STEEL	8Cr13MoV, stonewashed & satin finish			
HANDLE	Stainless steel, bead-blasted finish			
BLADE CLOSED	2.9 in. (5.7 cm) 3.9 in. (9.9 cm)	OPENING	SpeedSafe* assisted opening	
OVERALL	6.8 in. (17.3 cm)		with flipper	
WEIGHT	4.2 oz. (119 g)	LOCK	Frame lock	
BOX	087171044811	POCKETCLIP	Reversible deep-carry pocketclip (right/left, tip-up)	
CLAM	-	FEATURES	Lanyard hole	-
AMPLI 3870	TUDE 2.5 a TODD REXFORD design			
STEEL	8Cr13MoV, satin finish			
HANDLE	410 stainless steel, titanium carbo-nitride co	ating		
BLADE	2.5 in. (6.4 cm)			
CLOSED	3.5 in. (8.9 cm)			
OVERALL	6 in. (15.2 cm)	OPENING	SpeedSafe' assisted opening	
WEIGHT	2.6 oz. (73.7 g)		with flipper	2
BOX	087171036816	LOCK	Frame lock	1
CLAM	087171036823	POCKETCLIP	Reversible pocketclip (right/left, tip-up)	
EMBE	R			1.16
3560	a RICK HINDERER design			-
STEEL	8Cr13MoV, titanium carbo-nitride coating			
HANDLE	410 stainless steel, titanium carbo-nitride coating			
BLADE	2 in. (5.1 cm)			
CLOSED	2.8 in. (7.1 cm)	OPENING	SpeedSafe* assisted opening	
OVERALL	4.75 in. (12.1 cm)	OFENING	with flipper	-
WEIGHT	2.2 oz. (62.4 g)	LOCK	Frame lock	
BOX	087171036908	POCKETCLIP	3-position deep-carry pocketclip	-
CLAM	087171036892		(right/left, tip-up; right, tip-down)	

The new SLT (Spring-Loaded Tab) stays hidden until you need it. Lift up the tab and press it like a flipper. After the blade is deployed, the tab stays hidden. The new Collateral and Turismo (p.30) are the first Kershaws with SLT combined with SpeedSafe[®]. **KERSHAWKNIVES.COM**

EDC - SPEEDSAFE

KETS NEVV" 2019 CATALOG

960	a KERSHAW ORIGINALS design			0.0.0	1
TEEL	8Cr13MoV, black-oxide BlackWash™ finish		V		
ANDLE	Glass-filled nylon				-
LADE	3 in. (7.6 cm)	OPENING	SpeedSafe [®] assisted opening	-	-
LOSED	4 in. (10.1 cm)	1004	with flipper		C C C
VERALL	7 in. (17.7 cm)	LOCK POCKETCLIP	Liner lock		- en
/EIGHT	4.3 oz. (123 g)		Deep-carry, reversible (right/left, tip-up)	1 - 2	
OX Lam	087171048628 087171050454	FEATURES	Anodized aluminum accents Single-edge sharpened	-	
DECIML	JS		4		
559	a RICK HINDERER design		Tunkur		-
TEEL	8Cr13MoV, black-oxide BlackWash™ finish				Contraction of the local division of the loc
ANDLE	Stainless steel with stonewashed finish, glass-filled nylon overlay				
ADE	3.25 in. (8.3 cm)				
LOSED	4.25 in. (10.8 cm)	ODENING			
/ERALL	7.6 in. (19.3 cm)	OPENING	SpeedSafe® assisted opening with flipper		100
EIGHT	4.5 oz. (140 g)	LOCK	Frame lock		4
DX	087171052380	POCKETCLIP	Reversible (right/left, tip-up)		_00
LAM	087171053523	FEATURES	Single-edge sharpened		
LITCH				0	
930	a KERSHAW ORIGINALS design	<	initia et al		H
TEEL	8Cr13MoV, stonewashed finish				
ANDLE	Glass-filled nylon				
LADE	3.25 in. (8.3 cm)				
LOSED	4.6 in. (11.7 cm)				IN C
VERALL	7.75 in. (19.7 cm)	OPENING	SpeedSafe [®] assisted opening		
EIGHT	4.7 oz. (133.2 g)		with flipper	to the second	20
OX	087171048505	LOCK	Liner lock	0 0 0	
.AM	087171048758	POCKETCLIP	Deep-carry, reversible (right/left, tip-up)	her.	

п	n,	Λ 1	A	гп
Б	R/	A١	W	ER

STEEL

HANDLE Blade

CLOSED

OVERALL

WEIGHT

BOX Clam

1990

a KERSHAW ORIGINALS design

8Cr13MoV, black-oxide BlackWash™ with satin flats

G10 with carbon fiber overlay

3.5 in. (8.9 cm)

5 in. (12.7 cm)

8.5 in. (21.5 cm)

5.3 oz. (150.3 g)

087171048512

087171050348

STEEL	8Cr13MoV, black-oxide coating
HANDLE	Glass-filled nylon
BLADE	3 in. (7.6 cm)
CLOSED	4.1 in. (10.4 cm)
OVERALL	7.1 in. (18 cm)
WEIGHT	3.9 oz. (110.6 g)
BOX	087171033044
CLAM	087171033075

 OPENING
 SpeedSafe® assisted opening with flipper

 LOCK
 Liner lock

 POCKETCLIP
 Reversible (right/left, tip-up)

 FEATURES
 Lanyard hole



 OPENING
 SpeedSafe*assisted opening with flipper

 LOCK
 Liner lock

 POCKETCLIP
 4-position (right/left, tip-up/down)





KETShaw ZO19 CATALOG

DUOJET

.....

8300





EDC - SPEEDSAFE

KETS DEVV° 2019 CATALOG

HANDLE Stainless steel, titanium carbo-nitride coating, dual carbon fiber inlays front BLADE 3.25 in. (8.3 cm) CLOSED 4.5 in. (11.4 cm) OVERALL 7.75 in. (19.7 cm) WEIGHT 4.8 oz. (138 g) BOX 087171051956 CLAM 087171053530

a KERSHAW ORIGINALS design

8Cr13MoV, titanium carbo-nitride coating

OPENING	SpeedSafe [®] assisted opening with flipper or thumb stud
LOCK	Frame lock
POCKETCLIP	Deep-carry, single-position (right, tip-down)
FEATURES	Lanyard hole





FRINGE 8310

STEEL

a KERSHAW ORIGINALS design

STEEL	8Cr13MoV, titanium carbo-nitride coating	
HANDLE	Stainless steel, titanium carbo-nitride coating, carbon fiber inlay front	
BLADE	3 in. (7.6 cm)	OPENII
CLOSED	4.1 in. (10.5 cm)	OFEMI
OVERALL	7 in. (17.8 cm)	LOCK
WEIGHT	3.5 oz. (101 g)	POCKE
BOX	087171052281	
CLAM	087171052786	FEATU







OUTRIGHT 8320

a KERSHAW ORIGINALS design

STEEL	8Cr13MoV, blue PVD coating
HANDLE	Stainless steel, blue PVD coating, G10 overlay front
BLADE	3 in. (7.6 cm)
CLOSED	4.4 in. (11.1 cm)
OVERALL	7.1 in. (18.1 cm)
WEIGHT	4 oz. (114 g)
BOX	087171052298
CLAM	-



WESTIN

3460	a LES GEORGE design	~	
STEEL	8Cr13MoV. stonewashed finish		
HANDLE	Textured glass-filled nylon front, stonewashed		
	steel back		
BLADE	3.5 in. (8.9 cm)		
CLOSED	4.3 in. (10.9 cm)		
OVERALL	7.8 in. (19.7 cm)	OPENING	:
WEIGHT	3.9 oz. (110.6 g)		١
BOX	087171044804	LOCK	1
CLAM	087171045757	POCKETCLIP	1





Frame lock **POCKETCLIP** Deep-carry, reversible (right/left, tip-up)

ERIS					
LKIJ 1881	a KERSHAW ORIGINALS design		havadhave •	0 0	
		<			
STEEL	8Cr13MoV, stonewashed finish with satin flats				
HANDLE	Stainless steel, titanium carbo-nitride coating				
BLADE Closed	3 in. (7.6 cm) 4.1 in. (10.4 cm)	0050000			
OVERALL	7.2 in. (18.1 cm)	OPENING	SpeedSafe [®] assisted opening with flipper		
WEIGHT	4.7 oz. (133.2 g)	LOCK	Frame lock	ec_all	
BOX	087171047737	POCKETCLIP	Reversible (right/left, tip-up)		
CLAM		FEATURES	Lanyard hole		
•••••					
VEDDE				0	A
2460	a KERSHAW ORIGINALS design		6	Tunnes a	and a
STEEL	8Cr13MoV, titanium carbo-nitride coating				1000
HANDLE	Stainless steel, titanium carbo-nitride coating,			-	1000
BLADE	G10 overlay				
BLADE CLOSED	3.25 in. (8.3 cm) 4.25 in. (10.8 cm)	OPENING	SpoodSofe" assisted aparing	and	No.
OVERALL	7.5 in. (19 cm)	UPENING	SpeedSafe [®] assisted opening with flipper		
WEIGHT	4.6 oz. (131 g)	LOCK	Frame lock		2 elb
BOX	087171049069	POCKETCLIP	Reversible (right/left, tip-up)		
CLAM	087171050331	FEATURES	Lanyard hole		
OSO SV 1830			busines .	1000 0 100 0 m	100
1000	a KERSHAW ORIGINALS design			-	
STEEL Handle	8Cr13MoV, satin finish				
BLADE	Glass-filled nylon 3 in. (7.8 cm)				
	0 11. (7.0 011)				
CLOSED	4.1 in. (10.5 cm)	OPENING	SpeedSafe [®] assisted opening	A CONTRACTOR OF CONTRACTOR	
OVERALL	7.1 in. (18.2 cm)	OPENING	SpeedSafe [®] assisted opening with flipper	0 m .	
OVERALL WEIGHT	7.1 in. (18.2 cm) 2.8 oz. (82 g)	LOCK	with flipper Liner lock		·
OVERALL WEIGHT BOX	7.1 in. (18.2 cm)		with flipper		
OVERALL WEIGHT BOX	7.1 in. (18.2 cm) 2.8 oz. (82 g) 087171183008	LOCK Pocketclip	with flipper Liner lock Reversible (right, tip-up/tip-down)		
CLOSED OVERALL WEIGHT BOX CLAM FATBA	7.1 in. (18.2 cm) 2.8 oz. (82 g) 087171183008 087171183015	LOCK Pocketclip	with flipper Liner lock Reversible (right, tip-up/tip-down)		
OVERALL WEIGHT BOX CLAM	7.1 in. (18.2 cm) 2.8 oz. (82 g) 087171183008 087171183015	LOCK Pocketclip	with flipper Liner lock Reversible (right, tip-up/tip-down)		
OVERALL WEIGHT BOX CLAM	7.1 in. (18.2 cm) 2.8 oz. (82 g) 087171183008 087171183015	LOCK Pocketclip	with flipper Liner lock Reversible (right, tip-up/tip-down)		
DVERALL WEIGHT BOX CLAM FATBA	7.1 in. (18.2 cm) 2.8 oz. (82 g) 087171183008 087171183015 CK a KERSHAW ORIGINALS design	LOCK Pocketclip	with flipper Liner lock Reversible (right, tip-up/tip-down)		
DVERALL WEIGHT BOX CLAM FATBA 1935 STEEL	7.1 in. (18.2 cm) 2.8 oz. (82 g) 087171183008 087171183015	LOCK Pocketclip	with flipper Liner lock Reversible (right, tip-up/tip-down)		
OVERALL WEIGHT BOX CLAM FATBA 1935 STEEL HANDLE BLADE	7.1 in. (18.2 cm) 2.8 oz. (82 g) 087171183008 087171183015 CK a KERSHAW ORIGINALS design 8Cr13MoV, black-oxide coating Glass-filled nylon 3.5 in. (8.9 cm)	LOCK Pocketclip	with flipper Liner lock Reversible (right, tip-up/tip-down)		
OVERALL WEIGHT BOX CLAM FATBA 1935 STEEL HANDLE BLADE CLOSED	7.1 in. (18.2 cm) 2.8 oz. (82 g) 087171183008 087171183015 CK a KERSHAW ORIGINALS design 8Cr13MoV, black-oxide coating Glass-filled nylon 3.5 in. (8.9 cm) 4.25 in. (10.8 cm)	LOCK Pocketclip	with flipper Liner lock Reversible (right, tip-up/tip-down) Lanyard hole		
OVERALL WEIGHT BOX CLAM FATBA 1935 STEEL HANDLE BLADE CLOSED OVERALL	7.1 in. (18.2 cm) 2.8 oz. (82 g) 087171183008 087171183015 CK a KERSHAW ORIGINALS design 8Cr13MoV, black-oxide coating Glass-filled nylon 3.5 in. (8.9 cm) 4.25 in. (10.8 cm) 7.75 in. (19.7 cm)	LOCK POCKETCLIP FEATURES	with flipper Liner lock Reversible (right, tip-up/tip-down) Lanyard hole		
OVERALL WEIGHT BOX CLAM I935 STEEL HANDLE BLADE CLOSED OVERALL WEIGHT	7.1 in. (18.2 cm) 2.8 oz. (82 g) 087171183008 087171183015 CK a KERSHAW ORIGINALS design 8Cr13MoV, black-oxide coating Glass-filled nylon 3.5 in. (8.9 cm) 4.25 in. (10.8 cm) 7.75 in. (19.7 cm) 3.6 oz. (102.1 g)	LOCK POCKETCLIP FEATURES OPENING LOCK	with flipper Liner lock Reversible (right, tip-up/tip-down) Lanyard hole SpeedSafe* assisted opening with flipper Liner lock		
OVERALL WEIGHT BOX CLAM 1935 STEEL HANDLE BLADE CLOSED OVERALL WEIGHT BOX	7.1 in. (18.2 cm) 2.8 oz. (82 g) 087171183008 087171183015 CK a KERSHAW ORIGINALS design 8Cr13MoV, black-oxide coating Glass-filled nylon 3.5 in. (8.9 cm) 4.25 in. (10.8 cm) 7.75 in. (19.7 cm)	LOCK POCKETCLIP FEATURES	with flipper Liner lock Reversible (right, tip-up/tip-down) Lanyard hole		
OVERALL WEIGHT BOX CLAM 1935 STEEL HANDLE BLADE CLOSED OVERALL WEIGHT BOX	7.1 in. (18.2 cm) 2.8 oz. (82 g) 087171183008 087171183015 CK a KERSHAW ORIGINALS design 8Cr13MoV, black-oxide coating Glass-filled nylon 3.5 in. (8.9 cm) 4.25 in. (10.8 cm) 7.75 in. (19.7 cm) 3.6 oz. (102.1 g) 087171046105	LOCK POCKETCLIP FEATURES OPENING LOCK	with flipper Liner lock Reversible (right, tip-up/tip-down) Lanyard hole SpeedSafe* assisted opening with flipper Liner lock Deep-carry, 4-position (right/left,		
OVERALL WEIGHT BOX	7.1 in. (18.2 cm) 2.8 oz. (82 g) 087171183008 087171183015	LOCK POCKETCLIP FEATURES OPENING LOCK	with flipper Liner lock Reversible (right, tip-up/tip-down) Lanyard hole SpeedSafe* assisted opening with flipper Liner lock Deep-carry, 4-position (right/left,		
OVERALL WEIGHT BOX CLAM FATBA 1935 STEEL HANDLE BLADE CLOSED OVERALL WEIGHT BOX CLAM FERRIT	7.1 in. (18.2 cm) 2.8 oz. (82 g) 087171183008 087171183015	LOCK POCKETCLIP FEATURES OPENING LOCK	with flipper Liner lock Reversible (right, tip-up/tip-down) Lanyard hole SpeedSafe* assisted opening with flipper Liner lock Deep-carry, 4-position (right/left,		
OVERALL WEIGHT BOX CLAM FATBA 1935 STEEL HANDLE BLADE CLOSED OVERALL WEIGHT BOX CLAM FERRIT	7.1 in. (18.2 cm) 2.8 oz. (82 g) 087171183008 087171183015 CK a KERSHAW ORIGINALS design 8 Cr13MoV, black-oxide coating Glass-filled nylon 3.5 in. (8.9 cm) 4.25 in. (10.8 cm) 7.75 in. (19.7 cm) 3.6 oz. (102.1 g) 087171046105 087171045740	LOCK POCKETCLIP FEATURES OPENING LOCK	with flipper Liner lock Reversible (right, tip-up/tip-down) Lanyard hole SpeedSafe* assisted opening with flipper Liner lock Deep-carry, 4-position (right/left,		
DVERALL WEIGHT BOX CLAM PATBA 1935 STEEL HANDLE BLADE CLOSED OVERALL WEIGHT BOX CLAM FERRIT 1557TI	7.1 in. (18.2 cm) 2.8 oz. (82 g) 087171183008 087171183015 CK a KERSHAW ORIGINALS design 8Cr13MoV, black-oxide coating Glass-filled nylon 3.5 in. (8.9 cm) 4.25 in. (10.8 cm) 7.75 in. (19.7 cm) 3.6 oz. (102.1 g) 087171046105 087171045740 E a RICK HINDERER design 8Cr13MoV, titanium carbo-nitride coating	LOCK POCKETCLIP FEATURES	with flipper Liner lock Reversible (right, tip-up/tip-down) Lanyard hole SpeedSafe* assisted opening with flipper Liner lock Deep-carry, 4-position (right/left,		
OVERALL WEIGHT BOX CLAM FATBA 1935 STEEL HANDLE BLADE CLOSED OVERALL WEIGHT BOX CLAM FERRIT 1557TI	7.1 in. (18.2 cm) 2.8 oz. (82 g) 087171183008 087171183015	LOCK POCKETCLIP FEATURES	with flipper Liner lock Reversible (right, tip-up/tip-down) Lanyard hole SpeedSafe* assisted opening with flipper Liner lock Deep-carry, 4-position (right/left,		
DVERALL WEIGHT BOX CLAM FATBA 1935 STEEL HANDLE BLADE CLOSED OVERALL WEIGHT BDX CLAM FERRIT 1557TI	7.1 in. (18.2 cm) 2.8 oz. (82 g) 087171183008 087171183015 CK a KERSHAW ORIGINALS design 8Cr13MoV, black-oxide coating Glass-filled nylon 3.5 in. (8.9 cm) 4.25 in. (10.8 cm) 7.75 in. (19.7 cm) 3.6 oz. (102.1 g) 087171046105 087171045740 E a RICK HINDERER design 8Cr13MoV, titanium carbo-nitride coating Stainless steel, titanium carbo-nitride coating 3.3 in. (8.4 cm)	LOCK POCKETCLIP FEATURES	with flipper Liner lock Reversible (right, tip-up/tip-down) Lanyard hole SpeedSafe [*] assisted opening with flipper Liner lock Deep-carry, 4-position (right/left, tip-up/down) SpeedSafe [*] assisted opening		
OVERALL WEIGHT BOX CLAM FATBA 1935 STEEL HANDLE BLADE CLOSED OVERALL WEIGHT BOX CLAM FERRIT 1557TI	7.1 in. (18.2 cm) 2.8 oz. (82 g) 087171183008 087171183015 CK a KERSHAW ORIGINALS design 8Cr13MoV, black-oxide coating Glass-filled nylon 3.5 in. (8.9 cm) 4.25 in. (10.8 cm) 7.75 in. (19.7 cm) 3.6 oz. (102.1 g) 087171046105 087171046105 087171045740 E a RICK HINDERER design 8Cr13MoV, titanium carbo-nitride coating Stainless steel, titanium carbo-nitride coating 3.3 in. (8.4 cm) 4.25 in. (10.8 cm)	LOCK POCKETCLIP FEATURES OPENING LOCK POCKETCLIP	with flipper Liner lock Reversible (right, tip-up/tip-down) Lanyard hole SpeedSafe [*] assisted opening with flipper Liner lock Deep-carry, 4-position (right/left, tip-up/down) SpeedSafe [*] assisted opening with flipper or thumb stud		
OVERALL WEIGHT BOX CLAM I935 STEEL HANDLE BLADE CLOSED OVERALL WEIGHT BOX CLAM FERRIT IS57TI STEEL HANDLE BLADE CLOSED OVERALL	7.1 in. (18.2 cm) 2.8 oz. (82 g) 087171183008 087171183015 CK a KERSHAW ORIGINALS design 8Cr13MoV, black-oxide coating Glass-filled nylon 3.5 in. (8.9 cm) 4.25 in. (10.8 cm) 7.75 in. (19.7 cm) 3.6 oz. (102.1 g) 087171046105 087171045740 E a RICK HINDERER design 8Cr13MoV, titanium carbo-nitride coating Stainless steel, titanium carbo-nitride coating Stainless steel, titanium carbo-nitride coating 3.3 in. (8.4 cm) 4.25 in. (10.8 cm) 7.5 in. (19.1 cm)	LOCK POCKETCLIP FEATURES OPENING LOCK POCKETCLIP	with flipper Liner lock Reversible (right, tip-up/tip-down) Lanyard hole SpeedSafe* assisted opening with flipper Liner lock Deep-carry, 4-position (right/left, tip-up/down) SpeedSafe* assisted opening with flipper or thumb stud Frame lock		
OVERALL WEIGHT BOX CLAM FATBA 1935 STEEL HANDLE BLADE CLOSED OVERALL WEIGHT BOX CLAM FERRIT 1557TI STEEL HANDLE BLADE CLOSED OVERALL WEIGHT	7.1 in. (18.2 cm) 2.8 oz. (82 g) 087171183008 087171183015 CK a KERSHAW ORIGINALS design 8Cr13MoV, black-oxide coating Glass-filled nylon 3.5 in. (8.9 cm) 4.25 in. (10.8 cm) 7.75 in. (19.7 cm) 3.6 oz. (102.1 g) 087171046105 087171046105 087171045740 E a RICK HINDERER design 8Cr13MoV, titanium carbo-nitride coating Stainless steel, titanium carbo-nitride coating 3.3 in. (8.4 cm) 4.25 in. (10.8 cm)	LOCK POCKETCLIP FEATURES OPENING LOCK POCKETCLIP	with flipper Liner lock Reversible (right, tip-up/tip-down) Lanyard hole SpeedSafe [*] assisted opening with flipper Liner lock Deep-carry, 4-position (right/left, tip-up/down) SpeedSafe [*] assisted opening with flipper or thumb stud		
OVERALL WEIGHT BOX CLAM FATBA 1935 STEEL HANDLE BLADE CLOSED OVERALL WEIGHT BOX CLAM	7.1 in. (18.2 cm) 2.8 oz. (82 g) 087171183008 087171183015 CK a KERSHAW ORIGINALS design 8Cr13MoV, black-oxide coating Glass-filled nylon 3.5 in. (8.9 cm) 4.25 in. (10.8 cm) 7.75 in. (19.7 cm) 3.6 oz. (102.1 g) 087171046105 087171045740 E a RICK HINDERER design 8Cr13MoV, titanium carbo-nitride coating Stainless steel, titanium carbo-nitride coating Stainless steel, titanium carbo-nitride coating 3.3 in. (8.4 cm) 4.25 in. (10.8 cm) 7.5 in. (19.1 cm) 4.2 oz. (119.1 g)	LOCK POCKETCLIP FEATURES OPENING LOCK POCKETCLIP	with flipper Liner lock Reversible (right, tip-up/tip-down) Lanyard hole SpeedSafe* assisted opening with flipper Liner lock Deep-carry, 4-position (right/left, tip-up/down) SpeedSafe* assisted opening with flipper or thumb stud Frame lock Reversible (right/left, tip-up),		

34

KERSHAWKNIVES.COM

ALL a KERSHAW ORIGINALS design	<	Station Co		
8Cr13MoV, stonewashed finish		V		Chill Sites
	OPENING	SpeedSafe [®] assisted opening		
7.5 in. (19 cm)	LOCK			
4.1 oz. (116.2 g)				
087171034942	TOORETOEN	(right/left, tip-up)		500
087171034959	FEATURES	Lanyard hole	~	
Glass-filled nylon, K-Texture™ grip 3 in. (7.6 cm) 4.25 in. (10.8 cm) 7.25 in. (18.4 cm)	OPENING	SpeedSafe" assisted opening with flipper or thumb stud		
4.8 oz. (136.1 g)	LOCK	Linerlock	Chilling the state of the state	
	POCKETCLIP	Deep-carry, reversible		N. A.
ST a KERSHAW ORIGINALS design		Institute Contraction		
	A KERSHAW ORIGINALS design SCr13MoV, stonewashed finish Glass-filled nylon, K-Texture™ grip 3.25 in. (8.3 cm) 4.25 in. (10.8 cm) 7.5 in. (19 cm) 4.1 oz. (116.2 g) 087171034942 087171034959 XE A KERSHAW ORIGINALS design SCr13MoV, stonewashed finish Glass-filled nylon, K-Texture™ grip 3 in. (7.6 cm) 4.25 in. (10.8 cm) 7.25 in. (18.4 cm) 4.80 c. (136.1 g) 087171034966 087171034973	AKERSHAW ORIGINALS design SCr13MoV, stonewashed finish Glass-filled nylon, K-Texture™ grip 3.25 in. (10.8 cm) 7.5 in. (10.8 cm) 4.1 oz. (116.2 g) 087171034942 087171034959 FATURES POCKETCLIP MATURES AKERSHAW ORIGINALS design SCr13MoV, stonewashed finish Glass-filled nylon, K-Texture™ grip 3.in. (7.6 cm) 4.25 in. (10.8 cm) 7.25 in. (18.4 cm) 4.25 in. (10.4 grm) 7.25 in. (18.4 cm) 7.25 in.	AKERSHAW ORIGINALS design Schrämer, KTexturer** grip 3.25 in. (8.3 cm) 3.25 in. (8.3 cm) 3.25 in. (10.8 cm) 3.5 in. (10.8 cm) 3.5 in. (10.8 cm) 3.6 in. (10.8 cm) 3.75 in. (19.2 cm) 3.10 cm. (116.2 cm) 3.6 in. (10.8 cm) 3.75 in. (10.9 cm) 3.7701034942 3.7701034959 PAREMARK ORIGINALS design Artershaw Originals design Artershaw Originals design Comparison Artershaw Originals design Particle driven in the state design Artershaw Originals design Particle driven in the state design Artershaw Originals design Artershaw Originals design Artershaw Originals design Particle driven in the state design Artershaw Originals design	AKERSHAW ORIGINALS design Scri3MoV, stonewashed finish Glass-filled nylon, K-Texture™ grip 3.25 in, (10 cm) 4.102, (1152, 9) 097171034959 PENINE SpeedSafe* assisted opening With flipper DetRINE SpeedSafe* assisted opening With flipper openary, reversible Control openation openatio

- STEEL
 8Cr13MoV, black-oxide co

 HANDLE
 Glass-filled nylon

 BLADE
 3.1 in. (7.9 cm)

 CLOSED
 4.1 in. (10.5 cm)

 OVERALL
 7.25 in. (18.4 cm)

 WEIGHT
 3.2 oz. (90.7 g)

 BOX
 087171033747

 CLAM
- OPENING
 SpeedSafe* assisted opening with flipper

 LOCK
 Liner lock

 POCKETCLIP
 3-position (right/left, tip-up; right, tip-down)

 FEATURES
 Lanyard hole

Intellet



EDC - SPEEDSAFE

KETS HEVN 2019 DATALOG

CRYO 1555

OPENING	SpeedSafe [®] assisted opening with flipper or thumb stud
LOCK	Frame lock with lockbar stabilizer
POCKETCLIP	Deep-carry, 4-position (right/left, tip-up/down)
FEATURES	Lanyard hole



a RICK HINDERER design

CRYO 1555TI	
STEEL	8Cr13MoV, titanium carbo-nitride coating
HANDLE	410 stainless steel, titanium carbo-nitride coating
BLADE	2.75 in. (7 cm)
CLOSED	3.75 in. (9.5 cm)
OVERALL	6.5 in. (16.5 cm)
WEIGHT	4.1 oz. (116.2 g)
BOX	087171033686
CLAM	087171033693





CRYO - BLACKWASH™ 1555BW

STEEL	8Cr13MoV, black-oxide BlackWash™ finish
HANDLE	410 stainless steel, black-oxide BlackWash™ finish
BLADE	2.75 in. (7 cm)
CLOSED	3.75 in. (9.5 cm)
OVERALL	6.5 in. (16.5 cm)
WEIGHT	4.1 oz. (116.2 g)
BOX	087171037530
CLAM	087171036830









CRYO - G10 1555G10

STEEL	8Cr13MoV, stonewashed finish
HANDLE	G10 front, stainless steel back, stonewashed finish
BLADE	2.75 in. (7.0 cm)
CLOSED	3.75 in. (9.5 cm)
OVERALL	6.5 in. (16.5 cm)
WEIGHT	3.7 oz. (104.9 g)
BOX	087171036731
CLAM	087171036748









Kershew 2019 CATALOG

" EDC - SPEEDSAFE

KERSHAWKNIVES.COM

CRYO II 1556

OPENING Lock Pocketclip Features

a RICK HINDERER design

CRYO II

1556TI

STEEL

HANDLE

BLADE

CLOSED

BOX Clam

OVERALL WEIGHT SpeedSafe[®] assisted opening with flipper or thumb stud Frame lock with lockbar stabilizer Deep-carry, 4-position (right/left, tip-up/down) Lanyard hole



0

KETS HANN[®] 2019 CATALOG

CRYO II - BLACKWASH™ 1556BW

3.25 in. (8.3 cm)

4.4 in. (11.2 cm)

7.75 in. (19.7 cm)

5.5 oz. (155.9 g) 087171034706

CLAM 087171034713

STEEL	8Cr13MoV, black-oxide BlackWash™ finish
HANDLE	410 stainless steel, black-oxide BlackWash™ finish
BLADE	3.25 in. (8.3 cm)
CLOSED	4.4 in. (11.2 cm)
OVERALL	7.75 in. (19.7 cm)
WEIGHT	5.5 oz. (155.9 g)
BOX	087171036236
CLAM	

8Cr13MoV, titanium carbo-nitride coating

410 stainless steel, titanium carbo-nitride coating



.....







000001-0	an RJ Martin design	3650ST	
STEEL	8Cr13MoV, bead-blasted finish	3650	
HANDLE	Glass-filled nylon	0000	
BLADE	3.25 in. (8.3 cm)		
CLOSED	3.9 in. (9.8 cm)		La company and the second s
OVERALL	7.1 in. (18 cm)	OPENING	SpeedSafe' assisted opening with flipper
WEIGHT Box	3.3 oz. (93.6 g) 087171031088 serrated • 087171031071 plain	LOCK POCKETCLIP	Liner lock Reversible (right, tip-up; left, tip-down)
CLAM	087171031086 serrated • 087171031071 plain 087171031385 serrated • 087171031361 plain	FEATURES	Lanyard hole
VULII 3650CKTS	I - BLACK, SERRATED		Intim Contractor Of Contractor
000001(10	an Ko hak nin design		0
STEEL	8Cr13MoV, black-oxide coating		
HANDLE	Glass-filled nylon		
BLADE	3.25 in. (8.3 cm)	OPENING	SpeedSafe [®] assisted opening
CLOSED Overall	3.9 in. (9.8 cm) 7.1 in. (18 cm)	1.00"	with flipper
WEIGHT	3.3 oz. (93.6 g)		Liner lock
BOX	087171031477	PUCKETCLIP	Reversible (right, tip-up; left, tip- down)
CLAM	087171031620	FEATURES	Lanyard hole
VOLT S	S		busines / C O O
3655	an RJ MARTIN design	1	
STEEL	8Cr13MoV, bead-blasted finish		
HANDLE	Stainless steel, bead-blasted finish		
BLADE	3.5 in. (8.9 cm)		
CLOSED	4.25 in. (10.8 cm)	OPENING	SpeedSafe* assisted opening with flipper
OVERALL	7.75 in. (19.7 cm)	LOCK	Frame lock
WEIGHT	4.3 oz. (122 g)		3-position (right/left, tip-up;
BOX	087171033785	roomeroen	right, tip-down)
			light, the domin
CLAM	087171033792	FEATURES	Lanyard hole
	087171033792	FEATURES	Lanyard hole
CLAM ZING S 1730SS	087171033792	FEATURES	Lanyard hole
ZING S	087171033792 S	FEATURES	Lanyard hole
ZING S 1730SS STEEL	087171033792 S an RJ MARTIN design 8Cr13MoV, bead-blasted finish	FEATURES	Lanyard hole
ZING S 1730SS STEEL HANDLE	087171033792 S an RJ MARTIN design 8Cr13MoV, bead-blasted finish 410 stainless steel, bead-blasted finish	FEATURES	Lanyard hole
ZING S 1730SS STEEL HANDLE BLADE	087171033792 S an RJ MARTIN design 8Cr13MoV, bead-blasted finish 410 stainless steel, bead-blasted finish 3 in. (7.6 cm)	FEATURES	Lanyard hole
ZING S 1730SS STEEL HANDLE BLADE CLOSED	087171033792 S an RJ MARTIN design 8Cr13MoV, bead-blasted finish 410 stainless steel, bead-blasted finish 3 in. (7.6 cm) 3.9 in. (9.8 cm)	OPENING	Lanyard hole
ZING S 1730SS STEEL HANDLE BLADE CLOSED OVERALL	087171033792 S an RJ MARTIN design 8Cr13MoV, bead-blasted finish 410 stainless steel, bead-blasted finish 3 in. (7.6 cm) 3.9 in. (9.8 cm) 6.9 in. (17.5 cm)	OPENING LOCK	Lanyard hole
ZING S 1730SS STEEL HANDLE BLADE CLOSED OVERALL WEIGHT	087171033792 S an RJ MARTIN design 8Cr13MoV, bead-blasted finish 410 stainless steel, bead-blasted finish 3 in. (7.6 cm) 3.9 in. (9.8 cm)	OPENING LOCK	Lanyard hole
ZING S 1730SS STEEL HANDLE BLADE CLOSED OVERALL WEIGHT BOX	087171033792 S an RJ MARTIN design 8Cr13MoV, bead-blasted finish 410 stainless steel, bead-blasted finish 3 in. (7.6 cm) 3.9 in. (9.8 cm) 6.9 in. (17.5 cm) 3.3 oz. (93.6 g)	OPENING LOCK	Lanyard hole
ZING S 1730SS STEEL HANDLE BLADE CLOSED OVERALL WEIGHT BOX CLAM	087171033792 S an RJ MARTIN design 8Cr13MoV, bead-blasted finish 410 stainless steel, bead-blasted finish 3 in. (7.6 cm) 3.9 in. (9.8 cm) 6.9 in. (17.5 cm) 3.3 oz. (93.6 g) 087171033518	OPENING Lock Pocketclip	Lanyard hole
ZING S 1730SS STEEL HANDLE BLADE CLOSED OVERALL WEIGHT BOX CLAM	087171033792 S an RJ MARTIN design &Cr13MoV, bead-blasted finish 410 stainless steel, bead-blasted finish 3 in. (7.6 cm) 3.9 in. (9.8 cm) 6.9 in. (17.5 cm) 3.3 oz. (93.6 g) 087171033518 087171033525	OPENING Lock Pocketclip	Lanyard hole
ZING S 1730SS STEEL HANDLE BLADE CLOSED OVERALL WEIGHT BOX CLAM	087171033792 S an RJ MARTIN design 8Cr13MoV, bead-blasted finish 410 stainless steel, bead-blasted finish 3 in. (7.6 cm) 3.9 in. (9.8 cm) 6.9 in. (17.5 cm) 3.3 oz. (93.6 g) 087171033518	OPENING Lock Pocketclip	Lanyard hole
ZING S 1730SS STEEL HANDLE BLADE CLOSED OVERALL WEIGHT BOX CLAM	087171033792 S an RJ MARTIN design &Cr13MoV, bead-blasted finish 410 stainless steel, bead-blasted finish 3 in. (7.6 cm) 3.9 in. (9.8 cm) 6.9 in. (17.5 cm) 3.3 oz. (93.6 g) 087171033518 087171033525	OPENING Lock Pocketclip	Lanyard hole
ZING S 1730SS STEEL HANDLE BLADE CLOSED OVERALL WEIGHT BOX CLAM GRID 2200 STEEL	087171033792 S an RJ MARTIN design &Cr13MoV, bead-blasted finish 410 stainless steel, bead-blasted finish 3 in (7.6 cm) 3.9 in (9.8 cm) 6.9 in (17.5 cm) 3.3 oz. (93.6 g) 087171033518 087171033525	OPENING LOCK POCKETCLIP FEATURES	Lanyard hole
ZING S 1730SS STEEL HANDLE BLADE CLOSED OVERALL WEIGHT BOX CLAM GRID 2200 STEEL HANDLE BLADE	087171033792 S an RJ MARTIN design 8Cr13MoV, bead-blasted finish 410 stainless steel, bead-blasted finish 3 in. (7.6 cm) 3.9 in. (9.8 cm) 6.9 in. (17.5 cm) 3.3 oz. (93.6 g) 087171033518 087171033525 8Cr13MoV, black-oxide coating Stainless steel, titanium carbo-nitride coating 3.7 in. (9.4 cm)	OPENING LOCK POCKETCLIP FEATURES	Lanyard hole
ZING S 1730SS STEEL HANDLE BLADE CLOSED OVERALL WEIGHT BOX CLAM GRID 2200 STEEL HANDLE BLADE CLOSED	087171033792 S an RJ MARTIN design 8Cr13MoV, bead-blasted finish 410 stainless steel, bead-blasted finish 3 in. (7.6 cm) 3.9 in. (9.8 cm) 6.9 in. (17.5 cm) 3.3 oz. (93.6 g) 087171033518 087171033525 8Cr13MoV, black-oxide coating Stainless steel, titanium carbo-nitride coating 3.7 in. (9.4 cm) 4.5 in. (11.4 cm)	OPENING LOCK POCKETCLIP FEATURES	Lanyard hole
ZING S 1730SS STEEL HANDLE BLADE CLOSED OVERALL WEIGHT BOX CLAM GRID 2200 STEEL HANDLE BLADE CLOSED OVERALL	087171033792 S an RJ MARTIN design 8Cr13MoV, bead-blasted finish 410 stainless steel, bead-blasted finish 3 in. (7.6 cm) 3.9 in. (9.8 cm) 6.9 in. (17.5 cm) 3.3 oz. (93.6 g) 087171033518 087171033525 8Cr13MoV, black-oxide coating Stainless steel, titanium carbo-nitride coating 3.7 in. (9.4 cm) 4.5 in. (11.4 cm) 8.4 in. (21.3 cm)	OPENING LOCK POCKETCLIP FEATURES	Lanyard hole
ZING S 1730SS STEEL HANDLE BLADE CLOSED OVERALL WEIGHT BOX CLAM	087171033792 an RJ MARTIN design 8Cr13MoV, bead-blasted finish 410 stainless steel, bead-blasted finish 3.9 in. (7.6 cm) 3.9 in. (9.8 cm) 6.9 in. (17.5 cm) 3.3 oz. (93.6 g) 087171033518 087171033525 8Cr13MoV, black-oxide coating Stainless steel, titanium carbo-nitride coating 3.7 in. (9.4 cm) 4.5 in. (11.4 cm)	OPENING LOCK POCKETCLIP FEATURES	Lanyard hole

KERSHAWKNIVES.COM

S EDC - SPEEDSAFE

KETShawy[°] 2019 Catalog

38



OPENING	SpeedSafe [®] assisted opening with flipper	
LOCK	Frame lock	
POCKETCI IP	Deen-carry reversible (right/left	





RJ TACTICAL 3.0

3 in. (7.6 cm)

4 in. (10.2 cm) 6.75 in. (17.1 cm)

3.7 oz. (104.9 g)

087171044774

087171044927

BLADE

CLOSED

OVERALL

WEIGHT

BOX CLAM

an RJ MARTIN design

.....

STEEL	8Cr13MoV, black-oxide coating
HANDLE	Glass-filled nylon
BLADE	3 in. (7.6 cm)
CLOSED	4 in. (10.2 cm)
OVERALL	6.9 in. (17.5 cm)
WEIGHT	2.8 oz. (79.4 g)
BOX	087171039336
CLAM	087171039794





edc - Speedsafe

(I'S NEVV) 2019 CATALOG



EDC-MANUAL

licenshater

and the

READY FOR my best day ever.

DECIB	EL NEW		
2045	a KERSHAW ORIGINALS design		
STEEL	8Cr13MoV, titanium carbo-nitride coating		IG
HANDLE	Stainless steel, titanium carbo-nitride coating		
BLADE	3 in. (7.6 cm)		
CLOSED OVERALL	3.75 in. (9.6 cm) 6.6 in. (16.8 cm)	OPENING	Manual opening with thumb stud
WEIGHT	2.9 oz. (83 g)	LOCK	Frame lock
BOX	087171055152	POCKETCLIP	Reversible (right/left, tip-up)
CLAM		FEATURES	Custom pivot nut & collar, handle cutout
ΜΙΧΤΑ	PE NEW		
2050	a KERSHAW ORIGINALS design		
		4	
STEEL	8Cr13MoV, stonewashed finish		
HANDLE BLADE	Glass-filled nylon 3.1 in. (7.9 cm)		
CLOSED	4.1 in. (10.5 cm)		
OVERALL	7.25 in. (18.5 cm)	OPENING	Manual opening with thumb disk
WEIGHT BOX	2.6 oz. (75 g) 087171055176	LOCK	Inset liner lock Single-position (right, tip-up)
CLAM	-	FEATURES	Custom pivot nut, handle cutout
VOOM			
XCOM 3425	NEW	24303	
5425	a LES GEORGE design	<	
STEEL	8Cr13MoV, black-oxide coating		
HANDLE	Glass-filled nylon		
BLADE CLOSED	3.6 in. (9.2 cm) 4.4 in. (11.4 cm)		
OVERALL	8 in. (20.2 cm)	OPENING	Manual opening with thumb disk
WEIGHT	4.1 oz. (117 g)	LOCK	Inset liner lock
BOX Clam	087171054834	POCKETCLIP FEATURES	Deep-carry, reversible (right/left, tip-up)
INNUE			· · · · ·
3440	a LES GEORGE design	<	Instar
STEEL	8Cr13MoV, titanium carbo-nitride coating		
HANDLE	Stainless steel, bead-blasted finish		
BLADE CLOSED	3.3 in. (8.5 cm) 4.25 in. (10.8 cm)		
OVERALL	7.6 in. (19.3 cm)	OPENING	Manual opening with thumb disk
WEIGHT	4.4 oz. (127 g)	LOCK	Frame lock
BOX Clam	087171054179	POCKETCLIP FEATURES	Deep-carry, reversible (right/left, tip-up) Custom pivot nut, handle cutout
GLAIT		FLATURES	custom protinut, nanule cutout
EPISTL			
2131	a KERSHAW ORIGINALS design		Lociar 0
			•
STEEL	8Cr13MoV, bead-blasted finish		
HANDLE	Aluminum, clear-anodized finish		
BLADE CLOSED	3 in. (7.8 cm) 4 in. (10 cm)		
OVERALL	4 in. (10 cm) 7 in. (17.8 cm)	OPENING	Manual opening with thumb stud
WEIGHT	2.1 oz. (61 g)	LOCK	Inset liner lock
BOX	087171054308	POCKETCLIP	Single-position (right, tip-up)
CLAM		FEATURES	Custom pivot nut

KERSHAWKNIVES.COM

EDC - MANUAL

Kershaw^{*} 2019 CATALOG

1225	a KERSHAW ORIGINALS design			
			No.C	
STEEL	8Cr13MoV, titanium carbo-nitride coating			
HANDLE	G10, carbon fiber overlay front,			
	stainless steel back			
BLADE	3 in. (7.6 cm)	131 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1		
CLOSED OVERALL	4.25 in. (10.9 cm) 7.4 in. (18.7 cm)	OPENING	Manual opening	
WEIGHT	2.2 oz. (63 g)	LOCK POCKETCLIP	Frame lock Extra-deep-carry, single-position	
BOX	087171054759	PUCKETCLIP	(right, tip-up)	
CLAM	The second second	FEATURES	Carabiner clip	
	_			
REVER	B			and the second s
1220	a KERSHAW ORIGINALS design			
STEEL	8Cr13MoV, titanium carbo-nitride coating,	satin flats		
HANDLE	G10, carbon fiber overlay front, stainless st			
BLADE	2.5 in. (6.4 cm)	Sec. 15		
CLOSED	3.25 in. (8.3 cm)	OPENING	Manual opening	un an
OVERALL	6.1 in. (15.6 cm)	LOCK	Frame lock	All the second second
WEIGHT	1.6 oz. (45.4 g)	POCKETCLIP	Extra-deep-carry, single-position (right, tip-up)	
BOX	087171048642			
CLAM	087171048765	FEATURES	Carabiner clip	
1905 STEEL	a KERSHAW ORIGINALS design 8Cr13MoV, black-oxide coating, satin flats	<	· · ·	
HANDLE	Anodized aluminum, textured glass-filled r insert front	iylon		
BLADE	3.1 in. (7.9 cm)			
CLOSED OVERALL	4.4 in. (11.2 cm) 7.6 in. (19.3 cm)	OPENING	Manual opening with flipper	10.
WEIGHT	3.75 oz. (106.3 g)	LOCK	Hawk Lock	
BOX	087171044897	POCKETCLIP	Reversible (right/left, tip-up)	
CLAM	087171045801	FEATURES	Lanyard hole	
		A STAR	24881122004800000	a contraction of the second se
*	onstate and			
	on sy a state			
		No.		
		No. of Contraction		

42

KERSHAWKNIVES.COM

EDC - MANUAL

8Cr13MoV, black-oxide BlackWash™ finish G10 3 in. (7.6 cm) 4.25 in. (10.8 cm) 7.25 in. (18.4 cm) 2.2 oz. (63 g) 087171052229 -	OPENING Lock Pocketclip	KVT ball-bearing opening with flipper Inset liner lock		
3 in. (7.6 cm) 4.25 in. (10.8 cm) 7.25 in. (18.4 cm) 2.2 oz. (63 g)	LOCK		-	-
4.25 in. (10.8 cm) 7.25 in. (18.4 cm) 2.2 oz. (63 g)	LOCK			-
7.25 in. (18.4 cm) 2.2 oz. (63 g)	LOCK		0	-
2.2 oz. (63 g)				
087171052229	POCKETCLIP			
		Single-position (right, tip-up)		
	FEATURES	Lanyard hole		
חווכם				
an RJ MARTIN design		Contraction of the second seco		1.
		insing (1)		
8Cr13MoV, black-oxide coating				
3 in. (7.6 cm)				
3.9 in. (10.1 cm)				50-
6.9 in. (17.5 cm)	OPENING	KVT ball-bearing opening with flipper		h h h
3.7 oz. (105 g)			Contraction of the second	
087171052397			-	1 cm
-	FEATURES	Adjust pivot with STP Pivot Tool (p.69)		
			Stan Parks	
a DMITRY SINKEVICH design				
		instar 20		101
00-17MeV actin finish with actin and ad flate				V
	OPENING	KVT ball-bearing opening with flipper	0	
1.9 oz. (53.9 g)	LOCK	Inset liner lock		
087171052236	POCKETCLIP	Deep-carry, reversible (right/left, tip-up)		
087171052793	FEATURES	Lanyard hole		-
	8Cr13MoV, black-oxide coating Stainless steel, black-oxide coating 3 in. (7.6 cm) 3.9 in. (10.1 cm) 6.9 in. (17.5 cm) 3.7 oz. (105 g) 087171052397 - - - - - - - - - - - - - - - - - - -	An RJ MARTIN design Stainless steel, black-oxide coating Stainless steel, black-oxide coating 3.9 in. (10.1 cm) 6.9 in. (17.5 cm) 3.7 oz. (105 g) 087171052397 - BUITRY SINKEVICH design SCr13MoV, satin finish with satin sanded flats G10, carbon fiber overlay 3 in. (7.6 cm) 4 in. (10.2 cm) 6.9 in. (17.5 cm) 1.9 oz. (53.9 g) 087171052236 087171052236 087171052236	An RJ MARTIN design 8Cr13MoV, black-oxide coating 3.in. (7.6 cm) 3.9 in. (17.5 cm) 3.7 oz. (105 g) 087171052397 - BOMITRY SINKEVICH design 8Cr13MoV, satin finish with satin sanded flats (10, carbon fiber overlay 3.1 n. (7.6 cm) 4. in. (10.2 cm) (9.5 m) 4. in. (10.2 cm) (9.5 m) (1.5 cm) (9.5 m) (1.5 cm) (9.5 m) (9.5 m) (1.5 cm) (9.5 m) (1.5 cm) (9.5 m) (1.5 cm) (9.5 m) (1.5 cm) (9.5 m) (9.5 m) (1.5 cm) (9.5 m) (9.5 m) (1.5 cm) (9.5 m) (1.5 cm) (1.5	an RJ MARTIN design SCr13MoV, black-oxide coating Stainless steel, black-oxide coating Stin(10:1 cm) (Spin(17:5 cm) 3.7 oz.(105 g) OPENING CVT ball-bearing opening with flipper Trame lock POCKETCLIP Deep-carry, reversible (right/left, tip-up) Adjust pivot with STP Pivot Tool(p.69) SCr13MoV, satin finish with satin sanded flats G10, carbon fiber overlay Sin (7:5 cm) 4 in. (10.2 cm) (Spin.(17:5 cm) 19 oz.(53.9 g) OPENING VVT ball-bearing opening with flipper 19 oz.(53.9 g) OPENING VVT ball-bearing opening with fli

4020

a DMITRY SINKEVICH design

STEEL	8Cr13MoV, titanium carbo-nitride coating
HANDLE	G10
BLADE	3.25 in. (8.3 cm)
CLOSED	4.25 in. (10.8 cm)
OVERALL	7.25 in. (18.4 cm)
WEIGHT	4 oz. (113.4 g)
BOX	087171052274
CLAM	087171053547




..... FAULTLINE

8760

a KERSHAW ORIGINALS design

STEEL	8Cr13MoV, black-oxide coating
HANDLE	Glass-filled nylon, rubber insert
BLADE	3 in. (7.6 cm)
CLOSED	4 in. (10.2 cm)
OVERALL	7 in. (17.8 cm)
WEIGHT	3.4 oz. (99 g)
BOX	087171052762
CLAM	087171053516







.

KERSHAWKNIVES.COM

EDC - MANUAL

KEYS HEVV" 2019 CATALOG

OPENING KVT ball-bearing opening with flipper LOCK Sub-Frame Lock POCKETCLIP Deep-carry, reversible (right/left, tip-up) FEATURES Custom pivot




NATRIX 7007

a KERSHAW ORIGINALS design

STEEL	8Cr13MoV, stonewashed finish
HANDLE	G10
BLADE	3.25 in. (8.3 cm)
CLOSED	4.25 in. (10.8 cm)
OVERALL	7.5 in. (19.1 cm)
WEIGHT	2.9 oz. (82.2 g)
BOX	087171049076
CLAM	087171050430







STEEL	8Cr13MoV, black-oxide coating
HANDLE	G10
BLADE	3.25 in. (8.3 cm)
CLOSED	4.25 in. (10.8 cm)
OVERALL	7.5 in. (19.1 cm)
WEIGHT	2.9 oz. (82.2 g)
BOX	087171051758
CLAM	-





NATRIX - CARBON FIBER 7007CF

STEEL 8Cr13MoV, titanium carbo-nitride coating HANDLE G10, carbon fiber overlay BLADE 3.25 in. (8.3 cm) CLOSED 4.25 in. (10.8 cm) OVERALL 7.5 in. (19.1 cm) WEIGHT 2.9 oz. (82.2 g) BOX 087171051949 CLAM







NATRIX - COPPER 7006CU

STEEL	D2, stonewashed finish
HANDLE	Copper, bead-blasted finish
BLADE	2.75 in. (7 cm)
CLOSED	3.6 in. (9.3 cm)
OVERALL	6.4 in. (16.2 cm)
WEIGHT	3.2 oz. (92 g)
BOX	087171052472
CLAM	







Kershaw

EDC - MANUAL

BAREKNUCKLE 7777

NATRIX - XL 70080LBLK

G10

3.75 in. (9.5 cm) 5 in. (12.7 cm)

8.75 in. (22.2 cm)

4.1 oz. (118 g) 087171053356

STEEL

HANDLE

BLADE

CLOSED

BOX CLAM

OVERALL WEIGHT



.....

STEEL	14C28N, stonewashed finish
HANDLE	6061-T6 aluminum, gray anodized
BLADE	3.5 in. (8.9 cm)
CLOSED	4.7 in. (11.8 cm)
OVERALL	8.2 in. (20.7 cm)
WEIGHT	3.4 oz. (96.4 g)
BOX	087171053363
CLAM	

8Cr13MoV, black-oxide coating

OPENING LOCK


KVT ball-bearing opening with flipper Sub-Frame Lock POCKETCLIP Deep-carry, reversible (right/left, tip-up)

.....



.....





KERSHAWKNIVES.COM

FRAXIC	N				
1160	a JENS ANSØ design				A.
	a dente Anop design			Constant Lines	
STEEL	8Cr13MoV, black-oxide BlackWash™ fi	nish			
HANDLE	G10, carbon fiber overlay				-
BLADE	2.75 in. (7 cm)				
CLOSED	4 in. (10.2 cm)			And and a second se	
OVERALL	6.75 in. (17.1 cm)			CONTRACTOR INCOME	
WEIGHT	1.9 oz. (53.9 g)	OPENING	KVT ball-bearing opening with flipper	STATISTICS IN THE REAL PROPERTY OF	
BOX CLAM	087171048499 087171048611	LOCK Pocketclip	Inset liner lock Reversible (right/left, tip-up)		-
1160TANBW	DN – TAN V a JENS ANSØ design		- Indian		
				A Character and the set	1 Alle
STEEL	8Cr13MoV, black-oxide BlackWash™ fi	nish			Res
HANDLE	G10, carbon fiber overlay				
BLADE	2.75 in. (7 cm)				
CLOSED	4 in. (10.2 cm)				2 comment
OVERALL	6.75 in. (17.1 cm)			CONTRACTOR OF THE OWNER	-
WEIGHT	1.9 oz. (53.9 g)	OPENING	KVT ball-bearing opening with flipper	Contraction of the local data	
BOX	087171051765	LOCK POCKETCLIP	Inset liner lock		
CLAM	-	FULKEILLIP	Reversible (right/left, tip-up)		
DEADL	INF			Barris	NA.
1087	a MATT DISKIN design		Decellan.	()	100
STEEL	8Cr13MoV, titanium carbo-nitride coa	ting with			6
HANDLE	satin flats Stainless steel, titanium carbo-nitride satin flats	e coating,	9		
BLADE	3.25 in. (8.3 cm)				
CLOSED	4.25 in. (10.8 cm)	OPENING	KVT ball-bearing opening with		JIK IIK
OVERALL	7.5 in. (19.1 cm)	OI LINING	KVT ball-bearing opening with flipper, Tuned Detent System (TDS)™	0	
WEIGHT	4.6 oz. (133 g)	LOCK	Inset liner lock		
BOX Clam	087171049427 087171050447	POCKETCLIP	Deep-carry, reversible (right/left, tip-up) with filler tab		and a
SKYLIN	IE 🖌		Reactions C		
1760	a KERSHAW ORIGINALS design		c	-	
STEEL	Sandvik 14C28N, stonewashed finish				
HANDLE	G10				1.1.1
BLADE	3.1 in. (7.9 cm)				
	4.25 in. (10.8 cm)	04.3.78 Ber		0	
CLOSED	7 / 1- /10 7)	OPENING	Manual opening with flipper	incelient o	(C
CLOSED OVERALL	7.4 in. (18.7 cm)				and the second second
CLOSED OVERALL WEIGHT	2.5 oz. (70.9 g)	LOCK	Liner lock		
CLOSED OVERALL WEIGHT BOX		LOCK Pocketclip	Liner lock Reversible (right, tip-up/tip-down)		
CLOSED OVERALL WEIGHT	2.5 oz. (70.9 g)	LOCK	Liner lock		-
CLOSED OVERALL WEIGHT BOX CLAM	2.5 oz. (70.9 g)	LOCK Pocketclip	Liner lock Reversible (right, tip-up/tip-down)		
CLOSED OVERALL WEIGHT BOX	2.5 oz. (70.9 g)	LOCK Pocketclip	Liner lock Reversible (right, tip-up/tip-down)		
CLOSED OVERALL WEIGHT BOX CLAM 3410	2.5 oz. (70.9 g) 087171176000 - -	LOCK Pocketclip	Liner lock Reversible (right, tip-up/tip-down)		
CLOSED OVERALL WEIGHT BOX CLAM 3410 STEEL	2.5 oz. (70.9 g) 087171176000 - an RJ MARTIN design 8Cr13MoV, bead-blasted finish	LOCK Pocketclip	Liner lock Reversible (right, tip-up/tip-down)		
CLOSED OVERALL WEIGHT BOX CLAM 3410 STEEL HANDLE	2.5 oz. (70.9 g) 087171176000 - an RJ MARTIN design 8Cr13MoV, bead-blasted finish G10	LOCK Pocketclip	Liner lock Reversible (right, tip-up/tip-down)		
CLOSED OVERALL WEIGHT BOX CLAM 3410 STEEL HANDLE BLADE	2.5 oz. (70.9 g) 087171176000 - an RJ MARTIN design 8Cr13MoV, bead-blasted finish G10 3.1 in. (7.9 cm)	LOCK Pocketclip	Liner lock Reversible (right, tip-up/tip-down)		
CLOSED OVERALL WEIGHT BOX CLAM 3410 STEEL HANDLE BLADE CLOSED	2.5 oz. (70.9 g) 087171176000 - - 8Cr13MoV, bead-blasted finish G10 3.1 in. (7.9 cm) 3.9 in. (9.8 cm)	LOCK POCKETCLIP FEATURES	Liner lock Reversible (right, tip-up/tip-down) Lanyard hole		
CLOSED OVERALL WEIGHT BOX CLAM 3410 STEEL HANDLE BLADE CLOSED OVERALL	2.5 oz. (70.9 g) 087171176000 - - 8Cr13MoV, bead-blasted finish G10 3.1 in. (7.9 cm) 3.9 in. (9.8 cm) 7 in. (17.8 cm)	LOCK POCKETCLIP FEATURES	Liner lock Reversible (right, tip-up/tip-down) Lanyard hole		
CLOSED OVERALL WEIGHT BOX CLAM 3410 STEEL HANDLE BLADE CLOSED	2.5 oz. (70.9 g) 087171176000 - - 8Cr13MoV, bead-blasted finish G10 3.1 in. (7.9 cm) 3.9 in. (9.8 cm)	LOCK POCKETCLIP FEATURES	Liner lock Reversible (right, tip-up/tip-down) Lanyard hole		

EDC - MANUAL

KETShew 2019 CATALOG

KERSHAWKNIVES.COM



			the second se		
				E.	1
STEEL	8Cr14MoV, black-oxide coating				Aller and a
HANDLE	G10 front; 410 stainless steel back,				
	black-oxide coating				
BLADE	3.25 in. (8.3 cm)				
CLOSED	4.2 in. (10.7 cm)	OPENING	Manual opening with thumb disk or	1-1	
OVERALL	7.4 in. (18.8 cm)		wave shaped opening feature		10 20 000
WEIGHT	4.1 oz. (116.2 g)	LOCK	Frame lock		
BOX	087171037592	POCKETCLIP	Reversible (right/left, tip-up)		
CLAM		FEATURES	Lanyard hole		
CQC-4	.KAI				
6055	an ERNEST EMERSON design			0	-
0000	an ERNEST EMERSON design		and the		0
	<		1		200 - 0
STEEL	8Cr14MoV, stonewashed & satin finish				
HANDLE	G10 front; 410 stainless steel back,	191111			
1000	bead-blasted finish				Sector Sector Sector
BLADE	3.9 in. (9.9 cm)				200
CLOSED	5 in. (12.7 cm)	OPENING	Manual opening with thumb disk or	NL	21
OVERALL	9 in. (22.9 cm)		wave shaped opening feature		
WEIGHT	6.1 oz. (175 g)	LOCK	Frame lock	00	3 5
BOX	087171039381	POCKETCLIP	Reversible (right/left, tip-up)		
CLAM		FEATURES	Lanyard hole		
CQC-5			-		
60740LBI	LK an ERNEST EMERSON design		and the second		1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1
STEEL	8Cr14MoV, black-oxide coating				
HANDLE	G10				Statistics of the second
BLADE	3 in. (7.6 cm)				Rend.
CLOSED	4 in. (10.2 cm)				-
OVERALL	4 In. (10.2 cm) 7.1 in. (18 cm)	OPENING	Manual opening with thumb disk or wave shaped opening feature	part and a second	THE STATE
WEIGHT	3.7 oz. (104.9 g)	LOCK	Liner lock	4 00 1	192 10
BOX	087171037615	POCKETCLIP	Reversible (right/left, tip-up)	and the second second	11
CLAM	-	FEATURES	Lanyard hole		10
			·····		
COC-A	iK				
CQC-6 6034					
CQC-6 6034	an ERNEST EMERSON design		James To Contraction		
			James To Call		
6034 STEEL	an ERNEST EMERSON design 8Cr14MoV, stonewashed & satin finish		And the Case		
6034	an ERNEST EMERSON design 8Cr14MoV, stonewashed & satin finish G10 front; 410 stainless steel back,				
6034 Steel Handle	an ERNEST EMERSON design 8Cr14MoV, stonewashed & satin finish G10 front; 410 stainless steel back, bead-blasted finish				
6034 STEEL HANDLE BLADE	an ERNEST EMERSON design 8Cr14MoV, stonewashed & satin finish G10 front; 410 stainless steel back, bead-blasted finish 3.25 in. (8.3 cm)				
6034 STEEL HANDLE BLADE CLOSED	an ERNEST EMERSON design 8Cr14MoV, stonewashed & satin finish G10 front; 410 stainless steel back, bead-blasted finish 3.25 in. (8.3 cm) 4.5 in. (11.4 cm)	OPENING	Manual opening with thumb disk or	~-~~	
6034 STEEL HANDLE BLADE CLOSED OVERALL	an ERNEST EMERSON design 8Cr14MoV, stonewashed & satin finish G10 front; 410 stainless steel back, bead-blasted finish 3.25 in. (8.3 cm) 4.5 in. (11.4 cm) 7.75 in. (19.7 cm)		wave shaped opening feature		
6034 STEEL HANDLE BLADE CLOSED OVERALL WEIGHT	an ERNEST EMERSON design 8Cr14MoV, stonewashed & satin finish G10 front; 410 stainless steel back, bead-blasted finish 3.25 in. (8.3 cm) 4.5 in. (11.4 cm) 7.75 in. (19.7 cm) 5.1 oz. (144.6 g)	LOCK	wave shaped opening feature Frame lock		
6034 STEEL HANDLE BLADE CLOSED OVERALL WEIGHT BOX	an ERNEST EMERSON design 8Cr14MoV, stonewashed & satin finish G10 front; 410 stainless steel back, bead-blasted finish 3.25 in. (8.3 cm) 4.5 in. (11.4 cm) 7.75 in. (19.7 cm) 5.1 oz. (144.6 g) 087171037271	LOCK Pocketclip	wave shaped opening feature Frame lock Reversible (right/left, tip-up)		
6034 STEEL HANDLE BLADE CLOSED OVERALL WEIGHT	an ERNEST EMERSON design 8Cr14MoV, stonewashed & satin finish G10 front; 410 stainless steel back, bead-blasted finish 3.25 in. (8.3 cm) 4.5 in. (11.4 cm) 7.75 in. (19.7 cm) 5.1 oz. (144.6 g)	LOCK	wave shaped opening feature Frame lock		
6034 STEEL HANDLE BLADE CLOSED OVERALL WEIGHT BOX	an ERNEST EMERSON design 8Cr14MoV, stonewashed & satin finish G10 front; 410 stainless steel back, bead-blasted finish 3.25 in. (8.3 cm) 4.5 in. (11.4 cm) 7.75 in. (19.7 cm) 5.1 oz. (144.6 g) 087171037271	LOCK Pocketclip	wave shaped opening feature Frame lock Reversible (right/left, tip-up)		
6034 STEEL HANDLE BLADE CLOSED OVERALL WEIGHT BOX CLAM	an ERNEST EMERSON design 8Cr14MoV, stonewashed & satin finish G10 front; 410 stainless steel back, bead-blasted finish 3.25 in. (8.3 cm) 4.5 in. (11.4 cm) 7.75 in. (19.7 cm) 5.1 oz. (144.6 g) 0871710372271 087171037288	LOCK Pocketclip	wave shaped opening feature Frame lock Reversible (right/left, tip-up)		
6034 STEEL HANDLE BLADE CLOSED OVERALL WEIGHT BOX CLAM	an ERNEST EMERSON design &Cr14MoV, stonewashed & satin finish G10 front: 410 stainless steel back, bead-blasted finish 3.25 in. (8.3 cm) 4.5 in. (11.4 cm) 7.75 in. (19.7 cm) 5.1 oz. (144.6 g) 087171037271 087171037278	LOCK Pocketclip	wave shaped opening feature Frame lock Reversible (right/left, tip-up)		
6034 STEEL HANDLE BLADE CLOSED OVERALL WEIGHT BOX CLAM	an ERNEST EMERSON design 8Cr14MoV, stonewashed & satin finish G10 front; 410 stainless steel back, bead-blasted finish 3.25 in. (8.3 cm) 4.5 in. (11.4 cm) 7.75 in. (19.7 cm) 5.1 oz. (144.6 g) 0871710372271 087171037288	LOCK Pocketclip	wave shaped opening feature Frame lock Reversible (right/left, tip-up)		
6034 STEEL HANDLE BLADE CLOSED OVERALL WEIGHT BOX CLAM	an ERNEST EMERSON design &Cr14MoV, stonewashed & satin finish G10 front: 410 stainless steel back, bead-blasted finish 3.25 in. (8.3 cm) 4.5 in. (11.4 cm) 7.75 in. (19.7 cm) 5.1 oz. (144.6 g) 087171037271 087171037278	LOCK Pocketclip	wave shaped opening feature Frame lock Reversible (right/left, tip-up)		
6034 STEEL HANDLE BLADE CLOSED OVERALL WEIGHT BOX CLAM	an ERNEST EMERSON design &Cr14MoV, stonewashed & satin finish G10 front: 410 stainless steel back, bead-blasted finish 3.25 in. (8.3 cm) 4.5 in. (11.4 cm) 7.75 in. (19.7 cm) 5.1 oz. (144.6 g) 087171037271 087171037278	LOCK Pocketclip	wave shaped opening feature Frame lock Reversible (right/left, tip-up)		
6034 STEEL HANDLE BLADE CLOSED OVERALL WEIGHT BOX CLAM	an ERNEST EMERSON design &Cr14MoV, stonewashed & satin finish G10 front: 410 stainless steel back, bead-blasted finish 3.25 in. (8.3 cm) 4.5 in. (11.4 cm) 7.75 in. (19.7 cm) 5.1 oz. (144.6 g) 087171037271 087171037288 K an ERNEST EMERSON design &Cr14MoV, stonewashed & satin finish G10 front; 410 stainless steel back,	LOCK Pocketclip	wave shaped opening feature Frame lock Reversible (right/left, tip-up)		
6034 STEEL HANDLE BLADE CLOSED OVERALL WEIGHT BOX CLAM COCC-7 6034T STEEL HANDLE	an ERNEST EMERSON design &Cr14MoV, stonewashed & satin finish G10 front: 410 stainless steel back, bead-blasted finish 3.25 in. (8.3 cm) 4.5 in. (11.4 cm) 7.75 in. (19.7 cm) 5.1 oz. (144.6 g) 087171037271 087171037288 K an ERNEST EMERSON design &Cr14MoV, stonewashed & satin finish G10 front: 410 stainless steel back, bead-blasted finish	LOCK Pocketclip	wave shaped opening feature Frame lock Reversible (right/left, tip-up)		
6034 STEEL HANDLE BLADE CLOSED OVERALL WEIGHT BOX CLAM CQC-7 6034T STEEL HANDLE BLADE	an ERNEST EMERSON design &Cr14MoV, stonewashed & satin finish G10 front: 410 stainless steel back, bead-blasted finish 3.25 in. (8.3 cm) 4.5 in. (11.4 cm) 7.75 in. (19.7 cm) 5.1 oz. (144.6 g) 087171037271 087171037288 K an ERNEST EMERSON design &Cr14MoV, stonewashed & satin finish G10 front: 410 stainless steel back, bead-blasted finish 3.25 in. (8.3 cm)	LOCK Pocketclip	wave shaped opening feature Frame lock Reversible (right/left, tip-up)		
6034 STEEL HANDLE BLADE CLOSED OVERALL WEIGHT BOX CLAM CLAM STEEL HANDLE BLADE CLOSED	an ERNEST EMERSON design 8Cr14MoV, stonewashed & satin finish G10 front; 410 stainless steel back, bead-blasted finish 3.25 in. (8.3 cm) 4.5 in. (11.4 cm) 7.75 in. (19.7 cm) 5.1 oz. (144.6 g) 0871710372271 087171037288 K an ERNEST EMERSON design 8Cr14MoV, stonewashed & satin finish G10 front; 410 stainless steel back, bead-blasted finish 3.25 in. (8.3 cm) 4.5 in. (11.4 cm)	LOCK Pocketclip	wave shaped opening feature Frame lock Reversible (right/left, tip-up) Lanyard hole		
6034 STEEL HANDLE BLADE CLOSED OVERALL WEIGHT BOX CLAM CQC-7 6034T STEEL HANDLE BLADE	An ERNEST EMERSON design SCr14MoV, stonewashed & satin finish G10 front; 410 stainless steel back, bead-blasted finish 3.25 in. (8.3 cm) 4.5 in. (11.4 cm) 7.75 in. (19.7 cm) 5.1 oz. (144.6 g) 0871710372271 087171037288 M M A ERNEST EMERSON design SCr14MoV, stonewashed & satin finish G10 front; 410 stainless steel back, bead-blasted finish 3.25 in. (8.3 cm) 4.5 in. (11.4 cm) 7.75 in. (19.7 cm)	LOCK POCKETCLIP FEATURES	wave shaped opening feature Frame lock Reversible (right/left, tip-up) Lanyard hole		
6034 STEEL HANDLE BLADE CLOSED OVERALL BOX CLAM CLAM STEEL HANDLE BLADE CLOSED OVERALL	an ERNEST EMERSON design 8Cr14MoV, stonewashed & satin finish G10 front; 410 stainless steel back, bead-blasted finish 3.25 in. (8.3 cm) 4.5 in. (11.4 cm) 7.75 in. (19.7 cm) 5.1 oz. (144.6 g) 0871710372271 087171037288 K an ERNEST EMERSON design 8Cr14MoV, stonewashed & satin finish G10 front; 410 stainless steel back, bead-blasted finish 3.25 in. (8.3 cm) 4.5 in. (11.4 cm)	LOCK POCKETCLIP FEATURES	wave shaped opening feature Frame lock Reversible (right/left, tip-up) Lanyard hole		
6034 STEEL HANDLE BLADE CLOSED OVERALL WEIGHT BOX CLAM CLAM STEEL HANDLE BLADE CLOSED	An ERNEST EMERSON design SCr14MoV, stonewashed & satin finish G10 front; 410 stainless steel back, bead-blasted finish 3.25 in. (8.3 cm) 4.5 in. (11.4 cm) 7.75 in. (19.7 cm) 5.1 oz. (144.6 g) 0871710372271 087171037288 M M A ERNEST EMERSON design SCr14MoV, stonewashed & satin finish G10 front; 410 stainless steel back, bead-blasted finish 3.25 in. (8.3 cm) 4.5 in. (11.4 cm) 7.75 in. (19.7 cm)	LOCK POCKETCLIP FEATURES	wave shaped opening feature Frame lock Reversible (right/left, tip-up) Lanyard hole		


KERSHAWKNIVES.COM

KETShawy[°] 2019 Catalog

EDC - MANUAL

CQC-8K 6044TBLK	an ERNEST EMERSON design		
HANDLE 0 Blade 3 Closed 4 Overall 8 Weight 5	8Cr14MoV, black-oxide coating G10 3.5 in. (8.9 cm) 4.6 in. (11.7 cm) 8.1 in. (20.6 cm) 5.3 oz. (152 g) 087171037318 -	OPENING Manual opening with thumb disk or wave shaped opening feature LOCK Liner lock POCKETCLIP Reversible (right/left, tip-up) FEATURES Lanyard hole	
CQC-9K 6045BLK	an ERNEST EMERSON design		
HANDLE CLOSED S OVERALL S WEIGHT S	8Cr14MoV, black-oxide coating G10 front; 410 stainless steel back, black-oxide coating 3.6 in. (9.1 cm) 5.25 in. (13.3 cm) 8.8 in. (22.4 cm) 6.4 oz. (181.4 g) 087171044767 -	OPENING Manual opening with thumb disk or wave shaped opening feature LOCK Frame lock POCKETCLIP Reversible (right/left, tip-up) FEATURES Hidden wave opening feature, lanyard hole	
E-TRAIN 6034TRAINE			

3Url3, stonewashed finish
G10 front; 410 stainless steel back, bead-blasted finish
3.2 in. (8.1 cm) unsharpened
4.5 in. (11.4 cm)
7.7 in. (19.6 cm)
5.1 oz. (146 g)
08717039664





HANULE	bead-blasted finish
BLADE	3.5 in. (9 cm)
CLOSED	4.75 in. (12.1 cm)
OVERALL	8.5 in. (21.6 cm)
WEIGHT	5 oz. (143 g)
BOX	087171049380
CLAM	


CQC-11K 6031

.....

an ERNEST EMERSON design

STEEL	8Cr14MoV, stonewashed finish
HANDLE	G10 front; 410 stainless steel back, bead-blasted finish
BLADE	3.5 in. (9 cm)
CLOSED	4.75 in. (12.1 cm)
OVERALL	8.5 in. (21.6 cm)
WEIGHT	5.8 oz. (166 g)
BOX	087171049397
CLAM	









KERSHAWKNIVES.COM

EDC - MANUAL

(Ershaw) 2019 CATALOG

* MULTI-FUNCTION

READY FOR having the right tool at the right time.

PUB - 4036BLK	BLACK a DMITRY SIENKEVICH design		Bostelinor	10°	•	-
STEEL	8Cr13MoV, stonewashed finish				-	
HANDLE	Aluminum front, black anodized; stainless stee back, stonewashed finish	el				
BLADE	1.6 in. (4.1 cm)					
CLOSED	3.1 in. (7.9 cm)			10		0 0
OVERALL	4.5 in. (11.4 cm)	OPENING	Manual opening	-		1
WEIGHT	1.9 oz. (53.9 g)	LOCK	Friction folder with detent			
BOX	-	FEATURES	Bottle opener, flat head screwdriver/			
CLAM	087171048437		pry bar, key chain attachment			
•••••						
PUB -	BLUE			A	-	
4036BLU	a DMITRY SIENKEVICH design		And Stationer	a	°)	To:
STEEL	8Cr13MoV, stonewashed finish				14	
HANDLE	Aluminum front, blue anodized; stainless steel back, stonewashed finish					
BLADE	1.6 in. (4.1 cm)					
CLOSED	3.1 in. (7.9 cm)			10		
OVERALL	4.5 in. (11.4 cm)	OPENING	Manual opening	1		1 me
WEIGHT	1.9 oz. (53.9 g)	LOCK	Friction folder with detent			10
BOX	-	FEATURES	Bottle opener, flat head screwdriver/			
CLAM	087171048956		pry bar, key chain attachment			
•••••						
	CARBON FIBER		and the second	~	0	
4036CF	a DMITRY SIENKEVICH design			No:		
OTEL	00-17M-1/			1º		
STEEL	8Cr13MoV, stonewashed finish		1////			
HANDLE	Carbon fiber front; stainless steel back, stonewashed finish					
BLADE	1.6 in. (4.1 cm)					-
CLOSED	3.1 in. (7.9 cm)			19		CF CB
OVERALL	4.5 in. (11.4 cm)	OPENING	Manual opening		30	

1.8 oz. (53 g) BOX CLAM 087171048963

WEIGHT

AGILE

LOCK FEATURES

Manual opening Friction folder with detent Bottle opener, flat head screwdriver/ pry bar, key chain attachment





1558

.....

STEEL	8Cr13MoV, stonewashed finish
HANDLE	Stainless steel, two-tone stonewashed/ BlackWash™ finish
BLADE	2.75 in. (7 cm)
CLOSED	3.5 in. (8.9 cm)
OVERALL	6.25 in. (15.9 cm)
WEIGHT	3.9 oz. (110.5 g)
BOX	087171048482
CLAM	087171050416

		-
OPENING	SpeedSafe [®] assisted opening with flipper or thumb stud	
LOCK	Frame lock	C
POCKETCLIP	3-position (right tip-up; left/right, tip-down)	COL SERVICE
FEATURES	Includes 3 backspacer tools: bottle opene flat head screwdriver, lanvard hole	er,





SHUFFLE DIY 8720

.....

a KERSHAW ORIGINALS design

a RICK HINDERER design

STEEL	8Cr13MoV, black-oxide coating
HANDLE	Glass-filled nylon
BLADE	2.4 in. (6.1 cm)
CLOSED	3.5 in. (9 cm)
OVERALL	5.75 in. (14.6 cm)
WEIGHT	3.5 oz. (100 g)
BOX	087171048932
CLAM	087171048949

OPENING Manual opening with thumb stud LOCK Liner lock Single-position (right, tip-down) Bottle opener, bit driver with flat head and Phillips screwdriver bits POCKETCLIP FEATURES





KERSHAWKNIVES.COM

MULTI-FUNCTION

KETS haw 2019 CATALOG

Kershaw

2019 CATALOG

SHUFFLE 8700 . SHUFFLE II 8750

OPENING Manual opening with thumb stud LOCK Liner lock **POCKETCLIP** Deep-carry, reversible (right/left, tip-up) Bottle opener, flat head screwdriver, lanyard hole FEATURES



SHUFFLE 8700

a KERSHAW ORIGINALS design

STEEL	8Cr13MoV, bead-blasted finish
HANDLE	Glass-filled nylon, K-Texture™ grip
BLADE	2.4 in. (6.1 cm)
CLOSED	3.25 in. (8.3 cm)
OVERALL	5.75 in. (14.6 cm)
WEIGHT	2.8 oz. (79.4 g)
BOX	087171035468
CLAM	087171035475

SHUFFLE - BLACK 8700BLK

STEEL	8Cr13MoV, black-oxide coating
HANDLE	Glass-filled nylon, K-Texture [™] grip
BLADE	2.4 in. (6.1 cm)
CLOSED	3.25 in. (8.3 cm)
OVERALL	5.75 in. (14.6 cm)
WEIGHT	2.8 oz. (79.4 g)
BOX	087171037134
CLAM	087171037127



(0)







SHUFFLE - LIME 8700LIMEBW

8Cr13MoV, black-oxide BlackWash™ finish
Glass-filled nylon, K-Texture™ grip
2.4 in. (6.1 cm)
3.25 in. (8.3 cm)
5.75 in. (14.6 cm)
2.8 oz. (79.4 g)
087171038681
087171038698







STEEL 8Cr13MoV, black-oxide BlackWash™ finish HANDLE Glass-filled nylon, K-Texture™ grip BLADE 2.4 in. (6.1 cm) CLOSED 3.25 in. (8.3 cm) OVERALL 5.75 in. (14.6 cm) 2.8 oz. (79.4 g) WEIGHT 087171039107 BOX CLAM 087171039114











2.4 in. (6.1 cm)

3.25 in. (8.3 cm) 5.75 in. (14.6 cm)

2.8 oz. (79.4 g) 087171038728

087171038735

SHUFFLE - TEAL

8700TEALBW

STEEL

HANDLE

BLADE CLOSED


OVERALL WEIGHT

BOX CLAM

STEEL	8Cr13MoV, black-oxide BlackWash™ finish
HANDLE	Glass-filled nylon
BLADE	2.6 in. (6.6 cm)
CLOSED	4 in. (10.2 cm)
OVERALL	6.3 in. (16 cm)
WEIGHT	3 oz. (86 g)
BOX	087171048345
CLAM	087171046204

8Cr13MoV, black-oxide BlackWash™ finish

Glass-filled nylon, K-Texture™ grip



LOCK POCKETCLIP Reversible (right/left, tip-down) FEATURES Bottle opener, screwdriver, lanyard hole





SHUFFLE II - BLACK

8750TBLKBW

STEEL	8Cr13MoV, black-oxide BlackWash™ finish
HANDLE	Glass-filled nylon
BLADE	2.6 in. (6.6 cm)
CLOSED	4 in. (10.2 cm)
OVERALL	6.3 in. (16 cm)
WEIGHT	3 oz. (86 g)
BOX	087171039367
CLAM	087171039374

.....

OPENING Manual opening with thumb stud LOCK Liner lock POCKETCLIP Reversible (right/left, tip-down) FEATURES Bottle opener, screwdriver, lanyard hole





SHUFFLE II - TAN 8750TTANBW

STEEL 8Cr13MoV, black-oxide BlackWash™ finish HANDLE Glass-filled nylon BLADE 2.6 in. (6.6 cm) CLOSED 4 in. (10.2 cm) OVERALL 6.3 in. (16 cm) WEIGHT 3 oz. (86 g) BOX 087171039343 087171039350 CLAM

OPENING Manual opening with thumb stud LOCK Liner lock POCKETCLIP Reversible (right/left, tip-down) FEATURES Bottle opener, screwdriver, lanyard hole





KERSHAWKNIVES.COM



8710	N EW		0 1	0
STEEL Handle	8Cr13MoV, bead-blasted finish Stainless steel, blue PVD coating			
BLADE	1.7 in. (4.4 cm)			
CLOSED Overall	3.8 in. (9.9 cm) 5.5 in. (14 cm)	OPENING	Manual opening with thumb stud	
WEIGHT	3.1 oz. (88 g)	LOCK Pocketclip	Frame lock Single-position (right, tip-down)	
BOX Clam	087171054063	FEATURES	Bottle opener, screwdriver, oversized lanyard attachment/keyring	
CINDER 1025CU	R - COPPER NEW a RICK HINDERER design			
				1000 100
STEEL	3Cr13, stonewashed finish			
HANDLE	Copper			
BLADE	1.4 in. (3.6 cm)			
CLOSED Overall	2.6 in. (6.6 cm) 4 in. (10.2 cm)			
WEIGHT	4 m. (10.2 cm) 1.5 oz. (43 g)	OPENING	Manual opening with thumb stud	
BOX	-	LOCK	Liner lock	
CLAM	087171051963	FEATURES	Bottle opener, lanyard hole	
0111255				
CINDER				
1025	a RICK HINDERER design		00	m° ~
			and the second s	under an
STEEL	3Cr13, stonewashed finish			
HANDLE	Glass-filled nylon			
BLADE	1.4 in. (3.6 cm)			1
CLOSED	2.6 in. (6.6 cm)			
OVERALL Weight	4 in. (10.2 cm)	ODENING	Manual opening with thumb stud	
	0.9 oz. (25.5 g)	OPENING Lock	manual opening with thump stud	
BOX	-	LUCK	Liner lock	
	- 087171044514	FEATURES	Liner lock Bottle opener, lanyard hole	- 1
	- 087171044514			
BOX CLAM SELECT			Bottle opener, lanyard hole	
CLAM				
CLAM SELECT	FIRE		Bottle opener, lanyard hole	
CLAM SELECT 1920 STEEL	FIRE a GRANT & GAVIN HAWK design 8Cr13MoV, bead-blasted finish		Bottle opener, lanyard hole	
CLAM SELECT 1920 Steel Handle	FIRE a GRANT & GAVIN HAWK design 8Cr13MoV, bead-blasted finish Glass-filled nylon		Bottle opener, lanyard hole	
CLAM SELECT 1920 STEEL HANDLE BLADE	FIRE a GRANT & GAVIN HAWK design &Cr13MoV, bead-blasted finish Glass-filled nylon 3.4 in. (8.6 cm)	FEATURES	Bottle opener, lanyard hole	
CLAM SELECT 1920 STEEL HANDLE BLADE CLOSED	FIRE a GRANT & GAVIN HAWK design 8Cr13MoV, bead-blasted finish Glass-filled nylon 3.4 in. (8.6 cm) 4.25 in. (10.8 cm)	FEATURES	Bottle opener, lanyard hole	
CLAM SELECT 1920 STEEL HANDLE BLADE CLOSED OVERALL	FIRE a GRANT & GAVIN HAWK design 8Cr13MoV, bead-blasted finish Glass-filled nylon 3.4 in. (8.6 cm) 4.25 in. (10.8 cm) 7.6 in. (19.4 cm)	FEATURES Opening Lock	Bottle opener, lanyard hole	
CLAM SELECT 1920 STEEL HANDLE BLADE CLOSED OVERALL WEIGHT	FIRE a GRANT & GAVIN HAWK design 8Cr13MoV, bead-blasted finish Glass-filled nylon 3.4 in. (8.6 cm) 4.25 in. (10.8 cm)	FEATURES Opening Lock Pocketclip	Bottle opener, lanyard hole	
CLAM SELECT 1920 STEEL HANDLE BLADE CLOSED OVERALL WEIGHT BOX	FIRE a GRANT & GAVIN HAWK design 8Cr13MoV, bead-blasted finish Glass-filled nylon 3.4 in. (8.6 cm) 4.25 in. (10.8 cm) 7.6 in. (19.4 cm) 5 oz. (141.7 g)	FEATURES Opening Lock	Bottle opener, lanyard hole	
CLAM SELECT 1920 STEEL HANDLE BLADE CLOSED OVERALL WEIGHT BOX CLAM	FIRE a GRANT & GAVIN HAWK design & Cr13MoV, bead-blasted finish Glass-filled nylon 3.4 in. (8.6 cm) 4.25 in. (10.8 cm) 7.6 in. (19.4 cm) 5 oz. (141.7 g) 087171030319 087171030333	FEATURES Opening Lock Pocketclip	Bottle opener, lanyard hole	
CLAM SELECT 1920 STEEL HANDLE BLADE CLOSED OVERALL WEIGHT BOX	FIRE a GRANT & GAVIN HAWK design 8Cr13MoV, bead-blasted finish Glass-filled nylon 3.4 in. (8.6 cm) 4.25 in. (10.8 cm) 7.6 in. (19.4 cm) 5 oz. (141.7 g) 087171030319 087171030333	FEATURES Opening Lock Pocketclip	Bottle opener, lanyard hole	
SELECT 1920 STEEL HANDLE BLADE CLOSED OVERALL WEIGHT BOX CLAM	FIRE a GRANT & GAVIN HAWK design & Cr13MoV, bead-blasted finish Glass-filled nylon 3.4 in. (8.6 cm) 4.25 in. (10.8 cm) 7.6 in. (19.4 cm) 5 oz. (141.7 g) 087171030319 087171030333	FEATURES Opening Lock Pocketclip	Bottle opener, lanyard hole	
SELECT 1920 STEEL HANDLE BLADE CLOSED OVERALL WEIGHT BOX CLAM	FIRE a GRANT & GAVIN HAWK design 8Cr13MoV, bead-blasted finish Glass-filled nylon 3.4 in. (8.6 cm) 4.25 in. (10.8 cm) 7.6 in. (19.4 cm) 5 oz. (141.7 g) 087171030319 087171030333	FEATURES Opening Lock Pocketclip	Bottle opener, lanyard hole	
SELECT 1920 STEEL HANDLE BLADE CLOSED OVERALL WEIGHT BOX CLAM FUNXIO B100 STEEL HANDLE	FIRE a GRANT & GAVIN HAWK design & GRANT & GAVIN HAWK design & Scr13MoV, bead-blasted finish Glass-filled nylon 3.4 in. (8.6 cm) 4.25 in. (10.8 cm) 4.25 in. (10.8 cm) 5.02. (141.7 g) 087171030319 087171030333	FEATURES Opening Lock Pocketclip	Bottle opener, lanyard hole	
CLAM SELECT 1920 STEEL HANDLE BLADE CLOSED OVERALL WEIGHT BOX CLAM FUNXIO 8100 STEEL HANDLE BLADE	A GRANT & GAVIN HAWK design & GRANT & GAVIN HAWK design & Cr13MoV, bead-blasted finish Glass-filled nylon 3.4 in. (8.6 cm) 4.25 in. (10.8 cm) 4.25 in. (10.8 cm) 7.6 in. (19.4 cm) 5 oz. (141.7 g) 087171030319 087171030333 ENEMET a KERSHAW ORIGINALS design & Cr13MoV, black-oxide coating Glass-filled nylon, K-Texture™ insert 3 in. (7.6 cm)	FEATURES OPENING LOCK POCKETCLIP FEATURES OPENING	Bottle opener, lanyard hole	
SELECT 1920 STEEL HANDLE BLADE CLOSED OVERALL WEIGHT BOX CLAM FUNXIO BIOO STEEL HANDLE BLADE CLOSED	s GRANT & GAVIN HAWK design & GRANT & GAVIN HAWK design & Cr13MoV, bead-blasted finish Glass-filled nylon 3.4 in. (8.6 cm) 4.25 in. (10.8 cm) 4.25 in. (10.8 cm) 7.6 in. (19.4 cm) 5 oz. (141.7 g) 087171030319 087171030333 ENEMET a KERSHAW ORIGINALS design & Cr13MoV, black-oxide coating Glass-filled nylon, K-Texture TM insert 3 in. (7.6 cm) 4.25 in. (10.7 cm)	FEATURES OPENING LOCK POCKETCLIP FEATURES OPENING LOCK	Bottle opener, lanyard hole	
STEEL HANDLE BLADE CLOSED OVERALL WEIGHT BOX CLAM FUNXIO BIOO STEEL HANDLE BLADE CLOSED DVERALL	A GRANT & GAVIN HAWK design & GRANT & GAVIN HAWK design & Glass-filled nylon 3.4 in. (8.6 cm) 4.25 in. (10.8 cm) 7.6 in. (19.4 cm) 5 oz. (141.7 g) 087171030319 087171030333 EXERSHAW ORIGINALS design & KERSHAW ORIGINALS design Glass-filled nylon, K-Texture [™] insert 3 in. (7.6 cm) 4.25 in. (10.7 cm) 7.25 in. (18.4 cm)	FEATURES OPENING LOCK POCKETCLIP FEATURES OPENING	Bottle opener, lanyard hole	
SELECT 1920 STEEL HANDLE BLADE CLOSED OVERALL WEIGHT BOX CLAM	s GRANT & GAVIN HAWK design & GRANT & GAVIN HAWK design & Cr13MoV, bead-blasted finish Glass-filled nylon 3.4 in. (8.6 cm) 4.25 in. (10.8 cm) 4.25 in. (10.8 cm) 7.6 in. (19.4 cm) 5 oz. (141.7 g) 087171030319 087171030333 ENEMET a KERSHAW ORIGINALS design & Cr13MoV, black-oxide coating Glass-filled nylon, K-Texture TM insert 3 in. (7.6 cm) 4.25 in. (10.7 cm)	FEATURES OPENING LOCK POCKETCLIP FEATURES OPENING LOCK	Bottle opener, lanyard hole	

KERSHAWKNIVES.COM

MULTI-FUNCTION

BARRICADE 8650

a KERSHAW ORIGINALS design

STEEL	8Cr13MoV, black-oxide coating
HANDLE	Glass-filled nylon
BLADE	3.5 in. (8.9 cm)
CLOSED	5 in. (12.7 cm)
OVERALL	8.5 in. (21.6 cm)
WEIGHT	4.5 oz. (128 g)
BOX	087171048529
CLAM	087171050362

OPENING	SpeedSafe [®] assisted opening with flipper or thumb stud
LOCK	Liner lock
POCKETCLIP	Deep-carry, single-position (right, tip-down)
FEATURES	Carbide glassbreaker tip, built-in cord/seatbelt cutter

0

karshew'

0

6

۱





ION 1747BW	a KERSHAW ORIGINALS design		X		MARK) /
STEEL HANDLE BLADE OVERALL WEIGHT BOX CLAM	3Cr13, black-oxide BlackWash™ finish Paracord wrapped 4.5 in. (11.4 cm) 9 in. (22.9 cm) 3.9 oz. (113 g) 14.4 oz. (409 g)3 knives with sheath - 087171039084	OPENING Features	Full-tang construction Spear point, lanyard hole, three-knife set, includes sheath	<		
DUNE 4008	a KERSHAW ORIGINALS design					
STEEL HANDLE BLADE OVERALL WEIGHT BOX CLAM	3Cr13, black-oxide coating Glass-filled nylon 3.8 in. (9.7 cm) 7.7 in. (19.8 cm) 2.2 oz. (65 g) 2.7 oz. (79 g) with sheath - 087171039459	OPENING Features	Full-tang construction Tanto point, lanyard hole, injection-molded neck sheath with adjustable cord	(
SECRE 4007	T AGENT a KERSHAW ORIGINALS design			10	Receiver	
STEEL Handle	8Cr13MoV, black-oxide coating Glass-filled nylon, rubberized grip					

 STEEL
 8Cr13MoV, black-oxide coating

 HANDLE
 Glass-filled nylon, rubberized grip

 BLADE
 4.4 in. (11.2 cm)

 OVERALL
 8.7 in. (22.1 cm)

 WEIGHT
 3.1 oz. (90 g)

 4.7 oz. (136 g) with sheath

 BOX
 087171036977

 CLAM
 087171037165

OPENING Features Full-tang construction Single-edged spear point, lanyard hole, molded dualcarry sheath



KERShaw 2019 CATALOG

READY FOR The sweet smell of camp smoke. Contraction of the second

IO - TAN a KERSHAW ORIGINALS design			Ge inter .	In
				wishaw
65Mn, powdercoat				
Rubber overmold				
	FEATURES	Full-tang construction		
		Textured, rubberized grip		
1 lb. 2.3 oz. (521 g) 1 lb. 8 oz. (681 g) with sheath		Includes glass-filled nylon	8°	
		sheath with gear straps and		
-		Dual lanyard holes		
10				
a KERSHAW ORIGINALS design			o leershaw	- Contraction
65Mn, powdercoat Rubber overmold				
	FEATUREO	F. II to a construction		
	FEATURES		-	
			and the second s	
1 lb. 8 oz. (681 g) with sheath		sheath with gear straps and		
087171033594		belt loop		
087171034065		Dual lanyard holes		
14				
a KERSHAW ORIGINALS design				
			Po kershaw	Icershaw
65Mn, powdercoat				
	FEATURES			
1 lb. 13.5 oz. (839 g) with sheath		Includes glass-filled nylon		- Aller Martin
087171034720		belt loop		
-		Duai lanyard noies		
18				
a KERSHAW ORIGINALS design			A hershaw	
	FEATURES	Full-tang construction		
1 lb. 7.1 oz. (657 g)		Textured, rubberized grip		
2 lb. 4 oz. (1023 g) with sheath		Includes glass-filled nylon		
				Constant on the
087171034737		Includes glass-filled nylon sheath with gear straps and belt loop		
	Rubber overmold 10 in. (25.4 cm) 16 in. (40.6 cm) 11b. 2.3 oz. (521 g) 11b. 8 oz. (681 g) with sheath 087171052748 - 0 a KERSHAW ORIGINALS design 655Mn, powdercoat Rubber overmold 10 in. (25.4 cm) 16 in. (40.6 cm) 11b. 2.3 oz. (521 g) 11b. 8 oz. (681 g) with sheath 087171033594 087171033594 087171034065 4 a KERSHAW ORIGINALS design 655Mn, powdercoat Rubber overmold 14 in. (35.6 cm) 20 in. (50.8 cm) 11b. 4.4 oz. (581 g) 11b. 13.5 oz. (839 g) with sheath 087171034720 - 8 655Mn, powdercoat Rubber overmold 18 in. (45.7 cm) 24 in. (61 cm)	Rubber overmold 10 in. (25.4 cm) FEATURES 10 in. (25.4 cm) 16 in. (40.6 cm) 11b. 2.3 oz. (581 g) with sheath 087171052748 - 0 a KERSHAW ORIGINALS design FEATURES FEATURES FEATURES <p< td=""><td>Rubber overmold Din. (25, 4 cm) FEATURES Full-tang construction Tib. 2, 3 oz. (521 g) Textured, rubberized grip Includes glass-filled nylon 10: 10: 8 oz. (681 g) with sheath Bertines Full-tang construction 07 = KEREHAW ORIGINALS design FEATURES Full-tang construction 10: 10: 40.0 cm) = KEREHAW ORIGINALS design FEATURES Full-tang construction 10: 10: 40.0 cm) = KEREHAW ORIGINALS design FEATURES Full-tang construction 10: 10: 40.0 cm) = KEREHAW ORIGINALS design FEATURES Full-tang construction 10: 10: 40.0 cm) = KEREHAW ORIGINALS design FEATURES Full-tang construction 10: 10: 40.0 cm) = KEREHAW ORIGINALS design FEATURES Full-tang construction 10: 10: 40.0 cm) = KEREHAW ORIGINALS design FEATURES Full-tang construction 10: 10: 40: 50: 00: 00: 00: 00: 00: 00: 00: 00: 0</td><td>Bubber overmold 10: 10: 42 Aor (5210) 10: 83 Aor (5810) with sheath 08777062749 FATURES 10: 120: 4000 10: 120:</td></p<>	Rubber overmold Din. (25, 4 cm) FEATURES Full-tang construction Tib. 2, 3 oz. (521 g) Textured, rubberized grip Includes glass-filled nylon 10: 10: 8 oz. (681 g) with sheath Bertines Full-tang construction 07 = KEREHAW ORIGINALS design FEATURES Full-tang construction 10: 10: 40.0 cm) = KEREHAW ORIGINALS design FEATURES Full-tang construction 10: 10: 40.0 cm) = KEREHAW ORIGINALS design FEATURES Full-tang construction 10: 10: 40.0 cm) = KEREHAW ORIGINALS design FEATURES Full-tang construction 10: 10: 40.0 cm) = KEREHAW ORIGINALS design FEATURES Full-tang construction 10: 10: 40.0 cm) = KEREHAW ORIGINALS design FEATURES Full-tang construction 10: 10: 40.0 cm) = KEREHAW ORIGINALS design FEATURES Full-tang construction 10: 10: 40: 50: 00: 00: 00: 00: 00: 00: 00: 00: 0	Bubber overmold 10: 10: 42 Aor (5210) 10: 83 Aor (5810) with sheath 08777062749 FATURES 10: 120: 4000 10: 120:

STEEL HANDLE BLADE OVERALL WEIGHT	65Mn, black-oxide coating Glass-filled nylon 12 in. (30.5 cm) 18.9 in. (48 cm) 1 lb. 4.6 oz. (586 g) 1 lb. 6.3 oz. (634 g) with blade protector	FEATURES	Full-tang construction Dual lanyard holes	
BOX Clam	087171039695		Includes blade protector Strap & webbing holes	
TASKI	MASTER SAW			
2555	a KERSHAW ORIGINALS design		E CO I I I I I	Kershaw a
			SHAMMARKER BERNARE BERNARE	100
STEEL	High-carbon steel, nickel-plated	leana	\$ P\$ JA	
HANDLE	Glass-filled nylon, rubber overlay			
BLADE	7.25 in. (18.4 cm)			
CLOSED	9.25 in. (23.5 cm)			
OVERALL	16.25 in. (41.3 cm)		0 // 2	and and for the first
WEIGHT	9.2 oz. (260.8 g)	OPENING	Manual opening	11222000 11/12/1 9
BOX	087171033778	LOCK	Push-button lock	THE PARTY OF A DATA OF
CLAM	087171034058	FEATURES	Lanyard hole	
LONE	ROCK RBK			
1890	a KERSHAW ORIGINALS design			A REAL PROPERTY AND A REAL
STEEL	Surgical stainless steel, blade type #60A			
HANDLE	Glass-filled nylon, K-Texture™ grip			
BLADE	2.8 in. (7.1 cm)			
CLOSED	4.4 in. (11.2 cm)			
OVERALL	7.2 in. (18.3 cm)			
WEIGHT	1.4 oz. (39.7 g)	FEATURES		and the second second
BOX Clam	- 087171039640	FEATURES	Caping tool Exchangeable blades	
1890RB	14 replacement blades		Lanyard hole	
	087171040721		Includes extra handle and 15 blades	

CONTROOR

Kershaw 2019 CATALOG





7-IN. BONING WITH SPOON 1243SH a KERSHAW ORIGINALS design

STEEL	420J2, satin finish
HANDLE	Glass-filled nylon, rubber overmold K-Texture™ grip
BLADE	7 in. (17.8 cm)
OVERALL	14.5 in. (36.8 cm)
WEIGHT	3.6 oz. (104 g)
	4.3 oz. (123 g) with blade protector
BOX	
CLAM	087171037042

FEATURES Handle ensures grip in marine conditions Flexible blade Includes blade protector



7.5-IN. FILLET 1247

.....

a KERSHAW ORIGINALS design

STEEL	420J2, satin finish		
HANDLE	Glass-filled nylon, rubber overmold, K-Texture™ grip		
BLADE	7.5 in. (19.1 cm)		
OVERALL	12.7 in. (32.3 cm)	FEATURES	На
WEIGHT	2.9 oz. (84 g)	FEATURES	in
	3.7 oz. (105 g) with blade protector		FI
BOX	- 11 1. 5 - 1. 4		In
CLAM	087171037059		pr

a KERSHAW ORIGINALS design

.....

landle ensures grip n marine conditions lexible blade ncludes blade protector



9.5-IN. FILLET 1249

STEEL	420J2, satin finish
HANDLE	Glass-filled nylon, rubber overmold, K-Texture™ grip
BLADE	9.5 in. (24.1 cm)
OVERALL	14.8 in. (37.6 cm)
WEIGHT	3.3 oz. (94 g)
	4.1 oz. (119 g) with blade protector
BOX	087171037066
CLAM	_

FEATURES Handle ensures grip in marine conditions Flexible blade Includes blade protector

.....





12-IN. CURVED 1241

......

a KERSHAW ORIGINALS design

STEEL	420J2, satin finish			
HANDLE	Glass-filled nylon, rubber overmold, K-Texture™ grip			
BLADE	12 in. (30.5 cm)			
OVERALL	17.7 in. (44.5 cm)	FEATURES	Llendle encurse avia	
WEIGHT	8.6 oz. (244 g)	FEATURES	Handle ensures grip in marine conditions	
	10.6 oz. (301 g) with protector		Flexible blade	
BOX	-		Includes blade	
CLAM	087171037028		protector	

9-IN. CURVED 1242GE

a KERSHAW ORIGINALS design



KETS DAW 2019 CATALOG



..... 7 111 51115

/-IN. F 1257			A CONTRACTOR OF THE OWNER OWNER OF THE OWNER OWNE OWNER OWNE		
1257	a KERSHAW ORIGINALS design				
STEEL	420J2, satin finish				
HANDLE	Co-polymer				1000
BLADE	7 in. (17.8 cm)				
OVERALL	12.25 in. (31.1 cm)			and the second second	- A
WEIGHT	3.3 oz. (96 g)				
	4.7 oz. (135 g) with sheath				
BOX	-	FEATURES	Neon accents for improved visibility	-	
CLAM	087171125701		Includes molded sheath with belt loop		1

9-IN. FILLET 1259 a KERSHAW ORIGINALS design


STEEL	420J2, satin finish
HANDLE	Co-polymer
BLADE	9 in. (22.9 cm)
OVERALL	14.25 in. (36.2 cm)
WEIGHT	3.6 oz. (104 g)
	5.2 oz. (151 g) with sheath
BOX	-
CLAM	087171125909

FEATURES

Neon accents for improved visibility Includes molded sheath with belt loop



64



t[™] **BEAR**

READY FOR the sharpest gear.



KICKFL	
SK8TOOL	a KERSHAW ORIGINALS design
STEEL	3Cr13, stonewashed & black-oxide BlackWash™ finish
OVERALL	3.25 in. (8.3 cm)
WEIGHT	3.8 oz. (110 g)
CLAM	087171054070

Kingpin pipe wrench • Axle nuts pipe wrench • Small nuts pipe wrench • Hex key wrench • Phillips screwdriver





PI-I 8800	a KERSHAW ORIGINALS design
STEEL HANDLE OVERALL WEIGHT CLAM Bottle oper	3Cr13, bead-blasted finish Glass-filled nylon, K-Texture™ 2.75 in. (7 cm) 0.8 oz. (24 g) 087171048859 her • Flat head screwdriver •
Pry bar • La	nyard hole

F

9	L)
1]	
7		
	C	D

F1-Z 8810	a KERSHAW ORIGINALS design
STEEL	3Cr13, bead-blasted finish
HANDLE	Glass-filled nylon, K-Texture™
OVERALL	3.25 in. (8.2 cm)
WEIGHT	0.8 oz. (24 g)
CLAM	087171048536

DT_9

Bottle/can opener • Flat head & Phillips screwdrivers • Hex drives • Wire scraper • Pry bar • Lanyard hole



FIRE S ⁻	TARTER
1019	a KERSHAW ORIGINALS design
STEEL	Magnesium firesteel
HANDLE	Molded plastic
OVERALL	3.1 in. (7.9 cm)
Weight	1.1 oz. (31.2 g)

CLAM

Magnesium fi
Molded plasti
3.1 in. (7.9 cm
1.1 oz. (31.2 g)
087171101910

» ≚ GEAR

KETS DAWN® 2019 CATALOG



K-TOOL KTOOL

a KERSHAW ORIGINALS design

3Cr13, black-oxide BlackWash™ finish STEEL 2 in. (5.1 cm)

OVERALL WEIGHT

0.7 oz. (22 g) BOX 087171039657 Bottle opener • Flat head screwdriver Box cutter

ULTRA-TEK SHARPENER 2535

a KERSHAW ORIGINALS design

STEEL	600-grit, diamond-coated oval shaft
HANDLE	6061-T6 anodized aluminum
SHAFT	4 in. (10.2 cm)
OVERALL	9 in. (22.9 cm)
WEIGHT	1.7 oz. (51 g)
CLAM	087171253503



TXTOOL a KERSHAW ORIGINALS design

HANDLE	Aluminum	
OVERALL	4.8 in. (12.2 cm)	
WEIGHT	1.1 oz. (32 g)	
BOX	087171044989	

For most Kershaw pivots, pocketclip, and handle screws • T-6, T-8, T-10 bits • Phillips & #2 Flat head screwdriver bits • Store in handle



STP PIVOT TOOL

STPTOOL a KERSHAW ORIGINALS design

HANDLE	Stainless steel	
OVERALL	2.75 in. (7 cm)	
WEIGHT	2.1 oz. (62 g)	
BOX	087171052755	
For use with Flythrough 1988 see- though ring pivot, P.43		

RATION - XL 1145 a KERSHAW ORIGINALS design

STEEL

OVERALL

WEIGHT

CLAM • Fork • Spoon • Bottle opener • Carabiner gate

3Cr13, bead-blasted finish 7.3 in. (18.6 cm) 2.1 oz. (60 g) 087171052465

RATION - XL 1145GRN a KERSHAW ORIGINALS design STEEL 3Cr13, food-safe coating

OVERALL 7.3 in. (18.6 cm) WEIGHT 2.1 oz. (60 g) CLAM 087171052458 • Fork • Spoon • Bottle opener • Carabiner gate



STEEL 3Cr13, bead-blasted finish OVERALL 4.6 in. (11.7 cm) WEIGHT 1.3 oz. (36 g) CLAM 087171046389 • Fork • Spoon • Bottle opener • Carabiner gate



RATION 11400R • 1140TEAL • 1140GRN

STEEL 3Cr13, food-safe coating OVERALL 4.6 in. (11.7 cm) WEIGHT 1.1 oz. (31.2 g) CLAM 087171052434 • OR 087171052441 • TEAL 087171052427 • GRN Fork • Spoon • Bottle opener • Carabiner gate



KNIFE OIL KEROIL

0.4 fl oz (12 mL) • Allows for smoother operation • Works to prevent corrosion • SMT (Sub-Micron Technology) absorbs into pores of metals, for an even conditioning • Non-migrating, non-toxic formula

NEW

UPC 08717105408





PVC PATCH KERPATCH17

3.25 in.×1.5 in., PVC patch, Velcro® back UPC 087171049120





CAP 1 - MESH CAPKER181

Velcro[®] size adjustable, unstructured cotton twill front, mesh back UPC 087171052663





UPC

UPC

6 fl. oz. (177 mL), stainless steel body & lid 087171052717

WATER BOTTLE - BLACK BOTTLEKERBLK

20 fl. oz. (591.5 mL), double-wall insulated stainless steel, BPA-free insulated lid

087171052700

CAP 2 - RED RIM CAPKER182

Flexible fit, structured cotton twill, red highlight brim CAPKER182ML 087171052670 M/L CAPKER182LXL 087171053349 L/XL



COFFEE MUG MUGKERLOGO

15 fl. oz. (443.6 mL), microwaveable UPC 087171039923



CAP 3 - 3D CAPKER183

Snap-tab size adjustable, structured cottontwill, rubber applique logo patchUPC087171052687



SHOTGLASS SHOTGLASSKER

2 fl. oz. (59.1 mL), stainless steel 087171052724 UPC



BEANIE **BEANIEKER18**

Reversible black/read, acrylic knit with knit-in logo 087171052694 UPC

» ≚ GEAR



T-SHIR SHIRTKER	T - BLACK
100% pre-s	hrunk cotton
s	SHIRTKER181S

S	SHIRTKER181S 087171052618
M	SHIRTKER181M 087171052809
L	SHIRTKER181L 087171052816
XL	SHIRTKER181XL 087171052823
XXL	SHIRTKER181XXL 087171052830



LONGSLEEVE SHIRT SHIRTKER184

100% pre-shrunk cotton	
SHIRTKER184S 087171052649	
SHIRTKER184M 087171052922	
SHIRTKER184L 087171052939	
SHIRTKER184XL 087171052946	
SHIRTKER184XXL 087171052953	



T-SHIRT - RED SHIRTKER182

100% pi	100% pre-shrunk cotton	
S	SHIRTKER182S 087171052625	
M	SHIRTKER182M 087171052847	
L	SHIRTKER182L 087171052854	
XL	SHIRTKER182XL 087171052861	
XXL	SHIRTKER182XXL 087171052878	



HOODIE - PULLOVER HOODIEKER18

80% cotton, 20% polyester, pre-sh		
	S	HOODIEKER18S 087171052656
	M	HOODIEKER18M 087171052960
	L	HOODIEKER18L 087171052977
	XL	HOODIEKER18XL 087171052984
	XXL	HOODIEKER18XXL 087171052991



T-SHIRT - SHARP SHIRTKER183

100% pre-shrunk cotton

L XL XXL

100 /0 pro	official and occord	
S	SHIRTKER183S	
	087171052632	
M	SHIRTKER183M	

- 087171052632 SHIRTKER183M 087171052885 SHIRTKER183L 087171052892 SHIRTKER183XL 087171052908 SHIRTKER183XXL 087171052915

KERSHAWKNIVES.COM

COUNTER MAT KERMAT14

Foam-backed, acrylic front 10×15 in. UPC 087171046778

โดยอยู่อนข้อสอปู่อนข้อสอปู่อนข้อสอปู่อนข้อหยุ่มหยุ่ม

KNIFE STANDS DISPLAYKER







DISPLAYKERB14 SINGLE-KNIFE BLADE STAND UPC 087171046808

DISPLAYKER114 SINGLE-KNIFE STAND UPC

UPC 087171046785

DISPLAYKER314 TRIPLE-KNIFE STAND 087171046792

kershaw

KNIFE STORAGE BAG

Accommodates up to 18 folding knives, with 8-pocket removable center section, and zipper closure. Nylon siding & straps. Overall: 13 x 7.5 in. (33 x 19 cm). Weight: 12 oz. (340.2 g)

087171045634

Z997

UPC



Durable vinyl banner with grommets SM 2×4 IN. KERBANNER2X4 087171046686 \$30.00



WINDOW CLING KERCLING17

M 6×2 IN.087171049144





BLADE STYLES

AMERICAN TANTO

Angles upward to meet the spine. The angled edge can be straight or curved. The American tanto offers a strong, durable tip while the straight edge makes it ideal for push cuts.

CLIP POINT

The tip of the clip point is lower than its spine. The top part of the blade has been "clipped" off so that the blade goes straight from spine to tip. The clip point can also have a concave curve to the tip. Clip points are great for everyday carrying, but are also favored for hunting knives.

DROP POINT

The blade's point drops down below the blade's spine. Usually has good "belly," a curved cutting edge. It is one of today's most widespread blade shapes because it's a great all-purpose blade.

HAWKBILL

A hawkbill blade is hook-like with a concave belly. It offers ease in cutting ropes, fabrics, and even trimming shrubbery.

RECURVE

Instead of having a fully convex belly, a recurve blade will also have a gentle concave curve along part of the cutting edge. This gives the edge something of an "S" shape. The recurve blade provides good belly for slicing and a concave curve for easy draw or pull cuts.

REVERSE TANTO

Instead of the edge angling up to meet the spine, a reverse tanto's tip angles down to meet the edge. Like the American tanto, the reverse tanto offers a strong tip for piercing and, generally, a straight edge, ideal for good slicing.

SHEEPSF00T

A sheepsfoot blade is similar to the Wharncliffe, but it has a steeper slope from spine to edge and a less-pointy tip. They are often favored by emergency responders due to the relative safety of the rounded tip. The straight edge works well for slicing push cuts and generalpurpose cutting.

SPEAR POINT

In a spear-point blade, the top and bottom of the blade are symmetrical, and the tip is in line with the center of the blade. It may have one or both edges sharpened. It offers tactical style as well as excellent piercing.

TRAILING POINT

A trailing-point blade has a tip that ends above the spine of the knife. Many trailing point knives also have a deep belly curve for superior slicing, including skinning and hunting use.

WHARNCLIFF

A Wharncliffe blade has a completely straight cutting edge. The spine of the blade gradually slopes down to meet the edge, forming a tip. The straight edge makes a great blade for slicing push cuts, for wood carving, and general cutting, and utility work.






















BLADE FINISHES & COATINGS

BEAD-BLASTED FINISH

The knife blade is "blasted" or sprayed with a mixture of fine media, including glass and aluminum-oxide beads, under high speed and pressure. This smooths the blade surface and creates a soft, non-reflective, matte look. Depending on the media, this finish can produce a darker or a lighter blade color.

BLACK-OXIDE COATING

A chemical bath converts the surface of the steel to magnetite; it enhances appearance and adds some corrosion resistance

BLACKWASH™ FINISH

Our BlackWash™ finish produces a vintage look like that of a well-used tool or favorite, brokenin pair of jeans. Kershaw products may have DLC BlackWash™ or black-oxide BlackWash™ finishes



Diamond-Like Carbon (DLC) coating displays properties similar to those of natural diamond, including hardness, wear resistance, and



reduced friction.

POWDERCOAT

The coating is applied as a fine powder and cured under heat. This creates a smooth, even, and tough coating.

PVD COATING

PVD stands for Physical Vapor Disposition. Specialized materials are vaporized via a vacuum process. Then the vaporized material is deposited as a thin layer on selected objects. In our case, it enables us to finish our blades and/or handles with a thin coating that adds color and offers excellent wear and corrosion resistance.

SATIN FINISH

A Kershaw satin finish will typically show a faint pattern of vertical lines across the blade. It is a shinier finish than bead blasting and somewhat lighter in color.

STONEWASHED FINISH

Blades are tumbled with ceramic "stones," which gives the blade surface a desirable roughened or scuffed look. The look can be pronounced or subtle. The finish helps hide scratches and fingerprints.

TITANIUM CARBO-NITRIDE

Kershaw also uses titanium carbo-nitride to produce an attractive black or gray blade coating that increases the blade's hardness, helps maintain the edge, and increases the lifetime of the blade.

TWO-TONE FINISH

Sometimes Kershaw will combine two different blade finishes on a single blade, for example, satin finish on the blade flats and stonewash on the blade grinds.















79

BLADE STEELS	6	4Cr14	3Cr13	65Mn	DIN	02	420HC	420J	8Cr1	8Cr1	14C28N	CPM 154	СРМ	ELEM STEE
CPM S30V	HRC: 59.5-61	4	13	3	DIN 1.4116		Н	ε	8Cr14MoV	8Cr13MoV	28N	1 154	CPM S30V	MENT +
edge extremely well; it is also EDGE RETENTION: CORROSION RESISTANCE:	und premium knife steel make it take and hold an overy tough and wear resistant.	0.38	0.35	0.57-0.70	0.45-0.55	1.4-1.6	0.46	0.4-0.5	0.75-0.8	0.8	0.62	1.05	1.45	CARBON (C)
SHARPENING EASE:		8	5	0.70	0.55	1.6	5	0.5	-0.8	8	62	5	σ	BON
	HRC: 58–60 eel has a more uniform distribution of carbides, llent edge. Also offers good corrosion resistance, ess.	13.94	13.5	I	14-15	11-13	13	12-14	13.5-14	13	14	14	14	CHROMIUM (Cr)
CORROSION RESISTANCE: SHARPENING EASE:														-
and Sandvik Steel. Offers exc		0.12	0.6	I	0.5-0.8	0.7-1.2	I	0.6	0.20-0.25	0.15	0.55	4.00	2	10LYBDE- NUM (Mo)
EDGE RETENTION: CORROSION RESISTANCE: SHARPENING EASE:		0.08	ı.	I	0.1-0.2	1.1	0.3	0.18	0.10-0.15	0.1	I	ı	4	VANADIUM (V)
performance characteristics	HRC: 57–59 ts 8Cr13MoV steel to bring out its very best high- : the ability to take and hold an edge, strength,													
and hardness. EDGE RETENTION: CORROSION RESISTANCE: SHARPENING EASE:		I	I	1	I	I	I	I	I	1	I	1	I	TUNGSTEN (W)
	HRC: 58–59 additional chromium for added stain resistance. ⁄'s expertise in precision heat treatment.	I	ı	ı	ı	T	I	I	I	1	I	1	I	Cobalt (Co)
hardenability and corrosion r	HRC: 58 higher amounts of carbon and chromium to boost esistance. It is an excellent everyday steel: tough, harpen, and takes a good edge.	0.14	0.5	ı.	ı	0.3	I	ı	1	0.2	ı.	1	I	NICKEL (Ni)
EDGE RETENTION: CORROSION RESISTANCE: SHARPENING EASE:		0.41	0.5	0.6-0.9	1.0	0.6	0.40	0.8	0.3-0.6	0.4	I	1	I	MANGANESE (Mn)
is desirable, for example, in f EDGE RETENTION:		0	0	-		0	0		0.3-	.0	0			ESE SILI (S
CORROSION RESISTANCE: SHARPENING EASE:		.41	1.8	1	.0	1.6	1.4		-0.6).5	0.25	'	I	ICON Si)
D2 This "semi-stainless" tool ste resistance, and good toughn EDGE RETENTION: CORROSION RESISTANCE:	HRC: 59–60 el is known for excellent edge retention, wear ess.	0.003	ı	0.05	0.015	ı.	I	0.02	0.03	0.01	0.015		I	SULPHUR (S)
SHARPENING EASE:				_					0	_				PHO
	HRC: 55–57 :tant and very tough, this German stainless steel is Is for kitchen knives. It is very easy to resharpen	0.02	I	0.04	0.04	1	I	0.05	0.035	0.02	0.03	1	I	PHOSPHO- RUS (P)
65MN A tough, durable carbon stee Camp Series machetes.	HRC: 56 I designed for hard-use tools such as Kershaw's	I	I	ı	ı	I.	I	I	I	1	I	ı	I	COPPER (Cu)
3CR13 A value-priced high-chromiu	HRC: 54–56 m stainless steel.	ı	I	ı.	ı.	1	I.	ı	1		ı	1	I	NIOBIUM (Nb)
4CR14 A value-priced steel; very hig	HRC: 55-57 hly stain resistent.													
		I	I	I	I	1	1	I	I	ı	0.08	1	0.2	NITROGEN (N)

LOCKS

FRAME LOCK

In a frame lock knife, the knife handle its "frame"—consists of two plates of material on either side of the blade. When the knife is opened, one side of the frame butts up against the back end of the blade and prevents the blade from closing until released. The thickness of the frame material blocking the blade open makes the frame lock extremely sturdy.



LINER LOCK

The most common of today's blade-locking systems. The handle consists of two metal plates (the "liner") on either side of the blade. When the knife is opened, one side of the liner butts up against the backend of the blade and prevents the blade from closing until released. A secure and convenient way to make using a Kershaw folding knife even safer.

HAWK LOCK

The Hawk Lock uses a principle similar to other locks to secure the blade open. But instead of part of the frame or liner moving into place, a spring-loaded latch plate in the knife handle moves to contact a steel pin on the blade, locking the blade open. To close the knife, just pull the lock slider toward the butt of the knife and fold the blade back into the handle.

INSET LINER LOCK

The inset liner lock is a Kershaw variation on the liner lock. Kershaw insets a sturdy steel plate on the inside of the knife's handle. It is riveted into place in a custom-machined cutout on the interior of the handle. This enables us to make a knife with a slimmer profile that won't weigh your pocket down, while still providing the strength and security of a locking liner.

MID-LOCK

The oldest of the popular blade-locking systems, yet the principle is the same as with the others. Once the knife is opened, a steel bar locks into place behind the blade and prevents the knife from closing until released by the knife user.

PUSH-BUTTON LOCK

Like Kershaw's other locking systems, once the blade is open, a mechanism blocks the butt end of the blade and prevents it from closing accidentally. In this case, a spring-loaded lock is built into one side of the handle, and it must be depressed in order to unlock the blade.

SUB-FRAME LOCK

The patented Kershaw Sub-Frame Lock is a variation on the traditional frame lock. In this case, a piece of a lighter weight frame, like G10, is machined out, and a piece of steel is screwed into its place. This steel acts like a standard frame lock. It enables us to make a knife with a slimmer profile, while still providing the strength and security of a frame lock. (The Kershaw Sub-Frame Lock is covered under US Patent 9,120,234.)

TIP-LOCK

The Tip-Lock can be found on all Leek, Scallion, and Chive SpeedSafe^{*} knives. It's a simple slider that, when engaged, ensures the blade will not accidentally open. It's especially helpful in cases where the knife might be juggled in a briefcase, backpack, or purse.













HANDLE MATERIALS

ANODIZED ALUMINUM

Anodizing makes aluminum stronger and enables Kershaw to add scratch and fade resistant color to knife handles.

CARBON FIBER

Carbon fiber atoms are bonded together in crystals aligned in long strands, then woven together like fibers. Combined with resin to make the fibers rigid, carbon fiber makes a knife handle material that is extremely strong and extremely lightweight.

COPPER

Denser and heavier than iron, this natural metal starts out reddish-orange in color, but over time will gain a patina, like a copper penny. The patina is a result of oxidation, and the colors it turns will change with time as well. Copper makes an interesting knife handle material due to the changing patina. Depending on how you handle and use it, the knife will look different throughout its life.





A co-polymer is a compound of two or more different molecules, chosen for specific characteristics. The co-polymers Kershaw uses for knife handles generally have a slightly rubbery texture to improve grip security.

G10

An epoxy-filled woven glass fiber; it is extremely stable, unaffected by temperature changes, and makes excellent handles and handle scales for knives.

GLASS-FILLED NYLON

Nylon synthetic polymer is reinforced with glass threads for increased strength, stiffness, and dimensional stability combined with excellent wear resistance.

K-TEXTURE[™] GRIP

An exclusive texture and pattern used on the handles of certain Kershaw knives. K-Texture™ enhances a secure grip.

STAINLESS STEEL

An alloy of iron and carbon, most steel also has additional elements alloyed in it to enhance specific characteristics. As a handle material, stainless steel is strong and attractive.

TRAC-TEC INSERTS

A rough-surfaced rubber insert that provides additional friction for a non-slip grip.











POCKETCLIPS

SINGLE-POSITION

The pocketclip is mounted in a single, fixed position on the knife handle.

REVERSIBLE Right-handed, tip-up or tip-down OR Right- or left-handed, tip-up

3-POSITION Right-handed, tip-up or tip-down AND Left-handed, tip-up

4-POSITION Right-handed, tip-up or tip-down AND Left-handed, tip-up or tip-down

DEEP-CARRY This specially designed pocketclip is positioned at the very end of the handle so that the knife can be carried deeper inside the pocket.















KNIFE SIZES


















Series representative, not all variants shown

INDEX

MODEL рното Р. NAME 1019 FIRE STARTER 67 1025 CINDER 54 1025 NEW Contra to CINDER - COPPER 54 1072 CAMP 12 60 CAMP 18 1074 59 1076 CAMP 14 59 1077 CAMP 10 59 1077TAN CAMP 10 - TAN 59 46 1087 DEADLINE 9 1140 RATION 68 1 1140GRN RATION - GREEN 68 11400R RATION - ORANGE 68 1140TEAL RATION - TEAL 68 1145 RATION - XL A **2000** 68 1145GRN RATION XL - GREEN 8 68 1160 FRAXION 46 FRAXION - TAN 1160TANBW 46 1170 METHOD 43 0 1220 REVERB 42 3 1225 NEW REVERB XL 42 1241 12-IN. CURVED 65 1242GE 9-IN. CURVED 65 7-IN. BONING WITH SPOON 1243SH 65 ÷ 1247 7.5-IN. FILLET 65 1249 9.5-IN. FILLET 65 1257 7-IN. FILLET 66

1259FILLETSemigradiant of the semigradiant of the se				
ICOLOICOLOICOLOISOIBWSTARTERISINAISIISO2EWIFTERISINAISIISO3EWIANIFOLDISINAISIISO6EWFLTERISINAISIISOEBWPOKEISINAISIISOECRINDERISINAISIISSERINDERISINAISIISSECRYO-BLACKWASH**ISINAISIISSEGIOCRYO II - BLACKWASH**ISINAISIISSEGIOCRYO II - BLACKWASH**ISINAISIISSEGIOCLASH - BLACKISINAISIISSEG	1258	FOLDING FILLET	-	66
ICOLORICITE	1259	9-IN. FILLET		66
ICOLOICOLOICOLOICOLOICOLOISOBEWFILTERISINISISOBEWFILTERISINISISITSBLKSPOKEISINISISITAGRINDERISINISISZEWCATHODEISINISISESENCRYO - BLACKWASH**ISINISISESEINCRYO - BLACKWASH**ISINISISESEINCRYO II - BLACKWASH**ISINISINISESEINCRYO II - BLACKWASH**ISINISINISESEINCRYO II - BLACKWASH**ISINISINISESEINCRYO II - BLACKWASH**ISINISINISESEINCRILIONISINISINISESEINCLASHISINISINISESEINCLASHISINISINISESEINCLASH-SERRATEDISINISINISESEINCALLIONISINISINISESEINSCALLION-NAVY BLUEISINISIN	1301BW	STARTER		15
IndexInternationInternation1306BWFILTERImage: SocietyImage: Society1313BLKSPOKEImage: SocietyImage: Society1319GRINDERImage: SocietyImage: Society1324CATHODEImage: SocietyImage: Society1355CATHODEImage: SocietyImage: Society15551CRYO - BLACKWASH**Image: SocietyImage: Society15551CRYO GIOImage: SocietyImage: Society15551CRYO II - BLACKWASH**Image: SocietyImage: Society15561CRYO II - BLACKWASH**Image: SocietyImage: Society15561CRYO II - BLACKWASH**Image: SocietyImage: Society15571GRIO II - BLACKWASH**Image: SocietyImage: Society15581CRYO II - BLACKWASH**Image: SocietyImage: Society15591DECIMUSImage: SocietyImage: SocietyImage: Society1600PINKCHIVE - PINKImage: SocietyImage: SocietyImage: Society16051CLASH - BLACKImage: SocietyImage: SocietyImage: Society16051CLASH - BLACKImage: SocietyImage: SocietyImage: Society16201Scallon - SecretyImage: Society <td< th=""><th>1302BW</th><th>LIFTER</th><th></th><th>15</th></td<>	1302BW	LIFTER		15
Indext and the set of the se	1303BW	MANIFOLD		15
IndexIndexIndex1319GRINDERImage: Section of the section	1306BW	FILTER		15
IndexIndexIndex1324CATHODEImage: Section of the section	1313BLK	SPOKE		16
NewIdde term1SESMISDIRECTImage: Section of the sec	1319	GRINDER		16
NEWHISDIRECTImage: Section of the section of th	1324	CATHODE	-	16
IsssewCRYO - BLACKWASH**And CRYO GIOAnd CRYO GIO </th <th></th> <th>MISDIRECT</th> <th></th> <th>15</th>		MISDIRECT		15
IspectiveCRYO GIOCRYO GIOSaIspectiveCRYO IISaSaIspectiveCRYO II - BLACKWASH**SaSaIspectiveCRYO II - BLACKWASH**SaSaIspectiveSerriteSaSaIspectiveSerriteSaSaIspectiveSerriteSaSaIspectiveSerriteSaSaIspectiveSerriteSaSaIsoopinkChive - PinkSaSaIsoopinkClash - SerrateDSaSaIsoopinkScallionSaSaIsoopinkScallion - Navy BLUESaSaIsoopinkScallion - Navy BLUESaSa	1555TI	CRYO		36
Indext constraintsIndext constraintsIndex	1555BW	CRYO - BLACKWASH™		36
ISSBBW CRYO II - BLACKWASH [™] Image: Carrow of the sector	1555610	CRYO G10		36
ISS7TI FERRITE ISS 34 IS58 AGILE ISS 51 IS59 DECIMUS ISS 32 IB00 CHIVE ISS 28 IB00PINK CHIVE - PINK ISS 39 IB05ST CLASH ISS 39 IB05CKTST CLASH - BLACK, ERRATED ISS 39 IB20 SCALLION ISS 24 IB20NB SCALLION - NAVY BLUE ISS 24	1556TI	CRYO II		37
ISS/II PERRIE ISS AGILE ISS 51 1558 AGILE ISS 32 1559 DECIMUS ISS 32 1600 CHIVE ISS 28 1600PINK CHIVE - PINK ISS 28 1605 CLASH ISS 39 1605ST CLASH - SERRATED ISS 39 1605CKTST CLASH - BLACK, SERRATED ISS 39 1620 SCALLION ISS 24 1620NB SCALLION - NAVY BLUE ISS 24	1556BW	CRYO II - BLACKWASH™		37
IS59 DECIMUS Image: March of the state	1557TI	FERRITE		34
IBOO CHIVE Image: Chive - PINK Image: Chive - PI	1558	AGILE		51
1600PINK CHIVE - PINK 28 1605 CLASH 39 1605ST CLASH - SERRATED 39 1605CKTST CLASH - BLACK, SERRATED 39 1620 SCALLION 39 1620B SCALLION - SERRATED 39 1620NB SCALLION - NAVY BLUE 39	1559	DECIMUS		32
IGOSCLASHIGOS39IGOSSTCLASH - SERRATEDIGOSCKTST39IGOSCKTSTCLASH - BLACK, SERRATEDIGOSCKTST39IG20SCALLIONIGOSCKTST24IG20NBSCALLION - NAVY BLUEIGOSCKTST25	1600	CHIVE		28
IBOSSTCLASH - SERRATEDIBOSCKTSTSERRATED39IBOSCKTSTCLASH - BLACK, SERRATEDImage: Serrate markImage: Serrate markImage	1600PINK	CHIVE - PINK		28
1605CKTST CLASH - BLACK, SERRATED 39 1620 SCALLION 24 1620ST SCALLION - SERRATED 24 1620NB SCALLION - NAVY BLUE 25	1605	CLASH		39
IBODERTST SERRATED S3 1820 SCALLION 24 1820ST SCALLION - SERRATED 24 1820NB SCALLION - NAVY BLUE 25	1605ST	CLASH - SERRATED		39
1620ST SCALLION - SERRATED 24 1620NB SCALLION - NAVY BLUE 25	1605CKTST			39
1620NB SCALLION - NAVY BLUE 25	1620	SCALLION		24
	1620ST	SCALLION - SERRATED		24
16200L SCALLION - OLIVE DRAB 25	1620NB	SCALLION - NAVY BLUE		25
	16200L	SCALLION - OLIVE DRAB		25

NUMERICAL BY PRODUCT NUMBER

1620PUR	SCALLION - PURPLE		25
1620C	SCALLION - CAMO	-	24
1620SWBLK	SCALLION - BLACK		24
1660	LEEK		26
1660CAMO	LEEK - CAMO		27
1660ST	LEEK - SERRATED	-1-12 	26
1660BLKW	LEEK - BLACKWASH™		26
1660CB	LEEK - COMPOSITE BLADE		27
1660CBBW	LEEK - COMPOSITE BLADE BLACKWASH™		27
1660CF	LEEK - CARBON FIBER		26
1660CKT	LEEK - BLACK		26
1660CKTST	LEEK - BLACK, SERRATED		26
16600L	LEEK - OLIVE DRAB		27
16600R	LEEK - ORANGE		27
1660PUR	LEEK - PURPLE		28
1660SWBLK	LEEK - BLACK, STONEWASH		28
1660TEAL	LEEK - TEAL		28
1670BLK	BLUR - BLACK		22
1670BLKST	BLUR - BLACK, SERRATED		22
1670BW	BLUR - BLACKWASH™		22
1670CAMO	BLUR - CAMO		22
1670GBBLKST	BLUR - GLASS BREAKER		22
1670NBSW	BLUR - NAVY BLUE STONEWASH		23
16700LBLK	BLUR - OLIVE/BLACK		23
1670S30V	BLUR - S30V STONEWASH		23
1670TBLKST	BLUR - TANTO BLADE, BLACK		23
1730SS	ZING - STAINLESS STEEL		38

1747BW	ION		57
1760	SKYLINE		46
1776	LINK		20
1776ST	LINK - SERRATED	-	20
1776T	LINK - TANTO		20
1776 GRYBWST	LINK - GRAY ALUMINUM BLACKWASH™, SERRATED		20
1776GRYBW	LINK - GRAY ALUMINUM BLACKWASH™		20
1776TGRYBW	LINK - TANTO GRAY ALUMINUM BLACKWASH™		20
1776NBBLK	LINK - NAVY BLUE BLACKWASH™		21
1812	DIVIDEND		19
1812GRY	DIVIDEND - GRAY ALUMINUM		19
1830	OSO SWEET		34
1835TBLKST	KURO - SERRATED		35
1870	KNOCKOUT		19
18700LBLK	KNOCKOUT - OLIVE/BLACK	-	19
1881	ERIS		34
1890	LONEROCK RBK		60
1890RB	LONEROCK RBK BLADES	-	60
1905	INDUCTION		42
1920	SELECT FIRE		54
1935	FATBACK		34
1955	SHOWTIME		39
1987	RJ TACTICAL 3.0		39
1988	FLYTHROUGH		43
1990	BRAWLER		32
2045 NEW	DECIBEL		41
2050 NEW	MIXTAPE		41


2131 NEW	EPISTLE		41
2200	GRID		38
2460	VEDDER		34
2535	ULTRA-TEK SHARPENER		67
2555	TASKMASTER SAW		60
3410	CHILL	-	46
3425 NEW	хсом		41
3440 NEW	INNUENDO		41
3460	WESTIN		33
3475 NEW	BOILERMAKER		30
3490 NEW	SEGUIN		30
3470	PICO	-12-3	31
3560	EMBER		31
3650	VOLT II		38
3650ST	VOLT II - SERRATED		38
3650CKTST	VOLT II - BLACK		38
3655	VOLT II SS		38
3840	FREEFALL		35
3850	SWERVE		35
3860 NEW	OBLIVION		30
3870	AMPLITUDE 2.5		31
3930	FLITCH		32
3935	FLOURISH		32
3960	BARSTOW	-	32
4007	SECRET AGENT		57
4008	DUNE		57
4020	CONCIERGE		43

4036BLK	PUB - BLACK		51
4036BLU	PUB - BLUE		51
4036CF	PUB - CARBON FIBER		51
4037	ATMOS		43
5500 NEW	COLLATERAL		30
5505 NEW	TURISMO		30
6030	CQC-10K	-	49
6031	CQC-11K		49
6034	СОС-6К		48
6034T	СОС-7К		48
6034TRAINER	E-TRAIN		49
6044TBLK	СОС-8К		49
6045BLK	СОС-9К		49
6054BRNBLK	СОС-4К		48
6055	CQC-4KXL		48
60740LBLK	СОС-5К		48
7007	NATRIX		44
7007BLK	NATRIX - BLACK		44
7007CF	NATRIX - CARBON FIBER		44
7006CU	NATRIX - COPPER		44
70080LBLK	NATRIX - XL		45
7100BW	LAUNCH 1		11
7150 NEW	LAUNCH 8		11
7200	LAUNCH 2		11
7200BLKST	LAUNCH 2 - BLACK SERRATED		12
7250 NEW	LAUNCH 9		11
7350 NEW	LAUNCH 10		11

7300BLK	LAUNCH 3		12
7500BLK	LAUNCH 4		12
7800BLK	LAUNCH 6		12
7777	BAREKNUCKLE	-	45
7900GRYBLK	LAUNCH 7		12
8100	FUNXION EMT		55
8300	DUOJET		33
8310	FRINGE		33
8320	OUTRIGHT		33
8600	PORTAL	-	16
8650	BARRICADE	-	55
8700	SHUFFLE	-	52

8700BLK	SHUFFLE - BLACK		52
8700LIME	SHUFFLE - LIME		52
8700PUR	SHUFFLE - PURPLE		52
8700TEAL	SHUFFLE - TEAL		53
8710 NEW	ANTIC		54
8720	SHUFFLE - DIY		51
8750TBLKBW	SHUFFLE II - BLACK		53
8750TTANBW	SHUFFLE II - TAN		53
8750TOLBW	SHUFFLE II - OLIVE		53
8760	FAULTLINE		43
8800	PT-1	-	67
8810	PT-2	8 0	67

KEROIL	KERSHAW KNIFE OIL	1	68
KTOOL	K-TOOL	k	67
STPTOOL	STP PIVOT TOOL		67
SK8TOOL NEW	KICKFLIP	-	67
TXTOOL	TX-TOOL		69



LIMITED LIFETIME WARRANTY

Kershaw knives from Kai USA Ltd. carry a limited warranty for the lifetime of the original owner, except when stated otherwise. We guarantee our knives against manufacturing defects in material and construction and to perform as advertised when properly used and maintained. The Limited Lifetime Warranty is non-transferable and does not extend to normal signs of wear, rust, damage, or breakage due to improper use, improper maintenance, accidents, loss, or theft. This warranty is void on products that have been modified in any way. Any product we determine to be defective will be repaired or replaced solely at our discretion. To receive warranty repair or replacement, the owner must send the product to be evaluated by Kai USA Warranty Services in our Tualatin, Oregon headquarters. In addition to the provisions of this warranty, the owner may also have other rights that can vary by state. The Limited Lifetime Warranty does not apply to the TX Tool, Fire Starter, or Kershaw Knife Oil. No other warranties are implied or expressed other than what is specifically stated here. Kai USA Ltd. reserves the right to determine what constitutes normal wear, improper use/maintenance, and modification.

We reserve the right to make changes to this warranty at our discretion and without notice.

For warranty information, shipping tips, and the Warranty/Repair Form required for warranty service, please visit our website: kershawknives.com

BLADE REPLACEMENT

If you accidentally break your Kershaw folder's blade, we can replace it for just \$10. Blades that break due to a manufacturing defect will still be replaced under warranty, free of charge.

VOUCHERS

There may be cases when a Kershaw knife has been evaluated and is eligible for warranty service, but may not be able to be repaired or replaced. This can be true with discontinued models for which we may no longer have parts or stock. In such cases, at our discretion, we will issue a voucher for the original Manufacturer's Suggested Retail Price. The voucher value can then be applied to the purchase of a current-model Kershaw–directly from us. If you also wish to have your original knife returned, please call our warranty team toll-free: 1-800-325-2891. We will retain the knife for 30 days from the date the voucher is issued. If it is not reclaimed by then, the knife will be recycled.

LIABILITY DISCLAIMER

Kershaw knives are intended and sold for legitimate everyday carry and/or sporting purposes only. The purchase, use, and ownership of knives are subject to a wide variety of federal, state, and local laws and regulations. Always comply with all laws and regulations in effect in your area. Due to the complexity and constantly changing nature of these laws and regulations, it is the responsibility of the buyer to investigate and comply with the laws and regulations that apply in his or her specific area. You, and not Kai USA Ltd., are solely responsible for any claims resulting from violation of these laws and/or regulations.

WARNING!

Knives are extremely sharp tools and should only be used or handled with the utmost care and caution. Any use other than cutting (such as prying or twisting) is considered misuse and abuse—and will void your warranty. Kershaw/Kai USA Ltd. is not responsible for any injuries resulting from misuse or abuse of the product.

Do not use any Kershaw knife as a throwing knife (other than the Ion 1747BW or Aethon 1748 throwing knives) or a stabbing device. Throwing knives and knives developed for stabbing have a distinctly different design and function. Kershaw knives are not intended for throwing or stabbing; they are designed for cutting purposes only.

> We reserve the right to change shipping terms, specifications, materials, or discontinue products at any time, without notice.

Front Cover, inside front & back: Bareknuckle 7777, page 45

Back Cover: Boilermaker 3475, page 30

Kershaw Products are covered by one or more pending and issued U.S. patents: 4,715,121; 4,741,106; 5,802,722; 5,815,927; 6,006,385; 6,397,476; 6,388,431; 6,412,130; 6,145,202; 6,223,372; 6,338,431; 6,378,214; 6,397,476; 6,427,334; 6,591,504; 7,086,158; 7,370,421; 7,395,599; 9,120,234; D303,746; D316,802; D317,390; D321,818; D329,185; D348,818; D351,328; D365,725; D366,605; D375,243; D392,131; D410,833; D437,197; D438,085; D450,228; D454,043; D454,768; D455,062; D467,783; D474,669; D479,104; D479,114; D484,770; D488,045; D565,918; D566,222; D569,212; D570,180; D572,542; D572,562; D575,614; D576,466.

KERSHAWKNIVES.COM

f	/kershawknives		
y	@kershawknives		
Ø	@kershawknives		
	/kershawknives_usa		
P	/kershawknives		
#RE	#READYFOREVERYTHING		



KAI kai U.S.A. ltd. 18600 SW Teton Avenue Tualatin, OR 97062, USA 800.325.2891

AT2019 USA KER Print

 \odot