

# 

## **2021 CATALOG**

They might ask us who we are. And we could say we're familiar, that we're just like everyone else—but we're the next generation.

We're here to inspire. To be fearless. To think out loud and blaze ahead into the great unknown.

When someone says jump, we fly. We don't hold on; we let go. Let our imaginations freefall.

We're here to take adventure to the next level. To push it further. One more catch, one more peak, one more hurdle.

There's no keeping us from overcoming the next challenge, creating a new evolution in superior craftsmanship and dominating the cutting edge of innovation.

Because we're here to make our mark, to break the mold and never back down.

We're here to take life to the next level.





# Kershaw

## **TABLE OF CONTENTS**

NEXT LEVEL	INSIDE FROM
KERSHAW ORIGINALS	
MANUFACTURING	
NEW PRODUCTS	
STARTER	1
EVERYDAY CARRY - SPEEDSAFE	1
EVERYDAY CARRY - MANUAL	3
MULTI-FUNCTION	4
FIXED BLADE	5
DUTDOOR	5
FISHING	5
GEAR	5
BLADE STYLES, FINISHES, STEELS	6
DPENING, LOCKS, HANDLES, POCKETCLIPS	6
(NIFE SIZES	6
NDEX	7
<i>N</i> ARRANTY	INSIDE BAC

# Kershaw

## **ORIGINALS**



Kershaw's in-house designs are award-winning, fan-winning, customer-winning originals. From the freshest new industry-leading designs to modern versions of classics, Kershaw Originals bring you a full range of choices. For style, innovative technology, quality materials, and plenty of value, we deliver. Whether it's your first venture into a quality pocketknife or it's time for a top-of-the-line Made in the USA automatic, you can count on Kershaw Originals to bring you the best.



Look for this icon designating KERSHAW ORIGINALS.

**FEATURE ICONS** Find these icons on products with special features and materials:



Premium blade steel





KVT ball-bearing opening



Emerson Wave Shaped Feature®



G10 handle scales



Sheath included



Carbon fiber handle scales



Composite Blade



# Kershaw

## **MANUFACTURING**



Every Kershaw knife starts with American innovation, American design, and American engineering.

It comes to life with precision manufacturing and meticulous quality control—either in our Tualatin, Oregon factory, located in one of the USA's greatest centers of knife manufacturing, or in our overseas manufacturing facilities. Manufacturing depth like this enables us to build products for every budget and to meet demand throughout the US and worldwide.

While a knife may look simple, it's actually a complex piece of machinery. And when it comes to production brands like Kershaw—building a million knives each year—the complexity only gets amplified. From CNC machines, precision grinders, lasers, and a factory-full of specialized equipment to hand-assembly and sharpening by hundreds of skilled workers, what it takes to get that knife into your hands is nothing short of amazing.



Look for this icon designating knives proudly made in our Oregon USA factory.

All other Kershaw knives are proudly designed, engineered, and quality controlled in the USA, and manufactured in China.



# AMERICAN ===



Every Kershaw knife is manufactured to last a lifetime of quality performance. Kai USA's state-of-the art factory pushes the latest technologies and innovations, manufacturing over one million individual knives every year. Even for models that are imported overseas, all of Kershaw's quality control is meticulously maintained in the USA. No matter what Kershaw you buy, you're guaranteed a dependable tool.

## **DESIGN**

Kershaw's innovative Original Designs are conceptualized by the USA design team. For other models, Kershaw collaborates with many well-known custom knifemakers. In either case, Kershaw's USA team oversees the project from the drawing board to completion.

## **SERVICE**

Kershaw knives are backed by a Limited Lifetime Warranty against manufacturing defects, serviced in the USA. Sharpening, parts replacement, and general customer service are also available.

## **JOBS**

Kershaw employs approximately 400 employees in the USA, stimulating Oregon's economy and providing jobs in assembly, customer service, packaging, quality control, and more.





#NEXTLEVEL























BRACKET

3455 • P.29

1395 • P.15





5505 • P.29









1398 • P.58



BRACE

2085 • P.59



TASKMASTER SAW 2

2556 • P.61



8825 • P.67

# STARTER SECTION

This collection is sure to get your blade obsession off to a great start. You get top Kershaw technology, quality, and plenty of style in this series of pocketknives that won't break the budget.



## LIGHTYEAR

a KERSHAW ORIGINALS design

RI ANF

NEW

1390

STEEL

HANDLE

BLADE

CLOSED

OVERALL

WEIGHT

BOX

CLAM

CLAM

**TREMOLO** 

a KERSHAW ORIGINALS design

STEEL 4Cr14, bead-blasted finish HANDLE Glass-filled nylon

4Cr14, stonewashed finish

Glass-filled nylon

3.125 in. (7.9 cm)

4.125 in. (10.5 cm)

7.25 in. (18.4 cm)

2.8 oz. (79 g)

087171060934

3.125 in. (7.9 cm) CLOSED 4.125 in. (10.5 cm) **NVFRALL** 7.25 in. (18.4 cm) WEIGHT 2.5 oz. (71 g)

087171058863 BOX CLAM 087171060941



SpeedSafe® assisted opening

LOCK Liner lock

POCKETCLIP Reversible deep-carry (right/left, tip-up) FEATURES Lanyard hole

(1)

(1)

INCK





SpeedSafe® assisted opening

**POCKETCLIP** Reversible deep-carry (right/left, tip-up) FEATURES Lanyard hole, steel handle inlays





## **CAMSHAFT**

STEEL 4Cr14, stonewashed finish

087171060453

HANDLE Glass-filled nylon BLADE 3 in. (7.6 cm) CLOSED 4.25 in. (10.8 cm) OVERALL 7.25 in. (18.4 cm) WEIGHT 3.1 oz. (90 g) BOX 087171057637



POCKETCLIP Reversible deep-carry (right/left, tip-up) **FEATURES** Lanyard hole, decorative pivot cap, custom







## VALVE

a KERSHAW ORIGINALS design

STEEL 4Cr14, stonewashed finish HANDLE Stainless steel, bead-blasted finish

(1)

(1)

BLADE 2.25 in. (5.7 cm) CLOSED 3.25 in. (8.3 cm) OVERALL 5.5 in. (14 cm) 3 oz. (85 g)

RNX 087171057910 087171059532



with flipper LOCK Frame lock POCKETCLIP

Single-position deep-carry (right, tip-up) Black-oxide pivot cap, bead-blasted steel pocketclip, glass-filled nylon backspacer







a KERSHAW ORIGINALS design

STEEL 8Cr13MoV, stonewashed finish HANDLE Stainless steel, stonewashed finish

3 in. (7.6 cm) CLOSED 3.8 in. (9.9 cm) OVERALL 6.9 in. (17.6 cm) WEIGHT 3.3 oz. (96 g) 087171058221 CLAM 087171060682

**AIRLOCK** 

STEEL

HANDLE

RI ANF

OVERALL

WEIGHT

BOX

CLAM

a KERSHAW ORIGINALS design







LOCK Frame lock **POCKETCLIP** Reversible (right/left, tip-up)

(1)

OPENING

Decorative pivot cap, bead-blasted steel pocketclip and tube spacers

with flipper





4Cr14, bead-blasted finish Glass-filled nylon

(1)

3 in. (7.6 cm) SpeedSafe® assisted opening OPENING 4.25 in. (10.8 cm) with flipper 7.25 in. (18.5 cm) LOCK Inset liner lock 2.9 oz. (84 g)

**POCKETCLIP** Reversible (right/left, tip-up) Lanyard hole, weight-relieving handle window, decorative pivot cap





## SPOKE

1313BLK a KERSHAW ORIGINALS design

4Cr14, black-oxide coating HANDLE Stainless steel, black-oxide coating

087171058405

087171059044

BLADE 2 in. (5.1 cm) 2.8 in. (7.1 cm) CLOSED 4.75 in. (12.1 cm) WEIGHT 3.1 oz. (88 g)

BOX 087171044446

CLAM

**GRINDER** 

(1)





STEEL 4Cr14, bead-blasted finish

HANDLE Glass-filled nylon RI ANF 3.25 in. (8.3 cm) CLOSED 4.5 in. (11.4 cm) 7.75 in. (19.7 cm) OVERALL WEIGHT 4.5 oz. (128 g) RNX 087171044736 CLAM 087171045771







SpeedSafe® assisted opening





LOCK

OPENING

LOCK

with flipper Liner lock

POCKETCLIP Reversible deep-carry

(right/left, tip-down)

SpeedSafe® assisted opening

with flipper

**POCKETCLIP** Reversible deep-carry (right/left,

Liner lock





# EDC-SPEEDSAFE SECTION

MADE IN USA

PREMIUM BLADE STEEL




Kershaw launched a revolution with SpeedSafe® assisted opening knives. When closed, a torsion bar in the handle creates a bias toward the closed position. To open the knife, apply manual pressure to the thumb stud or flipper to overcome the torsion bar's resistance and open the knife.

## LINK - OLIVE SW, CPM 20CV

a KERSHAW ORIGINALS design

CPM 20CV, stonewashed finish STEEL HANDLE 6061-T6 aluminum, olive anodized

BLADE 3.25 in. (8.4 cm) CLOSED 4.4 in. (11.2 cm) 7.6 in. (19.3 cm) OVERALL 4.7 oz. (134 g) RNX 087171058474 CLAM



SpeedSafe® assisted opening

with flipper

**POCKETCLIP** 4-position deep-carry (right/left; tip-up/down)

Liner lock

Lanyard hole

FEATURES Lanyard hole

WISTA OF DE

OPENING

FEATURES

LOCK

WADE IN CPM 20CV





## **DIVIDEND - COMPOSITE**

a KERSHAW ORIGINALS design

CPM D2, N690, bead-blasted finish HANDI F 6061-T6 aluminum, olive anodized

3 in. (7.6 cm) CLOSED 4.25 in. (10.8 cm) 7.25 in. (18.5 cm) WEIGHT 2.8 oz. (82 g) 087171058481

CLAM

KNOCKOUT - OLIVE/BLACK

18700LBLK

a KERSHAW ORIGINALS design

Sandvik 14C28N, DLC coating STEEL 6061-T6 aluminum, olive anodized

**BLADE** 3.25 in. (8.3 cm) 4.6 in. (11.7 cm) **NVFRALI** 7.9 in. (20 cm) 3.4 oz. (96 g) 087171036939 BOX 087171037639



SpeedSafe® assisted opening with flipper or thumb stud Patented steel Sub-Frame Lock

3-position deep-carry (right/left, tip-up; right, tip-down) Lanyard hole











## **BLUR - OLIVE/BLACK**

16700LBLK a KEN ONION design

STEEL Sandvik 14C28N, DLC coating 6061-T6 aluminum, olive anodized, HANDLE Trac-Tec inserts

BLADE 3.4 in. (8.6 cm) CLOSED 4.5 in. (11.4 cm) OVERALL 7.9 in. (20 cm) WEIGHT 3.9 oz. (111 g) BOX

087171031644 CLAM

SpeedSafe® assisted opening with thumb stud Inset liner lock

MADE IN US A STOV

POCKETCLIP Reversible (right, tip-up/down) FEATURES Lanyard hole

SpeedSafe® assisted opening with thumb stud

Inset liner lock

FEATURES Lanyard hole

**POCKETCLIP** Reversible (right, tip-up/down)

#### **BLUR - S30V STONEWASH** 1670S30V

a KEN ONION design

STEEL CPM S30V, stonewashed finish HANDLE 6061-T6 aluminum, black anodized,

Trac-Tec inserts BLADE 3.4 in. (8.6 cm) CLOSED 4.5 in. (11.4 cm) OVERALL 7.9 in. (20 cm) WEIGHT 4.0 oz. (113 g) BOX 087171167275

CLAM

## **BLUR - NAVY BLUE STONEWASH**

6061-T6 aluminum, blue anodized, HANDLE

BLADE 3.4 in. (8.6 cm) CLOSED 4.5 in. (11.4 cm) OVERALL 7.9 in. (20 cm) WEIGHT 3.9 oz. (111 g) 087171039473 BOX

SpeedSafe® assisted opening with thumb stud

POCKETCLIP Reversible (right, tip-up/down)

FEATURES Lanyard hole



STEEL Sandvik 14C28N, DLC coating HANDLE 6061-T6 aluminum, black anodized,

Trac-Tec inserts 3.4 in. (8.6 cm) BLADE CLOSED 4.5 in. (11.4 cm) OVERALL 7.9 in. (20 cm) 3.9 oz. (111 g) BOX

087171167107 serrated 087171167008 plain

087171167114 serrated



Sandvik 14C28N, black-oxide BlackWash™ coating STEEL 6061-T6 aluminum, black anodized, HANDLE

Trac-Tec inserts 3.4 in. (8.6 cm) 4.5 in. (11.4 cm)

**BLUR - GLASS BREAKER** 

CLOSED 7.9 in. (20 cm) WEIGHT 3.9 oz. (111 g) BOX 087171036335

CLAM

1670GBBLKST

a KEN ONION design



OPENING

LOCK

**OPENING** 

LOCK

Sandvik 14C28N, DLC coating

6061-T6 aluminum, black anodized, HANDLE Trac-Tec inserts RI ADF 3.4 in. (8.6 cm) CLOSED 4.5 in. (11.4 cm) OVERALL 7.9 in. (20 cm)

WEIGHT 3.9 oz. (111 g) BOX 087171033761 CLAM

made in

LOCK

SpeedSafe® assisted opening with thumb stud Inset liner lock

SpeedSafe® assisted opening with

SpeedSafe® assisted opening with thumb stud

thumb stud

FEATURES Lanyard hole

Inset liner lock

Inset liner lock **POCKETCLIP** Reversible (right, tip-up/down)

FEATURES Lanyard hole

POCKETCLIP Reversible (right, tip-up/down)

POCKETCLIP Reversible (right, tip-up/down) **FEATURES** Carbide glassbreaker tip, lanyard hole







1670BLKST



1670CAMO a KEN ONION design

STEEL Sandvik 14C28N, DLC coating HANDLE 6061-T6 aluminum, camo anodized,

Trac-Tec inserts 3.4 in. (8.6 cm) CLOSED 4.5 in. (11.4 cm) OVERALL 7.9 in. (20 cm) WEIGHT 3.9 oz. (111 g) BOX 087171046426

CLAM

SpeedSafe® assisted opening with thumb stud **OPENING** 

LOCK Inset liner lock POCKETCLIP Reversible (right, tip-up/down)


FEATURES Lanyard hole





## **BLUR - TANTO BLACK**

1670TBLKST a KEN ONION design



BLADE 3.4 in. (8.6 cm) 4.5 in. (11.4 cm) CLOSED OVERALL 7.9 in. (20 cm) WEIGHT 3.9 oz. (111 a) BOX 087171167602 CLAM 087171167336



thumb stud LOCK Inset liner lock

POCKETCLIP Reversible (right, tip-up/down)







KERSHAWKNIVES.COM







CLAM

1670NBSW

STEEL Sandvik 14C28N, stonewashed finish Trac-Tec inserts

> LOCK Inset liner lock


OPENING


LOCK



















SpeedSafe® assisted opening with

FEATURES Lanyard hole







## **SCALLION - PURPLE**

1620PUR a KEN ONION design



HANDLE 6061-T6 aluminum, purple anodized BLADE 2.4 in. (6.1 cm) CLOSED 3.5 in. (8.9 cm) 5.75 in. (14.6 cm) **NVFRALL** 

2.5 oz. (71 g) RNX 087171035154 CLAM 087171035161 OPFNING SpeedSafe® assisted opening with flipper LOCK Liner lock with Tip-Lock Slider **POCKETCLIP** Single-position (right, tip-down)

FEATURES Lanyard hole


MADE IN

LOCK









16200L a KEN ONION design

420HC, bead-blasted finish STEEL 6061-T6 aluminum, olive anodized HANDLE

BLADE 2.4 in. (6.1 cm) CLOSED 3.5 in. (8.9 cm) OVERALL 5.75 in. (14.6 cm) 2.5 oz. (71 g) WEIGHT 087171035192 087171035208 CLAM

SpeedSafe® assisted opening with flipper Liner lock with Tip-Lock Slider **POCKETCLIP** Single-position (right, tip-down)

FEATURES Lanyard hole





#### **SCALLION** 1620ST • 1620 a KEN ONION design

STEEL 420HC, bead-blasted finish

HANDLE Glass-filled nylon BLADE 2.4 in. (6.1 cm) CLOSED 3.5 in. (8.9 cm) OVERALL 5.75 in. (14.6 cm) WEIGHT 2.3 oz. (65 g) BOX

087171162102 serrated 087171162003 plain 087171162010 plain



SpeedSafe® assisted opening with flipper

SpeedSafe® assisted opening with flipper

SpeedSafe® assisted opening with flipper

Liner lock with Tip-Lock Slider

**POCKETCLIP** Single-position (right, tip-down)

Frame lock with Tip-Lock Slider

**POCKETCLIP** Single-position (right, tip-down)

FEATURES Lanyard hole

FEATURES Lanyard hole

Liner lock with Tip-Lock Slider

**POCKETCLIP** Single-position (right, tip-down)

Lanyard hole

LOCK

made in

LOCK

OPENING

FEATURES





## **SCALLION - NAVY BLUE**

1620NB a KEN ONION design

STEEL

CLAM

1620C

a KEN ONION design

420HC, bead-blasted finish

HANDLE 6061-T6 aluminum, navy blue anodized

2.4 in. (6.1 cm) RI ANF 3.5 in. (8.9 cm) OVERALL 5.75 in. (14.6 cm) WEIGHT 2.5 oz. (71 g) BOX

**SCALLION - CAMO** 

087171035178 087171035185



OPENING Liner lock with Tip-Lock Slider **POCKETCLIP** Single-position (right, tip-down) FEATURES Lanyard hole





## SCALLION - FRAME LOCK

1620FL a KEN ONION design

STEEL 420HC, bead-blasted finish HANDLE

410 stainless steel, bead-blasted finish

BLADE 2.4 in. (6.1 cm) CLOSED 3.5 in. (8.9 cm) OVERALL 5.75 in. (14.6 cm) WEIGHT 2.9 oz. (82 g) BOX 087171162201 CLAM 087171162225









420HC, bead-blasted finish HANDI F 6061-T6 aluminum, camo anodized

BLADE 2.4 in. (6.1 cm) 3.5 in. (8.9 cm) CLOSED 5.75 in. (14.6 cm) WEIGHT 2.5 oz. (71 g) BOX 087171162331 CLAM



LOCK

SpeedSafe® assisted opening with flipper OPENING LOCK Liner lock with Tip-Lock Slider

**POCKETCLIP** Single-position (right, tip-down) FEATURES Lanyard hole





#### **SCALLION - BLACK** 1620SWBLK

a KEN ONION design

STEEL 420HC, stonewashed finish HANDLE 6061-T6 aluminum, black anodized BLADE 2.4 in. (6.1 cm)

CLOSED 3.5 in. (8.9 cm) OVERALL 5.75 in. (14.6 cm) WEIGHT 2.5 oz. (71 g) BOX 087171041179 CLAM













KERSHAWKNIVES.COM



SpeedSafe® assisted opening with flipper

Liner lock with Tip-Lock Slider

Lanyard hole

## **LEEK - COPPER**

1660CU a KEN ONION design

> STEEL CPM 154, stonewashed finish HANDLE Copper, brushed satin finish

BLADE 3 in. (7.6 cm) CLOSED 4 in. (10.2 cm) NVFRALL 7 in. (17.9 cm) WEIGHT 4 oz. (115 g) BOX 087171058078 CLAM

POCKETCLIP Reversible (right, tip-up/tip-down) **FEATURES** 

OPENING

LOCK

LOCK


LUCK

#### LEEK 1660ST • 1660 a KEN ONION design

STEEL Sandvik 14C28N, bead-blasted finish HANDI F 410 steel, bead-blasted finish

BLADE 3 in. (7.6 cm) CLOSED 4 in. (10.2 cm) OVERALL 7 in. (17.9 cm) WEIGHT 3 oz. (85 g) BOX 087171166100 serrated


087171166117 serrated 087171166018 plain



STEEL Sandvik 14C28N, black DLC coating

HANDLE 410 steel, DLC coating BLADE 3 in. (7.6 cm) CLOSED 4 in. (10.2 cm) OVERALL 7 in. (17.9 cm) WEIGHT 3 oz. (85 g) 087171166148 serrated

087171166049 plain 087171166216 plain



SpeedSafe® assisted opening with flipper

Frame lock with Tip-Lock Slider

POCKETCLIP Reversible (right, tip-up/tip-down)

FEATURES Lanyard hole






1660CKTST



1660BLKW a KEN ONION design



Sandvik 14C28N, black-oxide BlackWash™ finish STEEL HANDLE 410 steel, black-oxide BlackWash™ finish

BLADE 3 in. (7.6 cm) CLOSED 4 in. (10.2 cm) 7 in. (17.9 cm) **NVFRALL** 3 oz. (85 g)

LOCK Frame lock with Tip-Lock Slider **POCKETCLIP** Reversible (right, tip-up/tip-down) RNX 087171038049 CLAM 087171166490 FEATURES Lanyard hole

OPFNING



SpeedSafe® assisted opening with flipper

SpeedSafe® assisted opening with flipper







## **LEEK - CARBON FIBER**

1660CF a KEN ONION design

STEEL CPM 154, stonewashed finish

HANDLE Carbon fiber 3 in. (7.6 cm) CLOSED 4 in. (10.2 cm) OVERALL 7 in. (17.9 cm) WEIGHT 2.4 oz. (69 g) CLAM

087171048550 087171050324 LOCK Liner lock with Tip-Lock Slider **POCKETCLIP** Reversible (right, tip-up/tip-down) FEATURES Lanyard hole

WINDS IN

USA OPH 154









## LEEK - COMPOSITE BLACKWASH™

1660CBBW a KEN ONION design

STEEL

D2/Sandvik 14C28N composite, black-oxide BlackWash™ finish

HANDLE 410 steel, black-oxide BlackWash™ finish

BLADE 3 in. (7.6 cm) CLOSED 4 in. (10.2 cm) OVERALL 7 in. (17.9 cm) WEIGHT 3.1 oz. (88 g) BOX 087171038254 CLAM

OPENING SpeedSafe® assisted opening with flipper LOCK Frame lock with Tip-Lock Slider

POCKETCLIP Reversible (right, tip-up/tip-down) FEATURES Lanyard hole

SpeedSafe® assisted opening with flipper

Liner lock with Tip-Lock Slider

**POCKETCLIP** Reversible (right, tip-up/tip-down)







## **LEEK - COMPOSITE**

1660CB a KEN ONION design

STEEL

D2/Sandvik 14C28N composite, bead-blasted finish

HANDLE 410 steel, bead-blasted finish

3 in. (7.6 cm) BLADE CLOSED 4 in. (10.2 cm) OVERALL 7 in. (17.9 cm) WEIGHT 3.1 oz. (88 g) 087171166155

BOX CLAM

SpeedSafe® assisted opening with flipper LOCK Frame lock with Tip-Lock Slider **POCKETCLIP** Reversible (right, tip-up/tip-down) FEATURES Lanyard hole










## **LEEK - CAMO**

1660CAMO a KEN ONION design



RI ANF 3 in. (7.6 cm) CLOSED 4 in. (10.2 cm) OVERALL 7 in. (17.9 cm) WEIGHT 2.4 oz. (68 g) RNY 087171046310 CLAM 087171049106



OPENING

FEATURES Lanyard hole












KERSHAWKNIVES.COM

## CLAM

CLAM

### LEEK - BLACK STONEWASHED

1660SWBLK a KEN ONION design



BLADE 3 in. (7.6 cm) CLOSED 4 in. (10.2 cm) OVERALL 7 in. (17.9 cm) WEIGHT 2.4 oz. (68 g) BOX 087171035079

CLAM







## LEEK - ORANGE

16600R a KEN ONION design

STEEL Sandvik 14C28N, bead-blasted finish 6061-T6 aluminum, orange anodized HANDLE

BLADE 3 in. (7.6 cm) CLOSED 4 in. (10.2 cm) OVERALL 7 in. (17.9 cm) 2.4 oz. (68 g) WEIGHT 087171035130 CLAM 087171035147



LOCK

MADE IN

**OPFNING** 

FEATURES Lanyard hole

LOCK



SpeedSafe® assisted opening with flipper Liner lock with Tip-Lock Slider **POCKETCLIP** Reversible (right, tip-up/tip-down)

SpeedSafe® assisted opening with flipper

SpeedSafe® assisted opening with flipper

SpeedSafe® assisted opening with flipper

Liner lock with Tip-Lock Slider

POCKETCLIP Reversible (right, tip-up/tip-down)

Liner lock with Tip-Lock Slider

**POCKETCLIP** Reversible (right, tip-up/tip-down)

FEATURES Lanyard hole

FEATURES Lanyard hole

Liner lock with Tip-Lock Slider

POCKETCLIP Reversible (right, tip-up/tip-down)

Lanyard hole

SpeedSafe® assisted opening with flipper

Liner lock with Tip-Lock Slider

**POCKETCLIP** Reversible (right, tip-up/tip-down)

FEATURES Lanyard hole





## LEEK - OLIVE

16600L a KEN ONION design

STEEL Sandvik 14C28N, bead-blasted finish HANDLE 6061-T6 aluminum, olive anodized

BLADE 3 in. (7.6 cm) CLOSED 4 in. (10.2 cm) **NVFRALL** 7 in. (17.9 cm) WEIGHT 2.4 oz. (68 g) BOX 087171035116 CLAM 087171035123







## **LEEK - PURPLE**

1660PUR a KEN ONION design

STEEL Sandvik 14C28N, bead-blasted finish HANDLE 6061-T6 aluminum, purple anodized

BLADE 3 in. (7.6 cm) CLOSED 4 in. (10.2 cm) 7 in. (17.9 cm) WEIGHT 2.4 oz. (68 g) BOX 087171035093 CLAM



OPENING

**FEATURES** 

LOCK







## **LEEK - TEAL**

1660TEAL

STEEL Sandvik 14C28N, bead-blasted finish HANDLE 6061-T6 aluminum, teal anodized

BLADE 3 in. (7.6 cm) CLOSED 4 in. (10.2 cm) OVERALL 7 in. (17.9 cm) WEIGHT 2.4 oz. (68 g) RNX 087171037561 CLAM




LOCK









**CHIVE - NAVY BLUE SW** 

STEEL 420HC, stonewashed finish HANDLE 6061-T6 aluminum, navy blue anodized

BLADE 1.9 in. (4.8 cm) 2.9 in. (7.4 cm) OVERALL 4.8 in. (12.2 cm) WEIGHT 1.5 oz. (43 g) BOX 087171055992

CLAM

CHIVE

a KEN ONION design

1600

STEEL



LOCK

420HC, bead-blasted finish 410 steel, bead-blasted finish

420HC, bead-blasted finish

1.9 in. (4.8 cm)

2.9 in. (7.4 cm)

4.8 in. (12.2 cm)

1.5 oz. (43 g)

087171160276

6061-T6 aluminum, pink anodized

HANDLE BLADE 1.9 in. (4.8 cm) 2.9 in. (7.4 cm) CLOSED 4.8 in. (12.2 cm) WEIGHT 1.7 oz. (48 g) BOX 087171160009 087171160016 CLAM

**CHIVE - PINK** 

1600PINK a KEN ONION design

STEEL

HANDLE

RI ANF

CLOSED


OVERALL

WEIGHT

RNX

CLAM





LOCK **POCKETCLIP** Single-position (right, tip-down) FEATURES Lanyard hole

**OPENING** SpeedSafe® assisted opening with flipper

**POCKETCLIP** Single-position (right, tip-down)

FEATURES Lanyard hole

Liner lock with Tip-Lock Slider

0

0

Median





















**OPENING** SpeedSafe® assisted opening with flipper Liner lock with Tip-Lock Slider POCKETCLIP Single-position (right, tip-down)

FEATURES Lanyard hole







## NEW

### CANNONBALL 2061

a KERSHAW ORIGINALS design

STEEL D2, black-oxide BlackWash™ finish HANDLE Stainless steel, gray PVD coating BLADE 3.5 in. (8.9 cm) CLOSED 4.5 in. (11.4 cm) OVERALL 8 in. (20.3 cm)

WEIGHT 5.4 oz. (153 g) BOX 087171060163 CLAM



SpeedSafe® assisted opening with flipper Frame lock **FEATURES** 

**POCKETCLIP** Reversible deep-carry (right/left, tip-up) Decorative pivot cap, custom backspacer, lanyard hole









a KERSHAW ORIGINALS design

8Cr13MoV, bead-blasted finish STEEL HANDLE Stainless steel, bead-blasted finish

BLADE 3.125 in. (7.9 cm) CLOSED 4 in. (10.2 cm) 7.125 in. (18.1 cm) OVERALL 3.5 oz. (100 g) RNX 087171059358

SpeedSafe® assisted opening with flipper LOCK Frame lock

(1) X

LOCK

**(7)** 

OPENING

7

POCKETCLIP Reversible deep-carry (right/left, tip-up/down)







CLAM

3455 a KERSHAW ORIGINALS design

STEEL 8Cr13MoV, stonewashed finish HANDLE G10 front, stainless steel back,

stonewashed finish 3.4 in. (8.6 cm) BLADE CLOSED 4.4 in. (11.2 cm) 7.75 in. (19.7 cm) OVERALL WEIGHT 4.3 oz. (122 g) BOX 087171060392

CLAM

SpeedSafe® assisted opening with flipper

Frame Lock POCKETCLIP Reversible deep-carry (right/left, tip-up) FEATURES Lanyard hole







STEEL

BOX

CLAM

HANDLE

## COLLATERAL

a KERSHAW ORIGINALS design

D2, satin finish with sanded flats Stainless steel, titanium carbo-nitride finish,

with carbon fiber insert

3.4 in. (8.6 cm) BLADE CLOSED 4.6 in. (11.7 cm) OVERALL 8 in. (20.3 cm)

WEIGHT 4.3 oz. (122 g) 087171054773 SpeedSafe® assisted opening with KVT ball-bearings and small hidden flipper

Frame lock **POCKETCLIP** Reversible (right/left, tip-up) FEATURES Custom backspacer

Frame lock

FEATURES Custom backspacer







### NEW **TURISMO** 5505

a KERSHAW ORIGINALS design

D2, satin finish with sanded flats HANDLE Stainless steel, black PVD coating

BLADE 2.9 in. (7.3 cm) 3.9 in. (10 cm) CLOSED 6.75 in. (17.1 cm) WEIGHT 3.3 oz. (94 g) BOX 087171054780

CLAM



**OPENING** 

LOCK

LOCK











2062ST


CLAM

STEEL 8Cr13MoV, black-oxide BlackWash™ finish HANDLE Glass filled nylon BLADE 3.25 in. (8.3 cm) 4.25 in. (10.8 cm) CLOSED OVERALL 7.5 in. (19 cm) WEIGHT 3.5 oz. (142 g) BOX 087171060699

7

LOCK POCKETCLIP

OPENING SpeedSafe® assisted opening with flipper Liner lock 4-position deep-carry










SpeedSafe® assisted opening with KVT ball-bearings and small hidden flipper

**POCKETCLIP** Reversible deep-carry (right/left, tip-up)





a KERSHAW ORIGINALS design



BLADE 2.5 in. (6.4 cm) CLOSED 3.5 in. (8.9 cm) 5.9 in. (15.2 cm) OVERALL 2.7 oz. (78 g) BOX 087171056487 CLAM

LOCK Frame lock 087171056494 **POCKETCLIP** Reversible deep-carry (right/left, tip-up)

(1)

(1)









2070

a KERSHAW ORIGINALS design

8Cr13MoV, gray PVD coating Stainless steel, bead-blasted finish HANDLE

3.25 in. (8.3 cm) CLOSED 4.2 in. (10.7 cm) OVERALL 7.3 in. (18.6 cm) 3.8 oz. (108 g) WEIGHT BOX CLAM

087171057620 087171060460

SpeedSafe® assisted opening with flipper LOCK Frame lock POCKETCLIP Reversible deep-carry (right/left, tip-up)

**FEATURES** Bronze anodized pivot ring







2075

a KERSHAW ORIGINALS design

STEEL D2, stonewashed finish HANDLE

Stainless steel, stonewashed finish, with G10

3.5 in. (8.9 cm) BLADE CLOSED 4.9 in. (12.6 cm) OVERALL 8.3 in. (21.3 cm) WEIGHT 5.3 oz. (150 g)

087171058085 BOX CLAM

FEATURES Bronze anodized pivot ring, lanyard hole

OPENING

LOCK

LOCK

FEATURES

(1)

SpeedSafe® assisted opening with flipper Frame lock

SpeedSafe® assisted opening with flipper

**POCKETCLIP** 3-position(right/left, tip-up; right, tip-down)

**POCKETCLIP** Single-position extra-deep-carry (right, tip-up)







1835TBLKST a KERSHAW ORIGINALS design

8Cr13MoV, black-oxide coating

HANDLE Glass-filled nylon BLADE 3.1 in. (7.9 cm) 4.1 in. (10.5 cm) CLOSED 7.25 in. (18.4 cm) WEIGHT 3.2 oz. (90 g)

BOX 087171033747 CLAM









## **SEGUIN**

a LES GEORGE design

STEEL 8Cr13MoV, gray PVD coating HANDLE Stainless steel, bead-blasted finish

BLADE 3.1 in. (8 cm) CLOSED 4.25 in. (10.8 cm) OVERALL 7.25 in. (18.3 cm) 4.8 oz. (138 g) BOX 087171054162 CLAM 087171055664









OPENING SpeedSafe® assisted opening with flipper Frame lock

Liner lock

FEATURES Lanyard hole

**POCKETCLIP** Single-position deep-carry pocketclip (right, tip-up)

Decorative pivot cap and backspacer, custom handle texture





KERSHAWKNIVES.COM

OBLIVION

a KERSHAW ORIGINALS design



STEEL 8Cr13MoV, stonewashed finish

HANDLE Stainless steel, bead-blasted & stonewashed finish, glass-filled nylon inserts

3.5 in. (9 cm)

BLADE CLOSED 4.6 in. (11.8 cm) OVERALL 8.1 in. (20.6 cm) WEIGHT 5.1 oz. (146 g) BOX

087171054841 087171057903

SpeedSafe® assisted opening with flipper LOCK Frame lock, lockbar-overtravel stop Reversible deep-carry pocketclip (right/left, tip-up) FEATURES Decorative pivot cap, lanyard hole





## **AMPLITUDE 2.5**

3870 a TODD REXFORD design

CLAM

STEEL 8Cr13MoV, satin finish HANDLE Stainless steel, titanium carbo-nitride coating

BLADE 2.5 in. (6.4 cm) CLOSED 3.5 in. (8.9 cm)

OVERALL 6 in. (15.2 cm) WEIGHT 2.6 oz. (74 g)

087171036816 087171036823

with flipper Frame lock

SpeedSafe® assisted opening

SpeedSafe® assisted opening

**POCKETCLIP** Reversible deep-carry (right/left, tip-up)

with flipper

Liner lock

with flipper

Frame lock

SpeedSafe® assisted opening **POCKETCLIP** Reversible pocketclip (right/left, tip-up)



## **DECIMUS**

1559 a RICK HINDERER design

CLAM

8Cr13MoV, black-oxide BlackWash™ finish HANDLE Stainless steel with stonewashed finish,

glass-filled nylon overlay BLADE 3.25 in. (8.3 cm)

CLOSED 4.25 in. (10.8 cm) OVERALL 7.5 in. (19.1 cm)

WEIGHT 4.3 oz. (123 g) BOX 087171052380

CLAM

**FLITCH** 3930



**POCKETCLIP** Reversible (right/left, tip-up) FEATURES Single-edge sharpened



a KERSHAW ORIGINALS design

STEEL 8Cr13MoV, stonewashed finish HANDLE Glass-filled nylon BLADE 3.25 in. (8.3 cm) CLOSED 4.6 in. (11.7 cm)

OVERALL 7.75 in. (19.7 cm) WEIGHT 4.7 oz. (133 g) BOX 087171048505

CLAM







**FLOURISH** 

STEEL 8Cr13MoV, black-oxide BlackWash™

HANDLE G10 with carbon fiber overlay

CLOSED 5 in. (12.7 cm) OVERALL 8.5 in. (21.6 cm) WEIGHT 5.3 oz. (150 a) BOX 087171048512 CLAM



ON S









8310

a KERSHAW ORIGINALS design

STEEL 8Cr13MoV, titanium carbo-nitride coating Stainless steel, titanium carbo-nitride coating, HANDLE

carbon fiber inlay front 3 in. (7.6 cm)

BLADE CLOSED 4.1 in. (10.5 cm) OVERALL 7 in. (17.8 cm) WEIGHT 3.5 oz. (101 g) BOX

087171052281 087171052786 CLAM



LOCK

(1) X

FEATURES











8320

a KERSHAW ORIGINALS design

STEEL 8Cr13MoV, blue PVD coating Stainless steel, blue PVD coating, HANDLE

G10 overlay front BLADE 3 in. (7.6 cm) CLOSED 4.4 in. (11.1 cm) 7.1 in. (18.1 cm) OVERALL WEIGHT 4 oz. (114 g) RNX

087171052298 CLAM

**BARSTOW** 

a KERSHAW ORIGINALS design

3960

CLAM

LUCK

LOCK

(1)

**OPENING** 

Frame lock

**POCKETCLIP** Single-position deep-carry (right, tip-down)

SpeedSafe® assisted opening

with flipper or thumb stud

SpeedSafe® assisted opening

with flipper or thumb stud

Frame lock

**POCKETCLIP** Single-position deep-carry


Lanyard hole

(right, tip-down)










HANDLE BLADE 3 in. (7.6 cm) 4 in. (10.1 cm)

OVERALL 7 in. (17.7 cm) WEIGHT 3.4 oz. (98 g) 087171048628 BOX 087171050454

SpeedSafe® assisted opening **OPENING** with flipper

Liner lock

**POCKETCLIP** Reversible deep-carry (right/left, tip-up) FEATURES Anodized aluminum accents









BLADE 3.5 in. (8.9 cm)

SpeedSafe® assisted opening LOCK Liner lock

POCKETCLIP Reversible (right/left, tip-up) **FEATURES** Lanyard hole









## **RJ TACTICAL 3.0**

a RJ MARTIN design

STEEL 8Cr13MoV, black-oxide coating HANDLE Glass-filled nylon BLADE 3 in. (7.6 cm) CLOSED 4 in. (10.2 cm)

3.3 in. (8.5 cm)

4.25 in. (10.8 cm)

7.6 in. (19.2 cm)

4.4 oz. (127 g)

087171054797

087171055961

OVERALL 6.9 in. (17.5 cm) WEIGHT 2.8 oz. (79 g) 087171039336 BOX CLAM 087171039794

BOILERMAKER

a LES GEORGE design

3475

STEEL

HANDLE

BLADE

CLOSED

**NVFRALL** 

WEIGHT

BOX

CLAM

CLAM

SpeedSafe® assisted opening OPENING with flipper LOCK Liner lock

Frame lock

**POCKETCLIP** 3-position(right/left, tip-up; right, tip-down)

FEATURES Lanyard hole

OPENING

POCKETCLIP

LOCK









#### **EMBER** 3560

a RICK HINDERER design

STEEL 8Cr13MoV, titanium carbo-nitride coating HANDLE Stainless steel, titanium carbo-nitride coating BLADE 2 in. (5.1 cm)

8Cr13MoV, brown PVD coating, stonewashed finish

Stainless steel, brown PVD coating, stonewashed

CLOSED 2.8 in. (7.1 cm) OVERALL 4.75 in. (12.1 cm) WEIGHT 2.2 oz. (62 g) RNX 087171036908

087171036892

LOCK

SpeedSafe® assisted opening with flipper

tip-up; right, tip-down)

Frame lock POCKETCLIP 3-position deep-carry (right/left,







a KERSHAW ORIGINALS design

STEEL 8Cr13MoV, stonewashed finish with satin flats HANDLE Stainless steel, titanium carbo-nitride coating

BLADE 3 in. (7.6 cm) CLOSED 4.1 in. (10.4 cm) **NVFRALL** 7.2 in. (18.1 cm)

**BRAWLER** 

CLAM

1830

STEEL

HANDLE

BLADE

CLOSED

OVERALL

WEIGHT

BOX

CLAM

1935

STEEL

**FATBACK** 

a KERSHAW ORIGINALS design

a KERSHAW ORIGINALS design

4.7 oz. (133 g) 087171047737

BOX CLAM



(1)

STEEL 8Cr13MoV, black-oxide coating HANDI F Glass-filled nylon 3 in. (7.6 cm) CLOSED 4.1 in. (10.5 cm) OVERALL 7.1 in. (18 cm) WEIGHT 3.9 oz. (111 g) 087171033044

**OSO SWEET** 

a KEN ONION design

087171033075

8Cr13MoV, satin finish

Glass-filled nylon

4.1 in. (10.5 cm)

3 in. (7.6 cm)

7.1 in. (18 cm)

2.8 oz. (80 g)

087171183008

087171183015

with flipper Liner lock **POCKETCLIP** 4-position(right/left, tip-up/down)

SpeedSafe® assisted opening

SpeedSafe® assisted opening

with flipper

**POCKETCLIP** Reversible (right/left, tip-up)

Frame lock

FEATURES Lanyard hole





with flipper LOCK Liner lock

**POCKETCLIP** Reversible (right, tip-up/tip-down)

FEATURES Lanyard hole





LOCK

(1)

8Cr13MoV, black-oxide coating Glass-filled nylon

HANDLE BLADE 3.5 in. (8.9 cm) 4.25 in. (10.8 cm) CLOSED OVERALL 7.75 in. (19.7 cm) WEIGHT 3.6 oz. (102 g) BOX 087171046105

CLAM 087171045740



SpeedSafe® assisted opening OPENING with flipper

Liner lock

**POCKETCLIP** 4-position deep-carry (right/left, tip-up/down)








#### **FERRITE** 1557TI

a RICK HINDERER design



3.3 in. (8.4 cm) BL ADE CLOSED 4.25 in. (10.8 cm) OVERALL 7.5 in. (19.1 cm) 4.2 oz. (119 g) WEIGHT RNX 087171044781 CLAM 087171045610




SpeedSafe® assisted opening with flipper or thumb stud LOCK Frame lock, lockbar stabilizer **POCKETCLIP** Reversible (right/left, tip-up), after-market filler tabs available FEATURES Lanyard hole









## CRYO

OVERALL

1555TI

a RICK HINDERER design

8Cr13MoV, titanium carbo-nitride coating STEEL HANDLE 410 stainless steel, titanium carbo-nitride coating

BLADE 2.75 in. (7 cm) CLOSED 3.75 in. (9.5 cm)

6.5 in. (16.5 cm) or thumb stud 4.1 oz. (116 g) Frame lock with lockbar stabilizer

**POCKETCLIP** 4-position deep-carry (right/left, tip-up/down) 087171033686 BOX 087171033693 FEATURES Lanyard hole









1555BW a RICK HINDERER design

STEEL 8Cr13MoV, black-oxide BlackWash™ finish HANDLE 410 stainless steel, black-oxide BlackWash™ finish

BLADE 2.75 in. (7 cm) CLOSED 3.75 in. (9.5 cm) OVERALL 6.5 in. (16.5 cm) WEIGHT

4.1 oz. (116 g) 087171037530

**POCKETCLIP** 4-position deep-carry (right/left, tip-up/down) 087171036830 FEATURES Lanyard hole

LOCK







## **CRYO - G10**

BOX

CLAM

STEEL

BOX

1555G10 a RICK HINDERER design

8Cr13MoV, stonewashed finish

HANDLE G10 front, stainless steel back, stonewashed finish

RI ANF 2.75 in. (7 cm) 3.75 in. (9.5 cm) OVERALL 6.5 in. (16.5 cm) WEIGHT

3.7 oz. (105 g) 087171036731 CLAM 087171036748 SpeedSafe® assisted opening with flipper or thumb stud

SpeedSafe® assisted opening with flipper

SpeedSafe® assisted opening with flipper or thumb stud

Frame lock with lockbar stabilizer

Frame lock with lockbar stabilizer POCKETCLIP 4-position deep-carry (right/left, tip-up/down) FEATURES Lanyard hole





## **CRYO II**

1556TI

BOX

CLAM

CLAM

a RICK HINDERER design

8Cr13MoV, titanium carbo-nitride coating HANDLE 410 stainless steel, titanium carbo-nitride coating

BLADE 3.25 in. (8.3 cm) 4.4 in. (11.2 cm) CLOSED

7.75 in. (19.7 cm) WEIGHT 5.5 oz. (156 g)

087171034706 087171034713

SpeedSafe® assisted opening with flipper or thumb stud OPENING

Frame lock with lockbar stabilizer **POCKETCLIP** 4-position deep-carry (right/left, tip-up/down)

SpeedSafe® assisted opening with flipper

Frame lock with lockbar stabilizer

FEATURES Lanyard hole

or thumb stud

LOCK







## CRYO II - BLACKWASH™

1556BW a RICK HINDERER design

STEEL 8Cr13MoV, black-oxide BlackWash™ finish 410 stainless steel, black-oxide BlackWash™ finish

HANDLE RI ANF 3.25 in. (8.3 cm) CLOSED 4.4 in. (11.2 cm) OVERALL

7.75 in. (19.7 cm) WEIGHT 5.5 oz. (156 g) RNX 087171036236

POCKETCLIP 4-position deep-carry (right/left, tip-up/down) FEATURES Lanyard hole











## **VOLT II**

3650ST • 3650 an RJ MARTIN design

STEEL 8Cr13MoV, bead-blasted finish HANDLE Glass-filled nylon

BLADE 3.25 in. (8.3 cm) CLOSED 3.9 in. (9.8 cm) OVERALL 7.1 in. (18 cm) 3.3 oz. (94 g) WEIGHT BOX 087171031088 serrated

087171031071 plain CLAM

087171031385 serrated 087171031361 plain



SpeedSafe® assisted opening with flipper

LOCK Liner lock

**POCKETCLIP** Reversible (right, tip-up/down) FEATURES Lanyard hole

## **VOLT II - BLACK, SERRATED**

3650CKTST an RJ MARTIN design

STEEL 8Cr13MoV, black-oxide coating

Glass-filled nylon HANDLE BLADE 3.25 in. (8.3 cm) CLOSED 3.9 in. (9.8 cm) OVERALL 7.1 in. (18 cm) WEIGHT 3.3 oz. (94 g)

087171031477 087171031620



OPENING SpeedSafe® assisted opening with flipper

LOCK Liner lock

**POCKETCLIP** Reversible (right, tip-up/down)

FEATURES Lanyard hole






## **VOLT SS**

CLAM

3655 an RJ MARTIN design

STEEL 8Cr13MoV, bead-blasted finish HANDLE Stainless steel, bead-blasted finish

BLADE 3.5 in. (8.9 cm) CLOSED 4.25 in. (10.8 cm) OVERALL 7.75 in. (19.7 cm) WEIGHT 4.3 oz. (122 g) BOX 087171033785 CLAM 087171033792



Frame lock 3-position(right/left, tip-up; POCKETCLIP right, tip-down) FEATURES Lanyard hole

SpeedSafe® assisted opening

with flipper or thumb stud

Frame lock

FEATURES Lanyard hole

**POCKETCLIP** 3-position(right/left, tip-up; right, tip-down)





## ZING SS

1730SS an RJ MARTIN design

STEEL 8Cr13MoV, bead-blasted finish HANDLE 410 stainless steel, bead-blasted finish

BLADE 3 in. (7.6 cm) CLOSED 3.9 in. (9.8 cm) OVERALL 6.9 in. (17.5 cm) WEIGHT 3.3 oz. (94 g) BOX

087171033518 087171033525







## SHOWTIME

a TODD REXFORD design

CLAM

CLAM

STEEL 8Cr13MoV, black-oxide coating, satin flats HANDLE Stainless steel, black-oxide coating

BLADE 3 in. (7.6 cm) CLOSED 4 in. (10.2 cm) OVERALL 6.75 in. (17.1 cm) WEIGHT 3.7 oz. (105 g) BOX 087171044774

087171044927

LOCK Frame lock POCKETCLIP Reversible deep-carry (right/left, tip-up)

SpeedSafe® assisted opening with flipper







1605ST • 1605 a KEN ONION design

STEEL 8Cr13MoV, bead-blasted finish

HANDLE Glass-filled nylon BLADE 3.1 in. (7.9 cm) 4.25 in. (10.7 cm) CLOSED OVERALL 7.4 in. (18.7 cm) WEIGHT 4.3 oz. (122 g) 087171031132 serrated BOX

087171031125 plain 087171031378 serrated 087171031309 plain

**CLASH - BLACK, SERRATED** 1605CKTST a KEN ONION design

CLAM

STEEL

8Cr13MoV, black-oxide coating

HANDLE Glass-filled nylon BLADE 3.1 in. (7.9 cm) CLOSED 4.25 in. (10.7 cm) OVERALL 7.4 in. (18.7 cm) WEIGHT 4.3 oz. (122 g) BOX 087171031491 CLAM





















SpeedSafe® assisted opening

SpeedSafe® assisted opening

with flipper

POCKETCLIP Reversible (right, tip-up/down)

Liner lock

with flipper

POCKETCLIP Reversible (right, tip-up/down)


Liner lock

OPENING

LOCK

# EDC-MANUAL SECTION

ORIGINAL DESIGNS





## NEW

### KAPSULE

a JENS ANSØ design

8Cr13MoV, stonewashed finish STEEL

HANDLE Glass-filled nylon BLADE 1.9 in. (4.8 cm) CLOSED 3.25 in. (8.3 cm) OVERALL 5 in. (12.7 cm)

2 oz. (57 a) 087171060644 CLAM

Manual with sliding button Sliding button lock

POCKETCLIP Single-position deep-carry (right, tip-down)

KVT ball-bearing opening with flipper

Decorative pivot cap, bronze PVD coated

KVT ball-bearing opening with flipper

Copper anodized decorative pivot cap

KVT ball-bearing opening with flipper

Single-position extra-deep-carry (right, tip-up)

**FEATURES** Copper anodized decorative pivot cap

KVT ball-bearing opening

**POCKETCLIP** Reversible deep-carry (right/left, tip-up)

Blue anodized decorative pivot cap

Single-position extra-deep-carry (right, tip-up)

**POCKETCLIP** Reversible deep-carry (right/left, tip-up)

FEATURES Anodized aluminum button

Frame lock

Frame lock







### NEW **ENDGAME**

a KERSHAW ORIGINALS design

STEEL D2, stonewashed finish HANDLE

Stainless steel with glass-filled nylon insert,

bead-blasted finish 3.25 in. (8.3 cm) 4.25 in. (10.8 cm) CLOSED

**OVERALL** 7.5 in. (19.1 cm) WEIGHT 3.9 oz. (111 g) 087171060705

CLAM

NEW

**STRATA** 



**700** 

a KERSHAW ORIGINALS design

STEEL D2, bead-blasted finish G10 front, stainless steel back, HANDLE

4.5 in. (11.4 cm) CLOSED 5.4 in. (13.7cm)

9.9 in. (25.1 cm) WEIGHT 3.7 oz. (105 g) 087171060651 BOX

NEW



OPENING

POCKETCLIP

a KERSHAW ORIGINALS design

**STRATA XL** 

STEEL D2, bead-blasted finish G10 front, stainless steel back, bead-blasted finish HANDI F

BL ADE 5.4 in. (13.7 cm) CLOSED 6.6 in. (9.8 cm) 12 in. (30.5 cm) WEIGHT 5.8 oz. (164 a)

BOX CLAM

NEW

RNX

CLAM



POCKETCLIP

**HIGHBALL XL** 

a KERSHAW ORIGINALS design

STEEL D2, bead-blasted finish Stainless steel, bead-blasted finish

RI ADF 3.3 in. (8.4 cm) 4.3 in. (10.9 cm) OVERALL 7.5 in. (19.1 cm) 3.8 oz. (108 g)

087171060897



Frame lock

























## HIGHBALL

a KERSHAW ORIGINALS design

D2, gray PVD coating with satin grind STEEL HANDLE Stainless steel, gray PVD coating

BLADE 2.8 in. (7.1 cm) CLOSED 3.8 in. (9.9 cm) OVERALL 6.75 in. (17.1 cm) 2.9 oz. (84 g) BOX 087171057606 CLAM 087171060484

KVT ball—bearing opening with nail nick

Frame lock

**700** 

**POCKETCLIP** Single-position (right, tip-up) FEATURES Blue anodized pivot ring

Frame lock

**POCKETCLIP** Reversible (right/left, tip-up)





## NORAD

5510

a KERSHAW ORIGINALS design

STEEL D2, gray PVD coating with satin grind HANDLE Stainless steel with carbon fiber inserts, bead-blasted finish

BLADE 3.3 in. (8.7 cm) CLOSED 4.5 in. (11.4 cm) 7.9 in. (20.2 cm) OVERALL WEIGHT 5.2 oz. (150 g) BOX 087171058887 CLAM





## COMEBACK

2055

STEEL 8Cr13MoV, stonewashed finish HANDLE Stainless steel, bead-blasted finish

BLADE 3 in. (7.6 cm) CLOSED 4.25 in. (10.8 cm) OVERALL 7.5 in. (19.1 cm) WEIGHT 4.5 oz. (128 g) BOX 087171055787

CLAM

**700** 

OPENING

OPENING

LOCK

KVT ball-bearing opening with flipper Frame lock

KVT ball-bearing opening with flipper

Decorative pivot cap, flipper hides in open position, finger landing

**POCKETCLIP** Reversible (right/left, tip-up) **FEATURES** Decorative pivot cap, Kershaw inset





## **TUMBLER**

4038

a DMITRY SINKEVICH design


STEEL D2, stonewashed finish HANDLE G10 carbon fiber inlay BLADE 3.25 in. (8.3 cm) CLOSED 4.5 in. (11.4 cm) OVERALL 7.4 in. (18.7 cm) WEIGHT 2.6 oz. (75 g) BOX 087171057613 CLAM 087171060491







#### KVT ball-bearing opening with flipper LOCK Sub-Frame Lock






## INNUENDO

STEEL 8Cr13MoV, titanium carbo-nitride coating HANDLE Stainless steel, bead-blasted finish BLADE 3.3 in. (8.5 cm) CLOSED 4.25 in. (10.8 cm)

OVERALL 7.6 in. (19.3 cm) 4.4 oz. (127 g) WEIGHT BOX 087171054179 CLAM 087171055954



**POCKETCLIP** Reversible deep-carry (right/left, tip-up) FEATURES Decorative pivot cap, weight-relieving handle window








## **REVERB XL**

a KERSHAW ORIGINALS design



HANDLE BLADE 3 in. (7.6 cm) CLOSED 4.25 in. (10.9 cm)

OVERALL 7.4 in. (18.7 cm) WEIGHT 2.2 oz. (63 g) POCKETCLIP 087171054759

**OPFNING** 

BOX CLAM 087171055923



Manual opening with nail nick

Manual opening with flipper

Manual opening with thumb stud

## REVERB

1220 a KERSHAW ORIGINALS design

STEEL 8Cr13MoV, titanium carbo-nitride coating, satin flats

HANDLE G10, carbon fiber overlay front, stainless steel back BLADE 2.5 in. (6.4 cm) CLOSED 3.25 in. (8.3 cm) OPFNING

OVERALL 6.1 in. (15.6 cm) LOCK Frame lock WEIGHT 1.6 oz. (46 g) POCKETCLIP Single-position extra-deep-carry, 087171048642 (right, tip-up) FEATURES Carabiner clip 087171048765

CLAM

## CHILL

3410 an RJ MARTIN design

**EPISTLE** 

a KERSHAW ORIGINALS design

2131

STEEL 8Cr13MoV, bead-blasted finish

HANDLE G10 BLADE 3.1 in. (7.9 cm) CLOSED 3.9 in. (9.8 cm) **NVFRALL** 7 in. (17.8 cm)

WEIGHT 2 oz. (57 g) Liner lock 087171030432 BOX **POCKETCLIP** Reversible (right, tip-up/down) CLAM 087171030456 **FEATURES** Lanyard hole

STEEL 8Cr13MoV, bead-blasted finish

HANDLE Aluminum, clear-anodized finish BLADE 3 in. (7.7 cm)

CLOSED 4 in. (10.2 cm) 7 in. (17.8 cm) WEIGHT 2.1 oz. (61 g) BOX

LOCK Inset liner lock 087171054308 **POCKETCLIP** Single-position (right, tip-up) 087171055930 FEATURES Decorative pivot cap CLAM



STEEL 8Cr13MoV, stonewashed brown PVD coating HANDLE Stainless steel, stonewashed brown PVD

coating BLADE 3 in. (7.6 cm) CLOSED 4.1 in. (10.4 cm)

7.1 in. (18 cm) WEIGHT 3.5 oz. (99 g) BOX 087171055763

CLAM







a DMITRY SINKEVICH design



STEEL 8Cr13MoV, satin finish with satin sanded flats

HANDLE G10, carbon fiber overlay BLADE 3 in. (7.6 cm)

CLOSED 4 in. (10.2 cm) NVFRALL 6.9 in. (17.5 cm) 1.9 oz. (54 g) RNX

087171052236 087171052793 OPFNING KVT ball-bearing opening with flipper Inset liner lock

KVT ball-bearing opening with flipper

Inset liner lock

FEATURES Lanyard hole

POCKETCLIP Single-position(right, tip-up)

LOCK POCKETCLIP Reversible deep-carry (right/left, tip-up) **FEATURES** Lanyard hole

0


LOCK

**METHOD** 

a JENS ANSØ design

CLAM

1170



BLADE 3 in. (7.6 cm) CLOSED 4.25 in. (10.8 cm) OVERALL 7.25 in. (18.4 cm) WEIGHT

2.2 oz. (63 g) 087171052229

BOX CLAM



4381 a KERSHAW ORIGINALS design

GADSDEN

STEEL 7Cr17MoV, satin finish HANDLE G10, polished 2.75 in. (7 cm) • 2.75 in. (7 cm)

RI ANF 3.5 in. (8.9 cm)

NVFRALL 6.25 in. (16 cm) WEIGHT 2.7 oz. (77 g) BOX 087171058214 CLAM

LOCK POCKETCLIP

FEATURES Two blades

## (1)

4382 a KERSHAW ORIGINALS design

**BRANDYWINE** 



STEEL 7Cr17MoV, satin finish HANDLE G10, polished

BLADE 2.6 in. (6.6 cm) • 1.8 in. (4.7 cm) • 1.9 in. (5 cm)

CLOSED 3.5 in. (8.9 cm)

6.2 in. (15.8 cm) WEIGHT 2.3 oz. (65 a)

**CULPEPPER** 

CLAM

a KERSHAW ORIGINALS design

BOX 087171058207 CLAM

Manual on washers opening with nail nick LOCK Slipjoint

Manual on washers opening with nail nick

POCKETCLIP FEATURES Three blades







087171060477

LOCK POCKETCLIP

OPENING

FEATURES Lanyard hole, brass pins

Slipioint







## PARSEC

2035



LOCK

Manual KVT ball bearings with flipper Frame lock

Reversible (right/left, tip-up) FEATURES Blue anodized pivot cap, weight-relieving

handle window








**OPFNING** Manual on washers opening with nail nick Slipjoint





























DECIBEL

BOX

CLAM

a KERSHAW ORIGINALS design

8Cr13MoV, titanium carbo-nitride coating STEEL HANDLE Stainless steel, titanium carbo-nitride coating

(1)

BLADE 3 in. (7.6 cm) CLOSED 3.75 in. (9.6 cm) 6.6 in. (16.8 cm) OVERALL

> 2.9 oz. (83 g) 087171055152 087171056548

Manual on washers opening with thumb stud

Frame lock

OPENING

FEATURES

LOCK

**POCKETCLIP** Reversible (right/left, tip-up) Decorative pivot cap & collar, weight-relieving handle window

**POCKETCLIP** Single-position deep-carry (right, tip-up)

FEATURES Extra large lanyard/keychain hole





a JENS ANSØ design

8Cr13MoV, bead-blasted finish

HANDLE Glass-filled nylon 1.7 in. (4.4 cm) CLOSED 3 in. (7.6 cm) OVERALL 4.75 in. (12.1 cm) WEIGHT 2.1 oz. (60 g) 087171058269 CLAM







**BAREKNUCKLE-OLIVE BW** 77770LBW

STEEL Sandvik 14C28N, black-oxide BlackWash™ finish HANDLE 6061-T6 aluminum, olive anodized

BLADE 3.5 in. (8.9 cm) CLOSED 4.7 in. (11.8 cm) OVERALL 8.2 in. (20.7 cm) WEIGHT 3.4 oz. (96 g) BOX 087171053707 CLAM

a KERSHAW ORIGINALS design

LOCK

KVT ball-bearing opening with flipper Sub-Frame Lock **POCKETCLIP** Reversible deep-carry (right/left, tip-up)



## BAREKNUCKLE

a KERSHAW ORIGINALS design

STEEL Sandvik 14C28N, stonewashed finish HANDLE 6061-T6 aluminum, gray anodized

BLADE 3.5 in. (8.9 cm) CLOSED 4.7 in. (11.8 cm) OVERALL 8.2 in. (20.7 cm) WEIGHT 3.4 oz. (96 g) BOX 087171053363 CLAM







## **MIXTAPE**

STEEL 8Cr13MoV, stonewashed finish HANDLE Glass-filled nylon BLADE 3.1 in. (7.9 cm) CLOSED 4.1 in. (10.5 cm)

OVERALL 7.25 in. (18.4 cm) 2.6 oz. (75 g) BOX 087171055176 CLAM 087171057064



OPENING

Manual opening with thumb disk LOCK Inset liner lock

**POCKETCLIP** Single-position(right, tip-up) Decorative pivot cap, weight-relieving handle window FEATURES

POCKETCLIP Reversible deep-carry (right/left, tip-up)







## COC-6K D2

6034D2

an ERNEST EMERSON design



bead-blasted finish

BLADE 3.25 in. (8.3 cm) CLOSED 4.5 in. (11.4 cm) OVERALL 7.75 in. (19.7 cm) WEIGHT 5.1 oz. (144.6 g)

BOX 087171056166

Manual opening with thumb disk or LOCK

Emerson wave shaped feature Frame lock POCKETCLIP Reversible (right/left, tip-up) FEATURES Lanyard hole





## CQC-4KXL D2

6055D2

CLAM

an ERNEST EMERSON design

STEEL D2, stonewashed finish with satin flats HANDLE G10 front; 410 stainless steel back,

bead-blasted finish BLADE 3.9 in. (9.9 cm) CLOSED 5 in. (12.7 cm) OVERALL 9 in. (22.9 cm) WEIGHT 6.1 oz. (175 g) BOX 087171056159 CLAM

INCK

Manual opening with thumb disk or Emerson wave shaped feature® Frame lock

**POCKETCLIP** Reversible (right/left, tip-up) FEATURES Lanyard hole





#### COC-11K D2 6031D2

an ERNEST EMERSON design

D2, stonewashed finish G10 front; 410 stainless steel back, HANDLE head-blasted finish

BLADE 3.5 in. (9 cm) CLOSED 4.75 in. (12.1 cm) OVERALL 8.5 in. (21.6 cm) WEIGHT 5.8 oz. (166 g)

087171056173 CLAM



Manual opening with thumb disk or Emerson wave shaped feature®

Frame lock

**POCKETCLIP** Reversible (right/left, tip-up) **FEATURES** Big-bellied skinning blade, lanyard hole









#### CQC-4K 6054BRNBLK

COC-5K

60740LBLK

STEEL

HANDLE

an ERNEST EMERSON design

an ERNEST EMERSON design

STEEL 8Cr14MoV, black-oxide coating HANDLE G10 front: 410 stainless steel back,

BLADE 3.25 in. (8.3 cm) CLOSED 4.2 in. (10.7 cm) OVERALL 7.4 in. (18.8 cm) WEIGHT 4.1 oz. (116 g) BOX 087171037592 CLAM

LOCK

Manual opening with thumb disk or Emerson wave shaped feature Frame lock

POCKETCLIP Reversible (right/left, tip-up) FEATURES Lanyard hole







8Cr14MoV, black-oxide coating G10 3 in. (7.6 cm)

BLADE CLOSED 4 in. (10.2 cm) OVERALL 7.1 in. (18 cm) WEIGHT 3.7 oz. (105 g) RNX 087171037615 CLAM

Manual opening with thumb disk or Emerson wave shaped feature® Liner lock

POCKETCLIP Reversible (right/left, tip-up) FEATURES Lanyard hole







CLAM

CQC-8K

6044TBLK

COC-9K

an ERNEST EMERSON design

6045BLK

STEEL

HANDLE

an ERNEST EMERSON design

6034T an ERNEST EMERSON design



BLADE 3.25 in. (8.3 cm) CLOSED 4.5 in. (11.4 cm) OVERALL 7.75 in. (19.7 cm) WEIGHT 5 oz. (142 g) BOX

Emerson wave shaped feature® LUCK Frame lock 087171037295 **POCKETCLIP** Reversible (right/left, tip-up)

OPENING

Manual opening with thumb disk or

Manual opening with thumb disk or Emerson wave shaped feature®

Manual opening with thumb disk or

Manual opening with thumb disk or

Emerson wave shaped feature®

FEATURES Unsharpened blade, rounded tip, lanyard hole

Frame lock

**POCKETCLIP** Reversible (right/left, tip-up)

Emerson wave shaped feature

Hidden wave shaped feature,

Frame lock

**POCKETCLIP** Reversible (right/left, tip-up)

Liner lock

FEATURES Lanyard hole



STEEL 8Cr14MoV, black-oxide coating

HANDLE G10 BLADE 3.5 in. (8.9 cm) CLOSED 4.6 in. (11.7 cm) OVERALL 8.1 in. (20.6 cm) WEIGHT 5.3 oz. (152 g) BOX

087171037318 CLAM

POCKETCLIP Reversible (right/left, tip-up)

FEATURES Lanyard hole 

OPENING

LOCK

**OPFNING** 

LOCK



8Cr14MoV, black-oxide coating G10 front; 410 stainless steel back, black-oxide coating

3.6 in. (9.1 cm) CLOSED 5.25 in. (13.3 cm) OVERALL 8.8 in. (22.4 cm) WEIGHT 6.4 oz. (181 g) BOX

087171044767 CLAM



3Cr13, stonewashed finish G10 front: 410 stainless steel back. bead-blasted finish

3.2 in. (8.1 cm) unsharpened BL ADE 4.5 in. (11.4 cm) CLOSED

OVERALL 7.7 in. (19.6 cm) WEIGHT 5.1 oz. (146 g) BOX 08717039664

CLAM

COC-10K

an ERNEST EMERSON design

6030

E-TRAIN

6034TRAINER

STEEL

HANDLE

an ERNEST EMERSON design



STEEL 8Cr14MoV, stonewashed finish HANDLE G10 front; 410 stainless steel back,

bead-blasted finish BLADE 3.5 in. (9 cm) 4.75 in. (12.1 cm) CLOSED OVERALL 8.5 in. (21.6 cm) WEIGHT 5.1 oz. (146 g) BOX 087171049380 CLAM



LOCK





LOCK Frame lock

**POCKETCLIP** Reversible (right/left, tip-up) **FEATURES** Bowie blade ideal for hunting, lanyard hole































KERSHAWKNIVES.COM

# MULTI-FUNCTION SECTION

TOTAL - 2 NEW PREMIUM BLADE STEEL





## **DRIVETRAIN**

a KERSHAW ORIGINALS design

STEEL D2, stonewashed finish HANDLE Glass-filled nylon BLADE 3.2 in. (8.1 cm) CLOSED 4.6 in. (11.7 cm) **NVFRALL** 7.6 in. (19.3 cm)

> 4.2 oz. (119 g) 087171056616

RNX CLAM









SpeedSafe® assisted opening, with flipper or thumb stud

Manual double detent slipjoint, with nail nick

Liner lock

**POCKETCLIP** Single-position(right, tip-up) Carbide glassbreaker tip, built-in seat belt cutter

FEATURES Integrated nail clipper, nail file







## **PLATFORM**

2090 a KERSHAW ORIGINALS design

STEEL 8Cr13MoV, bead-blasted finish Glass-filled nylon scale front, stainless steel back, bead-blasted finish HANDLE

RI ANF 2.75 in. (6.9 cm) 4 in. (10.1 cm)

6.75 in. (17.1 cm) OVERALL 3.6 oz. (102 g) BOX 087171060286

CLAM

DIODE



(1)

1230 a KERSHAW ORIGINALS design

STEEL 3Cr13, bead-blasted finish HANDLE Glass-filled nylon 1.6 in. (4.1 cm) RI ANF

2.9 in. (7.5 cm) **NVFRALI** 4.5 in. (11.5 cm) 1.1 oz. (33 g)

087171058627



**FUNXION EMT** a KERSHAW ORIGINALS design

8Cr13MoV, black-oxide coating HANDLE Glass-filled nylon, K-Texture™ insert

4.25 in. (10.7 cm) CLOSED 7.25 in. (18.4 cm) WEIGHT 4.8 oz. (137 g) BOX 087171033853

CLAM



OPFNING

POCKETCLIP

LOCK





Manual on washers opening, with nail nick

or thumb stud LOCK Liner lock Single-position deep-carry (right, tip-down)

Liner lock

FEATURES Flat head screwdriver/pry bar

Carabiner clip, cord cutter, flat head screwdriver, hex wrench, glassbreaker tip











a GRANT & GAVIN HAWK design

STEEL 8Cr13MoV, bead-blasted finish

HANDI F Glass-filled nylon 3.4 in. (8.6 cm) CLOSED 4.25 in. (10.8 cm) OVERALL 7.6 in. (19.4 cm) 5 oz. (142 g) 087171030319 BOX 087171030333







Manual on washers opening with

Liner lock

POCKETCLIP Reversible (right/left, tip-down) .25 in. hex drive, 2 flat head, 2 Phillips® bits, ruler









Manual on washers opening with thumb stud


Manual on washers opening with thumb stud

## SHUFFLE

8700 a KERSHAW ORIGINALS design

STEEL 8Cr13MoV, bead-blasted finish HANDLE Glass-filled nylon, K-Texture™ grip

BLADE 2.4 in. (6.1 cm) CLOSED 3.25 in. (8.3 cm) **NVFRALL** 5.75 in. (14.6 cm) WEIGHT 2.8 oz. (79 g) BOX 087171035468 CLAM 087171035475



Inset liner lock

Inset liner lock

**POCKETCLIP** Reversible deep-carry (right/left, tip-up)

FEATURES Bottle opener, flat head screwdriver, lanyard hole

OPENING

#### **SHUFFLE - BLACK** 8700BLK

a KERSHAW ORIGINALS design

STEEL 8Cr13MoV, black-oxide coating

HANDLE Glass-filled nylon, K-Texture™ grip BLADE 2.4 in. (6.1 cm) CLOSED 3.25 in. (8.3 cm) 5.75 in. (14.6 cm) OVERALL WEIGHT 2.8 oz. (79 g) BOX 087171037134 087171037127 CLAM

SHUFFLE - LIME

8700LIMEBW

CLAM



OPENING

LOCK



STEEL 8Cr13MoV, black-oxide BlackWash™ finish HANDLE Glass-filled nylon, K-Texture™ grip

BLADE 2.4 in. (6.1 cm) CLOSED 3.25 in. (8.3 cm) OVERALL 5.75 in. (14.6 cm) WEIGHT 2.8 oz. (79 g) RNX 087171038681

087171038698

OPENING Manual on washers opening with thumb stud LOCK Inset liner lock

**POCKETCLIP** Reversible deep-carry (right/left, tip-up) **FEATURES** Bottle opener, flat head screwdriver, lanyard hole







### SHUFFLE - PURPLE

8700PURBW

a KERSHAW ORIGINALS design



8Cr13MoV, black-oxide BlackWash™ finish

(1)

(1)

HANDLE Glass-filled nylon, K-Texture™ grip BLADE 2.4 in. (6.1 cm) CLOSED 3.25 in. (8.3 cm) OVERALL 5.75 in. (14.6 cm) WEIGHT 2.8 oz. (79 g)

**SHUFFLE - TEAL** 

8700TEALBW a KERSHAW ORIGINALS design

STEEL

BOX

087171039107 CLAM 087171039114



OPFNING

LOCK

OPENING

Manual on washers opening with thumb stud

Inset liner lock **POCKETCLIP** Reversible deep-carry (right/left, tip-up) FEATURES Bottle opener, flat head screwdriver, lanyard hole





MULTI-FUNCTION





STEEL 8Cr13MoV, black-oxide BlackWash™ finish Glass-filled nylon, K-Texture™ grip HANDLE

BLADE 2.4 in. (6.1 cm) CLOSED 3.25 in. (8.3 cm) OVERALL 5.75 in. (14.6 cm) WEIGHT 2.8 oz. (79 g) 087171038728

CLAM 087171038735 Manual on washers opening with thumb stud Inset liner lock

**POCKETCLIP** Reversible deep-carry (right/left, tip-up) FEATURES Bottle opener, flat head screwdriver, lanyard hole







8750TOLBW

a KERSHAW ORIGINALS design

STEEL 8Cr13MoV, black-oxide BlackWash™ finish

HANDLE Glass-filled nylon 2.6 in. (6.6 cm) RI ANF 4 in. (10.2 cm) **NVFRALL** 6.3 in. (16 cm)

WEIGHT 3 oz. (86 g) BOX 087171048345 087171046204 CLAM

Manual on washers opening with thumb stud Inset liner lock

**POCKETCLIP** Reversible (right/left, tip-down) FEATURES Bottle opener, flat head screwdriver, lanyard hole







8750TBLKBW a KERSHAW ORIGINALS design



8Cr13MoV, black-oxide BlackWash™ finish

HANDLE Glass-filled nylon 2.6 in. (6.6 cm) CLOSED 4 in. (10.2 cm) 6.3 in. (16 cm) WEIGHT 3 oz. (86 g) 087171039367

087171039374

OPENING LOCK

Inset liner lock **POCKETCLIP** Reversible (right/left, tip-down)

FEATURES Bottle opener, flat head screwdriver, lanyard hole





## **SHUFFLE II - TAN**

8750TTANBW a KERSHAW ORIGINALS design

CLAM





HANDLE Glass-filled nylon RI ANF 2.6 in. (6.6 cm) CLOSED 4 in. (10.2 cm) OVERALL 6.3 in. (16 cm) WEIGHT 3 oz. (86 g) RNX 087171039343 CLAM 087171039350

OPENING

Manual on washers opening with thumb stud Inset liner lock

**POCKETCLIP** Reversible (right/left, tip-down)

**FEATURES** Bottle opener, flat head screwdriver, lanyard hole

Manual on washers opening with thumb stud







## **SHUFFLE DIY**

a KERSHAW ORIGINALS design

STEEL 8Cr13MoV, black-oxide coating HANDLE Glass-filled nylon

BLADE 2.4 in. (6.1 cm) CLOSED 3.25 in. (8.3 cm) OVERALL 5.75 in. (14.6 cm) WEIGHT 3.5 oz. (100 g) BOX

087171048932 087171048949



Manual on washers opening with thumb stud

Bottle opener, bit driver with flat head and Phillips® screwdriver bits, keychain ring hole

Manual opening with thumb stud

Bottle opener, screwdriver/pry tip,

oversized lanyard attachment/key ring

Frame lock

**POCKETCLIP** Single-position (right, tip-down)

Inset liner lock

**POCKETCLIP** Single-position (right, tip-down)







## **ANTIC**

CLAM

8710 a KERSHAW ORIGINALS design

STEEL 8Cr13MoV, bead-blasted finish HANDLE Stainless steel, blue PVD coating BLADE 1.7 in. (4.4 cm)

CLOSED 3.8 in. (9.7 cm) OVERALL 5.5 in. (14 cm) WEIGHT 3.1 oz. (88 g) 087171054063 CLAM 087171055671



OPENING

LOCK

LOCK

OPENING

FEATURES

LOCK

LOCK

FEATURES

OPENING

FEATURES

LOCK








## BARRICADE

a KERSHAW ORIGINALS design

STEEL 8Cr13MoV, black-oxide coating HANDLE Glass-filled nylon BLADE 3.5 in. (8.9 cm) CLOSED 5 in. (12.7 cm) NVFRALL 8.5 in. (21.6 cm) WEIGHT







Manual opening with thumb stud

Manual opening with thumb stud

Bottle opener, lanyard hole

Bottle opener, lanyard hole

Liner lock

Liner lock

POCKETCLIP Single-position deep-carry (right, tip-down) FEATURES Carbide glassbreaker tip, built-in cord/seatbelt cutter





## **CINDER - COPPER**

1025CU a RICK HINDERER design

BOX

CLAM

STEEL 3Cr13, stonewashed finish

HANDLE Copper BLADE 1.4 in. (3.6 cm) CLOSED 2.6 in. (6.6 cm) OVERALL 4 in. (10.2 cm) WEIGHT 1.5 oz. (43 g) BOX

087171051963 CLAM





## **CINDER**

a RICK HINDERER design

STEEL 3Cr13, stonewashed finish HANDLE Glass-filled nylon BLADE 1.4 in. (3.6 cm) CLOSED 2.6 in. (6.6 cm) OVERALL 4 in. (10.2 cm) WEIGHT 0.9 oz. (26 g) RNX

087171044514 CLAM









## **PUB - BLACK**

4036BLK a DMITRY SIENKEVICH design

STEEL 8Cr13MoV, stonewashed finish

HANDLE Aluminum front, black anodized; stainless steel back, stonewashed finish

BLADE 1.6 in. (4.1 cm) CLOSED 3.1 in. (7.9 cm) **OVERALL** 

4.5 in. (11.4 cm) 1.9 oz. (54 g) LOCK

Friction folder with detent FEATURES Bottle opener, flat head screwdriver/ pry bar, key chain attachment 087171048437







MULTI-FUNCTION



WEIGHT

BOX

CLAM

RI ANF

4036CF

STEEL

HANDLE

BLADE

CLOSED

OVERALL

WEIGHT

CLAM

4036BLU a DMITRY SIENKEVICH design

STEEL 8Cr13MoV, stonewashed finish HANDLE Aluminum front, blue anodized; stainless steel

back, stonewashed finish 1.6 in. (4.1 cm)

8Cr13MoV, stonewashed finish

Carbon fiber front; stainless steel back, stonewashed finish

CLOSED 3.1 in. (7.9 cm) OVERALL 4.5 in. (11.4 cm) WEIGHT 1.9 oz. (54 g)

BOX CLAM 087171048956

a DMITRY SIENKEVICH design

**PUB - CARBON FIBER** 

1.6 in. (4.1 cm)

3.1 in. (7.9 cm)

4.5 in. (11.4 cm)

1.8 oz. (53 g)

087171048963

LOCK

OPENING

OPENING

**FEATURES** 

Manual opening with extended tang Friction folder with detent Bottle opener, flat head screwdriver/ pry bar, key chain attachment

Manual opening with extended tang

Bottle opener, flat head screwdriver/ pry bar, key chain attachment

Friction folder with detent

Manual opening with extended tang
















# FIXED BLADE SECTION

TOTAL - 3 NEW ORIGINAL DESIGNS PREMIUM BLADE STEEL



## NEW

NEW

PROJECT ATOM

#### **INVERSE** PROJECT ATOM

1397 a KERSHAW ORIGINALS design

MATERIAL Extremely durable polymer blend reinforced with glass fibers

2.6 in. (6.6 cm) OVERALL 5.25 in. (13.3 cm) WEIGHT 0.4 oz. (11.3 g) BOX

CLAM 087171060903

OPENING

**ARISE** 

1398 a KERSHAW ORIGINALS design

MATERIAL Extremely durable polymer blend

BLADE 4.2 in. (10.7 cm) OVERALL 8.4 in. (21.3 cm) WEIGHT 1.8 oz. (51 g)

CLAM 087171060910 **FEATURES** 

Full-tang construction Key ring attachment

Full-tang construction

Lanyard hole, stainless steel overlay,

















a KERSHAW ORIGINALS design

STEEL 8Cr13MoV, stonewashed finish 8Cr13MoV with glass-filled nylon overlay, stonewashed finish HANDLE

BLADE 2 in. (5.1 cm) OVERALL 4.9 in. (12.4 cm) 0.9 oz. (26 g)

1.6 oz. (45 g) with sheath

087171060859

CLAM





**(7)** 

(1) L

OPENING Full-tang construction

Polypropylene neck sheath with adjustable cord, webbing slots, and tie holes Lanyard hole










a KERSHAW ORIGINALS design



5.7 oz. (162 g) 7.5 oz. (213 g) with sheath

BOX 087171057965

CLAM



snap-down strap, belt loop, webbing slots, and tie holes









1747BW

a KERSHAW ORIGINALS design

3Cr13, black-oxide BlackWash™ finish HANDI F Full-tang, paracord wrapped

4.5 in. (11.4 cm) NVFRALL 9 in. (22.9 cm) 3.9 oz. (113 g)

14.4 oz. (409 g) 3 knives with sheath

087171039084

OPENING Full-tang construction three-knife set, includes







#### DUNE 4008

CLAM

a KERSHAW ORIGINALS design

STEEL 3Cr13, black-oxide coating

HANDLE Glass-filled nylon 3.8 in. (9.7 cm) OVERALL 7.7 in. (19.6 cm) 2.2 oz. (65 g)

2.7 oz. (79 g) with sheath

CLAM 087171039459



OPENING

Full-tang construction Tanto point, lanyard hole, injection-molded neck sheath with adjustable cord

Full-tang construction

carry sheath

Single-edged spear point, lanyard hole, molded dual-





## **SECRET AGENT**

CLAM

STEEL 8Cr13MoV, black-oxide coating HANDLE Rubberized co-molded RI ANF 4.4 in. (11.2 cm) 8.7 in. (22.1 cm) WEIGHT 3.1 oz. (90 g) 4.7 oz. (136 g) with sheath

087171036977 087171037165










# OUTDOOR SECTION

OVERVIEW





#### NEW

## **TASKMASTER SAW 2**

a KERSHAW ORIGINALS design

STEEL High-carbon steel, nickel-plated

HANDLE Glass-filled nylon with rubber grip 7 in. (17.8 cm) 9.125 in. (23.2 cm) CLOSED 15.9 in. (40.4 cm) WEIGHT 8.7 oz. (247 g)

087171058993 CLAM

**OPENING** LOCK Push-button lock

7

**FEATURES** Textured, rubberized grip

Lanyard hole









a KERSHAW ORIGINALS design

Surgical stainless steel, blade type #60A Glass-filled nylon, K-Texture™ grip HANDI F

2.8 in. (7.1 cm) CLOSED 4.4 in. (11.2 cm) 7.2 in. (18.3 cm) WEIGHT 1.4 oz. (40 g)

087171039640 CLAM

FEATURES

Caping tool Exchangeable blades Lanyard hole

FEATURES Full-tang construction

belt loop

Dual lanyard holes

Textured, rubberized grip

Includes glass-filled nylon sheath with gear straps and

Includes extra handle and 15 blades





BLADES 1890RB 087171040721

## DESCHUTES

a KERSHAW ORIGINALS design

STEEL 3Cr13, black-oxide-coating Glass-filled nylon, rubber overlay

RI ANF 3.5 in. (8.9 cm) 14 in. (35.6 cm) WEIGHT 1 lb. 9 oz. (711 g), with sheath 1 lb. 12 oz. (803 g)

CLAM 087171057439



(1) U







## CAMP 10

a KERSHAW ORIGINALS design

STEEL 65Mn, powdercoat HANDLE Rubber overmold BLADE 10 in. (25.4 cm) 16 in. (40.6 cm) 1 lb. 2.3 oz. (521 g) 1 lb. 8 oz. (681 g) with sheath

BOX 087171033594 087171034065















## CAMP 10 - TAN

1077TAN

CLAM

65Mn, powdercoat HANDLE Rubber overmold 10 in. (25.4 cm) NVFRALL 16 in. (40.6 cm) 1 lb. 2.3 oz. (521 g) 1 lb. 8 oz. (681 g) with sheath

087171052748









FEATURES


Includes glass-filled nylon sheath with gear straps and belt loop Dual lanyard holes



# FISHING SECTION



OVERVIEW



## 7-IN. BONING WITH SPOON

a KERSHAW ORIGINALS design

STEEL 420J2, satin finish

Glass-filled nylon, rubber overmold K-Texture™ grip HANDLE

BLADE 7 in. (17.8 cm) OVERALL 14.5 in. (36.8 cm) 3.6 oz. (104 g)

4.3 oz. (123 g) with blade protector

CLAM 087171037042



FEATURES

(1)

(1)











a KERSHAW ORIGINALS design

STEEL 420J2, satin finish

HANDLE Glass-filled nylon, rubber overmold,

K-Texture™ grip 7.5 in. (19.1 cm) BLADE OVERALL 12.7 in. (32.3 cm) 2.9 oz. (84 g)

3.7 oz. (105 g) with blade protector

CLAM 087171037059

## 9.5-IN. FILLET

a KERSHAW ORIGINALS design

420J2, satin finish STEEL HANDLE

Glass-filled nylon, rubber overmold, K-Texture™ grip


9.5 in. (24.1 cm) BLADE 14.8 in. (37.6 cm) OVERALL 3.3 oz. (94 g)

4.1 oz. (119 g) with blade protector

087171037066

CLAM





Flexible blade Includes blade protector

Handle ensures grip in

Includes blade protector

marine conditions Flexible blade

Handle ensures grip in

Handle ensures grip in

Includes blade protector

Flexible blade

marine conditions

Flexible blade Includes blade protector



## 12-IN. CURVED

a KERSHAW ORIGINALS design

STEEL 420J2, satin finish

Glass-filled nylon, rubber overmold, K-Texture™ grip HANDLE

12 in. (30.5 cm) BLADE 17.7 in. (45 cm) 8.6 oz. (244 g)

10.6 oz. (301 g) with protector

BOX 087171037028

9-IN. CURVED





a KERSHAW ORIGINALS design

STEEL 420J2, satin finish HANDLE

Glass-filled nylon, rubber overmold, K-Texture™ grip

9 in. (22.9 cm) 14.7 in. (37.3 cm) OVERALL 5.2 oz. (149 g)

6.4 oz. (182 g) with blade protector

CLAM 087171037035









FEATURES

marine conditions Flexible blade Includes blade protector



## **FOLDING FILLET**

a KERSHAW ORIGINALS design

STEEL 420J2, satin finish Glass-filled nylon, rubber overmold, K-Texture™ grip HANDLE BLADE 6.25 in. (15.9 cm)

CLOSED 7.5 in. (19.1 cm) OVERALL 13.75 in. (34.9 cm) WEIGHT 4.9 oz. (138.9 g)

BOX CLAM 087171037073



(1) U

7

Manual opening LOCK Mid-lock

Lanyard hole

FEATURES Neon accents for improved visibility

Includes molded sheath with belt loop

**FEATURES** Handle ensures grip in marine conditions Flexible blade



## 7-IN. FILLET

1257

a KERSHAW ORIGINALS design

STEEL 420J2, satin finish HANDLE Co-polymer BLADE 7 in. (17.8 cm) OVERALL 12.25 in. (31.1 cm) 3.3 oz. (96 g) 4.7 oz. (135 g) with sheath

087171125701

CLAM



9-IN. FILLET 1259 a KERSHAW ORIGINALS design

STEEL 420J2, satin finish HANDLE Co-polymer BLADE 9 in. (22.9 cm) OVERALL 14.25 in. (36.2 cm) WEIGHT 3.6 oz. (104 g)
















KERSHAWKNIVES.COM

# GEAR SECTION

From handy ways to display and store your Kershaw collection to attractive and practical ways to show your spirit, you'll find it here.





## NACHO

a KERSHAW ORIGINALS design

STEEL 3Cr13, stonewashed finish HANDLE Glass-filled nylon OVERALL 2 in. (5.1 cm) WEIGHT 0.3 oz. (22 g) BOX 087171060989

• Bottle opener



#### PT-1 8800

CLAM

a KERSHAW ORIGINALS design

STEEL 3Cr13, bead-blasted finish HANDLE Glass-filled nylon, K-Texture™ OVERALL 2.75 in. (7 cm) WEIGHT 0.8 oz. (24 g)

087171048659 • Bottle opener • Flat head screwdriver • Pry bar • Lanyard hole PT-2 a KERSHAW ORIGINALS design STEEL 3Cr13, bead-blasted finish HANDLE Glass-filled nylon, K-Texture™

OVERALL 3.25 in. (8.2 cm) 0.8 oz. (24 g) WEIGHT CLAM 087171048536

• Bottle/can opener • Flat head & Phillips screwdrivers • 3 sizes of hex drives • Wire scraper • Pry bar • Lanyard hole



## **ULTRA-TEK SHARPENER**

STEEL

a KERSHAW ORIGINALS design

600-grit, diamond-coated oval shaft

HANDLE 6061-T6 anodized aluminum

SHAFT 4 in. (10.2 cm) 9 in. (22.9 cm)

WEIGHT 1.7 oz. (51 g) CLAM 087171253503



## **TASKMASTER SHEARS**

a KERSHAW ORIGINALS design

STEEL

Stainless steel, satin finish

HANDLE Glass-filled nylon BLADE 3.5 in. (8.9 cm) OVERALL 8.9 in. (22.5 cm) WEIGHT 5.1 oz. (145 g)

087171057514 BOX 087171059549

• Nutcracker • Cap lifter • Flat head screwdriver tips • Blades separate for easy cleaning



## RATION - XL

1145 • 1145GRN

STEEL 3Cr13, bead-blasted finish OVERALL 7.3 in. (18.6 cm)

WEIGHT 2.1 oz. (60 g) CLAM 087171052465 087171052458 • GRN

• Fork • Spoon • Bottle opener

• Carabiner gate • Food-safe coating



## **RATION**

11140 • 1400R • 1140TEAL • 1140GRN

3Cr13, bead-blasted finish OVERALL 4.6 in. (11.7 cm) WEIGHT 1.3 oz. (36 g) CLAM 087171046389 087171052434 • OR 087171052441 • TEAL 087171052427 • GRN

• Fork • Spoon • Bottle opener • Carabiner gate • Food-safe coating



## **SKEETER III**

a KERSHAW ORIGINALS design

3Cr13, satin finish Polypropylene HANDLE BLADE 1.25 in. (3.2 cm) OVERALL 4.25 in. (10.8 cm) WEIGHT 0.7 oz. (22 g) CLAM 087171056630



## **MANICURE SET**

KMCURE a KERSHAW ORIGINALS design

Stainless steel, satin finish **OVERALL** 4.25 in. (10.8 cm) WEIGHT 3.9 oz. (113 g) 087171056609 BOX • Nail clippers • Cuticle scissors • Nail file • Tweezers • Carrying case



## K-TOOL

KT00L a KERSHAW ORIGINALS design

STEEL 3Cr13, black-oxide OVERALL 2 in. (5.1 cm) WEIGHT 0.7 oz. (22 g) 087171039657 BOX

• Bottle opener • Lanyard hole • Flat head screwdriver



## **FIRE STARTER**

STEEL Magnesium firesteel HANDLE Molded plastic OVERALL 3.1 in. (7.9 cm) WEIGHT 1.1 oz. (31 g) CLAM 087171101910

#### STP PIVOT TOOL STPT00L a KERSHAW ORIGINALS design

HANDLE

WEIGHT

BOX

Stainless steel, titanium carbo-nitride coating 2.75 in. (7 cm) 2.1 oz. (62 g)

087171052755



## TX-TOOL

TXT00L a KERSHAW ORIGINALS design

HANDLE Aluminum OVERALL 4.8 in. (12.2 cm) WEIGHT 1.1 oz. (32 g) 087171044989 For most Kershaw pivots, pocketclip, and handle screws • Torx bits T6, T8, T10, #2 Phillips and flat head screwdriver bits





#### **KERSHAW NECK GAITER** GAITERKER

92% polyester, 8% spandex, one size fits most, • Width 9.8 in. (24.9 cm) • Height 19.7 in. (50 cm)

087171061016



## **KERSHAW CAP - MESH**

CAPKER181

Velcro® size adjustable, unstructured cotton twill front, mesh back

087171052663





### **CHALLENGE COIN - NEXT LEVEL** CHALLENGECOINKER

Zinc alloy with antique nickel plating
• Diameter 1.75 in. (4.4 cm) • Weight 0.9 oz. (25 g) 087171059341



### **KERSHAW CAP - NATRIX** CAPNX

Flat-bill, 6-panel hat 087171059310



#### **KNIFE LANYARD** LANYARDKER18

Wrapped paracord, custom-molded Kershaw bead UPC 087171052731

• Made in USA



## **KERSHAW CAP - 3D**

CAPKER183

Snap-tab size adjustable, structured cotton twill, rubber applique logo patch

087171052687

KERSHAWKNIVES.COM

kershaw:





100% pre-shrunk, ring-spun cottonSemi-fitted styling for comfort

S SHIRTKERL13S 087171061931

 
 M
 SHIRTKERL13M 087171061948

 L
 SHIRTKERL13L 087171061955

 XL
 SHIRTKERL13XL

087171061962 XXL SHIRTKERL13XXL 087171061979





• 100% pre-shrunk, ring-spun cotton

Semi-fitted styling for comfort

SHIRTKER2021S 087171061887

M SHIRTKER2021M 087171061894

SHIRTKER2021L 087171061900

SHIRTKER2021XL 087171061917

XXL SHIRTKER2021AXXL 087171061924



# T-SHIRT - AMERICA SHIRTAMERICA

100% pre-shrunk, ring-spun cotton Semi-fitted styling for comfort

 S
 SHIRTAMERICAS 087171060729

 M
 SHIRTAMERICAM 087171060736

 L
 SHIRTAMERICAL 087171060743

 XL
 SHIRTAMERICAXL 087171060750

 XXL
 SHIRTAMERICAXXL 087171060750

087171060767



### T-SHIRT - LUCHA SHIRTLUCHA

100% pre-shrunk, ring-spun cottonSemi-fitted styling for comfort

\$ SHIRTLUCHAS 087171060507

M SHIRTLUCHAM 087171060514

L SHIRTLUCHAL 087171060521

XL SHIRTLUCHAXL 087171060538

XXL SHIRTLUCHAXXL 087171060545



## T-SHIRT - RED

100% pre-shrunk cotton

Double-needle stitched lay-flat collar

\$ SHIRTKER182S 087171052625 M SHIRTKER182M 087171052847 L SHIRTKER182L 087171052854 XL SHIRTKER182XL 087171052861 XXL SHIRTKER182XXL 087171052878



## KNIFE STORAGE BAG

Z997

Accommodates up to 18 folding knives, with 8-pocket removable center section, and zipper closure. Nylon siding & straps • Overall 13 × 7.5 in. (33 x 19 cm) • Weight 12 oz. (340 g)



## SINGLE-KNIFE POUCH

POUCHKE

Cordura exterior, zipper closure, soft interior **UPC** 087171059334



DISPLAYKERB14
Single-knife blade stand
UPC 087171046808



DISPLAYKER114 Single-knife stand UPC 087171046785



DISPLAYKER314 Triple-knife stand UPC 087171046792





#### COUNTER MAT MATKER20

Foam-backed, acrylic front 15×10 in. **UPC** 087171059280



## WINDOW CLING

KERCLING17

6×2 in., transparent background, fade resistant color

**UPC** 087171049144



#### PVC PATCH KERPATCH17

3.25×1.5 in., PVC patch, Velcro® back **UPC** 087171049120



### KNIFE OIL KEROIL

0.4 fl oz (12 mL) • Allows for smoother operation • Works to prevent corrosion • SMT (Sub-Micron Technology) absorbs into pores of metals for an even conditioning • Non-migrating, nontoxic formula

**UPC** 087171054087

## **BLADE STYLES**

#### **AMERICAN TANTO**

Angles upward to meet the spine. The angled edge can be straight or curved. The American tanto offers a strong, durable tip while the straight edge makes it ideal for push cuts.

#### **CLEAVER**

The cleaver blade shape is a high-utility style defined by a slightly curved belly and downturned tip. The shape makes a good EDC or utility knife and is ideal for slicing and chopping

#### **CLIP POINT**

The tip of the clip point is lower than its spine. The top part of the blade has been "clipped" off so that the blade goes straight from spine to tip. The clip point can also have a concave curve to the tip. Clip points are great for everyday carrying but are also favored for hunting knives.

#### **DROP POINT**

The blade's point drops down below the blade's spine. Usually has good "belly," a curved cutting edge. It is one of today's most widespread blade shapes because it's a great all-purpose blade.

#### HAWKBILL

A hawkbill blade is hook-like with a concave belly. It offers ease in cutting ropes, fabrics, and even trimming shrubbery.

#### RECURVE

Instead of having a fully convex belly, a recurve blade will also have a gentle concave curve along part of the cutting edge. This gives the edge something of an "S" shape. The recurve blade provides good belly for slicing and a concave curve for easy draw or pull cuts.

#### REVERSE TANTO

Instead of the edge angling up to meet the spine, a reverse tanto's tip angles down to meet the edge. Like the American tanto, the reverse tanto offers a strong tip for piercing and, generally, a straight edge, ideal for good slicing.

#### SHEEPSF00T

A sheepsfoot blade is similar to the Wharncliffe, but it has a steeper slope from spine to edge and a less-pointy tip. They are often favored by emergency responders due to the relative safety of the rounded tip. The straight edge works well for slicing push cuts and generalpurpose cutting.

#### SPEAR POINT

In a spear-point blade, the top and bottom of the blade are symmetrical, and the tip is in line with the center of the blade. It may have one or both edges sharpened. It offers tactical style as well as excellent piercing.

#### TRAILING POINT

A trailing-point blade has a tip that ends above the spine of the knife. Many trailing point knives also have a deep belly curve for superior slicing, including skinning and hunting use.

#### WHARNCLIFFE

A Wharncliffe blade has a completely straight cutting edge. The spine of the blade gradually slopes down to meet the edge, forming a tip. The straight edge makes a great blade for slicing push cuts, for wood carving, general cutting, and utility work.

## **BLADE FINISHES & COATINGS**

#### **BEAD-BLASTED FINISH**

The knife blade is "blasted" or sprayed with a mixture of fine media, including glass and aluminum-oxide beads, under high speed and pressure. This smooths the blade surface and creates a soft, non-reflective, matte look. Depending on the media, this finish can produce a darker or a lighter blade color.



#### **BLACK-OXIDE COATING**

A chemical bath converts the surface of the steel to magnetite; it enhances appearance and adds some corrosion resistance.



#### BLACKWASH™ FINISH

Our BlackWash™ finish produces a vintage look like that of a well-used tool or favorite, brokenin pair of jeans. Kershaw products may have DLC BlackWash™ or black-oxide BlackWash™



#### **DLC COATING**

Diamond-Like Carbon (DLC) coating displays properties similar to those of natural diamond, including hardness, wear resistance, and reduced friction.



#### **POWDERCOAT**

The coating is applied as a fine powder and cured under heat. This creates a smooth, even, and tough coating.



#### **PVD COATING**

PVD stands for Physical Vapor Disposition. Specialized materials are vaporized via a vacuum process. Then the vaporized material is deposited as a thin layer on selected objects. In our case, it enables us to finish our blades and/or handles with a thin coating that adds color and offers excellent wear and corrosion



#### **SATIN FINISH**

A Kershaw satin finish will typically show a faint pattern of vertical lines across the blade. It is a shinier finish than bead blasting and somewhat lighter in color.



#### STONEWASHED FINISH

Blades are tumbled with ceramic "stones," which gives the blade surface a desirable roughened or scuffed look. The look can be pronounced or subtle. The finish helps hide use scratches and fingerprints.



#### TITANIUM CARBO-NITRIDE

Kershaw also uses titanium carbo-nitride to produce an attractive black or gray blade coating that increases the blade's hardness, helps maintain the edge, and increases the lifetime of the blade.



#### **TWO-TONE FINISH**

Sometimes Kershaw will combine two different blade finishes on a single blade, for example, satin finish on the blade flats and stonewash on the blade grinds.




## **BLADE STEELS**

CPM 20CV

This Crucible powdered metallurgy tool steel has a high volume of vanadium carbides for exceptional wear resistance and edge retention. The highest level of chromium of any high-vanadium steel gives it excellent corrosion resistance.





CPM S30V HRC: 59.5-61

**CPM 154** 

TOUGHNESS

TOUGHNESS:

8CR13MOV

TOUGHNESS:

EDGE RETENTION:

SHARPENING EASE:

CORROSION RESISTANCE:

EDGE RETENTION:

SHARPENING FASE:

FDGF RETENTION:

SHARPENING EASE:

SANDVIK 14C28N

excellent corrosion resistance.

Large carbides in this all-around premium knife steel make it take and hold an edge extremely well; it is also very tough and wear resistant.

HRC: 58-60

\*\*\*\*

HRC: 58-60

HRC: 57-59



This powdered metallurgy steel has a more uniform

CORROSION RESISTANCE: AAAAAAAA

This high-performance steel was developed in a


partnership between Kershaw and Sandvik Steel, Offers

CORROSION RESISTANCE:

to take and hold an edge, strength, and hardness.


edge. Also offers good corrosion resistance,


wear resistance, and toughness.











#### 8CR14MOV HRC: 58-59

The formula for this steel has additional chromium for added stain resistance. It also benefits from Kershaw's expertise in precision heat treatment.


#### HRC: 57-59

Similar to 440A stainless steel, but with a formula that has added molybdenum and vanadium to improve hardness and wear resistance.

#### 420HC HRC: 58 This modified 420 steel has higher amounts of carbon and

chromium to boost hardenability and corrosion resistance. It is an excellent everyday steel: tough, corrosion resistant, easy to sharpen, and takes a good edge.






420J HRC: 56-58

Highly stain resistant, but ductile, this steel is excellent for use where "flex" is desirable, for example, in fillet knives. TOUGHNESS:


**FDGF RETENTION:** CORROSION RESISTANCE: SHARPENING EASE: \*\*\*



#### HRC: 59-60 This "semi-stainless" tool steel is known for excellent edge

retention, wear resistance, and good toughness.





#### 65MN

A tough, durable carbon steel designed for hard-use tools such as Kershaw's Camp Series machetes.

HRC: 56

#### HRC: 54-56 A value-priced high-chromium stainless steel.

HRC: 55-57 A value-priced steel; very highly stain resistant.

ELEMENT ► STEEL <del>▼</del>	CARBON (C)	CHROMIUM (Cr)	MOLYBDE- NUM (Mo)	VANADIUM (V)	TUNGSTEN (W)	Cobalt (Co)	NICKEL (Ni)	MANGA- NESE (Mn)	SILICON (Si)	SULPHUR (S)	PHOSPHO- RUS (P)	COPPER (Cu)	NIOBIUM (Nb)	NITROGEN (N)
CPM 20CV	1.9%	20%	1%	4%	0.6%	-	-	0.3%	0.3%	-	-	-	-	-
CPM S30V	1.45%	14%	2%	4%	-	-	-	-	-	-	-	-	-	0.2%
CPM 154	1.05%	14%	4.00%	-	-	-	-	-	-	-	-	-	-	-
14C28N	0.62%	14%	0.55%	-	-	-	-	-	0.25	0.015	0.03	-	-	0.08%
8Cr13MoV	0.8%	13%	0.15%	0.1%	-	-	0.2%	0.4%	0.5%	0.01%	0.02%	-	-	-
8Cr14MoV	0.75-0.8%	13.5-14%	0.20-0.25%	0.10-0.15%	-	-	-	0.3-0.6%	0.3-0.6%	0.03%	0.035%	-	-	-
7Cr17MoV	0.6-0.75%	16-18%	0.75%	-	-	-	0.6%	1%	1%	0.03%	0.04%	-	-	-
420HC	0.46%	13%	-	0.3%	-	-	-	0.40%	0.4%	-	-	-	-	-
420J	0.4-0.5%	12-14%	0.6%	0.18%	-	-	-	0.8%	1%	0.02%	0.05%	-	-	-
D2	1.4-1.6%	11-13%	0.7-1.2%	1.1%	-	-	0.3%	0.6%	0.6%	-	-	-	-	-
65Mn	0.57-0.70%	-	-	-	-	-	-	0.6-0.9%	-	0.05%	0.04%	-	-	-
3Cr13	0.35%	13.5%	0.6%	-	-	-	0.5%	0.5%	0.8%	-	-	-	-	-
4Cr14	0.38%	13.94%	0.12%	0.08%	-	-	0.14%	0.41	0.41%	0.003%	0.02%	-	-	-

## **OPENING SYSTEMS**

#### **ASSISTED OPENING - SPEEDSAFE®**

When closed, a torsion bar in the handle creates a bias toward the closed position. When opening, the torsion bar adds to the pressure from your finger, and pushes the blade open.



A push-button lock holds the blade in place, but under pressure from a torsion spring. When the button is pressed, the released pressure opens the blade. The Kershaw Launch series features a selection of these sleek, instant-open knives.

#### MANUAL

No springs or torsion bars, these folders rely on washers for a simple, smooth pivot open. Washers are made of various materials: usually plastic or bronze.

#### MANUAL KVT BALL-BEARINGS

Relies on a ring of "caged" ball bearings that surround the knife's pivot and enable the blade to move out of the handle smoothly. KVT makes opening manual knives as smooth, easy, and often as fast as assisted opening.

#### SLIPJOINT

**OPENS WITH** 

assisted and manual folders.

found on manual folders.

**PUSH BUTTON** 

THUMB STUD

**THUMB DISK** 

of the blade.

**NAIL NICK** 

These folders usually have a detent system (a tension rod or ball and groove) that biases the blade open or closed. To open the blade, simply overcome the detent manually.

The flipper is a metal extension found at the back

of the blade near the pivot. It can be found on both

The nail nick is a groove in the top of the blade,

usually halfway down the length of the blade. It is

The push button is found in the handle of the folder

near the pivot. It is often used in automatic folders.

The thumb stud is a small stud at the top of the

blade near the pivot. It may be on one or both sides



# - **(a**







## LOCKS

#### **FRAME LOCK**

In a frame lock knife, the knife handle—its "frame"—consists of two plates of material on either side of the blade. When the knife is opened, one side of the frame butts up against the back end of the blade and prevents the blade from closing until released. The thickness of the frame material blocking the blade open makes the frame lock extremely sturdy.



#### LINER LOCK

The most common of today's blade-locking systems. The handle consists of two metal plates (the "liner") on either side of the blade. When the knife is opened, one side of the liner butts up against the back end of the blade and prevents the blade from closing until released. A secure and convenient way to make using a Kershaw folding knife even safer.



#### **INSET LINER LOCK**

The inset liner lock is a Kershaw variation on the liner lock. Kershaw insets a sturdy steel plate on the inside of the knife's handle. It is riveted into place in a custom-machined cutout on the interior of the handle. This enables us to make a knife with a slimmer profile that won't weigh your pocket down, while still providing the strength and security of a locking liner.



#### MID-LOCK

The oldest of the popular blade-locking systems, yet the principle is the same as with the others. Once the knife is opened, a steel bar locks into place behind the blade and prevents the knife from closing until released by the knife user.



#### **PUSH-BUTTON LOCK**

Like Kershaw's other locking systems, once the blade is open, a mechanism blocks the butt end of the blade and prevents it from closing accidentally. In this case, a spring-loaded lock is built into one side of the handle, and it must be depressed in order to unlock the blade.



## SLIPJOINT

A slipjoint knife has no lock. Usually there is a detent system to ensure safe use. Using a tension rod or ball and groove, the blade is biased toward the open or closed position. To close the blade, simply overcome the detent manually.



## SUB-FRAME LOCK

The patented Kershaw Sub-Frame Lock is a variation on the traditional frame lock. In this case, a piece of a lighter weight frame, like G10, is machined out, and a piece of steel is screwed into its place. This steel acts like a standard frame lock. It enables us to make a knife with a slimmer profile, while still providing the strength and security of a frame lock. (The Kershaw Sub-Frame Lock is covered under US Patent 9.120.234.)



EMERSON WAVE SHAPED FEATURE®
This is a wave-shaped hook built into the back end

of the blade, similar to the flipper.

The thumb disk is a small disk found at the top of



#### TIP-LOCK

The Tip-Lock can be found on all Leek, Scallion, and Chive SpeedSafe\* knives. It's a simple slider that, when engaged, ensures the blade will not accidentally open. It's especially helpful in cases where the knife might be juggled in a briefcase, backpack, or purse.



## **HANDLE MATERIALS**

#### ANODIZED ALUMINUM

Anodizing makes aluminum stronger and enables Kershaw to add scratch and fade resistant color to knife handles.



Carbon fiber atoms are bonded together in crystals aligned in long strands, then woven together like fibers. Combined with resin to make the fibers rigid, carbon fiber makes a knife handle material that is extremely strong and extremely lightweight.



#### COPPER

Denser and heavier than iron, this natural metal starts out reddish-orange in color, but over time will gain a patina, like a copper penny. The patina is a result of oxidation, and the colors it turns will change with time as well. Copper makes an interesting knife handle material due to the changing patina. Depending on how you handle and use it, the knife will look different throughout its life.



**POCKETCLIPS** 

#### SINGLE-POSITION

The pocketclip is mounted in a single, fixed position on the knife handle.



#### REVERSIBLE

Right-handed, tip-up or tip-down OR Right- or left-handed, tip-up



#### **3-POSITION**

Right-handed, tip-up or tip-down AND Left-handed, tip-up



#### 4-POSITION

Right-handed, tip-up or tip-down AND Left-handed, tip-up or tip-down



#### **DEEP-CARRY**

This specially designed pocketclip is positioned at the very end of the handle so that the knife can be carried deeper inside the pocket.



#### **CO-POLYMER PLASTIC**

A co-polymer is a compound of two or more different molecules, chosen for specific characteristics. The co-polymers Kershaw uses for knife handles generally have a slightly rubbery texture to improve grip security.



#### G10

An epoxy-filled woven glass fiber; it is extremely stable, unaffected by temperature changes, and makes excellent handles and handle scales for knives.



#### **GLASS-FILLED NYLON**

Nylon synthetic polymer is reinforced with glass threads for increased strength, stiffness, and dimensional stability, combined with excellent wear resistance.



#### K-TEXTURE™ GRIP

An exclusive texture and pattern used on the handles of certain Kershaw knives. K-Texture™ enhances a secure grip.



#### STAINLESS STEEL

An alloy of iron and carbon, most steel also has additional elements alloyed in it to enhance specific characteristics. As a handle material, stainless steel is strong and attractive.

additional friction for a non-slip grip.



## **TRAC-TEC INSERTS**A rough-surfaced rubber insert that provides





## **KNIFE SIZES**

#### ALPHABETICAL BY PRODUCT NAME










\*AVERAGE HUMAN HAND SIZE (ACCORDING TO NASA)

LENGTH
MALE 7.6 IN.
FEMALE 6.8 IN. BREADTH 3.5 IN. 3.1 IN. CIRCUMFERENCE 8.6 IN. 7.0 IN. \*AVERAGE POCKET SIZE, FROM A 2018 STUDY OF 80 STYLES FROM 20 POPULAR BLUE JEAN BRANDS:

HEIGHT 9.1 IN. 5.6 IN. 6.1 IN. MALE 6.4 IN.
FEMALE 6 IN.
BACK 5.3 IN.











INDEX

NUMERICAL BY PRODUCT NUMBER

MODEL	NAME	РНОТО	P.
1019	FIRE STARTER	**	60
1025	CINDER		48
1025CU	CINDER - COPPER		48
1075	DESCHUTES		53
1083	CAMP 5	_	51
1077	CAMP 10	-	53
1077TAN	CAMP 10 - TAN		53
1121	TASKMASTER SHEARS	-8	59
1140	RATION		60
1140GRN	RATION - GREEN		60
11400R	RATION - ORANGE		60
1140TEAL	RATION - TEAL		60
1145	RATION - XL		59
1145GRN	RATION XL - GREEN		59
1170	METHOD	7	39
1180	AFTEREFFECT		41
1190 NEW	KAPSULE		35
1216	SKEETERIII	-8	60
1220	REVERB		38
1225	REVERB XL		38
1230	DIODE		45
1241	12-IN. CURVED		55

1242GE	9-IN. CURVED		55
1243SH	7-IN. BONING WITH SPOON	_	55
1247	7.5-IN. FILLET		55
1249	9.5-IN. FILLET		55
1257	7-IN. FILLET		56
1258	FOLDING FILLET		56
1259	9-IN. FILLET		56
1313BLK	SPOKE		11
1319	GRINDER		11
1370	CAMSHAFT		10
1375	VALVE		11
1380	HUSKER	-	11
1385	AIRLOCK		11
1390 NEW	TREMOLO		10
1395 NEW	LIGHTYEAR		10
1397 NEW	INVERSE	•	50
1398 NEW	ARISE		50
1555TI	CRYO		31
1555BW	CRYO - BLACKWASH™		31
1555G10	CRYO G10		31
1556TI	CRYO II	-	31
1556BW	CRY0 II - BLACKWASH™		31
1557TI	FERRITE		29

1559	DECIMUS		26
1600	CHIVE		21
1600NBSW	CHIVE - NAVY BLUE, STONEWASH		21
1600PINK	CHIVE - PINK		21
1605	CLASH		33
1605ST	CLASH - SERRATED		33
1605CKTST	CLASH - BLACK, SERRATED		33
1620	SCALLION		16
1620ST	SCALLION - SERRATED	-	16
1620NB	SCALLION - NAVY BLUE		17
16200L	SCALLION - OLIVE DRAB		17
1620PUR	SCALLION - PURPLE		17
1620C	SCALLION - CAMO		17
1620SWBLK	SCALLION - BLACK		16
1660	LEEK		18
1660CAMO	LEEK - CAMO		19
1660ST	LEEK - SERRATED		18
1660BLK <b>W</b>	LEEK - BLACKWASH™		19
1660CB	LEEK - COMPOSITE BLADE		19
1660CBBW	LEEK - COMPOSITE BLADE BLACKWASH™		19
1660CF	LEEK - CARBON FIBER		19
1660CKT	LEEK-BLACK		18
1660CKTST	LEEK - BLACK, SERRATED		18

1660CU	LEEK - COPPER		18
16600L	LEEK - OLIVE DRAB		20
16600R	LEEK - ORANGE		20
1660PUR	LEEK - PURPLE		20
1660SWBLK	LEEK - BLACK, STONEWASH		20
1660TEAL	LEEK - TEAL	_entition	20
1670BLK	BLUR - BLACK		15
1670BLKST	BLUR - BLACK, SERRATED		15
1670BW	BLUR - BLACKWASH™		15
1670CAMO	BLUR-CAMO		15
1670GBBLKST	BLUR - GLASS BREAKER		15
1670NBSW	BLUR - NAVY BLUE STONEWASH		14
16700LBLK	BLUR - OLIVE/BLACK		14
1670S30V	BLUR - S30V STONEWASH		14
1670TBLKST	BLUR - TANTO BLADE, BLACK		15
1730SS	ZING - STAINLESS STEEL		32
1747BW	ION	Ommo	51
17760LSW	LINK - OLIVE STONEWASHED, CPM20CV		13
18120LCB	DIVIDEND - OLIVE COMPOSITE BLADE	Strong Co.	13
1830	OSO SWEET		29
1835TBLKST	KURO - SERRATED		25
18700LBLK	KNOCKOUT - OLIVE/BLACK		13
1881	ERIS		29

1890	LONEROCK RBK	-	53
1890RB	LONEROCK RBK BLADES		53
1920	SELECT FIRE		45
1935	FATBACK		29
1955	SHOWTIME		32
1987	RJ TACTICAL 3.0		28
1990	BRAWLER		29
2035	PARSEC	The state of the s	38
2045	DECIBEL		41
2050	MIXTAPE		40
2055	COMEBACK	-	36
2061 NEW	CANNONBALL		22
2062ST NEW	ANALYST		22
2065	GRAVEL	-	25
2070	BELIEVER		25
2075	PAYOUT		25
2076 NEW	STRATA		35
2077 NEW	STRATA XL		35
2080 NEW	TERRAN	-	23
2085 NEW	BRACE		51
2090 NEW	PLATFORM	•	45
	PLATFORM		45 35

2535	ULTRA-TEK SHARPENER	-	59
2556 NEW	TASKMASTER SAW 2		53
3410	CHILL		38
3440	INNUENDO		36
3455 NEW	BRACKET		23
3475	BOILERMAKER	-	28
3490	SEGUIN		25
3560	EMBER	-	28
3650	VOLT II		32
3650ST	VOLT II - SERRATED		32
3650CKTST	VOLT II - BLACK		32
3655	VOLTSS	-	32
3860	OBLIVION		26
3870	AMPLITUDE 2.5		26
3930	FLITCH		26
3935	FLOURISH	40	26
3960	BARSTOW	-	27
4007	SECRET AGENT	-	51
4008	DUNE		51
4036BLK	PUB - BLACK		49
4036BLU	PUB - BLUE		49
4036CF	PUB - CARBON FIBER		49
4037	ATMOS	-	39

4038	TUMBLER		36
4381	GADSDEN	-	39
4382	BRANDYWINE		39
4383	CULPEPPER		39
5500 NEW	COLLATERAL		23
5505 NEW	TURISMO		23
5510	NORAD	W	36
6030	CQC-10K		43
6031D2	CQC-11K D2		42
6034D2	CQC-6K D2	- Al	42
6034T	COC-7K	and the same of th	43
6034TRAINER	E-TRAIN	THE STATE OF THE S	43
6044TBLK	COC-8K		43
6045BLK	COC-9K		43
6054BRNBLK	сос-4к		42

6055D2	CQC-4KXL D2		42
60740LBLK	CQC-5K		42
7010	HIGHBALL		36
7020 NEW	HIGHBALL XL		35
7777	BAREKNUCKLE		40
77770LBW	BAREKNUCKLE - OLIVE, BLACKWASH™		40
8100	FUNXION EMT		45
8310	FRINGE		27
8320	OUTRIGHT		27
8650	BARRICADE		48
8655 NEW	DRIVETRAIN	•	45
8700	SHUFFLE		46
8700BLK	SHUFFLE - BLACK		46
8700LIMEBW	SHUFFLE - LIME		46
8700PURBW	SHUFFLE - PURPLE		47

700TEALBW	SHUFFLE - TEAL		47
710	ANTIC		48
720	SHUFFLE - DIY		48
750TBLKBW	SHUFFLE II - BLACK		47
750TTANBW	SHUFFLE II - TAN		47
750T0LBW	SHUFFLE II - OLIVE		47
800	PT-1		59
810	PT-2	900	59
825 EW	NACHO	7	59
EROIL	KERSHAW KNIFE OIL	i	60
MCURE	MANICURE SET	<b>2</b>	60
TOOL	K-T00L	k	60
TPTOOL	STP PIVOT TOOL		60
XTOOL	TX-T00L	11.11.2	60



Kai USA, Ltd., founded as Kershaw Knives in 1974, began with one mission: to design and manufacture tools that knife users would be proud to own, carry, and use. Today, premium materials, state-of-the-art manufacturing, extremely tight tolerances, and meticulous craftsmanship ensure that each Kershaw knife or tool provides a lifetime of performance and pride of ownership. The Kershaw brand is especially known for innovative technologies and materials, resulting in numerous industry awards. We manufacture many of our products in our 55,000 sq. ft. facility located south of Portland Oregon, in the city of Tualatin. Our campus houses a state-of-the-art manufacturing facility, our design, engineering, and manufacturing teams, as well as the customer service experts who sell and support our Kershaw brand knives and tools. Kershaw products are backed with a Limited Lifetime Warranty.

#### **AUTHORIZED DEALERS**



Want to be sure the Kershaw you're carrying is the real thing? Buy from our Authorized Dealers. Specially selected by Kershaw for their ability to professionally represent and sell our products, Authorized Dealers carry genuine Kershaw quality products and service. You can be sure your purchase is fully covered under our Limited Lifetime Warranty. Find an Authorized Dealer in your area at our website: kershawknives.com

#### LIMITED LIFETIME WARRANTY



Kershaw knives from Kai USA Ltd. carry a limited warranty for the lifetime of the original owner, except when stated otherwise. We guarantee our knives against manufacturing defects in material and construction and to perform as advertised when properly used and maintained. The Limited

Lifetime Warranty is non-transferable and does not extend to normal signs of wear, rust, damage, or breakage due to improper use, improper maintenance, accidents, loss, or theft. This warranty is void on products that have been modified in any way. Any product we determine to be defective will be repaired or replaced solely at our discretion. To receive warranty repair or replacement, the owner must send the product to be evaluated by Kai USA Warranty Services in our Tualatin, Oregon headquarters. In addition to the provisions of this warranty, the owner may also have other rights that can vary by state. The Limited Lifetime Warranty does not apply to the TX Tool, Fire Starter, or Kershaw Knife Oil. No other warranties are implied or expressed other than what is specifically stated here. Kai USA Ltd. reserves the right to determine what constitutes normal wear, improper use/maintenance, and modification.

We reserve the right to make changes to this warranty at our discretion and without notice.

For warranty information, shipping tips, and the Warranty/Repair Form required for warranty service, please visit our website: kershawknives.com

#### BLADE REPLACEMENT

If you accidentally break your Kershaw folder's blade, we can replace it for just \$10. Blades that break due to a manufacturing defect will still be replaced under warranty, free of charge. For a replacement blade, knives must be shipping to Kai USA. Please see our website for shipping and warranty service information.

#### REPLACEMENT PARTS

Some replacement parts can be shipped to you. Please see our website for an updated list of what we will ship for free.

#### VOUCHER

There may be cases when a Kershaw knife has been evaluated and is eligible for warranty service, but may not be able to be repaired or replaced. This can be true with discontinued models for which we may no longer have parts or stock. In such cases, at our discretion, we will issue a voucher for the original Manufacturer's Suggested

Retail Price. The voucher value can then be applied to the purchase of a current-model Kershaw—directly from us. If you also wish to have your original knife returned, please call our warranty team toll-free: 1-800-325-2891. We will retain the knife for 30 days from the date the voucher is issued. If it is not reclaimed by then, the knife will be recycled.

#### LIABILITY DISCLAIMER

Kershaw knives are intended and sold for legitimate everyday carry and/or sporting purposes only. The purchase, use, and ownership of knives are subject to a wide variety of federal, state, and local laws and regulations. Always comply with all laws and regulations in effect in your area. Due to the complexity and constantly changing nature of these laws and regulations, it is the responsibility of the buyer to investigate and comply with the laws and regulations that apply in his or her specific area. You, and not Kai USA Ltd., are solely responsible for any claims resulting from violation of these laws and/or regulations.

#### WARNING!

Knives are extremely sharp tools and should only be used or handled with the utmost care and caution. Any use other than cutting (such as prying or twisting) is considered misuse and abuse—and will void your warranty. Kershaw/Kai USA Ltd. is not responsible for any injuries resulting from misuse or abuse of the product.

Do not use any Kershaw knife as a throwing knife (other than the Ion 1747BW or Aethon 1748 throwing knives) or a stabbing device. Throwing knives and knives developed for stabbing have a distinctly different design and function. Kershaw knives are not intended for throwing or stabbing; they are designed for cutting purposes only.

We reserve the right to change shipping terms, specifications, materials, or discontinue products at any time, without notice.

Kershaw products are covered by one or more pending and issued U.S. patents: 4,715,121; 4,741,106; 5,802,722; 5,815,927; 6,006,385; 6,397,476; 6,388,431; 6,412,130; 6,145,202; 6,223,372; 6,338,431; 6,378,214; 6,397,476; 6,427,334; 6,591,504; 7,086,158; 7,370,421; 7,395,599; 9,120,234; D303,748; D316,802; D317,390; D321,818; D329,185; D348,818; D351,328; D365,725; D366,605; D375,243; D392,131; D410,833; D437,197; D438,085; D450,228; D454,043; D454,768; D455,062; D467,783; D474,669; D479,104; D479,114; D484,770; D488,045; D565,918; D566,222; D569,212; D570,180; D572,542; D572,562; D575,614; D576,466.

