

# kershaw®



CANADA 2023 #2





## TABLE OF CONTENTS

<b>NEW</b>	NEW PRODUCTS	2
	MANUFACTURING	4
	KERSHAW ORIGINALS	5
	STARTER	8
<b>NEW</b>	EVERYDAY CARRY - ASSISTED	12
<b>NEW</b>	EVERYDAY CARRY - MANUAL	32
	MULTI-FUNCTION	46
	FIXED BLADE	52
	OUTDOOR	56
	FISHING	58
	GEAR	60
<b>NEW</b>	BLADE STYLES, FINISHES, STEELS	68
	OPENING, LOCKS, HANDLES, POCKETCLIPS	70
	INDEX	72
	WARRANTY	75
	PROP 65 INFO	76





**NEW** LOCKING SYSTEM

# DURALOCK

Carry with confidence using Kershaw's DuraLock technology. This lock uses a solid steel crossbar that connects with the blade tang, locking the blade in place. The crossbar extends through both sides of the handle and rests between two steel liners for an ultra-secure lockup. DuraLock knives are fully ambidextrous and are safe and easy to close. Your fingers will never enter the path of the blade edge.



**COVALENT**  
2042



**MONITOR**  
2041



**IRIDIUM**  
2038



**HEIST**  
2037





**NEW** PRODUCTS

**kershaw®**

**PRODUCT RELEASE**

**2023**

**#2**



**RATE**  
1408 • P.21



**HATCH**  
2043 • P.34



**FLYBY**  
1404 • P.21



**RADAR**  
5560 • P.21



**MONITOR**  
2041 • P.33



**COVALENT**  
2042 • P.33

**WATCH FOR MORE RELEASES IN 2023**





**LATERAL**  
1645 • P.21



**LATERAL -  
BLACK SERRATED**  
1645BLKST • P.21



**SHORELINE**  
1845 • P.22



**OUTCOME**  
2044 • P.22



**CONDUIT**  
1407 • P.22



**HEIST**  
2037 • P.33



**IRIDIUM**  
2038 • P.33



**FRONTRUNNER**  
2039 • P.34



**STRATA - CLEAVER**  
2078 • P.34



**BALANZA**  
4950TR • P.36





## MANUFACTURING



Every Kershaw knife starts with American innovation, American design, and American engineering.

It comes to life with precision manufacturing and meticulous quality control—either in our Tualatin, Oregon factory, located in one of the USA's greatest centers of knife manufacturing, or in our overseas manufacturing facilities. This kind of manufacturing depth enables us to build products for every budget and meet demand throughout the US and worldwide.

While a knife may look simple, it's actually a complex piece of machinery. And when it comes to production brands like Kershaw—building a million knives each year—the complexity only gets amplified. From CNC machines, precision grinders, lasers, and a factory-full of specialized equipment to hand-assembly and sharpening by hundreds of skilled workers, what it takes to get that knife into your hands is nothing short of amazing.



Look for this icon designating knives proudly made in our Oregon USA factory.

All other Kershaw knives are proudly designed, prototyped, engineered, and quality controlled in the USA, and manufactured in China.







# AMERICAN



## QUALITY

Every Kershaw knife is manufactured to last a lifetime of quality performance. Kai USA's state-of-the-art factory pushes the latest technologies and innovations, manufacturing over one million individual knives every year. Even for models that are imported overseas, all of Kershaw's quality control is meticulously maintained in the USA. No matter what Kershaw you buy, you're guaranteed a dependable tool.

## DESIGN

Kershaw's innovative Original Designs are conceptualized by the USA design team. For other models, Kershaw collaborates with many well-known custom knifemakers. In either case, Kershaw's USA team oversees the project from the drawing board to completion.

## SERVICE

Kershaw knives are backed by a Limited Lifetime Warranty against manufacturing defects, serviced in the USA. Sharpening, parts replacement, and general customer service are also available.

## JOBS

Kershaw employs over 300 employees in the USA, stimulating Oregon's economy and providing jobs in assembly, customer service, packaging, quality control, and more.



# kershaw®

## ORIGINALS



Kershaw's in-house designs are award-winning, fan-winning, customer-winning originals. From the freshest new industry-leading designs to modern versions of classics, Kershaw Originals bring you a full range of choices. For style, innovative technology, quality materials, and plenty of value, we deliver. Whether it's your first venture into a quality pocketknife or it's time for a top-of-the-line Made in the USA automatic, you can count on Kershaw Originals to bring you the best.



Look for this icon designating  
KERSHAW ORIGINALS.

## ICONS

Find these icons on products with  
special features and materials:



Premium blade steel



Sub-Frame Lock



KVT ball-bearing  
opening



Emerson Wave  
Shaped Feature®



G10 handle scales



Sheath included



Canvas micarta  
handle scales



Composite Blade



Carbon fiber  
handle scales







"I always feel comfortable carrying my Kershaw with me. The aesthetic, comfort, color, and the variations - it's without a doubt the best on the market."

**Maycee "The Future" Barber,  
UFC Fighter**

**Kershaw**



# STARTER SECTION



This collection is sure to get your blade obsession off to a great start. You get top Kershaw technology, quality, and plenty of style in this series of pocketknives that won't break the budget.



## SALVAGE

1369  
a KERSHAW ORIGINALS design

<b>STEEL</b>	8Cr13MoV, stonewashed finish
<b>HANDLE</b>	Stainless steel, stonewashed finish, glass-filled nylon overlays
<b>BLADE</b>	2.9 in. (7.4 cm)
<b>CLOSED</b>	3.9 in. (9.9 cm)
<b>OVERALL</b>	6.8 in. (17.3 cm)
<b>WEIGHT</b>	3.4 oz. (96 g)
<b>BOX</b>	087171061559
<b>CLAM</b>	087171064390



<b>OPENING</b>	Assisted opening with flipper
<b>LOCK</b>	Frame lock
<b>POCKETCLIP</b>	Single-position deep-carry (right/left, tip-up)
<b>FEATURES</b>	Custom backspacer



## FLATBED

1376  
a KERSHAW ORIGINALS design

<b>STEEL</b>	8Cr13MoV, black-oxide BlackWash™ finish
<b>HANDLE</b>	Glass-filled nylon, steel inlay, black-oxide BlackWash™ finish
<b>BLADE</b>	3.125 in. (7.9 cm)
<b>CLOSED</b>	4.125 in. (10.5 cm)
<b>OVERALL</b>	7.25 in. (18.4 cm)
<b>WEIGHT</b>	3.2 oz. (91 g)
<b>BOX</b>	087171061986
<b>CLAM</b>	087171064406



<b>OPENING</b>	Assisted opening with flipper
<b>LOCK</b>	Liner lock
<b>POCKETCLIP</b>	Reversible deep-carry (right/left, tip-up)
<b>FEATURES</b>	Lanyard hole, custom backspacer



## JETPACK

1401  
a KERSHAW ORIGINALS design

<b>STEEL</b>	8Cr13MoV, stonewashed finish
<b>HANDLE</b>	Stainless steel, stonewashed finish, glass-filled nylon overlays
<b>BLADE</b>	2.75 in. (7 cm)
<b>CLOSED</b>	3.75 in. (9.5 cm)
<b>OVERALL</b>	6.5 in. (16.5 cm)
<b>WEIGHT</b>	2.9 oz. (82 g)
<b>BOX</b>	087171061764
<b>CLAM</b>	-



<b>OPENING</b>	Assisted opening with flipper
<b>LOCK</b>	Liner lock
<b>POCKETCLIP</b>	Reversible deep-carry (right/left, tip-up)
<b>FEATURES</b>	Lanyard hole, custom backspacer



## LIGHTYEAR

1395  
a KERSHAW ORIGINALS design

<b>STEEL</b>	5Cr15MoV, bead-blasted finish
<b>HANDLE</b>	Glass-filled nylon
<b>BLADE</b>	3.125 in. (7.9 cm)
<b>CLOSED</b>	4.125 in. (10.5 cm)
<b>OVERALL</b>	7.25 in. (18.4 cm)
<b>WEIGHT</b>	2.5 oz. (71 g)
<b>BOX</b>	087171058863
<b>CLAM</b>	087171060941



<b>OPENING</b>	Assisted opening with flipper
<b>LOCK</b>	Liner lock
<b>POCKETCLIP</b>	Reversible deep-carry (right/left, tip-up)
<b>FEATURES</b>	Lanyard hole



## TREMOLO

1390  
a KERSHAW ORIGINALS design

<b>STEEL</b>	4Cr14, stonewashed finish
<b>HANDLE</b>	Glass-filled nylon
<b>BLADE</b>	3.125 in. (7.9 cm)
<b>CLOSED</b>	4.125 in. (10.5 cm)
<b>OVERALL</b>	7.25 in. (18.4 cm)
<b>WEIGHT</b>	2.8 oz. (79 g)
<b>BOX</b>	087171060934
<b>CLAM</b>	087171062488



<b>OPENING</b>	Assisted opening with flipper
<b>LOCK</b>	Liner lock
<b>POCKETCLIP</b>	Reversible deep-carry (right/left, tip-up)
<b>FEATURES</b>	Steel handle inlays





## STARTER

1301BW  
a KERSHAW ORIGINALS design



**STEEL** 4Cr14, black-oxide BlackWash™ finish  
**HANDLE** Stainless steel, black-oxide BlackWash™ finish  
**BLADE** 3.4 in. (8.6 cm)  
**CLOSED** 4.5 in. (11.4 cm)  
**OVERALL** 7.9 in. (20.1 cm)  
**WEIGHT** 6.4 oz. (183 g)  
**BOX** 087171037646  
**CLAM** 087171037653

**OPENING** Assisted opening with flipper or thumb stud  
**LOCK** Liner lock  
**POCKETCLIP** Single-position deep-carry (right, tip-down)  
**FEATURES** Lanyard hole



## LIFTER

1302BW  
a KERSHAW ORIGINALS design



**STEEL** 4Cr14, black-oxide BlackWash™ finish  
**HANDLE** Stainless steel, black-oxide BlackWash™ finish  
**BLADE** 3.5 in. (8.9 cm)  
**CLOSED** 4.5 in. (11.4 cm)  
**OVERALL** 7.9 in. (20.1 cm)  
**WEIGHT** 5.8 oz. (167 g)  
**BOX** 087171037660  
**CLAM** 087171037677

**OPENING** Assisted opening with flipper or thumb stud  
**LOCK** Frame lock  
**POCKETCLIP** Single-position deep-carry (right, tip-down)  
**FEATURES** Lanyard hole



## CAMSHAFT

1370  
a KERSHAW ORIGINALS design



**STEEL** 4Cr14, stonewashed finish  
**HANDLE** Glass-filled nylon  
**BLADE** 3 in. (7.6 cm)  
**CLOSED** 4.25 in. (10.8 cm)  
**OVERALL** 7.25 in. (18.4 cm)  
**WEIGHT** 3.1 oz. (90 g)  
**BOX** 087171057637  
**CLAM** 087171060453

**OPENING** Assisted opening with flipper  
**LOCK** Liner lock  
**POCKETCLIP** Reversible deep-carry (right/left, tip-up)  
**FEATURES** Lanyard hole, decorative pivot cap, custom backspacer



## AIRLOCK

1385  
a KERSHAW ORIGINALS design



**STEEL** 5Cr15MoV, bead-blasted finish  
**HANDLE** Glass-filled nylon  
**BLADE** 3 in. (7.6 cm)  
**CLOSED** 4.25 in. (10.8 cm)  
**OVERALL** 7.25 in. (18.5 cm)  
**WEIGHT** 2.9 oz. (84 g)  
**BOX** 087171058405  
**CLAM** 087171059044

**OPENING** Assisted opening with flipper  
**LOCK** Inset liner lock  
**POCKETCLIP** Reversible (right/left, tip-up)  
**FEATURES** Lanyard hole, weight-relieving handle window, decorative pivot cap





## MISDIRECT

1365  
a KERSHAW ORIGINALS design



**STEEL** 4Cr14, black-oxide BlackWash™ finish  
**HANDLE** Stainless steel, bead-blasted finish  
**BLADE** 2.9 in. (7.6 cm)  
**CLOSED** 4 in. (10.1 cm)  
**OVERALL** 6.8 in. (17.5 cm)  
**WEIGHT** 3.2 oz. (93 g)  
**BOX** 087171055169  
**CLAM** 087171055688

**OPENING** Assisted opening with flipper  
**LOCK** Frame lock  
**POCKETCLIP** 3-position (right/left, tip up; right, tip-down)  
**FEATURES** Lanyard hole




## SPOKE

1313BLK  
a KERSHAW ORIGINALS design



**STEEL** 8Cr13MoV, black-oxide coating  
**HANDLE** Stainless steel, black-oxide coating  
**BLADE** 2 in. (5.1 cm)  
**CLOSED** 2.8 in. (7.1 cm)  
**OVERALL** 4.75 in. (12.1 cm)  
**WEIGHT** 3.1 oz. (88 g)  
**BOX** 087171044446  
**CLAM** -

**OPENING** Assisted opening with flipper  
**LOCK** Liner lock  
**POCKETCLIP** Reversible deep-carry (right/left, tip-up)




## GRINDER

1319  
a KERSHAW ORIGINALS design



**STEEL** 4Cr14, bead-blasted finish  
**HANDLE** Glass-filled nylon  
**BLADE** 3.25 in. (8.3 cm)  
**CLOSED** 4.5 in. (11.4 cm)  
**OVERALL** 7.75 in. (19.7 cm)  
**WEIGHT** 4.5 oz. (128 g)  
**BOX** 087171044736  
**CLAM** 087171045771

**OPENING** Assisted opening with flipper  
**LOCK** Liner lock  
**POCKETCLIP** Reversible deep-carry (right/left, tip-down)



## VALVE

1375  
a KERSHAW ORIGINALS design



**STEEL** 4Cr14, stonewashed finish  
**HANDLE** Stainless steel, bead-blasted finish  
**BLADE** 2.25 in. (5.7 cm)  
**CLOSED** 3.25 in. (8.3 cm)  
**OVERALL** 5.5 in. (14 cm)  
**WEIGHT** 3 oz. (85 g)  
**BOX** 087171057910  
**CLAM** 087171059532

**OPENING** Assisted opening with flipper  
**LOCK** Frame lock  
**POCKETCLIP** Single-position deep-carry (right, tip-up)  
**FEATURES** Black-oxide pivot cap, bead-blasted steel pocketclip, glass-filled nylon backspacer



## CATHODE

1324  
a KERSHAW ORIGINALS design



**STEEL** 4Cr14, stonewashed finish  
**HANDLE** Stainless steel, hot-stamped texture  
**BLADE** 2.25 in. (5.7 cm)  
**CLOSED** 3.25 in. (8.3 cm)  
**OVERALL** 5.5 in. (14 cm)  
**WEIGHT** 2.7 oz. (77 g)  
**BOX** 087171044903  
**CLAM** 087171044910

**OPENING** Assisted opening with flipper  
**LOCK** Frame lock  
**POCKETCLIP** Reversible (right/left, tip-up)





# EDC-ASSISTED SECTION

Kershaw's assisted opening knives are ultra-fast and ultra-reliable. When closed, a torsion bar in the handle creates a bias toward the closed position. To open the knife, apply manual pressure to the thumb stud or flipper to overcome the torsion bar's resistance and open the knife.





## LINK - OLIVE SW, CPM 20CV

1776OLSW  
a KERSHAW ORIGINALS design

<b>STEEL</b>	CPM 20CV, stonewashed finish
<b>HANDLE</b>	6061-T6 aluminum, olive anodized
<b>BLADE</b>	3.25 in. (8.4 cm)
<b>CLOSED</b>	4.4 in. (11.2 cm)
<b>OVERALL</b>	7.6 in. (19.3 cm)
<b>WEIGHT</b>	4.7 oz. (134 g)
<b>BOX</b>	087171058474
<b>CLAM</b>	-



<b>OPENING</b>	Assisted opening with flipper
<b>LOCK</b>	Liner lock
<b>POCKETCLIP</b>	Reversible deep-carry (right/left, tip-up)
<b>FEATURES</b>	Lanyard hole



## DIVIDEND - COMPOSITE

1812OLCB  
a KERSHAW ORIGINALS design

<b>STEEL</b>	D2, N690, bead-blasted finish
<b>HANDLE</b>	6061-T6 aluminum, olive anodized
<b>BLADE</b>	3 in. (7.6 cm)
<b>CLOSED</b>	4.25 in. (10.8 cm)
<b>OVERALL</b>	7.25 in. (18.5 cm)
<b>WEIGHT</b>	2.8 oz. (82 g)
<b>BOX</b>	087171058481
<b>CLAM</b>	-



<b>OPENING</b>	Assisted opening with flipper
<b>LOCK</b>	Liner lock
<b>POCKETCLIP</b>	4-position deep-carry (right/left; tip-up/down)
<b>FEATURES</b>	Lanyard hole



## BLUR - BLACK

1670BLKST - 1670BLK  
a KEN ONION design

<b>STEEL</b>	14C28N, black Cerakote coating
<b>HANDLE</b>	6061-T6 aluminum, black anodized, Trac-Tec inserts
<b>BLADE</b>	3.4 in. (8.6 cm)
<b>CLOSED</b>	4.5 in. (11.4 cm)
<b>OVERALL</b>	7.9 in. (20 cm)
<b>WEIGHT</b>	3.9 oz. (111 g)
<b>BOX</b>	087171167107 serrated 087171167008 plain
<b>CLAM</b>	087171167114 serrated



<b>OPENING</b>	Assisted opening with thumb stud
<b>LOCK</b>	Inset liner lock
<b>POCKETCLIP</b>	Reversible (right, tip-up/down)
<b>FEATURES</b>	Lanyard hole



## BLUR - S30V STONEWASH

1670S30V  
a KEN ONION design

<b>STEEL</b>	CPM S30V, stonewashed finish
<b>HANDLE</b>	6061-T6 aluminum, black anodized, Trac-Tec inserts
<b>BLADE</b>	3.4 in. (8.6 cm)
<b>CLOSED</b>	4.5 in. (11.4 cm)
<b>OVERALL</b>	7.9 in. (20 cm)
<b>WEIGHT</b>	4 oz. (113 g)
<b>BOX</b>	087171167275
<b>CLAM</b>	-



<b>OPENING</b>	Assisted opening with thumb stud
<b>LOCK</b>	Inset liner lock
<b>POCKETCLIP</b>	Reversible (right, tip-up/down)
<b>FEATURES</b>	Lanyard hole



## BLUR - BLACKWASH™

1670BW  
a KEN ONION design

<b>STEEL</b>	14C28N, black-oxide BlackWash™ coating
<b>HANDLE</b>	6061-T6 aluminum, black anodized, Trac-Tec inserts
<b>BLADE</b>	3.4 in. (8.6 cm)
<b>CLOSED</b>	4.5 in. (11.4 cm)
<b>OVERALL</b>	7.9 in. (20 cm)
<b>WEIGHT</b>	3.9 oz. (111 g)
<b>BOX</b>	087171036335
<b>CLAM</b>	-



<b>OPENING</b>	Assisted opening with thumb stud
<b>LOCK</b>	Inset liner lock
<b>POCKETCLIP</b>	Reversible (right, tip-up/down)
<b>FEATURES</b>	Lanyard hole





**BLUR - NAVY BLUE STONEWASH**1670NBSW  
a KEN ONION design

**STEEL** 14C28N, stonewashed finish  
**HANDLE** 6061-T6 aluminum, blue anodized, Trac-Tec inserts  
**BLADE** 3.4 in. (8.6 cm)  
**CLOSED** 4.5 in. (11.4 cm)  
**OVERALL** 7.9 in. (20 cm)  
**WEIGHT** 3.9 oz. (111 g)  
**BOX** 087171039473  
**CLAM** -



**OPENING** Assisted opening with thumb stud  
**LOCK** Inset liner lock  
**POCKETCLIP** Reversible (right, tip-up/down)  
**FEATURES** Lanyard hole

**BLUR - OLIVE/BLACK**1670OLBLK  
a KEN ONION design

**STEEL** 14C28N, black Cerakote coating  
**HANDLE** 6061-T6 aluminum, olive anodized, Trac-Tec inserts  
**BLADE** 3.4 in. (8.6 cm)  
**CLOSED** 4.5 in. (11.4 cm)  
**OVERALL** 7.9 in. (20 cm)  
**WEIGHT** 3.9 oz. (111 g)  
**BOX** 087171031644  
**CLAM** -



**OPENING** Assisted opening with thumb stud  
**LOCK** Inset liner lock  
**POCKETCLIP** Reversible (right, tip-up/down)  
**FEATURES** Lanyard hole

**BLUR - GLASS BREAKER**1670GBBLKST  
a KEN ONION design

**STEEL** 14C28N, black Cerakote coating  
**HANDLE** 6061-T6 aluminum, black anodized, Trac-Tec inserts  
**BLADE** 3.4 in. (8.6 cm)  
**CLOSED** 4.5 in. (11.4 cm)  
**OVERALL** 7.9 in. (20 cm)  
**WEIGHT** 3.9 oz. (111 g)  
**BOX** 087171033761  
**CLAM** -



**OPENING** Assisted opening with thumb stud  
**LOCK** Inset liner lock  
**POCKETCLIP** Reversible (right, tip-up/down)  
**FEATURES** Carbide glassbreaker tip, lanyard hole

**BLUR - TANTO BLACK**1670TBLKST  
a KEN ONION design

**STEEL** 14C28N, black Cerakote coating  
**HANDLE** 6061-T6 aluminum, black anodized, Trac-Tec inserts  
**BLADE** 3.4 in. (8.6 cm)  
**CLOSED** 4.5 in. (11.4 cm)  
**OVERALL** 7.9 in. (20 cm)  
**WEIGHT** 3.9 oz. (111 g)  
**BOX** 087171167602  
**CLAM** 087171167336



**OPENING** Assisted opening with thumb stud  
**LOCK** Inset liner lock  
**POCKETCLIP** Reversible (right, tip-up/down)  
**FEATURES** Lanyard hole

**LEEK**1660ST • 1660  
a KEN ONION design

**STEEL** 14C28N, bead-blasted finish  
**HANDLE** 410 stainless steel, bead-blasted finish  
**BLADE** 3 in. (7.6 cm)  
**CLOSED** 4 in. (10.2 cm)  
**OVERALL** 7 in. (17.9 cm)  
**WEIGHT** 3 oz. (85 g)  
**BOX** 087171166100 serrated  
 087171166001 plain  
**CLAM** 087171166117 serrated  
 087171166018 plain



**OPENING** Assisted opening with flipper  
**LOCK** Frame lock with Tip-Lock Slider  
**POCKETCLIP** Reversible (right, tip-up/down)  
**FEATURES** Lanyard hole





## LEEK - BLACK

1660CKTST • 1660CKT  
a KEN ONION design



**STEEL** 14C28N, black Cerakote coating  
**HANDLE** 410 stainless steel, black Cerakote coating  
**BLADE** 3 in. (7.6 cm)  
**CLOSED** 4 in. (10.2 cm)  
**OVERALL** 7 in. (17.9 cm)  
**WEIGHT** 3 oz. (85 g)  
**BOX** 087171166148 serrated  
087171166049 plain  
**CLAM** 087171166216 plain

**OPENING** Assisted opening with flipper  
**LOCK** Frame lock with Tip-Lock Slider  
**POCKETCLIP** Reversible (right, tip-up/down)  
**FEATURES** Lanyard hole



1660CKT



1660CKTST


## LEEK - COMPOSITE BLACKWASH™

1660CBBW  
a KEN ONION design



**STEEL** D2/14C28N Composite, black-oxide BlackWash™ finish  
**HANDLE** 410 stainless steel, black-oxide BlackWash™ finish  
**BLADE** 3 in. (7.6 cm)  
**CLOSED** 4 in. (10.2 cm)  
**OVERALL** 7 in. (17.9 cm)  
**WEIGHT** 3.1 oz. (88 g)  
**BOX** 087171038254  
**CLAM** -

**OPENING** Assisted opening with flipper  
**LOCK** Frame lock with Tip-Lock Slider  
**POCKETCLIP** Reversible (right, tip-up/down)  
**FEATURES** Lanyard hole




## LEEK - COMPOSITE

1660CB  
a KEN ONION design



**STEEL** D2/14C28N Composite, bead-blasted finish  
**HANDLE** 410 stainless steel, bead-blasted finish  
**BLADE** 3 in. (7.6 cm)  
**CLOSED** 4 in. (10.2 cm)  
**OVERALL** 7 in. (17.9 cm)  
**WEIGHT** 3.1 oz. (88 g)  
**BOX** 087171166155  
**CLAM** -

**OPENING** Assisted opening with flipper  
**LOCK** Frame lock with Tip-Lock Slider  
**POCKETCLIP** Reversible (right, tip-up/down)  
**FEATURES** Lanyard hole




## LEEK - BLACK STONEWASH

1660SWBLK  
a KEN ONION design



**STEEL** 14C28N, stonewashed finish  
**HANDLE** 6061-T6 aluminum, black anodized  
**BLADE** 3 in. (7.6 cm)  
**CLOSED** 4 in. (10.2 cm)  
**OVERALL** 7 in. (17.9 cm)  
**WEIGHT** 2.4 oz. (68 g)  
**BOX** 087171035079  
**CLAM** -

**OPENING** Assisted opening with flipper  
**LOCK** Liner lock with Tip-Lock Slider  
**POCKETCLIP** Reversible (right, tip-up/down)  
**FEATURES** Lanyard hole



## LEEK - BLACKWASH™

1660BLKW  
a KEN ONION design



**STEEL** 14C28N, black-oxide BlackWash™ finish  
**HANDLE** 410 stainless steel, black-oxide BlackWash™ finish  
**BLADE** 3 in. (7.6 cm)  
**CLOSED** 4 in. (10.2 cm)  
**OVERALL** 7 in. (17.9 cm)  
**WEIGHT** 3 oz. (85 g)  
**BOX** 087171038049  
**CLAM** 087171166490

**OPENING** Assisted opening with flipper  
**LOCK** Frame lock with Tip-Lock Slider  
**POCKETCLIP** Reversible (right, tip-up/down)  
**FEATURES** Lanyard hole









## LEEK - COPPER

1660CU  
a KEN ONION design



**STEEL** CPM 154, stonewashed finish  
**HANDLE** Copper, brushed satin finish  
**BLADE** 3 in. (7.6 cm)  
**CLOSED** 4 in. (10.2 cm)  
**OVERALL** 7 in. (17.9 cm)  
**WEIGHT** 4 oz. (115 g)  
**BOX** 087171058078  
**CLAM** -

**OPENING** Assisted opening with flipper  
**LOCK** Liner lock with Tip-Lock Slider  
**POCKETCLIP** Reversible (right, tip-up/down)  
**FEATURES** Lanyard hole



## RANDOM LEEK - BLACKWASH™

1660RBW  
a KEN ONION design



**STEEL** 14C28N, black-oxide BlackWash™ finish  
**HANDLE** 410 stainless steel, black-oxide BlackWash™ finish  
**BLADE** 3 in. (7.6 cm)  
**CLOSED** 4 in. (10.2 cm)  
**OVERALL** 7 in. (17.9 cm)  
**WEIGHT** 2.9 oz. (82 g)  
**BOX** 087171060965  
**CLAM** -

**OPENING** Assisted opening with flipper  
**LOCK** Frame lock with Tip-Lock Slider  
**POCKETCLIP** Reversible (right, tip-up/down)  
**FEATURES** Reverse tanto blade, lanyard hole



## RANDOM LEEK

1660R  
a KEN ONION design



**STEEL** 14C28N, bead-blasted finish  
**HANDLE** 410 stainless steel, bead-blasted finish  
**BLADE** 3 in. (7.6 cm)  
**CLOSED** 4 in. (10.2 cm)  
**OVERALL** 7 in. (17.9 cm)  
**WEIGHT** 2.9 oz. (82 g)  
**BOX** 087171060958  
**CLAM** -

**OPENING** Assisted opening with flipper  
**LOCK** Frame lock with Tip-Lock Slider  
**POCKETCLIP** Reversible (right, tip-up/down)  
**FEATURES** Reverse tanto blade, lanyard hole



## LEEK - CARBON FIBER

1660CF  
a KEN ONION design



**STEEL** CPM 154, stonewashed finish  
**HANDLE** Carbon fiber  
**BLADE** 3 in. (7.6 cm)  
**CLOSED** 4 in. (10.2 cm)  
**OVERALL** 7 in. (17.9 cm)  
**WEIGHT** 2.4 oz. (69 g)  
**BOX** 087171048550  
**CLAM** 087171050324

**OPENING** Assisted opening with flipper  
**LOCK** Liner lock with Tip-Lock Slider  
**POCKETCLIP** Reversible (right, tip-up/down)  
**FEATURES** Lanyard hole




## LEEK - OLIVE

1660OL  
a KEN ONION design



**STEEL** 14C28N, bead-blasted finish  
**HANDLE** 6061-T6 aluminum, olive anodized  
**BLADE** 3 in. (7.6 cm)  
**CLOSED** 4 in. (10.2 cm)  
**OVERALL** 7 in. (17.9 cm)  
**WEIGHT** 2.4 oz. (68 g)  
**BOX** 087171035116  
**CLAM** 087171035123

**OPENING** Assisted opening with flipper  
**LOCK** Liner lock with Tip-Lock Slider  
**POCKETCLIP** Reversible (right, tip-up/down)  
**FEATURES** Lanyard hole





**LEEK - TEAL**1660TEAL  
a KEN UNION design

**STEEL** 14C28N, bead-blasted finish  
**HANDLE** 6061-T6 aluminum, teal anodized  
**BLADE** 3 in. (7.6 cm)  
**CLOSED** 4 in. (10.2 cm)  
**OVERALL** 7 in. (17.9 cm)  
**WEIGHT** 2.4 oz. (68 g)  
**BOX** 087171037561  
**CLAM** -

**OPENING** Assisted opening with flipper  
**LOCK** Liner lock with Tip-Lock Slider  
**POCKETCLIP** Reversible (right, tip-up/down)  
**FEATURES** Lanyard hole

**LEEK - ORANGE**1660OR  
a KEN UNION design

**STEEL** 14C28N, bead-blasted finish  
**HANDLE** 6061-T6 aluminum, orange anodized  
**BLADE** 3 in. (7.6 cm)  
**CLOSED** 4 in. (10.2 cm)  
**OVERALL** 7 in. (17.9 cm)  
**WEIGHT** 2.4 oz. (68 g)  
**BOX** 087171035130  
**CLAM** 087171035147

**OPENING** Assisted opening with flipper  
**LOCK** Liner lock with Tip-Lock Slider  
**POCKETCLIP** Reversible (right, tip-up/down)  
**FEATURES** Lanyard hole

**LEEK - PURPLE**1660PUR  
a KEN UNION design

**STEEL** 14C28N, bead-blasted finish  
**HANDLE** 6061-T6 aluminum, purple anodized  
**BLADE** 3 in. (7.6 cm)  
**CLOSED** 4 in. (10.2 cm)  
**OVERALL** 7 in. (17.9 cm)  
**WEIGHT** 2.4 oz. (68 g)  
**BOX** 087171035093  
**CLAM** -

**OPENING** Assisted opening with flipper  
**LOCK** Liner lock with Tip-Lock Slider  
**POCKETCLIP** Reversible (right, tip-up/down)  
**FEATURES** Lanyard hole

**SCALLION**1620ST • 1620  
a KEN UNION design

**STEEL** 420HC, bead-blasted finish  
**HANDLE** Glass-filled nylon  
**BLADE** 2.4 in. (6.1 cm)  
**CLOSED** 3.5 in. (8.9 cm)  
**OVERALL** 5.75 in. (14.6 cm)  
**WEIGHT** 2.3 oz. (65 g)  
**BOX** 087171162102 serrated  
 087171162003 plain  
**CLAM** 087171162010 plain

**OPENING** Assisted opening with flipper  
**LOCK** Liner lock with Tip-Lock Slider  
**POCKETCLIP** Single-position (right, tip-down)  
**FEATURES** Lanyard hole

**SCALLION - FRAME LOCK**1620FL  
a KEN UNION design

**STEEL** 420HC, bead-blasted finish  
**HANDLE** 410 stainless steel, bead-blasted finish  
**BLADE** 2.4 in. (6.1 cm)  
**CLOSED** 3.5 in. (8.9 cm)  
**OVERALL** 5.75 in. (14.6 cm)  
**WEIGHT** 2.9 oz. (82 g)  
**BOX** 087171162201  
**CLAM** 087171162225

**OPENING** Assisted opening with flipper  
**LOCK** Frame lock with Tip-Lock Slider  
**POCKETCLIP** Single-position (right, tip-down)  
**FEATURES** Lanyard hole






## SCALLION - PURPLE

1620PUR  
a KEN ONION design



**STEEL** 420HC, bead-blasted finish  
**HANDLE** 6061-T6 aluminum, purple anodized  
**BLADE** 2.4 in. (6.1 cm)  
**CLOSED** 3.5 in. (8.9 cm)  
**OVERALL** 5.75 in. (14.6 cm)  
**WEIGHT** 2.5 oz. (71 g)  
**BOX** 087171035154  
**CLAM** 087171035161

**OPENING** Assisted opening with flipper  
**LOCK** Liner lock with Tip-Lock Slider  
**POCKETCLIP** Single-position (right, tip-down)  
**FEATURES** Lanyard hole



## SCALLION - OLIVE DRAB

1620OL  
a KEN ONION design



**STEEL** 420HC, bead-blasted finish  
**HANDLE** 6061-T6 aluminum, olive anodized  
**BLADE** 2.4 in. (6.1 cm)  
**CLOSED** 3.5 in. (8.9 cm)  
**OVERALL** 5.75 in. (14.6 cm)  
**WEIGHT** 2.5 oz. (71 g)  
**BOX** 087171035192  
**CLAM** 087171035208

**OPENING** Assisted opening with flipper  
**LOCK** Liner lock with Tip-Lock Slider  
**POCKETCLIP** Single-position (right, tip-down)  
**FEATURES** Lanyard hole



## SCALLION - NAVY BLUE

1620NB  
a KEN ONION design



**STEEL** 420HC, bead-blasted finish  
**HANDLE** 6061-T6 aluminum, navy blue anodized  
**BLADE** 2.4 in. (6.1 cm)  
**CLOSED** 3.5 in. (8.9 cm)  
**OVERALL** 5.75 in. (14.6 cm)  
**WEIGHT** 2.5 oz. (71 g)  
**BOX** 087171035178  
**CLAM** 087171035185

**OPENING** Assisted opening with flipper  
**LOCK** Liner lock with Tip-Lock Slider  
**POCKETCLIP** Single-position (right, tip-down)  
**FEATURES** Lanyard hole



## CHIVE

1600  
a KEN ONION design



**STEEL** 420HC, bead-blasted finish  
**HANDLE** 410 stainless steel, bead-blasted finish  
**BLADE** 1.9 in. (4.8 cm)  
**CLOSED** 2.9 in. (7.4 cm)  
**OVERALL** 4.8 in. (12.2 cm)  
**WEIGHT** 1.7 oz. (48 g)  
**BOX** 087171160009  
**CLAM** 087171160016

**OPENING** Assisted opening with flipper  
**LOCK** Frame lock with Tip-Lock Slider  
**POCKETCLIP** Single-position (right, tip-down)  
**FEATURES** Lanyard hole





## CHIVE - PINK

1600PINK  
a KEN ONION design



**STEEL** 420HC, bead-blasted finish  
**HANDLE** 6061-T6 aluminum, pink anodized  
**BLADE** 1.9 in. (4.8 cm)  
**CLOSED** 2.9 in. (7.4 cm)  
**OVERALL** 4.8 in. (12.2 cm)  
**WEIGHT** 1.5 oz. (43 g)  
**BOX** 087171160276  
**CLAM** -

**OPENING** Assisted opening with flipper  
**LOCK** Liner lock with Tip-Lock Slider  
**POCKETCLIP** Single-position (right, tip-down)  
**FEATURES** Lanyard hole









**NEW**

## RATE

1408  
a KERSHAW ORIGINALS design

**STEEL** 8Cr13MoV, stonewashed finish  
**HANDLE** Stainless steel, bead-blasted finish  
**BLADE** 1.85 in. (4.7 cm)  
**CLOSED** 3 in. (7.6 cm)  
**OVERALL** 4.85 in. (12.3 cm)  
**WEIGHT** 2.5 oz. (71 g)  
**BOX** 087171064789  
**CLAM** -



**OPENING** Assisted opening with flipper  
**LOCK** Frame lock  
**POCKETCLIP** Reversible deep-carry pocketclip (right/left, tip-up)  
**FEATURES** Lanyard hole, custom backspacer

**NEW**

## FLYBY

1404  
a KERSHAW ORIGINALS design

**STEEL** D2, black-oxide BlackWash™ finish  
**HANDLE** Stainless steel, gray PVD coating  
**BLADE** 3 in. (7.6 cm)  
**CLOSED** 4.1 in. (10.4 cm)  
**OVERALL** 7.1 in. (18 cm)  
**WEIGHT** 3.4 oz. (96 g)  
**BOX** 087171064352  
**CLAM** 087171065342



**OPENING** Assisted opening with flipper  
**LOCK** Frame lock  
**POCKETCLIP** Single-position deep-carry (right, tip-up)  
**FEATURES** Custom backspacer

**NEW**

## RADAR

5560  
a KERSHAW ORIGINALS design

**STEEL** 8Cr13MoV, black-oxide BlackWash™ finish  
**HANDLE** Stainless steel, black-oxide BlackWash™ finish  
**BLADE** 2.9 in. (7.4 cm)  
**CLOSED** 3.8 in. (9.7 cm)  
**OVERALL** 6.7 in. (17 cm)  
**WEIGHT** 3.3 oz. (94 g)  
**BOX** 087171064512  
**CLAM** -



**OPENING** Assisted opening with flipper  
**LOCK** Frame lock  
**POCKETCLIP** 4-position deep-carry (right/left, tip-up/down)  
**FEATURES** Lanyard hole

**NEW**

## LATERAL

1645  
a KERSHAW ORIGINALS design

**STEEL** 8Cr13MoV, stonewashed finish  
**HANDLE** Glass-filled nylon  
**BLADE** 3.1 in. (7.9 cm)  
**CLOSED** 4.3 in. (10.9 cm)  
**OVERALL** 7.4 in. (18.8 cm)  
**WEIGHT** 3.2 oz. (91 g)  
**BOX** 087171064048  
**CLAM** 087171065144



**OPENING** Assisted opening with flipper  
**LOCK** Liner lock  
**POCKETCLIP** Reversible extra-deep-carry (right/left, tip-up)  
**FEATURES** Lanyard hole, custom backspacer

**NEW**

## LATERAL - BLACK SERRATED

1645BLKST  
a KERSHAW ORIGINALS design

**STEEL** 8Cr13MoV, black-oxide coating  
**HANDLE** Glass-filled nylon  
**BLADE** 3.1 in. (7.9 cm)  
**CLOSED** 4.3 in. (10.9 cm)  
**OVERALL** 7.4 in. (18.8 cm)  
**WEIGHT** 3.2 oz. (91 g)  
**BOX** 087171064055  
**CLAM** -



**OPENING** Assisted opening with flipper  
**LOCK** Liner lock  
**POCKETCLIP** Reversible extra-deep-carry (right/left, tip-up)  
**FEATURES** Lanyard hole, custom backspacer



NEW

## OUTCOME

2044

a KERSHAW ORIGINALS design

<b>STEEL</b>	8Cr13MoV, stonewashed finish
<b>HANDLE</b>	Stainless steel, bead-blasted finish
<b>BLADE</b>	2.8 in. (7.1 cm)
<b>CLOSED</b>	3.9 in. (9.9 cm)
<b>OVERALL</b>	6.7 in. (17 cm)
<b>WEIGHT</b>	3.4 oz. (96 g)
<b>BOX</b>	087171064543
<b>CLAM</b>	087171065113



<b>OPENING</b>	Assisted opening with flipper
<b>LOCK</b>	Frame lock
<b>POCKETCLIP</b>	Reversible deep-carry (right/left, tip-up)
<b>FEATURES</b>	Custom backspacer



NEW

## CONDUIT

1407

a KERSHAW ORIGINALS design

<b>STEEL</b>	8Cr13MoV, black-oxide coating
<b>HANDLE</b>	Glass-filled nylon
<b>BLADE</b>	2.9 in. (7.4 cm)
<b>CLOSED</b>	3.9 in. (9.9 cm)
<b>OVERALL</b>	6.8 in. (17.3 cm)
<b>WEIGHT</b>	2.6 oz. (74 g)
<b>BOX</b>	087171064420
<b>CLAM</b>	087171065120



<b>OPENING</b>	Assisted opening with flipper
<b>LOCK</b>	Liner lock
<b>POCKETCLIP</b>	Reversible deep-carry (right/left, tip-up)
<b>FEATURES</b>	Lanyard hole



NEW

## SHORELINE

1845

a KERSHAW ORIGINALS design

<b>STEEL</b>	8Cr13MoV, stonewashed finish
<b>HANDLE</b>	Glass-filled nylon
<b>BLADE</b>	3 in. (7.6 cm)
<b>CLOSED</b>	4.1 in. (10.4 cm)
<b>OVERALL</b>	7.1 in. (18 cm)
<b>WEIGHT</b>	2.6 oz. (74 g)
<b>BOX</b>	087171064062
<b>CLAM</b>	087171065090



<b>OPENING</b>	Assisted opening with flipper
<b>LOCK</b>	Liner lock
<b>POCKETCLIP</b>	Reversible deep-carry (right/left, tip-up)
<b>FEATURES</b>	Lanyard hole, custom backspacer



## LUCID

2036

a KERSHAW ORIGINALS design

<b>STEEL</b>	8Cr13MoV, stonewashed finish
<b>HANDLE</b>	Glass-filled nylon front, stainless steel back, stonewashed finish
<b>BLADE</b>	3.2 in. (8.1 cm)
<b>CLOSED</b>	4.2 in. (10.7 cm)
<b>OVERALL</b>	7.4 in. (18.8 cm)
<b>WEIGHT</b>	4.3 oz. (122 g)
<b>BOX</b>	087171063683
<b>CLAM</b>	-



<b>OPENING</b>	Assisted opening with flipper
<b>LOCK</b>	Frame lock
<b>POCKETCLIP</b>	Reversible deep-carry (right/left, tip-up)
<b>FEATURES</b>	Decorative pivot and pivot collar, custom backspacer, back handle inlay



## LITHIUM

2049

a KERSHAW ORIGINALS design

<b>STEEL</b>	8Cr13MoV, bead-blasted finish
<b>HANDLE</b>	Stainless steel, bead-blasted finish, glass-filled nylon
<b>BLADE</b>	3.25 in. (8.3 cm)
<b>CLOSED</b>	4.25 in. (10.8 cm)
<b>OVERALL</b>	7.5 in. (19.1 cm)
<b>WEIGHT</b>	3.4 oz. (96 g)
<b>BOX</b>	087171062082
<b>CLAM</b>	087171063935



<b>OPENING</b>	Assisted opening with flipper
<b>LOCK</b>	Frame lock
<b>POCKETCLIP</b>	Reversible deep-carry (right/left, tip-up)
<b>FEATURES</b>	Split-material handle









## CANNONBALL

2061

a KERSHAW ORIGINALS design



<b>STEEL</b>	D2, black-oxide BlackWash™ finish
<b>HANDLE</b>	Stainless steel, gray PVD coating
<b>BLADE</b>	3.5 in. (8.9 cm)
<b>CLOSED</b>	4.5 in. (11.4 cm)
<b>OVERALL</b>	8 in. (20.3 cm)
<b>WEIGHT</b>	5.4 oz. (153 g)
<b>BOX</b>	087171060163
<b>CLAM</b>	-

<b>OPENING</b>	Assisted opening with flipper
<b>LOCK</b>	Frame lock
<b>POCKETCLIP</b>	Reversible deep-carry (right/left, tip-up)
<b>FEATURES</b>	Decorative pivot cap, custom backspacer, lanyard hole



## ANALYST

2062ST

a KERSHAW ORIGINALS design



<b>STEEL</b>	8Cr13MoV, black-oxide BlackWash™ finish
<b>HANDLE</b>	Glass filled nylon
<b>BLADE</b>	3.25 in. (8.3 cm)
<b>CLOSED</b>	4.25 in. (10.8 cm)
<b>OVERALL</b>	7.5 in. (19 cm)
<b>WEIGHT</b>	3.5 oz. (142 g)
<b>BOX</b>	087171060699
<b>CLAM</b>	0871710624951390

<b>OPENING</b>	Assisted opening with flipper
<b>LOCK</b>	Liner lock
<b>POCKETCLIP</b>	4-position deep-carry (right/left; tip-up/down)
<b>FEATURES</b>	Lanyard hole, blade serrations



## COLLATERAL


5500

a KERSHAW ORIGINALS design



<b>STEEL</b>	D2, satin finish with sanded flats
<b>HANDLE</b>	Stainless steel, titanium carbo-nitride finish, with carbon fiber insert
<b>BLADE</b>	3.4 in. (8.6 cm)
<b>CLOSED</b>	4.6 in. (11.7 cm)
<b>OVERALL</b>	8 in. (20.3 cm)
<b>WEIGHT</b>	4.3 oz. (122 g)
<b>BOX</b>	087171054773
<b>CLAM</b>	-

<b>OPENING</b>	Assisted opening with bronze phosphor washers and small hidden flipper
<b>LOCK</b>	Frame lock
<b>POCKETCLIP</b>	Reversible (right/left, tip-up)
<b>FEATURES</b>	Custom backspacer



## TURISMO

5505

a KERSHAW ORIGINALS design



<b>STEEL</b>	D2, satin finish with sanded flats
<b>HANDLE</b>	Stainless steel, black PVD coating
<b>BLADE</b>	2.9 in. (7.3 cm)
<b>CLOSED</b>	3.9 in. (10 cm)
<b>OVERALL</b>	6.75 in. (17.1 cm)
<b>WEIGHT</b>	3.3 oz. (94 g)
<b>BOX</b>	087171054780
<b>CLAM</b>	-

<b>OPENING</b>	Assisted opening with bronze phosphor washers and small hidden flipper
<b>LOCK</b>	Frame lock
<b>POCKETCLIP</b>	Reversible deep-carry (right/left, tip-up)
<b>FEATURES</b>	Custom backspacer



## OUTLIER

2064

a KERSHAW ORIGINALS design



<b>STEEL</b>	8Cr13MoV, black-oxide BlackWash™ finish
<b>HANDLE</b>	Glass-filled nylon, G10 texture
<b>BLADE</b>	2.6 in. (6.6 cm)
<b>CLOSED</b>	5 in. (12.7 cm)
<b>OVERALL</b>	7 in. (17.8 cm)
<b>WEIGHT</b>	3.6 oz. (102 g)
<b>BOX</b>	087171063188
<b>OPENING</b>	Assisted opening with flipper or thumb stud
<b>LOCK</b>	Liner lock

<b>POCKETCLIP</b>	Reversible deep-carry (right/left, tip-up)
<b>FEATURES</b>	Karambit-style blade; steel finger ring





## BRACKET

3455  
a KERSHAW ORIGINALS design



**STEEL** 8Cr13MoV, stonewashed finish  
**HANDLE** Glass-filled nylon front, stainless steel back, stonewashed finish  
**BLADE** 3.4 in. (8.6 cm)  
**CLOSED** 4.4 in. (11.2 cm)  
**OVERALL** 7.75 in. (19.7 cm)  
**WEIGHT** 4.3 oz. (122 g)  
**BOX** 087171060392  
**CLAM** 087171062549

**OPENING** Assisted opening with flipper  
**LOCK** Frame Lock  
**POCKETCLIP** Reversible deep-carry (right/left, tip-up)  
**FEATURES** Lanyard hole




## PAYOUT

2075  
a KERSHAW ORIGINALS design



**STEEL** D2, stonewashed finish  
**HANDLE** Stainless steel, stonewashed finish, with G10 handle scale  
**BLADE** 3.5 in. (8.9 cm)  
**CLOSED** 4.9 in. (12.6 cm)  
**OVERALL** 8.3 in. (21.3 cm)  
**WEIGHT** 5.3 oz. (150 g)  
**BOX** 087171058085  
**CLAM** -

**OPENING** Assisted opening with flipper  
**LOCK** Frame lock  
**POCKETCLIP** Single-position extra-deep-carry (right, tip-up)  
**FEATURES** Bronze anodized pivot ring, lanyard hole



## GRAVEL

2065  
a KERSHAW ORIGINALS design



**STEEL** 8Cr13MoV, black-oxide BlackWash™ finish  
**HANDLE** Stainless steel, black-oxide BlackWash™ finish  
**BLADE** 2.5 in. (6.4 cm)  
**CLOSED** 3.5 in. (8.9 cm)  
**OVERALL** 5.9 in. (15.2 cm)  
**WEIGHT** 2.7 oz. (78 g)  
**BOX** 087171056487  
**CLAM** 087171056494

**OPENING** Assisted opening with flipper  
**LOCK** Frame lock  
**POCKETCLIP** Reversible deep-carry (right/left, tip-up)



## KURO - SERRATED

1835TBLKST  
a KERSHAW ORIGINALS design



**STEEL** 8Cr13MoV, black-oxide coating  
**HANDLE** Glass-filled nylon  
**BLADE** 3.1 in. (7.9 cm)  
**CLOSED** 4.1 in. (10.5 cm)  
**OVERALL** 7.25 in. (18.4 cm)  
**WEIGHT** 3.2 oz. (90 g)  
**BOX** 087171033747  
**CLAM** -

**OPENING** Assisted opening with flipper  
**LOCK** Liner lock  
**POCKETCLIP** 3-position (right/left, tip-up; right, tip-down)  
**FEATURES** Lanyard hole



## BRAWLER

1990  
a KERSHAW ORIGINALS design



**STEEL** 8Cr13MoV, black-oxide coating  
**HANDLE** Glass-filled nylon  
**BLADE** 3 in. (7.6 cm)  
**CLOSED** 4.1 in. (10.5 cm)  
**OVERALL** 7.1 in. (18 cm)  
**WEIGHT** 3.9 oz. (111 g)  
**BOX** 087171033044  
**CLAM** 087171033075

**OPENING** Assisted opening with flipper  
**LOCK** Liner lock  
**POCKETCLIP** 4-position (right/left, tip-up/down)





**OBLIVION**


3860

a KERSHAW ORIGINALS design

<b>STEEL</b>	8Cr13MoV, stonewashed finish
<b>HANDLE</b>	Stainless steel, bead-blasted & stonewashed finish, glass-filled nylon inserts
<b>BLADE</b>	3.5 in. (9 cm)
<b>CLOSED</b>	4.6 in. (11.8 cm)
<b>OVERALL</b>	8.1 in. (20.6 cm)
<b>WEIGHT</b>	5.1 oz. (146 g)
<b>BOX</b>	087171054841
<b>CLAM</b>	-



<b>OPENING</b>	Assisted opening with flipper
<b>LOCK</b>	Frame lock, lockbar-overtravel stop
<b>POCKETCLIP</b>	Reversible deep-carry pocketclip (right/left, tip-up)
<b>FEATURES</b>	Decorative pivot cap, lanyard hole

**FRINGE**

8310

a KERSHAW ORIGINALS design

<b>STEEL</b>	8Cr13MoV, titanium carbo-nitride coating
<b>HANDLE</b>	Stainless steel, titanium carbo-nitride coating, carbon fiber inlay front
<b>BLADE</b>	3 in. (7.6 cm)
<b>CLOSED</b>	4.1 in. (10.5 cm)
<b>OVERALL</b>	7 in. (17.8 cm)
<b>WEIGHT</b>	3.5 oz. (101 g)
<b>BOX</b>	087171052281
<b>CLAM</b>	087171052786



<b>OPENING</b>	Assisted opening with flipper or thumb stud
<b>LOCK</b>	Frame lock
<b>POCKETCLIP</b>	Single-position deep-carry (right, tip-down)
<b>FEATURES</b>	Lanyard hole

**FATBACK**

1935

a KERSHAW ORIGINALS design

<b>STEEL</b>	8Cr13MoV, black-oxide coating
<b>HANDLE</b>	Glass-filled nylon
<b>BLADE</b>	3.5 in. (8.9 cm)
<b>CLOSED</b>	4.25 in. (10.8 cm)
<b>OVERALL</b>	7.75 in. (19.7 cm)
<b>WEIGHT</b>	3.6 oz. (102 g)
<b>BOX</b>	087171046105
<b>CLAM</b>	087171045740



<b>OPENING</b>	Assisted opening with flipper
<b>LOCK</b>	Liner lock
<b>POCKETCLIP</b>	4-position deep-carry (right/left, tip-up/down)

**OUTRIGHT**

8320

a KERSHAW ORIGINALS design

<b>STEEL</b>	8Cr13MoV, blue PVD coating
<b>HANDLE</b>	Stainless steel, blue PVD coating, G10 overlay front
<b>BLADE</b>	3 in. (7.6 cm)
<b>CLOSED</b>	4.4 in. (11.1 cm)
<b>OVERALL</b>	7.1 in. (18.1 cm)
<b>WEIGHT</b>	4 oz. (114 g)
<b>BOX</b>	087171052298
<b>CLAM</b>	-



<b>OPENING</b>	Assisted opening with flipper or thumb stud
<b>LOCK</b>	Frame lock
<b>POCKETCLIP</b>	Single-position deep-carry (right, tip-down)

**OUTRIGHT - BLACK**

8320BLK

a KERSHAW ORIGINALS design

<b>STEEL</b>	8Cr13MoV, black PVD coating
<b>HANDLE</b>	Stainless steel, black PVD coating, G10 overlay front
<b>BLADE</b>	3 in. (7.6 cm)
<b>CLOSED</b>	4.4 in. (11.1 cm)
<b>OVERALL</b>	7.1 in. (18.1 cm)
<b>WEIGHT</b>	4 oz. (114 g)
<b>BOX</b>	087171061061
<b>CLAM</b>	-



<b>OPENING</b>	Assisted opening with flipper or thumb stud
<b>LOCK</b>	Frame lock
<b>POCKETCLIP</b>	Single-position deep-carry (right, tip-down)



## GRID

2200  
a KERSHAW ORIGINALS design



**STEEL** 8Cr13MoV, black-oxide coating  
**HANDLE** Stainless steel, titanium carbo-nitride coating  
**BLADE** 3.7 in. (9.4 cm)  
**CLOSED** 4.5 in. (11.4 cm)  
**OVERALL** 8.4 in. (21.3 cm)  
**WEIGHT** 5.3 oz. (150 g)  
**BOX** 087171040912  
**CLAM** 087171045597

**OPENING** Assisted opening with flipper or thumb stud  
**LOCK** Frame lock  
**POCKETCLIP** Reversible (right/left, tip-up)



## ERIS

1881  
a KERSHAW ORIGINALS design



**STEEL** 8Cr13MoV, stonewashed finish with satin flats  
**HANDLE** Stainless steel, titanium carbo-nitride coating  
**BLADE** 3 in. (7.6 cm)  
**CLOSED** 4.1 in. (10.4 cm)  
**OVERALL** 7.2 in. (18.1 cm)  
**WEIGHT** 4.7 oz. (133 g)  
**BOX** 087171047737  
**CLAM** -

**OPENING** Assisted opening with flipper  
**LOCK** Frame lock  
**POCKETCLIP** Reversible (right/left, tip-up)  
**FEATURES** Lanyard hole



## FLOURISH

3935  
a KERSHAW ORIGINALS design



**STEEL** 8Cr13MoV, black-oxide BlackWash™ finish with satin flats  
**HANDLE** G10 with carbon fiber overlay  
**BLADE** 3.5 in. (8.9 cm)  
**CLOSED** 5 in. (12.7 cm)  
**OVERALL** 8.5 in. (21.6 cm)  
**WEIGHT** 5.3 oz. (150 g)  
**BOX** 087171048512  
**CLAM** -

**OPENING** Assisted opening with flipper  
**LOCK** Liner lock  
**POCKETCLIP** Reversible (right/left, tip-up)  
**FEATURES** Lanyard hole




## FLITCH

3930  
a KERSHAW ORIGINALS design



**STEEL** 8Cr13MoV, stonewashed finish  
**HANDLE** Glass-filled nylon  
**BLADE** 3.25 in. (8.3 cm)  
**CLOSED** 4.6 in. (11.7 cm)  
**OVERALL** 7.75 in. (19.7 cm)  
**WEIGHT** 4.7 oz. (133 g)  
**BOX** 087171048505  
**CLAM** -

**OPENING** Assisted opening with flipper  
**LOCK** Liner lock  
**POCKETCLIP** Reversible deep-carry (right/left, tip-up)



## BARSTOW

3960  
a KERSHAW ORIGINALS design



**STEEL** 8Cr13MoV, black-oxide BlackWash™ finish  
**HANDLE** Glass-filled nylon  
**BLADE** 3 in. (7.6 cm)  
**CLOSED** 4 in. (10.1 cm)  
**OVERALL** 7 in. (17.7 cm)  
**WEIGHT** 3.4 oz. (98 g)  
**BOX** 087171048628  
**CLAM** 087171050454

**OPENING** Assisted opening with flipper  
**LOCK** Liner lock  
**POCKETCLIP** Reversible deep-carry (right/left, tip-up)  
**FEATURES** Single-edge sharpened, anodized aluminum accents









## CRYO II

1556T1  
a RICK HINDERER design

**STEEL** 8Cr13MoV, titanium carbo-nitride coating  
**HANDLE** 410 stainless steel, titanium carbo-nitride coating  
**BLADE** 3.25 in. (8.3 cm)  
**CLOSED** 4.4 in. (11.2 cm)  
**OVERALL** 7.75 in. (19.7 cm)  
**WEIGHT** 5.5 oz. (156 g)  
**BOX** 087171034706  
**CLAM** 087171034713

**OPENING** Assisted opening with flipper or thumb stud  
**LOCK** Frame lock with lockbar stabilizer  
**POCKETCLIP** 4-position deep-carry (right/left, tip-up/down)  
**FEATURES** Lanyard hole



## CRYO II - BLACKWASH™

1556BW  
a RICK HINDERER design

**STEEL** 8Cr13MoV, black-oxide BlackWash™ finish  
**HANDLE** 410 stainless steel, black-oxide BlackWash™ finish  
**BLADE** 3.25 in. (8.3 cm)  
**CLOSED** 4.4 in. (11.2 cm)  
**OVERALL** 7.75 in. (19.7 cm)  
**WEIGHT** 5.5 oz. (156 g)  
**BOX** 087171036236  
**CLAM** -

**OPENING** Assisted opening with flipper or thumb stud  
**LOCK** Frame lock with lockbar stabilizer  
**POCKETCLIP** 4-position deep-carry (right/left, tip-up/down)  
**FEATURES** Lanyard hole



## CRYO

1555T1  
a RICK HINDERER design

**STEEL** 8Cr13MoV, titanium carbo-nitride coating  
**HANDLE** 410 stainless steel, titanium carbo-nitride coating  
**BLADE** 2.75 in. (7 cm)  
**CLOSED** 3.75 in. (9.5 cm)  
**OVERALL** 6.5 in. (16.5 cm)  
**WEIGHT** 4.1 oz. (116 g)  
**BOX** 087171033686  
**CLAM** 087171033693

**OPENING** Assisted opening with flipper or thumb stud  
**LOCK** Frame lock with lockbar stabilizer  
**POCKETCLIP** 4-position deep-carry (right/left, tip-up/down)  
**FEATURES** Lanyard hole



## CRYO - BLACKWASH™

1555BW  
a RICK HINDERER design

**STEEL** 8Cr13MoV, black-oxide BlackWash™ finish  
**HANDLE** 410 stainless steel, black-oxide BlackWash™ finish  
**BLADE** 2.75 in. (7 cm)  
**CLOSED** 3.75 in. (9.5 cm)  
**OVERALL** 6.5 in. (16.5 cm)  
**WEIGHT** 4.1 oz. (116 g)  
**BOX** 087171037530  
**CLAM** 087171036830

**OPENING** Assisted opening with flipper or thumb stud  
**LOCK** Frame lock with lockbar stabilizer  
**POCKETCLIP** 4-position deep-carry (right/left, tip-up/down)  
**FEATURES** Lanyard hole



## CRYO - G10

1555G10  
a RICK HINDERER design

**STEEL** 8Cr13MoV, stonewashed finish  
**HANDLE** G10 front, stainless steel back, stonewashed finish  
**BLADE** 2.75 in. (7 cm)  
**CLOSED** 3.75 in. (9.5 cm)  
**OVERALL** 6.5 in. (16.5 cm)  
**WEIGHT** 3.7 oz. (105 g)  
**BOX** 087171036731  
**CLAM** 087171036748

**OPENING** Assisted opening with flipper or thumb stud  
**LOCK** Frame lock with lockbar stabilizer  
**POCKETCLIP** 4-position deep-carry (right/left, tip-up/down)  
**FEATURES** Lanyard hole





## DECIMUS

1559

a RICK HINDERER design

<b>STEEL</b>	8Cr13MoV, black-oxide BlackWash™ finish
<b>HANDLE</b>	Stainless steel with stonewashed finish, glass-filled nylon overlay
<b>BLADE</b>	3.25 in. (8.3 cm)
<b>CLOSED</b>	4.25 in. (10.8 cm)
<b>OVERALL</b>	7.5 in. (19.1 cm)
<b>WEIGHT</b>	4.3 oz. (123 g)
<b>BOX</b>	087171052380
<b>CLAM</b>	-

<b>OPENING</b>	Assisted opening with flipper
<b>LOCK</b>	Frame lock
<b>POCKETCLIP</b>	Reversible (right/left, tip-up)
<b>FEATURES</b>	Single-edge sharpened



## CLASH

1605

a KEN ONION design

<b>STEEL</b>	8Cr13MoV, bead-blasted finish
<b>HANDLE</b>	Glass-filled nylon
<b>BLADE</b>	3.1 in. (7.9 cm)
<b>CLOSED</b>	4.25 in. (10.7 cm)
<b>OVERALL</b>	7.4 in. (18.7 cm)
<b>WEIGHT</b>	4.3 oz. (122 g)
<b>BOX</b>	087171031132 serrated 087171031125 plain
<b>CLAM</b>	087171031378 serrated 087171031309 plain

<b>OPENING</b>	Assisted opening with flipper
<b>LOCK</b>	Liner lock
<b>POCKETCLIP</b>	Reversible (right, tip-up/down)



## CLASH - BLACK, SERRATED

1605CKTST

a KEN ONION design

<b>STEEL</b>	8Cr13MoV, black-oxide coating
<b>HANDLE</b>	Glass-filled nylon
<b>BLADE</b>	3.1 in. (7.9 cm)
<b>CLOSED</b>	4.25 in. (10.7 cm)
<b>OVERALL</b>	7.4 in. (18.7 cm)
<b>WEIGHT</b>	4.3 oz. (122 g)
<b>BOX</b>	087171031491
<b>CLAM</b>	-

<b>OPENING</b>	Assisted opening with flipper
<b>LOCK</b>	Liner lock
<b>POCKETCLIP</b>	Reversible (right, tip-up/down)



## OSO SWEET

1830

a KEN ONION design

<b>STEEL</b>	8Cr13MoV, satin finish
<b>HANDLE</b>	Glass-filled nylon
<b>BLADE</b>	3 in. (7.6 cm)
<b>CLOSED</b>	4.1 in. (10.5 cm)
<b>OVERALL</b>	7.1 in. (18 cm)
<b>WEIGHT</b>	2.8 oz. (80 g)
<b>BOX</b>	087171183008
<b>CLAM</b>	087171183015

<b>OPENING</b>	Assisted opening with flipper
<b>LOCK</b>	Liner lock
<b>POCKETCLIP</b>	Reversible (right, tip-up/tip-down)
<b>FEATURES</b>	Lanyard hole



## VOLT II

3650ST • 3650  
an RJ MARTIN design

<b>STEEL</b>	8Cr13MoV, bead-blasted finish
<b>HANDLE</b>	Glass-filled nylon
<b>BLADE</b>	3.25 in. (8.3 cm)
<b>CLOSED</b>	3.9 in. (9.8 cm)
<b>OVERALL</b>	7.1 in. (18 cm)
<b>WEIGHT</b>	3.3 oz. (94 g)
<b>BOX</b>	087171031088 serrated 087171031071 plain
<b>CLAM</b>	087171031385 serrated 087171031361 plain



3650ST



3650

<b>OPENING</b>	Assisted opening with flipper
<b>LOCK</b>	Liner lock
<b>POCKETCLIP</b>	Reversible (right, tip-up/down)
<b>FEATURES</b>	Lanyard hole

## VOLT II - BLACK, SERRATED

3650CKTST  
an RJ MARTIN design

<b>STEEL</b>	8Cr13MoV, black-oxide coating
<b>HANDLE</b>	Glass-filled nylon
<b>BLADE</b>	3.25 in. (8.3 cm)
<b>CLOSED</b>	3.9 in. (9.8 cm)
<b>OVERALL</b>	7.1 in. (18 cm)
<b>WEIGHT</b>	3.3 oz. (94 g)
<b>BOX</b>	087171031477
<b>CLAM</b>	087171031620




<b>OPENING</b>	Assisted opening with flipper
<b>LOCK</b>	Liner lock
<b>POCKETCLIP</b>	Reversible (right, tip-up/down)
<b>FEATURES</b>	Lanyard hole

## VOLT SS

3655  
an RJ MARTIN design

<b>STEEL</b>	8Cr13MoV, bead-blasted finish
<b>HANDLE</b>	Stainless steel, bead-blasted finish
<b>BLADE</b>	3.5 in. (8.9 cm)
<b>CLOSED</b>	4.25 in. (10.8 cm)
<b>OVERALL</b>	7.75 in. (19.7 cm)
<b>WEIGHT</b>	4.3 oz. (122 g)
<b>BOX</b>	087171033785
<b>CLAM</b>	087171033792



<b>OPENING</b>	Assisted opening with flipper
<b>LOCK</b>	Frame lock
<b>POCKETCLIP</b>	3-position (right/left, tip-up; right, tip-down)
<b>FEATURES</b>	Lanyard hole

## ZING SS

1730SS  
an RJ MARTIN design

<b>STEEL</b>	8Cr13MoV, bead-blasted finish
<b>HANDLE</b>	410 stainless steel, bead-blasted finish
<b>BLADE</b>	3 in. (7.6 cm)
<b>CLOSED</b>	3.9 in. (9.8 cm)
<b>OVERALL</b>	6.9 in. (17.5 cm)
<b>WEIGHT</b>	3.3 oz. (94 g)
<b>BOX</b>	087171033518
<b>CLAM</b>	087171033525



<b>OPENING</b>	Assisted opening with flipper or thumb stud
<b>LOCK</b>	Frame lock
<b>POCKETCLIP</b>	3-position (right/left, tip-up; right, tip-down)
<b>FEATURES</b>	Lanyard hole

## AMPLITUDE 2.5

3870  
a TODD REXFORD design

<b>STEEL</b>	8Cr13MoV, satin finish
<b>HANDLE</b>	Stainless steel, titanium carbo-nitride coating
<b>BLADE</b>	2.5 in. (6.4 cm)
<b>CLOSED</b>	3.5 in. (8.9 cm)
<b>OVERALL</b>	6 in. (15.2 cm)
<b>WEIGHT</b>	2.6 oz. (74 g)
<b>BOX</b>	087171036816
<b>CLAM</b>	087171036823



<b>OPENING</b>	Assisted opening with flipper
<b>LOCK</b>	Frame lock
<b>POCKETCLIP</b>	Reversible (right/left, tip-up)



# EDC-MANUAL SECTION

Manual-opening knives can be opened with a thumb stud, flipper, sliding button, or hollow in the blade. Some also feature our KVT ball-bearing opening that enables the blade to move out of the handle smoothly when you pull back on the flipper. KVT makes opening manual knives as easy as assisted.



NEW

# DURALOCK

**DuraLock** technology is a strong, safe, and easy-to-use crossbar lock. The solid steel crossbar connects with the blade tang and securely locks the blade in place. Pull back on the ambidextrous lock to safely close the blade.

NEW

## MONITOR

2041  
a KERSHAW ORIGINALS design

**STEEL** D2, black-oxide coating  
**HANDLE** Glass-filled nylon  
**BLADE** 3 in. (7.6 cm)  
**CLOSED** 4.2 in. (10.7 cm)  
**OVERALL** 7.2 in. (18.3 cm)  
**WEIGHT** 2.7 oz. (77 g)  
**BOX** 087171063980  
**CLAM** -



**OPENING** Manual KVT ball-bearing opening with flipper  
**LOCK** DuraLock  
**POCKETCLIP** Reversible extra-deep-carry (right/left, tip-up)  
**FEATURES** Custom pivot, custom backspacer, lanyard hole



NEW

## COVALENT

2042  
a KERSHAW ORIGINALS design

**STEEL** D2, black-oxide BlackWash™ finish  
**HANDLE** Glass-filled nylon  
**BLADE** 3.2 in. (8.1 cm)  
**CLOSED** 4.4 in. (11.2 cm)  
**OVERALL** 7.6 in. (19.3 cm)  
**WEIGHT** 2.8 oz. (79 g)  
**BOX** 087171063997  
**CLAM** 087171065373



**OPENING** Manual KVT ball-bearing opening with flipper  
**LOCK** DuraLock  
**POCKETCLIP** Reversible extra-deep-carry (right/left, tip-up)  
**FEATURES** Custom pivot, custom backspacer, lanyard hole



NEW

## HEIST

2037  
a KERSHAW ORIGINALS design

**STEEL** D2, stonewashed finish  
**HANDLE** Glass-filled nylon  
**BLADE** 3.2 in. (8.1 cm)  
**CLOSED** 4.4 in. (11.2 cm)  
**OVERALL** 7.6 in. (19.3 cm)  
**WEIGHT** 2.8 oz. (79 g)  
**BOX** 087171063966  
**CLAM** 087171065359



**OPENING** Manual opening with thumb stud  
**LOCK** DuraLock  
**POCKETCLIP** Reversible deep-carry (right/left, tip-up)  
**FEATURES** Custom pivot, custom backspacer, lanyard hole



NEW

## IRIDIUM

2038  
a KERSHAW ORIGINALS design

**STEEL** D2, stonewashed finish with satin grinds  
**HANDLE** 6061-T6 aluminum, gray anodized  
**BLADE** 3.4 in. (8.6 cm)  
**CLOSED** 4.5 in. (11.4 cm)  
**OVERALL** 7.9 in. (20 cm)  
**WEIGHT** 3.3 oz. (94 g)  
**BOX** 087171063973  
**CLAM** 087171065366



**OPENING** Manual KVT ball-bearing opening with thumb stud  
**LOCK** DuraLock  
**POCKETCLIP** Reversible deep-carry (right/left, tip-up)  
**FEATURES** Custom pivot, bronze-anodized backspacer and lanyard hole





**NEW****HATCH**

2043

a KERSHAW ORIGINALS design



<b>STEEL</b>	D2, stonewashed finish, satin grinds
<b>HANDLE</b>	Glass-filled nylon
<b>BLADE</b>	3.15 in. (8 cm)
<b>CLOSED</b>	4.2 in. (10.7 cm)
<b>OVERALL</b>	7.35 in. (18.7 cm)
<b>WEIGHT</b>	2.6 oz. (74 g)
<b>BOX</b>	087171064376
<b>CLAM</b>	-

<b>OPENING</b>	Manual opening with thumb stud
<b>LOCK</b>	Mid-lock
<b>POCKETCLIP</b>	Reversible deep-carry (right/left, tip-up)

**CARGO**

2033

a KERSHAW ORIGINALS design



<b>STEEL</b>	D2, stonewashed finish
<b>HANDLE</b>	Glass-filled nylon
<b>BLADE</b>	3.2 in. (8.1 cm)
<b>CLOSED</b>	4.3 in. (10.9 cm)
<b>OVERALL</b>	7.5 in. (19.1 cm)
<b>WEIGHT</b>	2.3 oz. (65 g)
<b>BOX</b>	087171063225
<b>CLAM</b>	-

<b>OPENING</b>	Manual opening with thumb stud
<b>LOCK</b>	Mid-lock
<b>POCKETCLIP</b>	Reversible deep-carry (right/left, tip-up)

**DEBRIS**

2034

a KERSHAW ORIGINALS design



<b>STEEL</b>	D2, stonewashed finish
<b>HANDLE</b>	Glass-filled nylon
<b>BLADE</b>	2.75 in. (7 cm)
<b>CLOSED</b>	3.75 in. (9.5 cm)
<b>OVERALL</b>	6.5 in. (16.5 cm)
<b>WEIGHT</b>	2 oz. (57 g)
<b>BOX</b>	087171063232
<b>CLAM</b>	-

<b>OPENING</b>	Manual opening with thumb stud
<b>LOCK</b>	Mid-lock
<b>POCKETCLIP</b>	Reversible deep-carry (right/left, tip-up)

**NEW****FRONTRUNNER**

2039

a KERSHAW ORIGINALS design



<b>STEEL</b>	D2, stonewashed finish
<b>HANDLE</b>	Stainless steel, stonewashed finish with gray PVD coating, bronze PVD coating, G10
<b>BLADE</b>	2.9 in. (7.4 cm)
<b>CLOSED</b>	4.3 in. (10.9 cm)
<b>OVERALL</b>	7.2 in. (18.3 cm)
<b>WEIGHT</b>	4.1 oz. (116 g)
<b>BOX</b>	087171063959
<b>CLAM</b>	-

<b>OPENING</b>	Manual KVT ball-bearing opening with flipper
<b>LOCK</b>	Frame lock
<b>POCKETCLIP</b>	Single-position deep-carry (right, tip-up)
<b>FEATURES</b>	Single tube spacer works as lanyard pin

**NEW****STRATA-CLEAVER**

2078

a KERSHAW ORIGINALS design



<b>STEEL</b>	D2, stonewashed finish
<b>HANDLE</b>	G10 front, stainless steel back, bead-blasted finish
<b>BLADE</b>	4 in. (10.2 cm)
<b>CLOSED</b>	5.3 in. (13.5 cm)
<b>OVERALL</b>	9.3 in. (23.6 cm)
<b>WEIGHT</b>	4 oz. (113 g)
<b>BOX</b>	087171063928
<b>CLAM</b>	-

<b>OPENING</b>	Manual KVT ball-bearing opening with flipper
<b>LOCK</b>	Frame lock
<b>POCKETCLIP</b>	Single-position extra-deep-carry (right, tip-up)
<b>FEATURES</b>	Bronze PVD coated decorative pivot ring and tube spacers









## STRATA

2076

a KERSHAW ORIGINALS design



**STEEL** D2, bead-blasted finish  
**HANDLE** G10 front, stainless steel back, bead-blasted finish  
**BLADE** 4.5 in. (11.4 cm)  
**CLOSED** 5.4 in. (13.7 cm)  
**OVERALL** 9.9 in. (25.1 cm)  
**WEIGHT** 3.7 oz. (105 g)  
**BOX** 087171060651  
**CLAM** -



**OPENING** Manual KVT ball-bearing opening with flipper  
**LOCK** Frame lock  
**POCKETCLIP** Single-position extra-deep-carry (right, tip-up)  
**FEATURES** Copper anodized decorative pivot cap and tube spacers



## INTERSTELLAR

1195

a KERSHAW ORIGINALS design



**STEEL** 8Cr13MoV, black-oxide BlackWash™ finish  
**HANDLE** Glass-filled nylon  
**BLADE** 2.7 in. (6.9 cm)  
**CLOSED** 4.25 in. (10.8 cm)  
**OVERALL** 6.9 in. (17.5 cm)  
**WEIGHT** 3.1 oz. (88 g)  
**BOX** 087171062341  
**CLAM** -



**OPENING** Manual with sliding button  
**LOCK** Sliding button lock  
**POCKETCLIP** Single-position deep-carry (right, tip-up)  
**FEATURES** Partially serrated blade, backspacer with integrated bottle opener



## FEDERALIST

4320


a KERSHAW ORIGINALS design



**STEEL** CPM 154, stonewashed finish  
**HANDLE** Canvas micarta handle, stonewashed finish  
**BLADE** 3.25 in. (8.3 cm)  
**CLOSED** 4.25 in. (10.8 cm)  
**OVERALL** 7.5 in. (19.1 cm)  
**WEIGHT** 2.1 oz. (60 g)  
**BOX** 087171062099  
**CLAM** -



**OPENING** Manual double detent slippoint with nail nick  
**LOCK** Slipjoint  
**FEATURES** Decorative pivot cap, lanyard hole



## LUCHA - TRAINER

5150TR

a KERSHAW ORIGINALS design



**STEEL** 14C28N, stonewashed finish  
**HANDLE** Stainless steel, bead-blasted finish  
**BLADE** 4.6 in. (11.7 cm) unsharpened  
**CLOSED** 5.8 in. (15 cm)  
**OVERALL** 10.25 in. (26 cm)  
**WEIGHT** 6 oz. (170 g)  
**BOX** 087171060187



**OPENING** Dual KVT ball-bearing opening  
**LOCK** Latch  
**FEATURES** Unsharpened blade, rounded tip, latch, steel internal stop pins



NEW


## BALANZA

4950TR

a KERSHAW ORIGINALS design



**STEEL** Stainless steel, black-oxide BlackWash™ finish  
**HANDLE** Stainless steel, black-oxide BlackWash™ finish  
**BLADE** 4.3 in. (10.9 cm)  
**CLOSED** 5.6 in. (14.2 cm)  
**OVERALL** 9.6 in. (24.4 cm)  
**WEIGHT** 4.8 oz. (136 g)  
**BOX** 087171064000  
**CLAM** -



**OPENING** Dual KVT ball-bearing opening  
**LOCK** Latch  
**FEATURES** Unsharpened blade, rounded tip, latch, steel internal stop pins











## INCEPTION

2031  
a KERSHAW ORIGINALS design

**STEEL** D2, stonewashed finish  
**HANDLE** G10  
**BLADE** 3.25 in. (8.3 cm)  
**CLOSED** 4 in. (10.2 cm)  
**OVERALL** 7.25 in. (18.4 cm)  
**WEIGHT** 3.1 oz. (88 g)  
**BOX** 087171062112  
**CLAM** -

**OPENING** Manual KVT ball-bearing opening with flipper  
**LOCK** Liner lock  
**POCKETCLIP** Reversible deep-carry (right/left, tip-up)  
**FEATURES** Decorative pivot cap, lanyard hole



## ENDGAME

2095  
a KERSHAW ORIGINALS design

**STEEL** D2, stonewashed finish  
**HANDLE** Stainless steel with glass-filled nylon insert, bead-blasted finish  
**BLADE** 3.25 in. (8.3 cm)  
**CLOSED** 4.25 in. (10.8 cm)  
**OVERALL** 7.5 in. (19.1 cm)  
**WEIGHT** 3.9 oz. (111 g)  
**BOX** 087171060705  
**CLAM** -

**OPENING** Manual KVT ball-bearing opening with flipper  
**LOCK** Frame lock  
**POCKETCLIP** Reversible deep-carry (right/left, tip-up)  
**FEATURES** Decorative pivot cap, bronze PVD coated steel handle overlays



## NOVENTA

2060  
a KERSHAW ORIGINALS design

**STEEL** D2, black-oxide coating, satin flats  
**HANDLE** Stainless steel, stonewashed finish, black-oxide coating  
**BLADE** 3.3 in. (8.4 cm)  
**CLOSED** 4.55 in. (11.6 cm)  
**OVERALL** 7.75 in. (19.7 cm)  
**WEIGHT** 4 oz. (113 g)  
**BOX** 087171063621  
**CLAM** -

**OPENING** Manual KVT ball-bearing opening with flipper  
**LOCK** Frame lock  
**POCKETCLIP** Reversible deep-carry (right/left, tip-up)  
**FEATURES** Custom pivot, hidden flipper, custom backspacer with hidden pocket clip screws, lanyard hole



## REVERB

1220  
a KERSHAW ORIGINALS design

**STEEL** 8Cr13MoV, titanium carbo-nitride coating with satin flats  
**HANDLE** G10, carbon fiber overlay front; steel back, titanium carbo-nitride coating  
**BLADE** 2.5 in. (6.4 cm)  
**CLOSED** 3.25 in. (8.3 cm)  
**OVERALL** 6.1 in. (15.6 cm)  
**WEIGHT** 1.6 oz. (46 g)  
**BOX** 087171048642  
**CLAM** 087171048765

**OPENING** Manual opening with nail nick  
**LOCK** Frame lock  
**POCKETCLIP** Single-position extra-deep-carry, (right, tip-up)  
**FEATURES** Carabiner clip



## PARLEY

4384  
a KERSHAW ORIGINALS design

**STEEL** 7Cr17MoV, satin finish  
**HANDLE** Canvas micarta, polished finish, stainless steel bolster, satin finish  
**BLADE** 3.1 in. (7.9 cm)  
**CLOSED** 4.1 in. (10.4 cm)  
**OVERALL** 7.2 in. (18.3 cm)  
**WEIGHT** 2.8 oz. (79 g)  
**BOX** 087171061771  
**CLAM** 087171063942

**OPENING** Manual slipjoint with nail nick  
**LOCK** Slipjoint  
**FEATURES** Lanyard hole with brass trim ring, brass liners





## ALLEGORY


4385

a KERSHAW ORIGINALS design



<b>STEEL</b>	7Cr17MoV, satin finish
<b>HANDLE</b>	Canvas micarta, polished finish, stainless steel bolsters, satin finish
<b>BLADE</b>	3.1 in. (7.9 cm) • 3.1 in. (7.9 cm)
<b>CLOSED</b>	4 in. (10.2 cm)
<b>OVERALL</b>	7.1 in. (18 cm)
<b>WEIGHT</b>	2.7 oz. (77 g)
<b>BOX</b>	087171061788
<b>CLAM</b>	-

<b>OPENING</b>	Manual slipjoint with nail nick
<b>LOCK</b>	Slipjoint
<b>FEATURES</b>	Two blades, steel liners



## IREDALE


4386

a KERSHAW ORIGINALS design



<b>STEEL</b>	7Cr17MoV, satin finish
<b>HANDLE</b>	Canvas micarta, polished finish, stainless steel bolsters, satin finish
<b>BLADE</b>	2.6 in. (6.6 cm) • 2.2 in. (5.6 cm) • 1.6 in. (4.1 cm)
<b>CLOSED</b>	3.6 in. (9.1 cm)
<b>OVERALL</b>	6.2 in. (15.7 cm)
<b>WEIGHT</b>	2.2 oz. (62 g)
<b>BOX</b>	087171061795
<b>CLAM</b>	087171064413

<b>OPENING</b>	Manual slipjoint with nail nick
<b>LOCK</b>	Slipjoint
<b>FEATURES</b>	Three blades, brass liners



## GADSDEN

4381

a KERSHAW ORIGINALS design



<b>STEEL</b>	7Cr17MoV, satin finish
<b>HANDLE</b>	G10, polished
<b>BLADE</b>	2.75 in. (7 cm) • 2.75 in. (7 cm)
<b>CLOSED</b>	3.5 in. (8.9 cm)
<b>OVERALL</b>	6.25 in. (16 cm)
<b>WEIGHT</b>	2.7 oz. (77 g)
<b>BOX</b>	087171058214
<b>CLAM</b>	-

<b>OPENING</b>	Manual slipjoint with nail nick
<b>LOCK</b>	Slipjoint
<b>POCKETCLIP</b>	-
<b>FEATURES</b>	Two blades, brass liners, brass pins



## BRANDYWINE

4382

a KERSHAW ORIGINALS design



<b>STEEL</b>	7Cr17MoV, satin finish
<b>HANDLE</b>	G10, polished
<b>BLADE</b>	2.6 in. (6.6 cm) • 1.8 in. (4.7 cm) • 1.9 in. (5 cm)
<b>CLOSED</b>	3.5 in. (8.9 cm)
<b>OVERALL</b>	6.2 in. (15.8 cm)
<b>WEIGHT</b>	2.3 oz. (65 g)
<b>BOX</b>	087171058207
<b>CLAM</b>	-

<b>OPENING</b>	Manual slipjoint with nail nick
<b>LOCK</b>	Slipjoint
<b>POCKETCLIP</b>	-
<b>FEATURES</b>	Three blades, brass liners, brass pins



## CULPEPPER

4383

a KERSHAW ORIGINALS design



<b>STEEL</b>	7Cr17MoV, satin finish
<b>HANDLE</b>	G10, polished
<b>BLADE</b>	3.25 in. (8.3 cm)
<b>CLOSED</b>	4.125 in. (10.6 cm)
<b>OVERALL</b>	7.4 in. (18.7 cm)
<b>WEIGHT</b>	3 oz. (85 g)
<b>BOX</b>	087171058283
<b>CLAM</b>	087171060477

<b>OPENING</b>	Manual slipjoint with nail nick
<b>LOCK</b>	Slipjoint
<b>POCKETCLIP</b>	-
<b>FEATURES</b>	Lanyard hole, brass liners, brass pins







## ESTEEM

2032

a KERSHAW ORIGINALS design



<b>STEEL</b>	8Cr13MoV, bead-blasted finish
<b>HANDLE</b>	Stainless steel, bead-blasted finish, polished G10 overlays
<b>BLADE</b>	2.5 in. (6.4 cm)
<b>CLOSED</b>	3.4 in. (8.6 cm)
<b>OVERALL</b>	5.9 in. (15 cm)
<b>WEIGHT</b>	1.9 oz. (54 g)
<b>BOX</b>	087171062143
<b>CLAM</b>	-

<b>OPENING</b>	Manual double detent slipjoint with nail nick
<b>LOCK</b>	Slipjoint
<b>POCKETCLIP FEATURES</b>	Single-position deep-carry (right, tip-up) Decorative pivot cap, bronze PVD coated, lanyard hole





**FAULTLINE**

8760

a KERSHAW ORIGINALS design

<b>STEEL</b>	8Cr13MoV, black-oxide coating
<b>HANDLE</b>	Glass-filled nylon, rubber insert
<b>BLADE</b>	3 in. (7.6 cm)
<b>CLOSED</b>	4 in. (10.2 cm)
<b>OVERALL</b>	7 in. (17.8 cm)
<b>WEIGHT</b>	3.4 oz. (99 g)
<b>BOX</b>	087171052762
<b>CLAM</b>	087171053516



<b>OPENING</b>	Manual KVT ball-bearing opening with flipper
<b>LOCK</b>	Inset liner lock
<b>POCKETCLIP</b>	Single-position deep-carry (right, tip-up)

**STATIC**

3445

a KERSHAW ORIGINALS design

<b>STEEL</b>	8Cr13MoV, satin finish
<b>HANDLE</b>	Stainless steel, gray PVD coating
<b>BLADE</b>	2.9 in. (7.4 cm)
<b>CLOSED</b>	3.9 in. (9.8 cm)
<b>OVERALL</b>	6.75 in. (17.1 cm)
<b>WEIGHT</b>	4 oz. (113 g)
<b>BOX</b>	087171055749
<b>CLAM</b>	087171059037



<b>OPENING</b>	Manual KVT ball-bearing opening with flipper
<b>LOCK</b>	Frame lock
<b>POCKETCLIP</b>	Reversible deep-carry (right/left, tip-up)
<b>FEATURES</b>	Weight-relieving handle window

**ATMOS**

4037

a DMITRY SINKEVICH design

<b>STEEL</b>	8Cr13MoV, satin finish with satin sanded flats
<b>HANDLE</b>	G10, carbon fiber overlay
<b>BLADE</b>	3 in. (7.6 cm)
<b>CLOSED</b>	4 in. (10.2 cm)
<b>OVERALL</b>	6.9 in. (17.5 cm)
<b>WEIGHT</b>	1.9 oz. (54 g)
<b>BOX</b>	087171052236
<b>CLAM</b>	087171052793



<b>OPENING</b>	Manual KVT ball-bearing opening with flipper
<b>LOCK</b>	Inset liner lock
<b>POCKETCLIP</b>	Reversible deep-carry (right/left, tip-up)
<b>FEATURES</b>	Lanyard hole

**METHOD**

1170

a JENS ANSØ design

<b>STEEL</b>	8Cr13MoV, black-oxide BlackWash™ finish
<b>HANDLE</b>	G10
<b>BLADE</b>	3 in. (7.6 cm)
<b>CLOSED</b>	4.25 in. (10.8 cm)
<b>OVERALL</b>	7.25 in. (18.4 cm)
<b>WEIGHT</b>	2.2 oz. (63 g)
<b>BOX</b>	087171052229
<b>CLAM</b>	-



<b>OPENING</b>	Manual KVT ball-bearing opening with flipper
<b>LOCK</b>	Inset liner lock
<b>POCKETCLIP</b>	Single-position (right, tip-up)
<b>FEATURES</b>	Lanyard hole

**CHILL**

3410

an RJ MARTIN design

<b>STEEL</b>	8Cr13MoV, bead-blasted finish
<b>HANDLE</b>	G10
<b>BLADE</b>	3.1 in. (7.9 cm)
<b>CLOSED</b>	3.9 in. (9.8 cm)
<b>OVERALL</b>	7 in. (17.8 cm)
<b>WEIGHT</b>	2 oz. (57 g)
<b>BOX</b>	087171030432
<b>CLAM</b>	087171030456



<b>OPENING</b>	Manual opening with flipper
<b>LOCK</b>	Liner lock
<b>POCKETCLIP</b>	Reversible (right, tip-up/down)
<b>FEATURES</b>	Lanyard hole







## KAPSULE

1190  
a JENS ANSØ design

<b>STEEL</b>	8Cr13MoV, stonewashed finish
<b>HANDLE</b>	Glass-filled nylon
<b>BLADE</b>	1.9 in. (4.8 cm)
<b>CLOSED</b>	3.25 in. (8.3 cm)
<b>OVERALL</b>	5 in. (12.7 cm)
<b>WEIGHT</b>	2 oz. (57 g)
<b>BOX</b>	087171060644
<b>CLAM</b>	087171062464

<b>OPENING</b>	Manual with sliding button
<b>LOCK</b>	Sliding button lock
<b>POCKETCLIP</b>	Single-position deep-carry (right, tip-down)
<b>FEATURES</b>	Blue anodized aluminum button



## AFTEREFFECT

1180  
a JENS ANSØ design

<b>STEEL</b>	8Cr13MoV, bead-blasted finish
<b>HANDLE</b>	Glass-filled nylon
<b>BLADE</b>	1.7 in. (4.4 cm)
<b>CLOSED</b>	3 in. (7.6 cm)
<b>OVERALL</b>	4.75 in. (12.1 cm)
<b>WEIGHT</b>	2.1 oz. (60 g)
<b>BOX</b>	087171058269
<b>CLAM</b>	-

<b>OPENING</b>	Manual on washers opening with thumb stud
<b>LOCK</b>	Inset liner lock
<b>POCKETCLIP</b>	Single-position deep-carry (right, tip-up)
<b>FEATURES</b>	Extra large lanyard/keychain hole





**XCOM**

3425

a LES GEORGE design

<b>STEEL</b>	8Cr13MoV, black-oxide coating
<b>HANDLE</b>	Glass-filled nylon
<b>BLADE</b>	3.6 in. (9.2 cm)
<b>CLOSED</b>	4.4 in. (11.2 cm)
<b>OVERALL</b>	8 in. (20.2 cm)
<b>WEIGHT</b>	4.1 oz. (117 g)
<b>BOX</b>	087171054834
<b>CLAM</b>	087171055947

<b>OPENING</b>	Manual opening with thumb disk
<b>LOCK</b>	Inset liner lock
<b>POCKETCLIP</b>	Reversible deep-carry (right/left, tip-up)
<b>FEATURES</b>	Lanyard hole

**CQC-4K**

6054BRNBLK

an ERNEST EMERSON design

<b>STEEL</b>	8Cr14MoV, black-oxide coating
<b>HANDLE</b>	G10 front; 410 stainless steel back, black-oxide coating
<b>BLADE</b>	3.25 in. (8.3 cm)
<b>CLOSED</b>	4.2 in. (10.7 cm)
<b>OVERALL</b>	7.4 in. (18.8 cm)
<b>WEIGHT</b>	4.1 oz. (116 g)
<b>BOX</b>	087171037592
<b>CLAM</b>	-

<b>OPENING</b>	Manual opening with thumb disk or Emerson Wave Shaped Feature®
<b>LOCK</b>	Frame lock
<b>POCKETCLIP</b>	Reversible (right/left, tip-up)
<b>FEATURES</b>	Lanyard hole

**CQC-5K**

6074OLBLK

an ERNEST EMERSON design

<b>STEEL</b>	8Cr14MoV, black-oxide coating
<b>HANDLE</b>	G10
<b>BLADE</b>	3 in. (7.6 cm)
<b>CLOSED</b>	4 in. (10.2 cm)
<b>OVERALL</b>	7.1 in. (18 cm)
<b>WEIGHT</b>	3.7 oz. (105 g)
<b>BOX</b>	087171037615
<b>CLAM</b>	-

<b>OPENING</b>	Manual opening with thumb disk or Emerson Wave Shaped Feature®
<b>LOCK</b>	Liner lock
<b>POCKETCLIP</b>	Reversible (right/left, tip-up)
<b>FEATURES</b>	Lanyard hole

**CQC-7K**

6034T

an ERNEST EMERSON design

<b>STEEL</b>	8Cr14MoV, stonewashed finish with satin flats
<b>HANDLE</b>	G10 front; 410 stainless steel back, bead-blasted finish
<b>BLADE</b>	3.25 in. (8.3 cm)
<b>CLOSED</b>	4.5 in. (11.4 cm)
<b>OVERALL</b>	7.75 in. (19.7 cm)
<b>WEIGHT</b>	5 oz. (142 g)
<b>BOX</b>	087171037295
<b>CLAM</b>	-

<b>OPENING</b>	Manual opening with thumb disk or Emerson Wave Shaped Feature®
<b>LOCK</b>	Frame lock
<b>POCKETCLIP</b>	Reversible (right/left, tip-up)
<b>FEATURES</b>	Lanyard hole

**CQC-8K**

6044TBLK

an ERNEST EMERSON design

<b>STEEL</b>	8Cr14MoV, black-oxide coating
<b>HANDLE</b>	G10
<b>BLADE</b>	3.5 in. (8.9 cm)
<b>CLOSED</b>	4.6 in. (11.7 cm)
<b>OVERALL</b>	8.1 in. (20.6 cm)
<b>WEIGHT</b>	5.3 oz. (152 g)
<b>BOX</b>	087171037318
<b>CLAM</b>	-

<b>OPENING</b>	Manual opening with thumb disk or Emerson Wave Shaped Feature®
<b>LOCK</b>	Liner lock
<b>POCKETCLIP</b>	Reversible (right/left, tip-up)
<b>FEATURES</b>	Lanyard hole






## E-TRAIN

6034TRAINER  
an ERNEST EMERSON design

**STEEL** 3Cr13, stonewashed finish  
**HANDLE** G10 front; 410 stainless steel back, bead-blasted finish  
**BLADE** 3.2 in. (8.1 cm) unsharpened  
**CLOSED** 4.5 in. (11.4 cm)  
**OVERALL** 7.7 in. (19.6 cm)  
**WEIGHT** 5.1 oz. (146 g)  
**BOX** 08717039664  
**CLAM** -



**OPENING** Manual opening with thumb disk or Emerson Wave Shaped Feature®  
**LOCK** Frame lock  
**POCKETCLIP** Reversible (right/left, tip-up)  
**FEATURES** Unsharpened blade, rounded tip, lanyard hole



## CQC-10K

6030  
an ERNEST EMERSON design

**STEEL** 8Cr14MoV, stonewashed finish  
**HANDLE** G10 front; 410 stainless steel back, bead-blasted finish  
**BLADE** 3.5 in. (9 cm)  
**CLOSED** 4.75 in. (12.1 cm)  
**OVERALL** 8.5 in. (21.6 cm)  
**WEIGHT** 5.1 oz. (146 g)  
**BOX** 087171049380  
**CLAM** -



**OPENING** Manual opening with thumb disk or Emerson Wave Shaped Feature®  
**LOCK** Frame lock  
**POCKETCLIP** Reversible (right/left, tip-up)  
**FEATURES** Bowie blade ideal for hunting, lanyard hole



## CQC-6K D2

6034D2  
an ERNEST EMERSON design

**STEEL** D2, stonewashed finish with satin flats  
**HANDLE** G10 front; 410 stainless steel back, bead-blasted finish  
**BLADE** 3.25 in. (8.3 cm)  
**CLOSED** 4.5 in. (11.4 cm)  
**OVERALL** 7.75 in. (19.7 cm)  
**WEIGHT** 5.1 oz. (146 g)  
**BOX** 087171056166  
**CLAM** -



**OPENING** Manual opening with thumb disk or Emerson Wave Shaped Feature®  
**LOCK** Frame lock  
**POCKETCLIP** Reversible (right/left, tip-up)  
**FEATURES** Lanyard hole




## CQC-4KXL D2

6055D2  
an ERNEST EMERSON design

**STEEL** D2, stonewashed finish with satin flats  
**HANDLE** G10 front; 410 stainless steel back, bead-blasted finish  
**BLADE** 3.9 in. (9.9 cm)  
**CLOSED** 5 in. (12.7 cm)  
**OVERALL** 9 in. (22.9 cm)  
**WEIGHT** 6.1 oz. (175 g)  
**BOX** 087171056159  
**CLAM** -



**OPENING** Manual opening with thumb disk or Emerson Wave Shaped Feature®  
**LOCK** Frame lock  
**POCKETCLIP** Reversible (right/left, tip-up)  
**FEATURES** Lanyard hole




## CQC-11K D2

6031D2  
an ERNEST EMERSON design

**STEEL** D2, stonewashed finish  
**HANDLE** G10 front; 410 stainless steel back, bead-blasted finish  
**BLADE** 3.5 in. (9 cm)  
**CLOSED** 4.75 in. (12.1 cm)  
**OVERALL** 8.5 in. (21.6 cm)  
**WEIGHT** 5.8 oz. (166 g)  
**BOX** 087171056173  
**CLAM** -



**OPENING** Manual opening with thumb disk or Emerson Wave Shaped Feature®  
**LOCK** Frame lock  
**POCKETCLIP** Reversible (right/left, tip-up)  
**FEATURES** Big-bellied skinning blade, lanyard hole





# MULTI-FUNCTION SECTION

When you're looking for a knife that does more, look to our multifunction pocketknives. They incorporate additional handy features like screwdrivers or bottle openers and just add to the convenience of carrying a knife.






## DRIVETRAIN

8655  
a KERSHAW ORIGINALS design

**STEEL** D2, stonewashed finish  
**HANDLE** Glass-filled nylon  
**BLADE** 3.2 in. (8.1 cm)  
**CLOSED** 4.6 in. (11.7 cm)  
**OVERALL** 7.6 in. (19.3 cm)  
**WEIGHT** 4.2 oz. (119 g)  
**BOX** 087171056616  
**CLAM** -



**OPENING** Assisted opening with flipper or thumb stud  
**LOCK** Liner lock  
**POCKETCLIP** Single-position (right, tip-up)  
**FEATURES** Carbide glassbreaker tip, built-in seatbelt cutter




## PLATFORM

2090  
a KERSHAW ORIGINALS design

**STEEL** 8Cr13MoV, bead-blasted finish  
**HANDLE** Glass-filled nylon scale front, stainless steel back, bead-blasted finish  
**BLADE** 2.75 in. (6.9 cm)  
**CLOSED** 4 in. (10.1 cm)  
**OVERALL** 6.75 in. (17.1 cm)  
**WEIGHT** 3.6 oz. (102 g)  
**BOX** 087171060286  
**CLAM** -



**OPENING** Manual double detent slipjoint with nail nick  
**LOCK** Slipjoint  
**FEATURES** Integrated nail clipper, nail file



## DIODE

1230  
a KERSHAW ORIGINALS design

**STEEL** 3Cr13, bead-blasted finish  
**HANDLE** Glass-filled nylon  
**BLADE** 1.6 in. (4.1 cm)  
**CLOSED** 2.9 in. (7.5 cm)  
**OVERALL** 4.5 in. (11.5 cm)  
**WEIGHT** 1.1 oz. (33 g)  
**BOX** -  
**CLAM** 087171058627



**OPENING** Manual on washers opening with nail nick  
**LOCK** Liner lock  
**POCKETCLIP** -  
**FEATURES** Flat head screwdriver/pry bar, lanyard/keychain hole



## FUNKION EMT

8100  
a KERSHAW ORIGINALS design

**STEEL** 8Cr13MoV, black-oxide coating  
**HANDLE** Glass-filled nylon, K-Texture™ insert  
**BLADE** 3 in. (7.6 cm)  
**CLOSED** 4.25 in. (10.7 cm)  
**OVERALL** 7.25 in. (18.4 cm)  
**WEIGHT** 4.8 oz. (137 g)  
**BOX** 087171033853  
**CLAM** -



**OPENING** Assisted opening with flipper or thumb stud  
**LOCK** Liner lock  
**POCKETCLIP** Single-position deep-carry (right, tip-down)  
**FEATURES** Carabiner clip, cord cutter, flat head screwdriver, hex wrench, glassbreaker tip



## SELECT FIRE

1920  
a GRANT & GAVIN HAWK design

**STEEL** 8Cr13MoV, bead-blasted finish  
**HANDLE** Glass-filled nylon  
**BLADE** 3.4 in. (8.6 cm)  
**CLOSED** 4.25 in. (10.8 cm)  
**OVERALL** 7.6 in. (19.4 cm)  
**WEIGHT** 5 oz. (142 g)  
**BOX** 087171030319  
**CLAM** 087171030333

**OPENING** Manual on washers opening with thumb stud  
**LOCK** Liner lock  
**POCKETCLIP** Reversible (right/left, tip-down)  
**FEATURES** .25 in. hex drive, two flat head, two Phillips® bits, ruler





## SHUFFLE DIY

8720

a KERSHAW ORIGINALS design

<b>STEEL</b>	8Cr13MoV, black-oxide coating
<b>HANDLE</b>	Glass-filled nylon
<b>BLADE</b>	2.4 in. (6.1 cm)
<b>CLOSED</b>	3.25 in. (8.3 cm)
<b>OVERALL</b>	5.75 in. (14.6 cm)
<b>WEIGHT</b>	3.5 oz. (100 g)
<b>BOX</b>	087171048932
<b>CLAM</b>	087171048949



<b>OPENING</b>	Manual on washers opening with thumb stud
<b>LOCK</b>	Inset liner lock
<b>POCKETCLIP</b>	Single-position (right, tip-down)
<b>FEATURES</b>	Bottle opener, bit driver with flat head and Phillips screwdriver bits, keychain ring hole



## SHUFFLE II - OLIVE

8750TOLBW

a KERSHAW ORIGINALS design

<b>STEEL</b>	8Cr13MoV, black-oxide BlackWash™ finish
<b>HANDLE</b>	Glass-filled nylon
<b>BLADE</b>	2.6 in. (6.6 cm)
<b>CLOSED</b>	4 in. (10.2 cm)
<b>OVERALL</b>	6.3 in. (16 cm)
<b>WEIGHT</b>	3 oz. (86 g)
<b>BOX</b>	087171048345
<b>CLAM</b>	087171046204



<b>OPENING</b>	Manual on washers opening with thumb stud
<b>LOCK</b>	Inset liner lock
<b>POCKETCLIP</b>	Reversible (right/left, tip-down)
<b>FEATURES</b>	Bottle opener, flat head screwdriver, lanyard hole



## SHUFFLE II - BLACK

8750TBLKBW

a KERSHAW ORIGINALS design

<b>STEEL</b>	8Cr13MoV, black-oxide BlackWash™ finish
<b>HANDLE</b>	Glass-filled nylon
<b>BLADE</b>	2.6 in. (6.6 cm)
<b>CLOSED</b>	4 in. (10.2 cm)
<b>OVERALL</b>	6.3 in. (16 cm)
<b>WEIGHT</b>	3 oz. (86 g)
<b>BOX</b>	087171039367
<b>CLAM</b>	087171039374



<b>OPENING</b>	Manual on washers opening with thumb stud
<b>LOCK</b>	Inset liner lock
<b>POCKETCLIP</b>	Reversible (right/left, tip-down)
<b>FEATURES</b>	Bottle opener, flat head screwdriver, lanyard hole




## SHUFFLE II - TAN

8750TTANBW

a KERSHAW ORIGINALS design

<b>STEEL</b>	8Cr13MoV, black-oxide BlackWash™ finish
<b>HANDLE</b>	Glass-filled nylon
<b>BLADE</b>	2.6 in. (6.6 cm)
<b>CLOSED</b>	4 in. (10.2 cm)
<b>OVERALL</b>	6.3 in. (16 cm)
<b>WEIGHT</b>	3 oz. (86 g)
<b>BOX</b>	087171039343
<b>CLAM</b>	087171039350



<b>OPENING</b>	Manual on washers opening with thumb stud
<b>LOCK</b>	Inset liner lock
<b>POCKETCLIP</b>	Reversible (right/left, tip-down)
<b>FEATURES</b>	Bottle opener, flat head screwdriver, lanyard hole



## SHUFFLE - BLACK

8700BLK

a KERSHAW ORIGINALS design

<b>STEEL</b>	8Cr13MoV, black-oxide coating
<b>HANDLE</b>	Glass-filled nylon, K-Texture™ grip
<b>BLADE</b>	2.4 in. (6.1 cm)
<b>CLOSED</b>	3.25 in. (8.3 cm)
<b>OVERALL</b>	5.75 in. (14.6 cm)
<b>WEIGHT</b>	2.8 oz. (79 g)
<b>BOX</b>	087171037134
<b>CLAM</b>	087171037127



<b>OPENING</b>	Manual on washers opening with thumb stud
<b>LOCK</b>	Inset liner lock
<b>POCKETCLIP</b>	Reversible deep-carry (right/left, tip-up)
<b>FEATURES</b>	Bottle opener, flat head screwdriver, lanyard hole





## SHUFFLE

8700  
a KERSHAW ORIGINALS design



<b>STEEL</b>	8Cr13MoV, bead-blasted finish
<b>HANDLE</b>	Glass-filled nylon, K-Texture™ grip
<b>BLADE</b>	2.4 in. (6.1 cm)
<b>CLOSED</b>	3.25 in. (8.3 cm)
<b>OVERALL</b>	5.75 in. (14.6 cm)
<b>WEIGHT</b>	2.8 oz. (79 g)
<b>BOX</b>	087171035468
<b>CLAM</b>	087171035475

<b>OPENING</b>	Manual on washers opening with thumb stud
<b>LOCK</b>	Inset liner lock
<b>POCKETCLIP</b>	Reversible deep-carry (right/left, tip-up)
<b>FEATURES</b>	Bottle opener, flat head screwdriver, lanyard hole



## SHUFFLE - TEAL

8700TEALBW  
a KERSHAW ORIGINALS design



<b>STEEL</b>	8Cr13MoV, black-oxide BlackWash™ finish
<b>HANDLE</b>	Glass-filled nylon, K-Texture™ grip
<b>BLADE</b>	2.4 in. (6.1 cm)
<b>CLOSED</b>	3.25 in. (8.3 cm)
<b>OVERALL</b>	5.75 in. (14.6 cm)
<b>WEIGHT</b>	2.8 oz. (79 g)
<b>BOX</b>	087171038728
<b>CLAM</b>	087171038735

<b>OPENING</b>	Manual on washers opening with thumb stud
<b>LOCK</b>	Inset liner lock
<b>POCKETCLIP</b>	Reversible deep-carry (right/left, tip-up)
<b>FEATURES</b>	Bottle opener, flat head screwdriver, lanyard hole





**SHUFFLE - LIME**8700LIMEBW  
a KERSHAW ORIGINALS design

**STEEL** 8Cr13MoV, black-oxide BlackWash™ finish  
**HANDLE** Glass-filled nylon, K-Texture™ grip  
**BLADE** 2.4 in. (6.1 cm)  
**CLOSED** 3.25 in. (8.3 cm)  
**OVERALL** 5.75 in. (14.6 cm)  
**WEIGHT** 2.8 oz. (79 g)  
**BOX** 087171038681  
**CLAM** 087171038698




**OPENING** Manual on washers opening with thumb stud  
**LOCK** Inset liner lock  
**POCKETCLIP** Reversible deep-carry (right/left, tip-up)  
**FEATURES** Bottle opener, flat head screwdriver, lanyard hole

**SHUFFLE - PURPLE**8700PURBW  
a KERSHAW ORIGINALS design

**STEEL** 8Cr13MoV, black-oxide BlackWash™ finish  
**HANDLE** Glass-filled nylon, K-Texture™ grip  
**BLADE** 2.4 in. (6.1 cm)  
**CLOSED** 3.25 in. (8.3 cm)  
**OVERALL** 5.75 in. (14.6 cm)  
**WEIGHT** 2.8 oz. (79 g)  
**BOX** 087171039107  
**CLAM** 087171039114



**OPENING** Manual on washers opening with thumb stud  
**LOCK** Inset liner lock  
**POCKETCLIP** Reversible deep-carry (right/left, tip-up)  
**FEATURES** Bottle opener, flat head screwdriver, lanyard hole

**ANTIC**8710  
a KERSHAW ORIGINALS design

**STEEL** 8Cr13MoV, bead-blasted finish  
**HANDLE** Stainless steel, blue PVD coating  
**BLADE** 1.7 in. (4.4 cm)  
**CLOSED** 3.8 in. (9.7 cm)  
**OVERALL** 5.5 in. (14 cm)  
**WEIGHT** 3.1 oz. (88 g)  
**BOX** 087171054063  
**CLAM** 087171055671



**OPENING** Manual on washers opening with thumb stud  
**LOCK** Frame lock  
**POCKETCLIP** Single-position (right, tip-down)  
**FEATURES** Bottle opener, screwdriver/pry tip, oversized lanyard attachment/key ring

**CINDER - COPPER**1025CU  
a RICK HINDERER design

**STEEL** 3Cr13, stonewashed finish  
**HANDLE** Copper  
**BLADE** 1.4 in. (3.6 cm)  
**CLOSED** 2.6 in. (6.6 cm)  
**OVERALL** 4 in. (10.2 cm)  
**WEIGHT** 1.5 oz. (43 g)  
**BOX** -  
**CLAM** 087171051963

**OPENING** Manual opening with thumb stud  
**LOCK** Liner lock  
**FEATURES** Bottle opener, lanyard hole

**CINDER**1025  
a RICK HINDERER design

**STEEL** 3Cr13, stonewashed finish  
**HANDLE** Glass-filled nylon  
**BLADE** 1.4 in. (3.6 cm)  
**CLOSED** 2.6 in. (6.6 cm)  
**OVERALL** 4 in. (10.2 cm)  
**WEIGHT** 0.9 oz. (26 g)  
**BOX** -  
**CLAM** 087171044514

**OPENING** Manual opening with thumb stud  
**LOCK** Liner lock  
**FEATURES** Bottle opener, lanyard hole



## BARRICADE

8650

a KERSHAW ORIGINALS design



<b>STEEL</b>	8Cr13MoV, black-oxide coating
<b>HANDLE</b>	Glass-filled nylon
<b>BLADE</b>	3.5 in. (8.9 cm)
<b>CLOSED</b>	5 in. (12.7 cm)
<b>OVERALL</b>	8.5 in. (21.6 cm)
<b>WEIGHT</b>	4.5 oz. (128 g)
<b>BOX</b>	087171048529
<b>CLAM</b>	087171050362

<b>OPENING</b>	Assisted opening with flipper or thumb stud
<b>LOCK</b>	Liner lock
<b>POCKETCLIP</b>	Single-position deep-carry (right, tip-down)
<b>FEATURES</b>	Carbide glassbreaker tip, built-in cord/seatbelt cutter



MULTI-FUNCTION

kershaw

KERSHAWKNIVES.COM



# FIXED BLADE SECTION



Fixed blades are among your most reliable tools during an adventure, providing users with full-tang construction and an ultra-strong blade. Kershaw offers fixed blades in everything from camping tools to everyday carry and more.



## DESCHUTES CAPER

1882  
a KERSHAW ORIGINALS design

**STEEL** D2, stonewashed finish  
**HANDLE** Polypropylene, rubber overlay  
**BLADE** 3.3 in. (8.4 cm)  
**OVERALL** 7 in. (17.8 cm)  
**WEIGHT** 1.7 oz. (48 g)  
3 oz. (85 g) with sheath  
**BOX** 087171063416  
**CLAM** -



**OPENING** Full-tang construction  
**FEATURES** Glass-filled nylon sheath with webbing slots, drainage hole, and removable belt strap



## DESCHUTES SKINNER

1883  
a KERSHAW ORIGINALS design

**STEEL** D2, stonewashed finish  
**HANDLE** Polypropylene, rubber overlay  
**BLADE** 3.9 in. (9.9 cm)  
**OVERALL** 8.65 in. (22 cm)  
**WEIGHT** 3.3 oz. (94 g)  
4.9 oz. (139 g) with sheath  
**BOX** 087171063423  
**CLAM** -



**OPENING** Full-tang construction  
**FEATURES** Glass-filled nylon sheath with webbing slots, drainage hole, lanyard hole



## CAMP 5

1083  
a KERSHAW ORIGINALS design

**STEEL** D2, stonewashed finish  
**HANDLE** Glass-filled nylon  
**BLADE** 4.75 in. (12.2 cm)  
**OVERALL** 9.125 in. (23.3 cm)  
**WEIGHT** 5.7 oz. (162 g)  
7.5 oz. (213 g) with sheath  
**BOX** 087171057965  
**CLAM** -



**OPENING** Full-tang construction  
**FEATURES** Glass-filled nylon sheath with lock, snap-down strap, belt loop, webbing slots, and tie holes




## ION - 3-KNIFE SET

1747BW  
a KERSHAW ORIGINALS design

**STEEL** 3Cr13, black-oxide BlackWash™ finish  
**HANDLE** Full-tang, paracord wrapped  
**BLADE** 4.5 in. (11.4 cm)  
**OVERALL** 9 in. (22.9 cm)  
**WEIGHT** 3.9 oz. (113 g)  
14.4 oz. (409 g) 3 knives with sheath  
**BOX** -  
**CLAM** 087171039084



**OPENING** Full-tang construction  
**FEATURES** Spear point, lanyard hole, three-knife set, includes sheath



## SECRET AGENT

4007  
a KERSHAW ORIGINALS design

**STEEL** 8Cr13MoV, black-oxide coating  
**HANDLE** Rubberized co-molded  
**BLADE** 4.4 in. (11.2 cm)  
**OVERALL** 8.7 in. (22.1 cm)  
**WEIGHT** 3.1 oz. (90 g)  
4.7 oz. (136 g) with sheath  
**BOX** 087171036977  
**CLAM** 087171037165



**OPENING** Full-tang construction  
**FEATURES** Single-edged spear point, lanyard hole, molded dual-carry sheath







## BRACE

2085  
a KERSHAW ORIGINALS design



<b>STEEL</b>	8Cr13MoV, stonewashed finish
<b>HANDLE</b>	8Cr13MoV with glass-filled nylon overlay, stonewashed finish
<b>BLADE</b>	2 in. (5.1 cm)
<b>OVERALL</b>	4.9 in. (12.4 cm)
<b>WEIGHT</b>	0.9 oz. (26 g)
	1.6 oz. (45 g) with sheath
<b>BOX</b>	087171060859
<b>CLAM</b>	087171062471

### OPENING FEATURES

Full-tang construction  
Polypropylene neck sheath with adjustable cord, webbing slots, and tie holes  
Lanyard hole



## DUNE


4008  
a KERSHAW ORIGINALS design



<b>STEEL</b>	3Cr13, black-oxide coating
<b>HANDLE</b>	Glass-filled nylon
<b>BLADE</b>	3.8 in. (9.7 cm)
<b>OVERALL</b>	7.7 in. (19.6 cm)
<b>WEIGHT</b>	2.2 oz. (65 g)
	2.7 oz. (79 g) with sheath
<b>BOX</b>	-
<b>CLAM</b>	087171039459

### OPENING FEATURES

Full-tang construction  
Tanto point, lanyard hole, injection-molded neck sheath with adjustable cord



# PROJECT ATOM

**Project ATOM** is a unique lineup of Kershaw fixed blades that are light to carry, easy to collect, and fun to show off. Using an extremely durable polymer blend reinforced with glass fibers, the rust-free blades feature blunt edges and no blade steel, but plenty of strength and sharp tips.

## ELECTRON

1396  
a KERSHAW ORIGINALS design

**MATERIAL** PA-66, glass fiber  
**BLADE** 2.4 in. (6.1 cm)  
**OVERALL** 5.1 in. (13 cm)  
**WEIGHT** 0.3 oz. (8.5 g)  
**BOX** -  
**CLAM** 087171060798



PROJECT  
ATOM



**OPENING** Full-tang construction  
**FEATURES** Stainless steel lanyard hole insert

## INTERVAL

1399  
a KERSHAW ORIGINALS design

**MATERIAL** PA-66, glass fiber  
**BLADE** 3.5 in. (8.9 cm)  
**OVERALL** 7.4 in. (18.8 cm)  
**WEIGHT** 0.7 oz. (20 g)  
**BOX** -  
**CLAM** 087171061580



PROJECT  
ATOM



**OPENING** Full-tang construction  
**FEATURES** Stainless steel lanyard hole insert


## INVERSE

1397  
a KERSHAW ORIGINALS design

**MATERIAL** PA-66, glass fiber  
**BLADE** 2.6 in. (6.6 cm)  
**OVERALL** 5.25 in. (13.3 cm)  
**WEIGHT** 0.4 oz. (11.3 g)  
**BOX** -  
**CLAM** 087171060903



PROJECT  
ATOM



**OPENING** Full-tang construction  
**FEATURES** Lanyard hole, stainless steel overlay, stonewashed finish


## ARISE

1398  
a KERSHAW ORIGINALS design

**MATERIAL** PA-66, glass fiber  
**BLADE** 4.2 in. (10.7 cm)  
**OVERALL** 8.4 in. (21.3 cm)  
**WEIGHT** 1.8 oz. (51 g)  
**BOX** -  
**CLAM** 087171060910



PROJECT  
ATOM



**OPENING** Full-tang construction  
**FEATURES** Key ring attachment



# OUTDOOR SECTION



We love it out there. If you do, too, you know how handy a knife is for everything from cutting rope to building a campfire. Kershaw has a range of outdoor cutting and chopping tools to make your outdoor life better.



## LONEROCK RBK 2

1891  
a KERSHAW ORIGINALS design

<b>STEEL</b>	Surgical stainless steel, blade type #60A
<b>HANDLE</b>	Glass-filled nylon with rubber overmold
<b>BLADE</b>	2.75 in. (7 cm)
<b>CLOSED</b>	4.25 in. (10.8 cm)
<b>OVERALL</b>	7 in. (17.8 cm)
<b>WEIGHT</b>	2 oz. (57 g)
<b>BOX</b>	087171060897
<b>CLAM</b>	-



**OPENING** Manual opening with thumb stud  
**LOCK FEATURES** Liner lock  
Exchangeable blades  
Lanyard hole  
Includes sheath, "buddy" handle, & 15 extra blades



**REPLACEMENT BLADES**  
**1890RB**  
087171040721

## TASKMASTER SAW 2

2556  
a KERSHAW ORIGINALS design

<b>STEEL</b>	High-carbon steel, nickel-plated
<b>HANDLE</b>	Glass-filled nylon with rubber grip
<b>BLADE</b>	7 in. (17.8 cm)
<b>CLOSED</b>	9.125 in. (23.2 cm)
<b>OVERALL</b>	15.9 in. (40.4 cm)
<b>WEIGHT</b>	8.7 oz. (247 g)
<b>BOX</b>	087171058993
<b>CLAM</b>	-



**OPENING** Manual opening  
**LOCK FEATURES** Push-button lock  
Textured rubber grip  
Lanyard hole



## DESCHUTES

1075  
a KERSHAW ORIGINALS design

<b>STEEL</b>	3Cr13, black-oxide-coating
<b>HANDLE</b>	Glass-filled nylon, rubber overlay
<b>BLADE</b>	3.5 in. (8.9 cm)
<b>OVERALL</b>	14 in. (35.6 cm)
<b>WEIGHT</b>	1 lb. 9 oz. (711 g)
	1 lb. 12 oz. (803 g) with sheath
<b>BOX</b>	-
<b>CLAM</b>	087171057439



**FEATURES** Glass-filled nylon sheath with removable shoulder strap  
Textured, rubberized grip  
Weight-relieving blade window



## CAMP 10

1077  
a KERSHAW ORIGINALS design

<b>STEEL</b>	65Mn, powdercoat
<b>HANDLE</b>	Rubber overmold
<b>BLADE</b>	10 in. (25.4 cm)
<b>OVERALL</b>	16 in. (40.6 cm)
<b>WEIGHT</b>	1 lb. 2.3 oz. (521 g)
	1 lb. 8 oz. (681 g) with sheath
<b>BOX</b>	087171033594
<b>CLAM</b>	087171034065



**FEATURES** Full-tang construction  
Textured, rubberized grip  
Includes glass-filled nylon sheath with gear straps and belt loop  
Dual lanyard holes



## CAMP 10 - TAN

1077TAN  
a KERSHAW ORIGINALS design

<b>STEEL</b>	65Mn, powdercoat
<b>HANDLE</b>	Rubber overmold
<b>BLADE</b>	10 in. (25.4 cm)
<b>OVERALL</b>	16 in. (40.6 cm)
<b>WEIGHT</b>	1 lb. 2.3 oz. (521 g)
	1 lb. 8 oz. (681 g) with sheath
<b>BOX</b>	087171052748
<b>CLAM</b>	-



**FEATURES** Full-tang construction  
Textured, rubberized grip  
Includes glass-filled nylon sheath with gear straps and belt loop  
Dual lanyard holes





# FISHING SECTION

## OVERVIEW

- 8 TOTAL PRODUCTS
- 8 ORIGINAL DESIGNS

What size is your catch? From a pan-sized bluegill to a monster Chinook, Kershaw has the right fillet knife to turn your catch into the fish dinner of your dreams.

### 7-IN. FILLET

1257  
a KERSHAW ORIGINALS design

<b>STEEL</b>	420J2, satin finish
<b>HANDLE</b>	Co-polymer
<b>BLADE</b>	7 in. (17.8 cm)
<b>OVERALL</b>	12.25 in. (31.1 cm)
<b>WEIGHT</b>	3.3 oz. (96 g)
	4.7 oz. (135 g) with sheath
<b>BOX</b>	-
<b>CLAM</b>	087171125701



- FEATURES**
- Neon accents for improved visibility
  - Includes molded sheath with belt loop

### 9-IN. FILLET

1259  
a KERSHAW ORIGINALS design

<b>STEEL</b>	420J2, satin finish
<b>HANDLE</b>	Co-polymer
<b>BLADE</b>	9 in. (22.9 cm)
<b>OVERALL</b>	14.25 in. (36.2 cm)
<b>WEIGHT</b>	3.6 oz. (104 g)
	5.2 oz. (147 g) with sheath
<b>BOX</b>	-
<b>CLAM</b>	087171125909



- FEATURES**
- Neon accents for improved visibility
  - Includes molded sheath with belt loop

### 7-IN. BONING WITH SPOON

1243SH  
a KERSHAW ORIGINALS design

<b>STEEL</b>	420J2, satin finish
<b>HANDLE</b>	Glass-filled nylon, rubber overmold
	K-Texture™ grip
<b>BLADE</b>	7 in. (17.8 cm)
<b>OVERALL</b>	14.5 in. (36.8 cm)
<b>WEIGHT</b>	3.6 oz. (104 g)
	4.3 oz. (123 g) with blade protector
<b>BOX</b>	-
<b>CLAM</b>	087171037042




- FEATURES**
- Handle ensures grip in marine conditions
  - Flexible blade
  - Includes blade protector

### 7.5-IN. FILLET

1247  
a KERSHAW ORIGINALS design

<b>STEEL</b>	420J2, satin finish
<b>HANDLE</b>	Glass-filled nylon, rubber overmold,
	K-Texture™ grip
<b>BLADE</b>	7.5 in. (19.1 cm)
<b>OVERALL</b>	12.7 in. (32.3 cm)
<b>WEIGHT</b>	2.9 oz. (84 g)
	3.7 oz. (105 g) with blade protector
<b>BOX</b>	-
<b>CLAM</b>	087171037059



- FEATURES**
- Handle ensures grip in marine conditions
  - Flexible blade
  - Includes blade protector



## 9.5-IN. FILLET

1249

a KERSHAW ORIGINALS design



<b>STEEL</b>	420J2, satin finish
<b>HANDLE</b>	Glass-filled nylon, rubber overmold, K-Texture™ grip
<b>BLADE</b>	9.5 in. (24.1 cm)
<b>OVERALL</b>	14.8 in. (37.6 cm)
<b>WEIGHT</b>	3.3 oz. (94 g)
	4.1 oz. (116 g) with blade protector
<b>BOX</b>	087171037066
<b>CLAM</b>	-

**FEATURES** Handle ensures grip in marine conditions  
Flexible blade  
Includes blade protector



## 12-IN. CURVED

1241

a KERSHAW ORIGINALS design



<b>STEEL</b>	420J2, satin finish
<b>HANDLE</b>	Glass-filled nylon, rubber overmold, K-Texture™ grip
<b>BLADE</b>	12 in. (30.5 cm)
<b>OVERALL</b>	17.7 in. (45 cm)
<b>WEIGHT</b>	8.6 oz. (244 g)
	10.6 oz. (301 g) with blade protector
<b>BOX</b>	-
<b>CLAM</b>	087171037028

**FEATURES** Handle ensures grip in marine conditions  
Flexible blade  
Includes blade protector



## 9-IN. CURVED


1242GE

a KERSHAW ORIGINALS design



<b>STEEL</b>	420J2, satin finish
<b>HANDLE</b>	Glass-filled nylon, rubber overmold, K-Texture™ grip
<b>BLADE</b>	9 in. (22.9 cm)
<b>OVERALL</b>	14.7 in. (37.3 cm)
<b>WEIGHT</b>	5.2 oz. (149 g)
	6.4 oz. (182 g) with blade protector
<b>BOX</b>	-
<b>CLAM</b>	087171037035

**FEATURES** Handle ensures grip in marine conditions  
Flexible blade  
Includes blade protector



## FOLDING FILLET

1258

a KERSHAW ORIGINALS design



<b>STEEL</b>	420J2, satin finish
<b>HANDLE</b>	Glass-filled nylon, rubber overmold, K-Texture™ grip
<b>BLADE</b>	6.25 in. (15.9 cm)
<b>CLOSED</b>	7.5 in. (19.1 cm)
<b>OVERALL</b>	13.75 in. (34.9 cm)
<b>WEIGHT</b>	4.9 oz. (138.9 g)
<b>BOX</b>	-
<b>CLAM</b>	087171037073

**OPENING** Manual opening  
**LOCK** Mid-lock  
**FEATURES** Handle ensures grip in marine conditions  
Flexible blade  
Lanyard hole





# GEAR SECTION

From handy ways to display and store your Kershaw collection to attractive and practical ways to show your spirit, you'll find it here.



## HAT - KERSHAW SINCE 1974

CAPKER1974

Five-panel, mesh back, snap tab closure

UPC 087171064840



## KERSHAW GRAY BEANIE

BEANIEKER2023

Polyester super stretch, 2.5 in cuff, faux leather patch

• Width 8 in. (20.3 cm) • Height 11.75 in. (29.8 cm)

UPC 087171065236



## HAT - KERSHAW KNIVES GRAY

CAPKER22

Six-panel, fabric strap with hook & loop closure.

UPC 087171064857



## KERSHAW NECK GAITER

GAITERKER

92% polyester, 8% spandex, one size fits most

• Width 9.8 in. (24.9 cm) • Height 19.7 in. (50 cm)

UPC 087171061016



### T-SHIRT - BACKCOUNTRY LIFE

SHIRTKERELK

- 65/35 polyester/cotton blend, with moisture-wicking properties
- Classic fit with tear away label

<b>S</b>	SHIRTKERELKS 087171065052
<b>M</b>	SHIRTKERELKM 087171064918
<b>L</b>	SHIRTKERELKL 087171064925
<b>XL</b>	SHIRTKERELKL 087171064932
<b>XXL</b>	SHIRTKERELKXXL 087171064949



### T-SHIRT - MOUNTAIN SUNSET

SHIRTKERHILLS

- 65/35 polyester/cotton blend, with moisture-wicking properties
- Classic fit with tear away label

<b>S</b>	SHIRTKERHILLSS 087171065007
<b>M</b>	SHIRTKERHILLSM 087171065014
<b>L</b>	SHIRTKERHILLSL 087171065021
<b>XL</b>	SHIRTKERHILLSEXL 087171065038
<b>XXL</b>	SHIRTKERHILLSEXL 087171065045



### T-SHIRT - OFF ROADING

SHIRTKERTRUCK

- 65/35 polyester/cotton blend, with moisture-wicking properties
- Classic fit with tear away label

<b>S</b>	SHIRTKERTRUCKS 087171064956
<b>M</b>	SHIRTKERTRUCKM 087171064963
<b>L</b>	SHIRTKERTRUCKL 087171064970
<b>XL</b>	SHIRTKERTRUCKXL 087171064987
<b>XXL</b>	SHIRTKERTRUCKXXL 087171064994





### T-SHIRT - USA KNIVES

SHIRTKERUSAKNIVES



- 90% pre-shrunk cotton, 10% polyester
- Full cut styling for comfort

<b>S</b>	SHIRTKERUSAKNIVESS 087171063560
<b>M</b>	SHIRTKERUSAKNIVESM 087171063577
<b>L</b>	SHIRTKERUSAKNIVESL 087171063584
<b>XL</b>	SHIRTKERUSAKNIVESXL 087171063591
<b>XXL</b>	SHIRTKERUSAKNIVESXXL 087171063607



### T-SHIRT - PIXEL

SHIRTKERPIXEL

- 100% pre-shrunk, ring-spun cotton
- Semi-fitted styling for comfort

<b>S</b>	SHIRTKERPIXELS 087171063461
<b>M</b>	SHIRTKERPIXELM 087171063478
<b>L</b>	SHIRTKERPIXELL 087171063485
<b>XL</b>	SHIRTKERPIXELXL 087171063492
<b>XXL</b>	SHIRTKERPIXELXXL 087171063508



### T-SHIRT - ONLY ONE

SHIRTKERONLYONE

- 65% polyester, 35% cotton
- Semi-fitted styling for comfort

<b>S</b>	SHIRTKERONLYONES 087171063515
<b>M</b>	SHIRTKERONLYONEM 087171063522
<b>L</b>	SHIRTKERONLYONEL 087171063539
<b>XL</b>	SHIRTKERONLYONEXL 087171063546
<b>XXL</b>	SHIRTKERONLYONEXXL 087171063553



### T-SHIRT - E.S.B.K.

SHIRTKER2021



- 100% pre-shrunk, ring-spun cotton
- Semi-fitted styling for comfort

<b>S</b>	SHIRTKER2021S 087171061887
<b>M</b>	SHIRTKER2021M 087171061894
<b>L</b>	SHIRTKER2021L 087171061900
<b>XL</b>	SHIRTKER2021XL 087171061917
<b>XXL</b>	SHIRTKER2021AXXL 087171061924



### T-SHIRT - AMERICA

SHIRTAMERICA



- 100% pre-shrunk, ring-spun cotton
- Semi-fitted styling for comfort

<b>S</b>	SHIRTAMERICAS 087171060743
<b>M</b>	SHIRTAMERICAM 087171060736
<b>L</b>	SHIRTAMERICAL 087171060729
<b>XL</b>	SHIRTAMERICAXL 087171060750
<b>XXL</b>	SHIRTAMERICAXXL 087171060767



### T-SHIRT - LAUNCH 13

SHIRTKERL13



- 100% pre-shrunk, ring-spun cotton
- Semi-fitted styling for comfort

<b>S</b>	SHIRTKERL13S 087171061931
<b>M</b>	SHIRTKERL13M 087171061948
<b>L</b>	SHIRTKERL13L 087171061955
<b>XL</b>	SHIRTKERL13XL 087171061962
<b>XXL</b>	SHIRTKERL13XXL 087171061979



### T-SHIRT - LUCHA

SHIRTLUCHA

- 100% pre-shrunk, ring-spun cotton
- Semi-fitted styling for comfort

<b>S</b>	SHIRTLUCHAS 087171060507
<b>M</b>	SHIRTLUCHAM 087171060514
<b>L</b>	SHIRTLUCHAL 087171060521
<b>XL</b>	SHIRTLUCHAXL 087171060538
<b>XXL</b>	SHIRTLUCHAXXL 087171060545



### T-SHIRT - RED

SHIRTKER182

- 100% pre-shrunk cotton
- Double-needle stitched lay-flat collar

<b>S</b>	SHIRTKER182S 087171052625
<b>M</b>	SHIRTKER182M 087171052847
<b>L</b>	SHIRTKER182L 087171052854
<b>XL</b>	SHIRTKER182XL 087171052861
<b>XXL</b>	SHIRTKER182XXL 087171052878





## RECAP

8830

a KERSHAW ORIGINALS design

**STEEL** 3Cr13, stonewashed finish  
**OVERALL** 2.37 in. (6 cm)  
**WEIGHT** 0.3 oz. (9 g)  
**CLAM** 087171063638

- Bottle opener • Pry bar
- Flat head screwdriver
- Key ring/lanyard hole



## NACHO

8825

a KERSHAW ORIGINALS design

**STEEL** 3Cr13, stonewashed finish  
**HANDLE** Glass-filled nylon  
**OVERALL** 2 in. (5.1 cm)  
**WEIGHT** 0.3 oz. (22 g)  
**CLAM** 087171060989

- Bottle opener



## DOWNFORCE

8820

a KERSHAW ORIGINALS design

**STEEL** 3Cr13, black-oxide BlackWash™ finish  
**OVERALL** 3.5 in. (8.9 cm)  
**WEIGHT** 0.6 oz. (17 g)  
**CLAM** 087171060880

- Bottle/can opener • Phillips screwdriver • Mini prybar/flat head screwdriver • Key ring/lanyard hole



## KNIFE OIL

KEROIL

a KERSHAW ORIGINALS design

0.68 fl oz. (20 mL) • Allows for smoother operation • Works to prevent corrosion • SMT (Sub-Micron Technology) absorbs into pores of metals for an even conditioning • Non-migrating, non-toxic formula

**UPC** 087171054087



## FIRE STARTER

1019

a KERSHAW ORIGINALS design

**STEEL** Magnesium firesteel  
**HANDLE** Molded plastic  
**OVERALL** 3.1 in. (7.9 cm)  
**WEIGHT** 1.1 oz. (31 g)  
**CLAM** 087171101910



## PT-1

8800

a KERSHAW ORIGINALS design

**STEEL** 3Cr13, bead-blasted finish  
**HANDLE** Glass-filled nylon, K-Texture™  
**OVERALL** 2.75 in. (7 cm)  
**WEIGHT** 0.8 oz. (24 g)  
**CLAM** 087171048659

- Bottle opener • Pry bar
- Flat head screwdriver
- Lanyard hole



## PT-2

8810

a KERSHAW ORIGINALS design

**STEEL** 3Cr13, bead-blasted finish  
**HANDLE** Glass-filled nylon, K-Texture™  
**OVERALL** 3.25 in. (8.2 cm)  
**WEIGHT** 0.8 oz. (24 g)  
**CLAM** 087171048536

- Bottle/can opener • Flat head & Phillips screwdrivers • Three sizes of hex drives • Wire scraper • Pry bar • Lanyard hole



## K-TOOL

KTOOL

a KERSHAW ORIGINALS design

**STEEL** 3Cr13, black-oxide BlackWash™ finish  
**OVERALL** 2 in. (5.1 cm)  
**WEIGHT** 0.7 oz. (22 g)  
**CLAM** 087171039657

- Bottle opener • Lanyard hole
- Flat head screwdriver
- Box cutter



## RATION

1140 • 1140OR • 1140TEAL • 1140GRN  
a KERSHAW ORIGINALS design

**STEEL** 3Cr13, bead-blasted finish  
**OVERALL** 4.6 in. (11.7 cm)  
**WEIGHT** 1.3 oz. (36 g)  
**CLAM** 087171046389  
087171052434 • OR  
087171052441 • TEAL  
087171052427 • GRN

• Fork • Spoon • Bottle opener •  
Carabiner gate • Food-safe coating



## SKEETER III

1216  
a KERSHAW ORIGINALS design

**STEEL** 3Cr13, satin finish  
**HANDLE** Polypropylene  
**BLADE** 1.25 in. (3.2 cm)  
**OVERALL** 4.25 in. (10.8 cm)  
**WEIGHT** 0.7 oz. (22 g)  
**CLAM** 087171056630



## MANICURE SET

KMCURE  
a KERSHAW ORIGINALS design

**STEEL** Stainless steel, satin finish  
**OVERALL** 4.25 in. (10.8 cm)  
**WEIGHT** 3.9 oz. (113 g)  
**BOX** 087171056609  
• Nail clippers • Cuticle scissors •  
Nail file • Tweezers • Carrying case



## RATION - XL

1145 • 1145GRN  
a KERSHAW ORIGINALS design

**STEEL** 3Cr13, bead-blasted finish  
**OVERALL** 7.3 in. (18.6 cm)  
**WEIGHT** 2.1 oz. (60 g)  
**CLAM** 087171052465  
087171052458 • GRN

• Fork • Spoon • Bottle opener  
• Carabiner gate • Food-safe coating



## TASKMASTER SHEARS 2

1121  
a KERSHAW ORIGINALS design

**STEEL** Stainless steel, satin finish  
**HANDLE** Glass-filled nylon  
**BLADE** 3.5 in. (8.9 cm)  
**OVERALL** 8.9 in. (22.5 cm)  
**WEIGHT** 5.1 oz. (145 g)  
**BOX** 087171057514  
**CLAM** 087171059549

• Nutcracker • Cap lifter  
• Flat head screwdriver tips  
• Blades separate for easy cleaning



## ULTRA-TEK SHARPENER

2535  
a KERSHAW ORIGINALS design

**STEEL** 600-grit, diamond-coated oval shaft  
**HANDLE** 6061-T6 anodized aluminum  
**SHAFT** 4 in. (10.2 cm)  
**OVERALL** 9 in. (22.9 cm)  
**WEIGHT** 1.7 oz. (51 g)  
**CLAM** 087171253503



## TX-TOOL

TXT00L  
a KERSHAW ORIGINALS design

**HANDLE** Aluminum  
**OVERALL** 4.8 in. (12.2 cm)  
**WEIGHT** 1.1 oz. (32 g)  
**BOX** 087171044989  
For most Kershaw pivots, pocketclip, and handle screws • Torx bits T6, T8, T10, #2 Phillips and flat head screwdriver bits





**USA KNIVES DECAL**  
DECALUSAKNIVES

Clear poly, permanent adhesive on back  
3 × 5 in. (7.6 × 12.7 cm)  
**UPC** 087171063676



**E.S.B.K. DECAL**  
DECALESBK

White vinyl, permanent adhesive on back  
3 × 5 in. (7.6 × 12.7 cm)  
**UPC** 087171063645



**LUCHA DECAL**  
DECALLUCHA

Clear poly, permanent adhesive on back  
5 in. diameter (12.7 cm)  
**UPC** 087171063669



**"ONLY ONE" DECAL**  
DECALONLYONE

White vinyl, permanent adhesive on back  
3.5 × 5 in. (8.9 × 12.7 cm)  
**UPC** 087171063652



**WINDOW CLING**  
KERCLING17

6 × 2 in., transparent background,  
fade resistant color  
**UPC** 087171049144



**CHALLENGE COIN - NEXT LEVEL**  
CHALLENGECOINKER

Zinc alloy with antique nickel plating  
• Diameter 1.75 in. (4.4 cm) • Weight 0.9 oz. (25 g)  
**UPC** 087171059341



## KERSHAW KEYCHAIN LANYARD

KERKEYLANYARD

Polyester + zinc alloy, Kershaw logo on both sides

• Length 7 in. (17.8 cm) • Width 1.25 in. (3.2 cm)

Strap Width 1 in. (2.5 cm)

UPC 087171064673



## SINGLE-KNIFE BLADE STAND

DISPLAYKERB14

UPC 087171046808



## SINGLE-KNIFE POUCH

POUCHKER

Cordura exterior, zipper closure, soft interior

UPC 087171059334



## SINGLE-KNIFE STAND

DISPLAYKER114

UPC 087171046785



## KNIFE STORAGE BAG

Z997

Accommodates up to 18 folding knives, with eight-pocket removable center section, and zipper closure. Nylon siding & straps • Overall 13 x 7.5 in. (33 x 19 cm) • Weight 12 oz. (340 g)

UPC 087171045634



## TRIPLE-KNIFE STAND

DISPLAYKER314

UPC 087171046792



## BLADE STYLES

### AMERICAN TANTO

Angles upward to meet the spine. The angled edge can be straight or curved. The American tanto offers a strong, durable tip while the straight edge makes it ideal for push cuts.

### CLEAVER

The cleaver blade shape is a high-utility style defined by a slightly curved belly and down-turned tip. The shape makes a good EDC or utility knife and is ideal for slicing and chopping tasks.

### CLIP POINT

The tip of the clip point is lower than its spine. The top part of the blade has been "clipped" off so that the blade goes straight from spine to tip. The clip point can also have a concave curve to the tip. Clip points are great for everyday carrying but are also favored for hunting knives.

### DROP POINT

The blade's point drops down below the blade's spine. Usually has good "belly," a curved cutting edge. It is one of today's most widespread blade shapes because it's a great all-purpose blade.

### HAWKBILL

A hawkbill blade is hook-like with a concave belly. It offers ease in cutting ropes, fabrics, and even trimming shrubbery.

### RECURVE

Instead of having a fully convex belly, a recurve blade will also have a gentle concave curve along part of the cutting edge. This gives the edge something of an "S" shape. The recurve blade provides good belly for slicing and a concave curve for easy draw or pull cuts.

### REVERSE TANTO

Instead of the edge angling up to meet the spine, a reverse tanto's tip angles down to meet the edge. Like the American tanto, the reverse tanto offers a strong tip for piercing and, generally, a straight edge, ideal for good slicing.

### SHEEPSFOOT

A sheepsfoot blade is similar to the Wharncliffe, but it has a steeper slope from spine to edge and a less-pointy tip. They are often favored by emergency responders due to the relative safety of the rounded tip. The straight edge works well for slicing push cuts and general-purpose cutting.

### SPEAR POINT




In a spear-point blade, the top and bottom of the blade are symmetrical, and the tip is in line with the center of the blade. It may have one or both edges sharpened. It offers tactical style as well as excellent piercing.

### TRAILING POINT

A trailing-point blade has a tip that ends above the spine of the knife. Many trailing point knives also have a deep belly curve for superior slicing, including skinning and hunting use.

### WHARNCLIFFE

A Wharncliffe blade has a completely straight cutting edge. The spine of the blade gradually slopes down to meet the edge, forming a tip. The straight edge makes a great blade for slicing push cuts, wood carving, general cutting, and utility work.



## BLADE FINISHES & COATINGS

### BEAD-BLASTED FINISH

The knife blade is "blasted" or sprayed with a mixture of fine media, including glass and aluminum-oxide beads, under high speed and pressure. This smooths the blade surface and creates a soft, non-reflective, matte look. Depending on the media, this finish can produce a darker or lighter blade color.



### BLACK-OXIDE COATING

A chemical bath converts the surface of the steel to magnetite; it enhances appearance and adds some corrosion resistance.



### BLACKWASH™ FINISH

Our BlackWash™ finish produces a vintage look like that of a well-used tool or favorite, broken-in pair of jeans. Kershaw uses its black-oxide coating with the BlackWash™ finish.



### CERAKOTE COATING

Cerakote enhances corrosion resistance and wear resistance. This fine yet durable coating gives the blade a unique look.



### POWDERCOAT

The coating is applied as a fine powder and cured under heat. This creates a smooth, even, and tough coating.



### PVD COATING

PVD stands for Physical Vapor Deposition. Specialized materials are vaporized via a vacuum process. Then the vaporized material is deposited as a thin layer on selected objects. In our case, it enables us to finish our blades and/or handles with a thin coating that adds color and offers excellent wear and corrosion resistance.



### SATIN FINISH

A Kershaw satin finish will typically show a faint pattern of vertical lines across the blade. It is a shinier finish than bead blasting and somewhat lighter in color.



### STONEWASHED FINISH

Blades are tumbled with ceramic "stones," which give the blade surface a desirable roughened or scuffed look. The look can be pronounced or subtle. The finish helps hide use scratches and fingerprints.



### TITANIUM CARBO-NITRIDE

Kershaw uses titanium carbo-nitride to produce an attractive black or gray blade coating that increases the blade's hardness, helps maintain the edge, and increases the lifetime of the blade.



### TWO-TONE FINISH

Sometimes Kershaw will combine two different blade finishes on a single blade, for example, satin finish on the blade flats and stonewash on the blade grinds.




# BLADE STEELS

## CPM M4

HRC: 60-62

The formula for this premium tool steel includes high amounts of vanadium and molybdenum. This composition creates exceptional edge retention and toughness.

TOUGHNESS: ▲  
EDGE RETENTION: ▲  
CORROSION RESISTANCE: ▲  
SHARPENING EASE: ▲




## 8CR13MOV

HRC: 57-59

Kershaw precision heat-treats 8Cr13MoV steel to bring out its very best high-performance characteristics: the ability to take and hold an edge, strength, and hardness.

TOUGHNESS: ▲  
EDGE RETENTION: ▲  
CORROSION RESISTANCE: ▲  
SHARPENING EASE: ▲




## CPM MAGNACUT

HRC: 60-62

This Crucible powdered metallurgy steel eliminates chromium during heat treatment, allowing for vanadium and niobium to form greater carbides near the cutting edge. This formula creates an exceptional balance of edge retention, toughness, and corrosion resistance.

TOUGHNESS: ▲  
EDGE RETENTION: ▲  
CORROSION RESISTANCE: ▲  
SHARPENING EASE: ▲



## 8CR14MOV

HRC: 58-59

The formula for this steel has additional chromium for added stain resistance. It also benefits from Kershaw's expertise in precision heat treatment.

## 7CR17MOV

HRC: 57-59


Similar to 440A stainless steel, but with a formula that has added molybdenum and vanadium to improve hardness and wear resistance.

## 420HC

HRC: 58

This modified 420 steel has higher amounts of carbon and chromium to boost hardenability and corrosion resistance. It is an excellent everyday steel: tough, corrosion resistant, easy to sharpen, and takes a good edge.

TOUGHNESS: ▲  
EDGE RETENTION: ▲  
CORROSION RESISTANCE: ▲  
SHARPENING EASE: ▲




## CPM 20CV

HRC: 59-61

This Crucible powdered metallurgy tool steel has a high volume of vanadium carbides for exceptional wear resistance and edge retention. The highest level of chromium of any high-vanadium steel gives it excellent corrosion resistance.

TOUGHNESS: ▲  
EDGE RETENTION: ▲  
CORROSION RESISTANCE: ▲  
SHARPENING EASE: ▲




## 420J

HRC: 56-58

Highly stain resistant, but ductile, this steel is excellent for use where "flex" is desirable, for example, in fillet knives.

TOUGHNESS: ▲  
EDGE RETENTION: ▲  
CORROSION RESISTANCE: ▲  
SHARPENING EASE: ▲




## CPM S30V

HRC: 59.5-61

Large carbides in this all-around premium knife steel make it take and hold an edge extremely well; it is also very tough and wear resistant.

TOUGHNESS: ▲  
EDGE RETENTION: ▲  
CORROSION RESISTANCE: ▲  
SHARPENING EASE: ▲




## D2

HRC: 59-60

This "semi-stainless" tool steel is known for excellent edge retention, wear resistance, and good toughness.

TOUGHNESS: ▲  
EDGE RETENTION: ▲  
CORROSION RESISTANCE: ▲  
SHARPENING EASE: ▲




## CPM 154

HRC: 58-60

This powdered metallurgy steel has a more uniform distribution of carbides, so it takes and holds an excellent edge. Also offers good corrosion resistance, wear resistance, and toughness.

TOUGHNESS: ▲  
EDGE RETENTION: ▲  
CORROSION RESISTANCE: ▲  
SHARPENING EASE: ▲



## 65MN

HRC: 56

A tough, durable carbon steel designed for hard-use tools such as Kershaw's Camp Series machetes.

## 3CR13


HRC: 54-56

A value-priced high-chromium stainless steel.

## 4CR14

HRC: 55-57

A value-priced steel; very highly stain resistant.



## 14C28N

HRC: 58-60

This high-performance steel was developed in a partnership between Kershaw and a Swedish engineering company specializing in stainless and special steel alloys. 14C28N offers excellent corrosion resistance.

TOUGHNESS: ▲  
EDGE RETENTION: ▲  
CORROSION RESISTANCE: ▲  
SHARPENING EASE: ▲

ELEMENT ▶ STEEL ▼	CARBON (C)	CHROMIUM (Cr)	MOLYBDE- NUM (Mo)	VANADIUM (V)	TUNGSTEN (W)	Cobalt (Co)	NICKEL (Ni)	MANGA- NESE (Mn)	SILICON (Si)	SULPHUR (S)	PHOSPHO- RUS (P)	COPPER (Cu)	NIOBIUM (Nb)	NITROGEN (N)
CPM M4	1.4%	4.0%	5.2%	4.0 %	5.5%			0.30%	0.55%	0.06%	0.03%			
CPM MAGNACUT	1.15%	10.7%	2.00%	4.0%	-	-	-	-	-	-	-	-	2.00%	0.20%
CPM 20CV	1.9%	20%	1.0%	4.0%	0.6%	-	-	0.3%	0.3%	-	-	-	-	-
CPM S30V	1.45%	14%	2.0%	4.0%	-	-	-	-	-	-	-	-	-	0.20%
CPM 154	1.05%	14%	4.0%	-	-	-	-	-	-	-	-	-	-	-
14C28N	0.62%	14%	0.55%	-	-	-	-	-	0.25	0.015	0.03	-	-	0.08%
8Cr13MoV	0.8%	13%	0.15%	0.1%	-	-	0.2%	0.4%	0.5%	0.01%	0.02%	-	-	-
8Cr14MoV	0.75-0.8%	13.5-14%	0.20-0.25%	0.10-0.15%	-	-	-	0.3-0.6%	0.3-0.6%	0.03%	0.035%	-	-	-
7Cr17MoV	0.6-0.75%	16-18%	0.75%	-	-	-	0.6%	1%	1%	0.03%	0.04%	-	-	-
420HC	0.46%	13%	-	0.3%	-	-	-	0.40%	0.4%	-	-	-	-	-
420J	0.4-0.5%	12-14%	0.6%	0.18%	-	-	-	0.8%	1%	0.02%	0.05%	-	-	-
D2	1.4-1.6%	11-13%	0.7-1.2%	1.1%	-	-	0.3%	0.6%	0.6%	-	-	-	-	-
65Mn	0.57-0.70%	-	-	-	-	-	-	0.6-0.9%	-	0.05%	0.04%	-	-	-
3Cr13	0.35%	13.5%	0.6%	-	-	-	0.5%	0.5%	0.8%	-	-	-	-	-
4Cr14	0.38%	13.94%	0.12%	0.08%	-	-	0.14%	0.41	0.41%	0.003%	0.02%	-	-	-



# OPENING SYSTEMS

## ASSISTED OPENING

When closed, a torsion bar in the handle creates a bias toward the closed position. When opening, the torsion bar adds to the pressure from your finger, and pushes the blade open.

## PUSH-BUTTON AUTOMATIC

A push-button lock holds the blade in place, but under pressure from a torsion spring. When the button is pressed, the released pressure opens the blade. The Kershaw Launch series features a selection of these sleek, instant-open knives.

## DOUBLE-ACTION OUT-THE-FRONT

Apply pressure to the sliding button to open and close the blade. Sliding the button releases a steel bar from the locked position and activates the blade. This mechanism found in OTF automatics.

## MANUAL

No springs or torsion bars, these folders rely on washers for a simple, smooth pivot open. Washers are made of various materials: usually plastic or bronze.

## MANUAL KVT BALL-BEARINGS

Relies on a ring of "caged" ball bearings that surround the knife's pivot and enable the blade to move out of the handle smoothly. KVT makes opening manual knives as smooth, easy, and often as fast as assisted opening.

## SLIPJOINT

These folders usually have a detent system (a tension rod or ball and groove) that biases the blade open or closed. To open the blade, simply overcome the detent manually. Some slipjoints use a double detent system. This system includes two steel detent balls, one on each side of the blade, for safe carrying and a controlled open and close.

# OPENS WITH

## FLIPPER

The flipper is a metal extension found at the back of the blade near the pivot. It can be found on both assisted and manual folders.

## NAIL NICK

The nail nick is a groove in the top of the blade, usually halfway down the length of the blade. It is found on manual folders and slipjoints.

## PUSH BUTTON

The push button is found in the handle of the folder near the pivot. It is often used in automatic folders.

## THUMB STUD

The thumb stud is a small stud at the top of the blade near the pivot. It may be on one or both sides of the blade.

## THUMB DISK



The thumb disk is a small disk found at the top of the blade.

## EMERSON WAVE SHAPED FEATURE®

This is a wave-shaped hook built into the back end of the blade, similar to the flipper. It allows users to open the knife as it exits the pocket by hooking onto the pants material.

## OTF SLIDING BUTTON

The sliding button is found on the spine of the handle. It is used to open and close out-the-front automatics.



# LOCKS

## DURALOCK

The DuraLock, also known as a crossbar lock, is strong, safe, and easy to operate. The solid steel crossbar engages with the blade tang and locks the blade in place. Pull back on the ambidextrous lock to safely close the blade.

## FRAME LOCK

In a frame lock knife, the knife handle—its "frame"—consists of two plates of material on either side of the blade. When the knife is opened, one side of the frame butts up against the back end of the blade and prevents the blade from closing until released. The thickness of the frame material blocking the blade open makes the frame lock extremely sturdy.

## LINER LOCK

The most common of today's blade-locking systems. The handle consists of two metal plates (the "liner") on either side of the blade. When the knife is opened, one side of the liner butts up against the back end of the blade and prevents the blade from closing until released. A secure and convenient way to make using a Kershaw folding knife even safer.

## INSET LINER LOCK

The inset liner lock is a Kershaw variation on the liner lock. Kershaw insets a sturdy steel plate on the inside of the knife's handle. It is riveted into place in a custom-machined cutout on the interior of the handle. This enables us to make a knife with a slimmer profile that won't weigh your pocket down, while still providing the strength and security of a locking liner.

## MID-LOCK

The oldest of the popular blade-locking systems, yet the principle is the same as with the others. Once the knife is opened, a steel bar locks into place behind the blade and prevents the knife from closing until released by the knife user.

## OTF INTERNAL LOCK

A pair of opposing steel pawls move under spring tension on arcing paths to lock the blade in the open and closed positions. Sliding the button moves a ramp against the corresponding pawl to release it and open or close the blade.

## PUSH-BUTTON LOCK

Like Kershaw's other locking systems, once the blade is open, a mechanism blocks the butt end of the blade and prevents it from closing accidentally. In this case, a spring-loaded lock is built into one side of the handle, and it must be depressed in order to unlock the blade.

## SLIPJOINT

A slipjoint knife has no lock. Usually there is a detent system to ensure safe use. Using a tension rod or ball and groove, the blade is biased toward the open or closed position. To close the blade, simply overcome the detent manually.

## SUB-FRAME LOCK


The patented Kershaw Sub-Frame Lock is a variation on the traditional frame lock. In this case, a piece of a lighter weight frame, like G10, is machined out, and a piece of steel is screwed into its place. This steel acts like a standard frame lock. It enables us to make a knife with a slimmer profile, while still providing the strength and security of a frame lock. (The Kershaw Sub-Frame Lock is covered under US Patent 9,120,234.)

## TIP-LOCK

The Tip-Lock can be found on all Leek, Scallion, and Chive assisted open knives. It's a simple slider that, when engaged, ensures the blade will not accidentally open. It's especially helpful in cases where the knife might be juggled in a briefcase, backpack, or purse.




## HANDLE MATERIALS




### ANODIZED ALUMINUM

Anodizing makes aluminum stronger and enables Kershaw to add scratch and fade resistant color to knife handles.



### CARBON FIBER

Carbon fiber atoms are bonded together in crystals aligned in long strands, then woven together like fibers. Combined with resin to make the fibers rigid, carbon fiber makes a knife handle material that is extremely strong and extremely lightweight.



### COPPER

Denser and heavier than iron, this natural metal starts out reddish-orange in color, but over time will gain a patina, like a copper penny. The patina is a result of oxidation, and the colors it turns will change with time as well. Copper makes an interesting knife handle material due to the changing patina. Depending on how you handle and use it, the knife will look different throughout its life.



### CO-POLYMER PLASTIC

A co-polymer is a compound of two or more different molecules, chosen for specific characteristics. The co-polymers Kershaw uses for knife handles generally have a slightly rubbery texture to improve grip security.



### G10

An epoxy-filled woven glass fiber; it is extremely stable, unaffected by temperature changes, and makes an excellent handle and handle scale material for knives.



### GLASS-FILLED NYLON

Nylon synthetic polymer is reinforced with glass threads for increased strength, stiffness, and dimensional stability, combined with excellent wear resistance.




### K-TEXTURE™ GRIP

An exclusive texture and pattern used on the handles of certain Kershaw knives. K-Texture™ enhances a secure grip.




### CANVAS MICARTA

A mixture of fiber cloth materials soaked in resin and hardened to create a strong, lightweight, and long-lasting handle. Kershaw micarta handles can be polished or feature a canvas-like texture in a variety of colors.




### STAINLESS STEEL

An alloy of iron and carbon, most steel also has additional elements that are alloyed to enhance specific characteristics. As a handle material, stainless steel is strong and attractive.



### TITANIUM

Titanium is a lightweight, corrosion-resistant metal with high tensile strength



### TRAC-TEC INSERTS

A rough-surfaced rubber insert that provides additional friction for a non-slip grip.

## POCKETCLIPS

### SINGLE-POSITION

The pocketclip is mounted in a single, fixed position on the knife handle.



### REVERSIBLE

Right-handed, tip-up or tip-down  
OR  
Right- or left-handed, tip-up



### 3-POSITION

Right-handed, tip-up or tip-down  
AND  
Left-handed, tip-up



### 4-POSITION

Right-handed, tip-up or tip-down  
AND  
Left-handed, tip-up or tip-down



### DEEP-CARRY

This specially designed pocketclip is positioned at the very end of the handle so that the knife can be carried deeper inside the pocket.



### EXTRA-DEEP-CARRY
























This wrap-around pocket clip design goes even deeper in the pocket, extending slightly beyond the length of the handle.
















# INDEX



## NUMERICAL BY PRODUCT NUMBER



























MODEL	NAME	PHOTO	P.
1019	FIRE STARTER		64
1025	CINDER		50
1025CU	CINDER - COPPER		50
1075	DESCHUTES		57
1083	CAMP 5		53
1077	CAMP 10		57
1077TAN	CAMP 10 - TAN		57
1121	TASKMASTER SHEARS 2		65
1140	RATION		65
1140GRN	RATION - GREEN		65
1140OR	RATION - ORANGE		65
1140TEAL	RATION - TEAL		65
1145	RATION - XL		65
1145GRN	RATION XL - GREEN		65
1170	METHOD		42
1180	AFTEREFFECT		43
1190	KAPSULE		43
1195	INTERSTELLAR		36
1216	SKEETER III		65
1220	REVERB		39
1230	DIODE		47
1241	12-IN. CURVED		59
1242GE	9-IN. CURVED		59
1243SH	7-IN. BONING WITH SPOON		58
1247	7.5-IN. FILLET		58

1249	9.5-IN. FILLET		59
1257	7-IN. FILLET		58
1258	FOLDING FILLET		59
1259	9-IN. FILLET		58
1301BW	STARTER		10
1302BW	LIFTER		10
1313BLK	SPOKE		11
1319	GRINDER		11
1324	CATHODE		11
1365	MISDIRECT		11
1369	SALVAGE		9
1370	CAMSHAFT		10
1375	VALVE		11
1376	FLATBED		9
1385	AIRLOCK		10
1390	TREMOLO		9
1395	LIGHTYEAR		9
1396	ELECTRON		55
1397	INVERSE		55
1398	ARISE		55
1399	INTERVAL		55
1401	JETPACK		9
1404 NEW	FLYBY		21
1407 NEW	CONDUIT		22
1408 NEW	RATE		21
1555TI	CRYO		29

1555BW	CRYO - BLACKWASH™		29
1555G10	CRYO G10		29
1556TI	CRYO II		29
1556BW	CRYO II - BLACKWASH™		29
1559	DECIMUS		30
1600	CHIVE		19
1600PINK	CHIVE - PINK		19
1605	CLASH		30
1605CKTST	CLASH - BLACK, SERRATED		30
1620	SCALLION		18
1620ST	SCALLION - SERRATED		18
1620NB	SCALLION - NAVY BLUE		19
1620OL	SCALLION - OLIVE DRAB		19
1620PUR	SCALLION - PURPLE		19
1645 NEW	LATERAL		21
1645BLKST NEW	LATERAL - BLACK SERRATED		21
1660	LEEK		14
1660ST	LEEK - SERRATED		14
1660BLKW	LEEK - BLACKWASH™		15
1660CB	LEEK - COMPOSITE BLADE		15
1660CBBW	LEEK - COMPOSITE BLADE BLACKWASH™		15
1660CF	LEEK - CARBON FIBER		17
1660CKT	LEEK - BLACK		15
1660CKTST	LEEK - BLACK, SERRATED		15
1660CU	LEEK - COPPER		17
1660OL	LEEK - OLIVE DRAB		17

1660OR	LEEK - ORANGE		18
1660PUR	LEEK - PURPLE		18
1660R	LEEK - RANDOM		17
1660RBW	LEEK - RANDOM BLACKWASH™		17
1660SWBLK	LEEK - BLACK, STONEWASH		15
1660TEAL	LEEK - TEAL		18
1670BLK	BLUR - BLACK		13
1670BLKST	BLUR - BLACK, SERRATED		13
1670BW	BLUR - BLACKWASH™		13
1670GBLKST	BLUR - GLASS BREAKER		14
1670NBSW	BLUR - NAVY BLUE STONEWASH		14
1670OLBLK	BLUR - OLIVE/BLACK		14
1670S30V	BLUR - S30V STONEWASH		13
1670TBLKST	BLUR - TANTO BLADE, BLACK		14
1730SS	ZING - STAINLESS STEEL		31
1747BW	ION		53
17760LSW	LINK - OLIVE SW, CPM 20CV		13
18120LCB	DIVIDEND - OLIVE COMPOSITE BLADE		13
1830	OSO SWEET		30
1835TBLKST	KURO - SERRATED		25
1845 NEW	SHORELINE		22
1881	ERIS		27
1882	DESCHUTES CAPER		53
1883	DESCHUTES SKINNER		53
1891	LONEROCK RBK 2		57
1890RB	LONEROCK RBK BLADES		57














1920	SELECT FIRE		47
1935	FATBACK		26
1990	BRAWLER		25
2031	INCEPTION		39
2032	ESTEEM		41
2033	CARGO		34
2034	DEBRIS		34
2036	LUCID		22
2037 NEW	HEIST		33
2038 NEW	IRIDIUM		33
2039 NEW	FRONTRUNNER		34
2041 NEW	MONITOR		33
2042 NEW	COVALENT		33
2043 NEW	HATCH		34
2044 NEW	OUTCOME		22
2049	LITHIUM		22
2060	NOVENTA		39
2061	CANNONBALL		24
2062ST	ANALYST		24
2064	OUTLIER		24
2065	GRAVEL		25
2075	PAYOUT		25
2076	STRATA		39
2078 NEW	STRATA - CLEAVER		34
2085	BRACE		54
2090	PLATFORM		47

2095	ENDGAME		39
2200	GRID		27
2535	ULTRA-TEK SHARPENER		65
2556	TASKMASTER SAW 2		57
3410	CHILL		42
3425	XCOM		44
3445	STATIC		42
3455	BRACKET		25
3650	VOLT II		31
3650ST	VOLT II - SERRATED		31
3650CKTST	VOLT II - BLACK		31
3655	VOLT SS		31
3860	OBLIVION		31
3870	AMPLITUDE 2.5		31
3930	FLITCH		27
3935	FLOURISH		27
3960	BARSTOW		27
4007	SECRET AGENT		53
4008	DUNE		54
4037	ATMOS		42
4320	FEDERALIST		36
4381	GADSDEN		40
4382	BRANDYWINE		40
4383	CULPEPPER		40
4384	PARLEY		39
4385	ALLEGORY		40



4386	IREDALE		40
4950TR NEW	BALANZA		36
5150TR	LUCHA - TRAINER		36
5500	COLLATERAL		24
5505	TURISMO		24
5560 NEW	RADAR		21
6030	CQC-10K		45
6031D2	CQC-11K D2		45
6034D2	CQC-6K D2		45
6034T	CQC-7K		44
6034TRAINER	E-TRAIN		45
6044TBLK	CQC-8K		44
6054BRNBLK	CQC-4K		44
6055D2	CQC-4KXL D2		45

60740LBLK	CQC-5K		44
8100	FUNXION EMT		47
8300	DUOJET		26
8320	OUTRIGHT		26
8320BLK	OUTRIGHT - BLACK		26
8650	BARRICADE		51
8655	DRIVETRAIN		47
8700	SHUFFLE		49
8700BLK	SHUFFLE - BLACK		48
8700LIMEBW	SHUFFLE - LIME		50
8700PURBW	SHUFFLE - PURPLE		50
8700TEALBW	SHUFFLE - TEAL		49
8710	ANTIC		50
8720	SHUFFLE - DIY		48

8750TBLKBW	SHUFFLE II - BLACK		48
8750TTANBW	SHUFFLE II - TAN		48
8750TOLBW	SHUFFLE II - OLIVE		48
8760	FAULTLINE		42
8800	PT-1		64
8810	PT-2		64
8820	DOWNFORCE		64
8830	RECAP		64
8825	NACHO		64
KEROIL	KERSHAW KNIFE OIL		64
KMCURE	MANICURE SET		65
KTOOL	K-TOOL		64
TXTOOL	TX-TOOL		65



Kai USA, Ltd., founded as Kershaw Knives in 1974, began with one mission: to design and manufacture tools that knife users would be proud to own, carry, and use. Today, premium materials, state-of-the-art manufacturing, extremely tight tolerances, and meticulous craftsmanship ensure that each Kershaw knife or tool provides a lifetime of performance and pride of ownership. The Kershaw brand is especially known for innovative technologies and materials, resulting in numerous industry awards. We manufacture many of our products in our 55,000 sq. ft. facility located south of Portland Oregon, in the city of Tualatin. Our campus houses a state-of-the-art manufacturing facility, our design, engineering, and manufacturing teams, as well as the customer service experts who sell and support our Kershaw brand knives and tools. Kershaw products are backed by a Limited Lifetime Warranty.



#### AUTHORIZED DEALERS

Want to be sure the Kershaw you're carrying is the real thing? Buy from our Authorized Dealers. Specially selected by Kershaw for their ability to professionally represent and sell our products, Authorized Dealers carry genuine Kershaw quality products and service. You can be sure your purchase is fully covered under our Limited Lifetime Warranty. Find an Authorized Dealer in your area on our website: [kershawknives.com](http://kershawknives.com)

#### LIMITED LIFETIME WARRANTY



Kershaw knives from Kai USA Ltd. carry a limited warranty for the lifetime of the original owner, except when stated otherwise. We guarantee our knives against manufacturing defects in material and construction and to perform as advertised when properly used and maintained. The Limited Lifetime Warranty is non-transferable and does not extend to normal signs of wear, rust, damage, or breakage due to improper use, improper maintenance, accidents, loss, or theft. This warranty is void on products that have been modified in any way. Any product we determine to be defective will be repaired or replaced solely at our discretion. To receive warranty repair or replacement, the owner must send the product to be evaluated by Kai USA Warranty Services in our Tualatin, Oregon headquarters. In addition to the provisions of this warranty, the owner may also have other rights that can vary by state. The Limited Lifetime Warranty does not apply to the TX Tool, Fire Starter, or Kershaw Knife Oil. No other warranties are implied or expressed other than what is specifically stated here. Kai USA Ltd. reserves the right to determine what constitutes normal wear, improper use/maintenance, and modification.

We reserve the right to make changes to this warranty at our discretion and without notice.

For warranty information, shipping tips, and the Warranty/Repair Form required for warranty service, please visit our website: [kershawknives.com](http://kershawknives.com)

#### BLADE REPLACEMENT

If you accidentally break your Kershaw folder's blade, we can replace it for just \$25. Blades that break due to a manufacturing defect will still be replaced under warranty, free of charge. For a replacement blade, knives must be shipped to Kai USA. Please see our website for shipping and warranty service information.

#### REPLACEMENT PARTS

Some replacement parts can be shipped to you. Please see our website for an updated list of what we will ship for free.

#### VOUCHERS

There may be cases when a Kershaw knife has been evaluated and is eligible for warranty service, but may not be able to be repaired or replaced. This can be true with discontinued models for which we may no longer have parts or stock. In such cases, at our discretion, we will issue a voucher for the original Manufacturer's Suggested

Retail Price. The voucher value can then be applied to the purchase of a current-model Kershaw—directly from us. If you also wish to have your original knife returned, please call our warranty team toll-free: 1-800-325-2891. We will retain the knife for 30 days from the date the voucher is issued. If it is not reclaimed by then, the knife will be recycled.

#### LIABILITY DISCLAIMER

Kershaw knives are intended and sold for legitimate everyday carry and/or sporting purposes only. The purchase, use, and ownership of knives are subject to a wide variety of federal, state, and local laws and regulations. Always comply with all laws and regulations in effect in your area. Due to the complexity and constantly changing nature of these laws and regulations, it is the responsibility of the buyer to investigate and comply with the laws and regulations that apply in his or her specific area. You, and not Kai USA Ltd., are solely responsible for any claims resulting from violation of these laws and/or regulations.

#### WARNING!

Knives are extremely sharp tools and should only be used or handled with the utmost care and caution. Any use other than cutting (such as prying or twisting) is considered misuse and abuse—and will void your warranty. Kershaw/Kai USA Ltd. is not responsible for any injuries resulting from misuse or abuse of the product.

Do not use any Kershaw knife as a throwing knife (other than the Ion 1747BW or Aethon 1748 throwing knives) or a stabbing device. Throwing knives and knives developed for stabbing have a distinctly different design and function. Kershaw knives are not intended for throwing or stabbing; they are designed for cutting purposes only.

We reserve the right to change shipping terms, specifications, materials, or discontinue products at any time, without notice.

Kershaw products are covered by one or more pending and issued U.S. patents. Here is a list of past and present patents that we have utilized:  
4,715,121; 4,741,106; 5,802,722; 5,815,927; 6,006,385; 6,397,476; 6,388,431; 6,412,130;  
6,145,202; 6,223,372; 6,338,431; 6,378,214; 6,397,476; 6,427,334; 6,591,504; 7,086,158;  
7,370,421; 7,395,599; 9,120,234; D303,748; D316,802; D317,390; D321,818; D329,185;  
D348,818; D351,328; D365,725; D366,605; D375,243; D392,131; D410,833; D437,197;  
D438,085; D450,228; D454,043; D454,768; D455,062; D467,783; D474,669; D479,104;  
D479,114; D484,770; D488,045; D565,918; D566,222; D569,212; D570,180; D572,542;  
D572,562; D575,614; D576,466.





## ABOUT THE PROP 65 NOTIFICATION

You may have seen more Prop 65 warnings on our products lately.

First, understand that nothing has changed with the materials or manufacturing processes Kai USA uses to make our products.

The one thing that HAS changed are the notification requirements of Proposition 65.

Prop 65 is a 1986 California law that requires California residents to be notified of products that could expose them to chemicals known by the state of California to "cause cancer, birth defects or other reproductive harm." This law was recently expanded to apply to all retailers as well as those who sell products under a private label.

In fact, there are hundreds of chemicals on the California Prop 65 list—including things like nickel and chromium that have always been a part of knife steel. As a responsible manufacturer, we are including the warning as required by the law. Since we don't always know where our products are sold, this protects our company and our authorized retailers.

But again, nothing except the notification requirement has changed. Carrying and using our products is no more hazardous than before Prop 65. It will continue to be an important part of the tools you carry with you and use every day.

### GENERAL: ⚠ WARNING

This product can expose you to a chemical (or chemicals) that are known to the State of California to cause cancer or reproductive harm. For more information go to [www.P65Warnings.ca.gov](http://www.P65Warnings.ca.gov).

### LEAD: ⚠ WARNING

This product can expose you to chemicals including lead, which is known to the State of California to cause cancer and birth defects or other reproductive harm. For more information go to [www.P65Warnings.ca.gov](http://www.P65Warnings.ca.gov).

### BENZENE: ⚠ WARNING

This product can expose you to chemicals including benzene, which is known to the State of California to cause cancer and birth defects or other reproductive harm. For more information go to [www.P65Warnings.ca.gov](http://www.P65Warnings.ca.gov).

### CARBON MONOXIDE: ⚠ WARNING

This product can expose you to chemicals including carbon monoxide, which is known to the State of California to cause cancer and birth defects or other reproductive harm. For more information go to [www.P65Warnings.ca.gov](http://www.P65Warnings.ca.gov).

### DEHP/BPA: ⚠ WARNING

This product can expose you to chemicals including di(2-ethylhexyl)phthalate (DEHP), which is known to the State of California to cause cancer, and Bisphenol A (BPA), which is known to the State of California to cause birth defects or other reproductive harm. For more information go to [www.P65Warnings.ca.gov](http://www.P65Warnings.ca.gov).

**LIST OF ALL PRODUCTS THAT MAY CONTAIN  
THE ITEMS LISTED ON PAGE 84**

SKU	CHEMICAL
1019	CARBON MONOXIDE
1074	BENZENE
1077	BENZENE
1083	LEAD
1087	LEAD
1160	LEAD
1170	LEAD
1180	LEAD
1190	LEAD
1195	LEAD
1220	LEAD
1225	LEAD
1257	LEAD
1259	LEAD
1326	LEAD
1327	LEAD
1328	LEAD
1329	LEAD
1330	LEAD
1340	LEAD
1341	LEAD
1345	LEAD
1346	LEAD
1348	LEAD
1349	LEAD
1355	LEAD
1367	LEAD
1368	LEAD
1369	LEAD
1372	LEAD
1376	LEAD
1380	LEAD
1385	LEAD
1386	LEAD
1395	LEAD
1401	LEAD
1404	LEAD
1405	LEAD
1415	LEAD
1558	LEAD
1559	LEAD
1605	LEAD
1830	LEAD
1881	LEAD
1882	LEAD
1883	LEAD
1920	LEAD
1935	LEAD
1955	LEAD
1987	LEAD
1990	LEAD
2031	LEAD
2032	LEAD
2033	LEAD
2034	LEAD
2035	LEAD
2036	LEAD
2043	LEAD
2045	LEAD
2049	LEAD
2050	LEAD
2060	LEAD
2061	LEAD
2064	LEAD
2065	LEAD

SKU	CHEMICAL
2070	LEAD
2075	LEAD
2076	LEAD
2077	LEAD
2080	LEAD
2085	LEAD
2090	LEAD
2095	LEAD
2131	LEAD
2200	LEAD
2330	LEAD
2335	LEAD
2555	BENZENE
2556	BENZENE
3410	LEAD
3425	LEAD
3440	LEAD
3445	LEAD
3455	LEAD
3475	LEAD
3490	LEAD
3560	LEAD
3650	LEAD
3655	LEAD
3840	LEAD
3850	LEAD
3860	LEAD
3870	LEAD
3880	LEAD
3920	LEAD
3930	LEAD
3935	LEAD
3960	LEAD
4007	LEAD
4020	LEAD
4037	LEAD
4038	LEAD
5500	LEAD
5505	LEAD
5510	LEAD
6030	LEAD
6034	LEAD
6055	LEAD
7007	LEAD
7010	LEAD
7020	LEAD
8100	LEAD
8300	LEAD
8310	LEAD
8320	LEAD
8650	LEAD
8655	LEAD
8700	LEAD
8710	LEAD
8720	LEAD
8760	LEAD
1075X	LEAD
1077TAN	BENZENE
1077X	BENZENE
1087X	LEAD
1190BW	LEAD
1190X	LEAD
1220X	LEAD
1225WM	LEAD
1225WMX	LEAD
1225X	LEAD

SKU	CHEMICAL
1241X	LEAD
1242GEX	LEAD
1243SHX	LEAD
1247X	LEAD
1249X	LEAD
1257X	LEAD
1259X	LEAD
1308TANBWX	LEAD
1311TSX	LEAD
1312BWX	LEAD
1313BLK	LEAD
1313BLKX	LEAD
1314BWX	LEAD
1315BWX	LEAD
1332X	LEAD
1337X	LEAD
1343X	LEAD
1351X	LEAD
1352X	LEAD
1354X	LEAD
1355X	LEAD
1356X	LEAD
1359X	LEAD
1360X	LEAD
1371X	LEAD
1372X	LEAD
1375BLK	LEAD
1376X	LEAD
1380WM	LEAD
1380WMX	LEAD
1380X	LEAD
1385OD	LEAD
1385X	LEAD
1386X	LEAD
1395NEON	LEAD
1395X	LEAD
1555BW	LEAD
1555BWX	LEAD
1555G10	LEAD
1555G10D2	LEAD
1555G10X	LEAD
1555TI	LEAD
1555TIWM	LEAD
1555TIWMX	LEAD
1555TIX	LEAD
1556BW	LEAD
1556BWX	LEAD
1556TI	LEAD
1556TIX	LEAD
1557TI	LEAD
1557TIX	LEAD
1558X	LEAD
1559X	LEAD
1605CKTST	LEAD
1605CKTSTB	LEAD
1605CKTSTX	LEAD
1605ST	LEAD
1605STB	LEAD
1605STX	LEAD
1605X	LEAD
1730BWH3X	LEAD
1730SS	LEAD
1730SSB	LEAD
1730SSBLK	LEAD
1730SSBLU	LEAD
1730SSST	LEAD

SKU	CHEMICAL
1730SSX	LEAD
1830ODSW	LEAD
1835TBLKST	LEAD
1920WM	LEAD
1920WMX	LEAD
1920X	LEAD
1935X	LEAD
1955X	LEAD
1987ST	LEAD
1987X	LEAD
1990X	LEAD
2045X	LEAD
2049X	LEAD
2062ST	LEAD
2062STX	LEAD
2065X	LEAD
2070X	LEAD
2085X	LEAD
2200X	LEAD
3410B	LEAD
3410X	LEAD
3425DW	LEAD
3425X	LEAD
3430B	LEAD
3430X	LEAD
3440X	LEAD
3445BLU	LEAD
3445BR	LEAD
3445CU	LEAD
3445G10	LEAD
3445MCB	LEAD
3445MCBBW	LEAD
3445MCG	LEAD
3445MCGBW	LEAD
3445X	LEAD
3455X	LEAD
3475X	LEAD
3490X	LEAD
3560X	LEAD
3650CKTST	LEAD
3650CKTSTB	LEAD
3650GRYBLK	LEAD
3650ST	LEAD
3650X	LEAD
3655B	LEAD
3655X	LEAD
3860WM	LEAD
3860WMX	LEAD
3860X	LEAD
3870X	LEAD
3880BW	LEAD
3935X	LEAD
3960X	LEAD
4008X	LEAD
4020MCB	LEAD
4020MCG	LEAD
4020WOOD	LEAD
4020X	LEAD
4036BLKX	LEAD
4036BLUX	LEAD
4036CFX	LEAD
4037X	LEAD
4038BRZ	LEAD
4038RD	LEAD
4038X	LEAD
43006X	LEAD

SKU	CHEMICAL
43007X	LEAD
43009X	LEAD
4381BJB	LEAD
4381RB	LEAD
4382BJB	LEAD
4382RB	LEAD
4383BJB	LEAD
4383CU	LEAD
4383RB	LEAD
4383TCU	LEAD
5500X	LEAD
5505X	LEAD
6031D2	LEAD
6034BLK	LEAD
6034D2	LEAD
6034T	LEAD
6034TX	LEAD
6044TBLK	LEAD
6044TBLKX	LEAD
6045BLK	LEAD
6054BRNBLK	LEAD
6054BRNBLKX	LEAD
6055D2	LEAD
60740LBLK	LEAD
60740LBLKX	LEAD
7006BLK	LEAD
7006CU	LEAD
7006RDBLK	LEAD
7007BLKBW	LEAD
7007CF	LEAD
7007CFX	LEAD
7007CU	LEAD
7007GRYBW	LEAD
7007OL	LEAD
7007OLBW	LEAD
7007TANBW	LEAD
7007X	LEAD
7008CU	LEAD
70080LBLK	LEAD
7010BLK	LEAD
7010X	LEAD
8300X	LEAD
8310X	LEAD
8320BLK	LEAD
8650X	LEAD
8700BLK	LEAD
8700BLKX	LEAD
8700LIMEBW	LEAD
8700LIMEBWX	LEAD
8700NBSWWMX	LEAD
8700PURBW	LEAD
8700TEALBW	LEAD
8700X	LEAD
8710X	LEAD
8720X	LEAD
8750TBLKBW	LEAD
8750TBLKBWX	LEAD
8750TOLBW	LEAD
8750TOLBWX	LEAD
8750TTANBW	LEAD
8750TTANBWX	LEAD
8760X	LEAD
GMKT1	LEAD
TXTOOL	LEAD





**kershaw**

 kai U.S.A. Ltd.

18600 SW Teton Avenue  
Tualatin, OR 97062  
USA  
800.325.2891

[KERSHAWKNIVES.COM](http://KERSHAWKNIVES.COM)