



kershaw®

CANADA 2022 #2



2022 CATALOG

For over 47 years, we've known a knife isn't just a knife... It's fearlessness. It's steel that's shaped from experience. And we craft with this understanding... Because we've been where you are. We live for that moment. Caught between the wild unknown and turning back. Between pushing forward or accepting defeat. It's an integrity we share To never back down. And we build this into our designs. Because we know that when we hand you a knife, we're handing you something more. You can feel it in the weight.... In the tangible balance between blade and handle. The smallest tapering, the razor-sharp edge... Each intention in design changes the way it's handled. To last longer by your side, to be worn, scratched, used. To brave the toughest environments. We push to craft the best, most accessible knives in the world. Because we know, the next level is harder than the last. From adventures in the backwoods, to everyday tasks in the city, to long climbs and steep rides... With Kershaw, success is not just luck — it's preparedness and dedication for the willing. And we will brave forward, together, because that is what the fearless do. Rise to the next level.

"I always feel comfortable carrying my Kershaw with me. The aesthetic, comfort, color, and the variations, it's without a doubt the best on the market."

**Maycee "The Future" Barber,
UFC Fighter**





"I love the variety Kershaw offers. Design, color, blade shape, there's something for every occasion and task."

Hailie Deegan, NASCAR Truck Series, #1

kershaw®

TABLE OF CONTENTS

NEXT LEVEL	INSIDE FRONT
MANUFACTURING	4
KERSHAW ORIGINALS	6
NEW NEW PRODUCTS	8
NEW STARTER	12
NEW EVERYDAY CARRY - ASSISTED	16
NEW EVERYDAY CARRY - MANUAL	34
MULTI-FUNCTION	46
NEW FIXED BLADE	52
NEW OUTDOOR	56
NEW FISHING	58
GEAR	62
NEW BLADE STYLES, FINISHES, STEELS	70
OPENING, LOCKS, HANDLES, POCKETCLIPS	72
INDEX	74
WARRANTY	INSIDE BACK

MANUFACTURING



Every Kershaw knife starts with American innovation, American design, and American engineering.

It comes to life with precision manufacturing and meticulous quality control—either in our Tualatin, Oregon factory, located in one of the USA's greatest centers of knife manufacturing, or in our overseas manufacturing facilities. Manufacturing depth like this enables us to build products for every budget and to meet demand throughout the US and worldwide.

While a knife may look simple, it's actually a complex piece of machinery. And when it comes to production brands like Kershaw—building a million knives each year—the complexity only gets amplified. From CNC machines, precision grinders, lasers, and a factory-full of specialized equipment to hand-assembly and sharpening by hundreds of skilled workers, what it takes to get that knife into your hands is nothing short of amazing.



Look for this icon designating knives proudly made in our Oregon USA factory.

All other Kershaw knives are proudly designed, prototyped, engineered, and quality controlled in the USA, and manufactured in China.

QUALITY

Every Kershaw knife is manufactured to last a lifetime of quality performance. Kai USA's state-of-the-art factory pushes the latest technologies and innovations, manufacturing over one million individual knives every year. Even for models that are imported overseas, all of Kershaw's quality control is meticulously maintained in the USA. No matter what Kershaw you buy, you're guaranteed a dependable tool.

DESIGN

Kershaw's innovative Original Designs are conceptualized by the USA design team. For other models, Kershaw collaborates with many well-known custom knifemakers. In either case, Kershaw's USA team oversees the project from the drawing board to completion.

SERVICE

Kershaw knives are backed by a Limited Lifetime Warranty against manufacturing defects, serviced in the USA. Sharpening, parts replacement, and general customer service are also available.

JOBS

Kershaw employs over 300 employees in the USA, stimulating Oregon's economy and providing jobs in assembly, customer service, packaging, quality control, and more.



kershaw®

ORIGINALS



Kershaw's in-house designs are award-winning, fan-winning, customer-winning originals. From the freshest new industry-leading designs to modern versions of classics, Kershaw Originals bring you a full range of choices. For style, innovative technology, quality materials, and plenty of value, we deliver. Whether it's your first venture into a quality pocketknife or it's time for a top-of-the-line Made in the USA automatic, you can count on Kershaw Originals to bring you the best.



Look for this icon designating KERSHAW ORIGINALS.

FEATURE ICONS

Find these icons on products with special features and materials:



Premium blade steel



Sub-Frame Lock



KVT ball-bearing opening



Emerson Wave Shaped Feature®



G10 handle scales



Sheath included



Canvas micarta handle scales



Composite Blade



Carbon fiber handle scales



"I've been carrying a pocket knife since I was 12, and there isn't a day you will find me without my Kershaw."

**Taylor Robert, X Games Gold Medalist,
2019 ISDE Champion**

kershaw®

NEW PRODUCT RELEASE

2022

#2

The second batch of new Kershaws has been unveiled. For Release #2, Kershaw introduces a new version of the Lucha butterfly knife. This is one of Kershaw's most ambitious projects yet – the ultimate Lucha that includes a titanium handle, a carbon fiber overlay, CPM 20CV blade steel, a new spear point blade shape, and more.

Next up is another tactical folder, the Outlier. This Karambit-style assisted opener can be held in a variety of grips using the ring. Release #2 also includes a pair of hunting fixed blades in the Deschutes series, as well as mid-lock folders that are easy to use for everyday carry. Finally, the Recap bottle opener/screwdriver serves as a handy tool for your keychain.

With every release, Kershaw strives to include something for everyone. Whether you love tactical knives, hunting knives, or everyday folders, there's a Kershaw for you. Enjoy the new release and stay tuned for more to come in 2022.

WATCH FOR MORE RELEASES THROUGHOUT 2022

NEW 2022 RELEASE 2



OUTLIER
2064 • P.24



CARGO
2033 • P.35



DEBRIS
2034 • P.35



**DESCHUTES
CAPER**
1882 • P.53



**DESCHUTES
SKINNER**
1883 • P.53



RECAP
8830 • P.65

kershaw®

PRODUCT RELEASE

2022

#1

NEW 2022 RELEASE 1



FLATBED
1376 • P.12



SALVAGE
1369 • P.13



JETPACK
1401 • P.13



LITHIUM
2049 • P.25



FEDERALIST
4320 • P.35



ESTEEM
2032 • P.37



INCEPTION
2031 • P.37



PARLEY
4384 • P.35



ALLEGORY
4385 • P.35



IREDALE
4386 • P.37



ELECTRON
1396 • P.55



INTERVAL
1399 • P.55



LONEROCK RBK 2
1891 • P.63

STARTER SECTION

This collection is sure to get your blade obsession off to a great start. You get top Kershaw technology, quality, and plenty of style in this series of pocketknives that won't break the budget.

NEW FLATBED

1376
a KERSHAW ORIGINALS design

STEEL	8Cr13MoV, black-oxide BlackWash™ finish
HANDLE	Glass-filled nylon, steel inlay, black-oxide BlackWash™ finish
BLADE	3.125 in. (7.9 cm)
CLOSED	4.125 in. (10.5 cm)
OVERALL	7.25 in. (18.4 cm)
WEIGHT	3.2 oz. (91 g)
BOX	087171061986
CLAM	-

OPENING	SpeedSafe® assisted opening with flipper
LOCK	Liner lock
POCKETCLIP	Reversible deep-carry (right/left, tip-up)
FEATURES	Lanyard hole, custom backspacer

12

This collection is sure to get your blade obsession off to a great start. You get top Kershaw technology, quality, and plenty of style in this series of pocketknives that won't break the budget.

NEW
FLATBED
1376
a KERSHAW ORIGINALS design

STEEL	8Cr13MoV, black-oxide BlackWash™
HANDLE	Glass-filled nylon, steel inlay, black BlackWash™ finish
BLADE	3.125 in. (7.9 cm)
CLOSED	4.125 in. (10.5 cm)
OVERALL	7.25 in. (18.4 cm)
WEIGHT	3.2 oz. (91 g)
BOX	087171061986
CLAM	-

OPENING	SpeedSafe® assisted opening with flipper
LOCK	Liner lock
POCKETCLIP	Reversible deep-carry (right/left, tip-up)
FEATURES	Lanyard hole, custom backspacer



NEW
SALVAGE
1369
a KERSHAW ORIGINALS design

STEEL	8Cr13MoV, stonewashed finish
HANDLE	Stainless steel, stonewashed glass-filled nylon overlays
BLADE	2.9 in. (7.4 cm)
CLOSED	3.9 in. (9.9 cm)
OVERALL	6.8 in. (17.3 cm)
WEIGHT	3.4 oz. (96 g)
BOX	087171061559
CLAM	-

OPENING	Assisted opening with flipper
LOCK	Frame lock
POCKETCLIP	Single-position deep-carry (right/left, tip-up)
FEATURES	Custom backspacer



NEW
JETPACK
1401
a KERSHAW ORIGINALS design

STEEL	8Cr13MoV, stonewashed finish
HANDLE	Stainless steel, stonewashed glass-filled nylon overlays
BLADE	2.75 in. (7 cm)
CLOSED	3.75 in. (9.5 cm)
OVERALL	6.5 in. (16.5 cm)
WEIGHT	2.9 oz. (82 g)
BOX	087171061764
CLAM	-


OPENING	Assisted opening with flipper
LOCK	Liner lock
POCKETCLIP	Reversible deep-carry (right/left, tip-up)
FEATURES	Lanyard hole, custom backspacer



LIGHTYEAR
1395
a KERSHAW ORIGINALS design

STEEL	4Cr14, bead-blasted finish
HANDLE	Glass-filled nylon
BLADE	3.125 in. (7.9 cm)
CLOSED	4.125 in. (10.5 cm)
OVERALL	7.25 in. (18.4 cm)
WEIGHT	2.5 oz. (71 g)
BOX	087171058863
CLAM	087171060941

OPENING	Assisted opening with flipper
LOCK	Liner lock
POCKETCLIP	Reversible deep-carry (right/left, tip-up)
FEATURES	Lanyard hole



TREMOLO
1390
a KERSHAW ORIGINALS design

STEEL	4Cr14, stonewashed finish
HANDLE	Glass-filled nylon
BLADE	3.125 in. (7.9 cm)
CLOSED	4.125 in. (10.5 cm)
OVERALL	7.25 in. (18.4 cm)
WEIGHT	2.8 oz. (79 g)
BOX	087171060934
CLAM	-

OPENING	SpeedSafe® assisted opening with flipper
LOCK	Liner lock
POCKETCLIP	Reversible deep-carry (right/left, tip-up)
FEATURES	Steel handle inlays



CAMSHAFT
1370
a KERSHAW ORIGINALS design

STEEL	4Cr14, stonewashed finish
HANDLE	Glass-filled nylon
BLADE	3 in. (7.6 cm)
CLOSED	4.25 in. (10.8 cm)
OVERALL	7.25 in. (18.4 cm)
WEIGHT	3.1 oz. (90 g)
BOX	087171057637
CLAM	087171060453





OPENING	Assisted opening with flipper
LOCK	Liner lock
POCKETCLIP	Reversible deep-carry (right/left, tip-up)
FEATURES	Lanyard hole, decorative pivot cap, custom backspacer



HUSKER

1380

a KERSHAW ORIGINALS design



STEEL

HANDLE

BLADE

CLOSED

OVERALL

WEIGHT

BOX

CLAM

8Cr13MoV, stonewashed finish

Stainless steel, stonewashed finish

3 in. (7.6 cm)

3.8 in. (9.9 cm)

6.9 in. (17.6 cm)

3.3 oz. (96 g)

087171058221

087171060682

OPENING

LOCK

POCKETCLIP

FEATURES

Assisted opening with flipper

Frame lock





Reversible (right/left, tip-up)

Decorative pivot cap, bead-blasted steel pocketclip and tube spacers

AIRLOCK

1385

a KERSHAW ORIGINALS design



STEEL

HANDLE

BLADE

CLOSED

OVERALL

WEIGHT

BOX

CLAM

4Cr14, bead-blasted finish

Glass-filled nylon

3 in. (7.6 cm)

4.25 in. (10.8 cm)

7.25 in. (18.5 cm)

2.9 oz. (84 g)

087171058405

087171059044

OPENING

LOCK

POCKETCLIP

FEATURES

Assisted opening with flipper

Inset liner lock





Reversible (right/left, tip-up)

Lanyard hole, weight-relieving handle window, decorative pivot cap

STARTER

1301BW

a KERSHAW ORIGINALS design



STEEL

HANDLE

BLADE

CLOSED

OVERALL

WEIGHT

BOX

CLAM

4Cr14, black-oxide BlackWash™ finish

Stainless steel, black-oxide BlackWash™ finish

3.4 in. (8.6 cm)

4.5 in. (11.4 cm)

7.9 in. (20.1 cm)

6.4 oz. (183 g)

087171037646

087171037653

OPENING

LOCK

POCKETCLIP

FEATURES

Assisted opening with flipper or thumb stud

Liner lock


Single-position deep-carry (right, tip-down)

Lanyard hole

VALVE

1375

a KERSHAW ORIGINALS design



STEEL

HANDLE

BLADE

CLOSED

OVERALL

WEIGHT

BOX

CLAM

4Cr14, stonewashed finish

Stainless steel, bead-blasted finish

2.25 in. (5.7 cm)

3.25 in. (8.3 cm)

5.5 in. (14 cm)

3 oz. (85 g)

087171057910

087171059532

OPENING

LOCK

POCKETCLIP

FEATURES

Assisted opening with flipper

Frame lock

Single-position deep-carry (right, tip-up)

Black-oxide pivot cap, bead-blasted steel pocketclip, glass-filled nylon backspacer

CATHODE

1324

a KERSHAW ORIGINALS design



STEEL

HANDLE

BLADE

CLOSED

OVERALL

WEIGHT

BOX

CLAM

4Cr14, stonewashed finish

Stainless steel, hot-stamped texture

2.25 in. (5.7 cm)

3.25 in. (8.3 cm)

5.5 in. (14 cm)

2.7 oz. (77 g)

087171044903

087171044910

OPENING

LOCK

POCKETCLIP

Assisted opening with flipper





Frame lock

Reversible (right/left, tip-up)

MISDIRECT

1365

a KERSHAW ORIGINALS design



STEEL

HANDLE

BLADE

CLOSED

OVERALL

WEIGHT

BOX

CLAM

4Cr14, black-oxide BlackWash™ finish

Stainless steel, bead-blasted finish

2.9 in. (7.6 cm)

4 in. (10.1 cm)

6.8 in. (17.5 cm)

3.2 oz. (93 g)

087171055169

087171055688

OPENING

LOCK

POCKETCLIP

FEATURES

Assisted opening with flipper

Frame lock





3-position (right/left, tip up; right, tip-down)

Lanyard hole

SPOKE

1313BLK

a KERSHAW ORIGINALS design



STEEL

HANDLE

BLADE

CLOSED

OVERALL

WEIGHT

BOX

CLAM

4Cr14, black-oxide coating

Stainless steel, black-oxide coating

2 in. (5.1 cm)

2.8 in. (7.1 cm)

4.75 in. (12.1 cm)

3.1 oz. (88 g)

087171044446

-

OPENING

LOCK

POCKETCLIP

Assisted opening with flipper

Liner lock

Reversible deep-carry (right/left, tip-up)

GRINDER

1319

a KERSHAW ORIGINALS design



STEEL

HANDLE

BLADE

CLOSED

OVERALL

WEIGHT

BOX

CLAM

4Cr14, bead-blasted finish

Glass-filled nylon

3.25 in. (8.3 cm)

4.5 in. (11.4 cm)

7.75 in. (19.7 cm)

4.5 oz. (128 g)

087171044736

087171045771

OPENING

LOCK

POCKETCLIP

Assisted opening with flipper

Liner lock

Reversible deep-carry (right/left, tip-down)



EDC-ASSISTED SECTION



Kershaw launched a revolution with SpeedSafe® assisted opening knives. When closed, a torsion bar in the handle creates a bias toward the closed position. To open the knife, apply manual pressure to the thumb stud or flipper to overcome the torsion bar's resistance and open the knife.

LINK - OLIVE SW, CPM 20CV

1776OLSW
a KERSHAW ORIGINALS design

STEEL CPM 20CV, stonewashed finish
HANDLE 6061-T6 aluminum, olive anodized
BLADE 3.25 in. (8.4 cm)
CLOSED 4.4 in. (11.2 cm)
OVERALL 7.6 in. (19.3 cm)
WEIGHT 4.7 oz. (134 g)
BOX 087171058474
CLAM -



OPENING Assisted opening with flipper
LOCK Liner lock
POCKETCLIP Reversible (right/left, tip-up)
FEATURES Lanyard hole



DIVIDEND - COMPOSITE

1812OLCB
a KERSHAW ORIGINALS design

STEEL CPM D2, N690, bead-blasted finish
HANDLE 6061-T6 aluminum, olive anodized
BLADE 3 in. (7.6 cm)
CLOSED 4.25 in. (10.8 cm)
OVERALL 7.25 in. (18.5 cm)
WEIGHT 2.8 oz. (82 g)
BOX 087171058481
CLAM -



OPENING Assisted opening with flipper
LOCK Liner lock
POCKETCLIP 4-position deep-carry (right/left; tip-up/down)
FEATURES Lanyard hole



BLUR - BLACK

1670BLKST • 1670BLK
a KEN ONION design

STEEL Sandvik 14C28N, black Cerakote coating
HANDLE 6061-T6 aluminum, black anodized, Trac-Tec inserts
BLADE 3.4 in. (8.6 cm)
CLOSED 4.5 in. (11.4 cm)
OVERALL 7.9 in. (20 cm)
WEIGHT 3.9 oz. (111 g)
BOX 087171167107 serrated
087171167008 plain
CLAM 087171167114 serrated



OPENING Assisted opening with thumb stud
LOCK Inset liner lock
POCKETCLIP Reversible (right, tip-up/down)
FEATURES Lanyard hole



BLUR - S30V STONEWASH

1670S30V
a KEN ONION design

STEEL CPM S30V, stonewashed finish
HANDLE 6061-T6 aluminum, black anodized, Trac-Tec inserts
BLADE 3.4 in. (8.6 cm)
CLOSED 4.5 in. (11.4 cm)
OVERALL 7.9 in. (20 cm)
WEIGHT 4 oz. (113 g)
BOX 087171167275
CLAM -



OPENING Assisted opening with thumb stud
LOCK Inset liner lock
POCKETCLIP Reversible (right, tip-up/down)
FEATURES Lanyard hole



BLUR - BLACKWASH™

1670BW
a KEN ONION design

STEEL Sandvik 14C28N, black-oxide BlackWash™ coating
HANDLE 6061-T6 aluminum, black anodized, Trac-Tec inserts
BLADE 3.4 in. (8.6 cm)
CLOSED 4.5 in. (11.4 cm)
OVERALL 7.9 in. (20 cm)
WEIGHT 3.9 oz. (111 g)
BOX 087171036335
CLAM -



OPENING Assisted opening with thumb stud
LOCK Inset liner lock
POCKETCLIP Reversible (right, tip-up/down)
FEATURES Lanyard hole



BLUR - NAVY BLUE STONEWASH

1670NBSW
a KEN ONION design

STEEL Sandvik 14C28N, stonewashed finish
HANDLE 6061-T6 aluminum, blue anodized, Trac-Tec inserts
BLADE 3.4 in. (8.6 cm)
CLOSED 4.5 in. (11.4 cm)
OVERALL 7.9 in. (20 cm)
WEIGHT 3.9 oz. (111 g)
BOX 087171039473
CLAM -



OPENING Assisted opening with thumb stud
LOCK Inset liner lock
POCKETCLIP Reversible (right, tip-up/down)
FEATURES Lanyard hole



BLUR - OLIVE/BLACK

16700LBLK
a KEN ONION design

STEEL Sandvik 14C28N, black Cerakote coating
HANDLE 6061-T6 aluminum, olive anodized, Trac-Tec inserts
BLADE 3.4 in. (8.6 cm)
CLOSED 4.5 in. (11.4 cm)
OVERALL 7.9 in. (20 cm)
WEIGHT 3.9 oz. (111 g)
BOX 087171031644
CLAM -



OPENING Assisted opening with thumb stud
LOCK Inset liner lock
POCKETCLIP Reversible (right, tip-up/down)
FEATURES Lanyard hole



BLUR - GLASS BREAKER

1670GBBLKST
a KEN ONION design

STEEL Sandvik 14C28N, black Cerakote coating
HANDLE 6061-T6 aluminum, black anodized, Trac-Tec inserts
BLADE 3.4 in. (8.6 cm)
CLOSED 4.5 in. (11.4 cm)
OVERALL 7.9 in. (20 cm)
WEIGHT 3.9 oz. (111 g)
BOX 087171033761
CLAM -



OPENING Assisted opening with thumb stud
LOCK Inset liner lock
POCKETCLIP Reversible (right, tip-up/down)
FEATURES Carbide glassbreaker tip, lanyard hole



BLUR - TANTO BLACK

1670TBLKST
a KEN ONION design

STEEL Sandvik 14C28N, black Cerakote coating
HANDLE 6061-T6 aluminum, black anodized, Trac-Tec inserts
BLADE 3.4 in. (8.6 cm)
CLOSED 4.5 in. (11.4 cm)
OVERALL 7.9 in. (20 cm)
WEIGHT 3.9 oz. (111 g)
BOX 087171167602
CLAM 087171167336



OPENING Assisted opening with thumb stud
LOCK Inset liner lock
POCKETCLIP Reversible (right, tip-up/down)
FEATURES Lanyard hole



LEEK

1660ST • 1660
a KEN ONION design

STEEL Sandvik 14C28N, bead-blasted finish
HANDLE 410 stainless steel, bead-blasted finish
BLADE 3 in. (7.6 cm)
CLOSED 4 in. (10.2 cm)
OVERALL 7 in. (17.9 cm)
WEIGHT 3 oz. (85 g)
BOX 087171166100 serrated
087171166001 plain
CLAM 087171166117 serrated
087171166018 plain




OPENING Assisted opening with flipper
LOCK Frame lock with Tip-Lock Slider
POCKETCLIP Reversible (right, tip-up/down)
FEATURES Lanyard hole



LEEK - BLACK

1660CKTST • 1660CKT
a KEN ONION design

STEEL Sandvik 14C28N, black Cerakote coating
HANDLE 410 stainless steel, black Cerakote coating
BLADE 3 in. (7.6 cm)
CLOSED 4 in. (10.2 cm)
OVERALL 7 in. (17.9 cm)
WEIGHT 3 oz. (85 g)
BOX 087171166148 serrated
087171166049 plain
CLAM 087171166216 plain



OPENING Assisted opening with flipper
LOCK Frame lock with Tip-Lock Slider
POCKETCLIP Reversible (right, tip-up/down)
FEATURES Lanyard hole




LEEK - COMPOSITE BLACKWASH™

1660CBBW
a KEN ONION design

STEEL D2/Sandvik 14C28N Composite, black-oxide BlackWash™ finish
HANDLE 410 stainless steel, black-oxide BlackWash™ finish
BLADE 3 in. (7.6 cm)
CLOSED 4 in. (10.2 cm)
OVERALL 7 in. (17.9 cm)
WEIGHT 3.1 oz. (88 g)
BOX 087171038254
CLAM -




OPENING Assisted opening with flipper
LOCK Frame lock with Tip-Lock Slider
POCKETCLIP Reversible (right, tip-up/down)
FEATURES Lanyard hole



LEEK - COMPOSITE

1660CB
a KEN ONION design

STEEL D2/Sandvik 14C28N Composite, bead-blasted finish
HANDLE 410 stainless steel, bead-blasted finish
BLADE 3 in. (7.6 cm)
CLOSED 4 in. (10.2 cm)
OVERALL 7 in. (17.9 cm)
WEIGHT 3.1 oz. (88 g)
BOX 087171166155
CLAM -



OPENING Assisted opening with flipper
LOCK Frame lock with Tip-Lock Slider
POCKETCLIP Reversible (right, tip-up/down)
FEATURES Lanyard hole



LEEK - COPPER

1660CU
a KEN ONION design

STEEL CPM 154, stonewashed finish
HANDLE Copper, brushed satin finish
BLADE 3 in. (7.6 cm)
CLOSED 4 in. (10.2 cm)
OVERALL 7 in. (17.9 cm)
WEIGHT 4 oz. (115 g)
BOX 087171058078
CLAM -



OPENING Assisted opening with flipper
LOCK Liner lock with Tip-Lock Slider
POCKETCLIP Reversible (right, tip-up/down)
FEATURES Lanyard hole



LEEK - BLACKWASH™

1660BLKW
a KEN ONION design

STEEL Sandvik 14C28N, black-oxide BlackWash™ finish
HANDLE 410 stainless steel, black-oxide BlackWash™ finish
BLADE 3 in. (7.6 cm)
CLOSED 4 in. (10.2 cm)
OVERALL 7 in. (17.9 cm)
WEIGHT 3 oz. (85 g)
BOX 087171038049
CLAM 087171166490



OPENING Assisted opening with flipper
LOCK Frame lock with Tip-Lock Slider
POCKETCLIP Reversible (right, tip-up/down)
FEATURES Lanyard hole





RANDOM LEEK - BLACKWASH™

1660RBW
a KEN UNION design



STEEL Sandvik 14C28N, black-oxide BlackWash™ finish
HANDLE 410 stainless steel, black-oxide BlackWash™ finish
BLADE 3 in. (7.6 cm)
CLOSED 4 in. (10.2 cm)
OVERALL 7 in. (17.9 cm)
WEIGHT 2.9 oz. (82 g)
BOX 087171060965
CLAM -

OPENING Assisted opening with flipper
LOCK Frame lock with Tip-Lock Slider
POCKETCLIP Reversible (right, tip-up/down)
FEATURES Reverse tanto blade, lanyard hole



RANDOM LEEK

1660R
a KEN UNION design



STEEL Sandvik 14C28N, bead-blasted finish
HANDLE 410 stainless steel, bead-blasted finish
BLADE 3 in. (7.6 cm)
CLOSED 4 in. (10.2 cm)
OVERALL 7 in. (17.9 cm)
WEIGHT 2.9 oz. (82 g)
BOX 087171060958
CLAM -

OPENING Assisted opening with flipper
LOCK Frame lock with Tip-Lock Slider
POCKETCLIP Reversible (right, tip-up/down)
FEATURES Reverse tanto blade, lanyard hole




LEEK - CARBON FIBER

1660CF
a KEN UNION design



STEEL CPM 154, stonewashed finish
HANDLE Carbon fiber
BLADE 3 in. (7.6 cm)
CLOSED 4 in. (10.2 cm)
OVERALL 7 in. (17.9 cm)
WEIGHT 2.4 oz. (69 g)
BOX 087171048550
CLAM 087171050324

OPENING Assisted opening with flipper
LOCK Liner lock with Tip-Lock Slider
POCKETCLIP Reversible (right, tip-up/down)
FEATURES Lanyard hole



LEEK - BLACK STONEWASH

1660SWBLK
a KEN UNION design



STEEL Sandvik 14C28N, stonewashed finish
HANDLE 6061-T6 aluminum, black anodized
BLADE 3 in. (7.6 cm)
CLOSED 4 in. (10.2 cm)
OVERALL 7 in. (17.9 cm)
WEIGHT 2.4 oz. (68 g)
BOX 087171035079
CLAM -

OPENING Assisted opening with flipper
LOCK Liner lock with Tip-Lock Slider
POCKETCLIP Reversible (right, tip-up/down)
FEATURES Lanyard hole



LEEK - OLIVE

1660OL
a KEN UNION design



STEEL Sandvik 14C28N, bead-blasted finish
HANDLE 6061-T6 aluminum, olive anodized
BLADE 3 in. (7.6 cm)
CLOSED 4 in. (10.2 cm)
OVERALL 7 in. (17.9 cm)
WEIGHT 2.4 oz. (68 g)
BOX 087171035116
CLAM 087171035123

OPENING Assisted opening with flipper
LOCK Liner lock with Tip-Lock Slider
POCKETCLIP Reversible (right, tip-up/down)
FEATURES Lanyard hole



LEEK - TEAL

1660TEAL
a KEN ONION design



STEEL Sandvik 14C28N, bead-blasted finish
HANDLE 6061-T6 aluminum, teal anodized
BLADE 3 in. (7.6 cm)
CLOSED 4 in. (10.2 cm)
OVERALL 7 in. (17.9 cm)
WEIGHT 2.4 oz. (68 g)
BOX 087171037561
CLAM -

OPENING Assisted opening with flipper
LOCK Liner lock with Tip-Lock Slider
POCKETCLIP Reversible (right, tip-up/down)
FEATURES Lanyard hole



LEEK - ORANGE

1660OR
a KEN ONION design



STEEL Sandvik 14C28N, bead-blasted finish
HANDLE 6061-T6 aluminum, orange anodized
BLADE 3 in. (7.6 cm)
CLOSED 4 in. (10.2 cm)
OVERALL 7 in. (17.9 cm)
WEIGHT 2.4 oz. (68 g)
BOX 087171035130
CLAM 087171035147

OPENING Assisted opening with flipper
LOCK Liner lock with Tip-Lock Slider
POCKETCLIP Reversible (right, tip-up/down)
FEATURES Lanyard hole



LEEK - PURPLE

1660PUR
a KEN ONION design



STEEL Sandvik 14C28N, bead-blasted finish
HANDLE 6061-T6 aluminum, purple anodized
BLADE 3 in. (7.6 cm)
CLOSED 4 in. (10.2 cm)
OVERALL 7 in. (17.9 cm)
WEIGHT 2.4 oz. (68 g)
BOX 087171035093
CLAM -

OPENING Assisted opening with flipper
LOCK Liner lock with Tip-Lock Slider
POCKETCLIP Reversible (right, tip-up/down)
FEATURES Lanyard hole



SCALLION

1620ST • 1620
a KEN ONION design



STEEL 420HC, bead-blasted finish
HANDLE Glass-filled nylon
BLADE 2.4 in. (6.1 cm)
CLOSED 3.5 in. (8.9 cm)
OVERALL 5.75 in. (14.6 cm)
WEIGHT 2.3 oz. (65 g)
BOX 087171162102 serrated
087171162003 plain
CLAM 087171162010 plain

OPENING Assisted opening with flipper
LOCK Liner lock with Tip-Lock Slider
POCKETCLIP Single-position (right, tip-down)
FEATURES Lanyard hole



1620

1620ST

SCALLION - FRAME LOCK

1620FL
a KEN ONION design



STEEL 420HC, bead-blasted finish
HANDLE 410 stainless steel, bead-blasted finish
BLADE 2.4 in. (6.1 cm)
CLOSED 3.5 in. (8.9 cm)
OVERALL 5.75 in. (14.6 cm)
WEIGHT 2.9 oz. (82 g)
BOX 087171162201
CLAM 087171162225

OPENING Assisted opening with flipper
LOCK Frame lock with Tip-Lock Slider
POCKETCLIP Single-position (right, tip-down)
FEATURES Lanyard hole



SCALLION - PURPLE

1620PUR
a KEN ONION design



STEEL 420HC, bead-blasted finish
HANDLE 6061-T6 aluminum, purple anodized
BLADE 2.4 in. (6.1 cm)
CLOSED 3.5 in. (8.9 cm)
OVERALL 5.75 in. (14.6 cm)
WEIGHT 2.5 oz. (71 g)
BOX 087171035154
CLAM 087171035161

OPENING Assisted opening with flipper
LOCK Liner lock with Tip-Lock Slider
POCKETCLIP Single-position (right, tip-down)
FEATURES Lanyard hole



SCALLION - OLIVE DRAB

1620OL
a KEN ONION design



STEEL 420HC, bead-blasted finish
HANDLE 6061-T6 aluminum, olive anodized
BLADE 2.4 in. (6.1 cm)
CLOSED 3.5 in. (8.9 cm)
OVERALL 5.75 in. (14.6 cm)
WEIGHT 2.5 oz. (71 g)
BOX 087171035192
CLAM 087171035208

OPENING Assisted opening with flipper
LOCK Liner lock with Tip-Lock Slider
POCKETCLIP Single-position (right, tip-down)
FEATURES Lanyard hole



SCALLION - NAVY BLUE

1620NB
a KEN ONION design



STEEL 420HC, bead-blasted finish
HANDLE 6061-T6 aluminum, navy blue anodized
BLADE 2.4 in. (6.1 cm)
CLOSED 3.5 in. (8.9 cm)
OVERALL 5.75 in. (14.6 cm)
WEIGHT 2.5 oz. (71 g)
BOX 087171035178
CLAM 087171035185

OPENING Assisted opening with flipper
LOCK Liner lock with Tip-Lock Slider
POCKETCLIP Single-position (right, tip-down)
FEATURES Lanyard hole



CHIVE

1600
a KEN ONION design



STEEL 420HC, bead-blasted finish
HANDLE 410 stainless steel, bead-blasted finish
BLADE 1.9 in. (4.8 cm)
CLOSED 2.9 in. (7.4 cm)
OVERALL 4.8 in. (12.2 cm)
WEIGHT 1.7 oz. (48 g)
BOX 087171160009
CLAM 087171160016

OPENING Assisted opening with flipper
LOCK Frame lock with Tip-Lock Slider
POCKETCLIP Single-position (right, tip-down)
FEATURES Lanyard hole



CHIVE - PINK

1600PINK
a KEN ONION design



STEEL 420HC, bead-blasted finish
HANDLE 6061-T6 aluminum, pink anodized
BLADE 1.9 in. (4.8 cm)
CLOSED 2.9 in. (7.4 cm)
OVERALL 4.8 in. (12.2 cm)
WEIGHT 1.5 oz. (43 g)
BOX 087171160276
CLAM -

OPENING Assisted opening with flipper
LOCK Liner lock with Tip-Lock Slider
POCKETCLIP Single-position (right, tip-down)
FEATURES Lanyard hole





NEW

OUTLIER

2064
a KERSHAW ORIGINALS design

STEEL 8Cr13MoV, black-oxide BlackWash™ finish
HANDLE Glass-filled nylon, G10 texture
BLADE 2.6 in. (6.6 cm)
CLOSED 5 in. (12.7 cm)
OVERALL 7 in. (17.8 cm)
WEIGHT 3.6 oz. (102 g)
BOX 087171063188
CLAM -

OPENING Assisted opening with flipper or thumb stud
LOCK Liner lock

POCKETCLIP Reversible deep-carry (right/left, tip-up)
FEATURES Karambit-style blade; steel finger ring



NEW

LITHIUM

2049
a KERSHAW ORIGINALS design

STEEL 8Cr13Mov, bead-blasted finish
HANDLE Stainless steel, bead-blasted finish, glass-filled nylon
BLADE 3.25 in. (8.3 cm)
CLOSED 4.25 in. (10.8 cm)
OVERALL 7.5 in. (19.1 cm)
WEIGHT 3.4 oz. (96 g)
BOX 087171062082
CLAM -

OPENING Assisted opening with flipper
LOCK Frame lock
POCKETCLIP Reversible deep-carry (right/left, tip-up)
FEATURES Split-material handle



CANNONBALL

2061
a KERSHAW ORIGINALS design

STEEL D2, black-oxide BlackWash™ finish
HANDLE Stainless steel, gray PVD coating
BLADE 3.5 in. (8.9 cm)
CLOSED 4.5 in. (11.4 cm)
OVERALL 8 in. (20.3 cm)
WEIGHT 5.4 oz. (153 g)
BOX 087171060163
CLAM -

OPENING Assisted opening with flipper
LOCK Frame lock
POCKETCLIP Reversible deep-carry (right/left, tip-up)
FEATURES Decorative pivot cap, custom backspacer, lanyard hole



ANALYST

2062ST
a KERSHAW ORIGINALS design

STEEL 8Cr13MoV, black-oxide BlackWash™ finish
HANDLE Glass filled nylon
BLADE 3.25 in. (8.3 cm)
CLOSED 4.25 in. (10.8 cm)
OVERALL 7.5 in. (19 cm)
WEIGHT 3.5 oz. (142 g)
BOX 087171060699
CLAM -

OPENING Assisted opening with flipper
LOCK Liner lock
POCKETCLIP 4-position deep-carry (right/left; tip-up/down)
FEATURES Lanyard hole, blade serrations



TERRAN

2080
a KERSHAW ORIGINALS design

STEEL 8Cr13MoV, bead-blasted finish
HANDLE Stainless steel, bead-blasted finish
BLADE 3.125 in. (7.9 cm)
CLOSED 4 in. (10.2 cm)
OVERALL 7.125 in. (18.1 cm)
WEIGHT 3.5 oz. (100 g)
BOX 087171059358
CLAM -

OPENING Assisted opening with flipper
LOCK Frame lock
POCKETCLIP Reversible deep-carry (right/left, tip-up)



BRACKET

3455
a KERSHAW ORIGINALS design

STEEL 8Cr13MoV, stonewashed finish
HANDLE Glass-filled nylon front, stainless steel back, stonewashed finish
BLADE 3.4 in. (8.6 cm)
CLOSED 4.4 in. (11.2 cm)
OVERALL 7.75 in. (19.7 cm)
WEIGHT 4.3 oz. (122 g)
BOX 087171060392
CLAM -

OPENING Assisted opening with flipper
LOCK Frame Lock
POCKETCLIP Reversible deep-carry (right/left, tip-up)
FEATURES Lanyard hole



COLLATERAL

5500
a KERSHAW ORIGINALS design



STEEL D2, satin finish with sanded flats
HANDLE Stainless steel, titanium carbo-nitride finish, with carbon fiber insert
BLADE 3.4 in. (8.6 cm)
CLOSED 4.6 in. (11.7 cm)
OVERALL 8 in. (20.3 cm)
WEIGHT 4.3 oz. (122 g)
BOX 087171054773
CLAM -

OPENING Assisted opening with KVT ball-bearings and small hidden flipper
LOCK Frame lock
POCKETCLIP Reversible (right/left, tip-up)
FEATURES Custom backspacer



TURISMO

5505
a KERSHAW ORIGINALS design



STEEL D2, satin finish with sanded flats
HANDLE Stainless steel, black PVD coating
BLADE 2.9 in. (7.3 cm)
CLOSED 3.9 in. (10 cm)
OVERALL 6.75 in. (17.1 cm)
WEIGHT 3.3 oz. (94 g)
BOX 087171054780
CLAM -

OPENING Assisted opening with KVT ball-bearings and small hidden flipper
LOCK Frame lock
POCKETCLIP Reversible deep-carry (right/left, tip-up)
FEATURES Custom backspacer



GRAVEL

2065
a KERSHAW ORIGINALS design



STEEL 8Cr13MoV, black-oxide BlackWash™ finish
HANDLE Stainless steel, black-oxide BlackWash™ finish
BLADE 2.5 in. (6.4 cm)
CLOSED 3.5 in. (8.9 cm)
OVERALL 5.9 in. (15.2 cm)
WEIGHT 2.7 oz. (78 g)
BOX 087171056487
CLAM 087171056494

OPENING Assisted opening with flipper
LOCK Frame lock
POCKETCLIP Reversible deep-carry (right/left, tip-up)



BELIEVER

2070
a KERSHAW ORIGINALS design



STEEL 8Cr13MoV, gray PVD coating
HANDLE Stainless steel, bead-blasted finish
BLADE 3.25 in. (8.3 cm)
CLOSED 4.2 in. (10.7 cm)
OVERALL 7.3 in. (18.6 cm)
WEIGHT 3.8 oz. (108 g)
BOX 087171057620
CLAM 087171060460

OPENING Assisted opening with flipper
LOCK Frame lock
POCKETCLIP Reversible deep-carry (right/left, tip-up)
FEATURES Bronze anodized pivot ring



PAYOUT

2075
a KERSHAW ORIGINALS design



STEEL D2, stonewashed finish
HANDLE Stainless steel, stonewashed finish, with G10 handle scale
BLADE 3.5 in. (8.9 cm)
CLOSED 4.9 in. (12.6 cm)
OVERALL 8.3 in. (21.3 cm)
WEIGHT 5.3 oz. (150 g)
BOX 087171058085
CLAM -

OPENING Assisted opening with flipper
LOCK Frame lock
POCKETCLIP Single-position extra-deep-carry (right, tip-up)
FEATURES Bronze anodized pivot ring, lanyard hole



KURO - SERRATED

1835TBLKST
a KERSHAW ORIGINALS design



STEEL 8Cr13MoV, black-oxide coating
HANDLE Glass-filled nylon
BLADE 3.1 in. (7.9 cm)
CLOSED 4.1 in. (10.5 cm)
OVERALL 7.25 in. (18.4 cm)
WEIGHT 3.2 oz. (90 g)
BOX 087171033747
CLAM -

OPENING Assisted opening with flipper
LOCK Liner lock
POCKETCLIP 3-position (right/left, tip-up; right, tip-down)
FEATURES Lanyard hole



BRAWLER

1990
a KERSHAW ORIGINALS design



STEEL 8Cr13MoV, black-oxide coating
HANDLE Glass-filled nylon
BLADE 3 in. (7.6 cm)
CLOSED 4.1 in. (10.5 cm)
OVERALL 7.1 in. (18 cm)
WEIGHT 3.9 oz. (111 g)
BOX 087171033044
CLAM 087171033075

OPENING Assisted opening with flipper
LOCK Liner lock
POCKETCLIP 4-position (right/left, tip-up/down)



FRINGE

8310
a KERSHAW ORIGINALS design



STEEL 8Cr13MoV, titanium carbo-nitride coating
HANDLE Stainless steel, titanium carbo-nitride coating, carbon fiber inlay front
BLADE 3 in. (7.6 cm)
CLOSED 4.1 in. (10.5 cm)
OVERALL 7 in. (17.8 cm)
WEIGHT 3.5 oz. (101 g)
BOX 087171052281
CLAM 087171052786

OPENING Assisted opening with flipper or thumb stud
LOCK Frame lock
POCKETCLIP Single-position deep-carry (right, tip-down)
FEATURES Lanyard hole



GRID

2200
a KERSHAW ORIGINALS design



STEEL 8Cr13MoV, black-oxide coating
HANDLE Stainless steel, titanium carbo-nitride coating
BLADE 3.7 in. (9.4 cm)
CLOSED 4.5 in. (11.4 cm)
OVERALL 8.4 in. (21.3 cm)
WEIGHT 5.3 oz. (150 g)
BOX 087171040912
CLAM 087171045597

OPENING Assisted opening with flipper or thumb stud
LOCK Frame lock
POCKETCLIP Reversible (right/left, tip-up)



ERIS

1881
a KERSHAW ORIGINALS design



STEEL 8Cr13MoV, stonewashed finish with satin flats
HANDLE Stainless steel, titanium carbo-nitride coating
BLADE 3 in. (7.6 cm)
CLOSED 4.1 in. (10.4 cm)
OVERALL 7.2 in. (18.1 cm)
WEIGHT 4.7 oz. (133 g)
BOX 087171047737
CLAM -

OPENING Assisted opening with flipper
LOCK Frame lock
POCKETCLIP Reversible (right/left, tip-up)
FEATURES Lanyard hole



OUTRIGHT

8320
a KERSHAW ORIGINALS design

STEEL 8Cr13MoV, blue PVD coating
HANDLE Stainless steel, blue PVD coating, G10 overlay front
BLADE 3 in. (7.6 cm)
CLOSED 4.4 in. (11.1 cm)
OVERALL 7.1 in. (18.1 cm)
WEIGHT 4 oz. (114 g)
BOX 087171052298
CLAM -

OPENING Assisted opening with flipper or thumb stud
LOCK Frame lock
POCKETCLIP Single-position deep-carry (right, tip-down)

OUTRIGHT - BLACK

8320BLK
a KERSHAW ORIGINALS design

STEEL 8Cr13MoV, black PVD coating
HANDLE Stainless steel, black PVD coating, G10 overlay front
BLADE 3 in. (7.6 cm)
CLOSED 4.4 in. (11.1 cm)
OVERALL 7.1 in. (18.1 cm)
WEIGHT 4 oz. (114 g)
BOX 087171061061
CLAM -

OPENING Assisted opening with flipper or thumb stud
LOCK Frame lock
POCKETCLIP Single-position deep-carry (right, tip-down)

FLITCH

3930
a KERSHAW ORIGINALS design

STEEL 8Cr13MoV, stonewashed finish
HANDLE Glass-filled nylon
BLADE 3.25 in. (8.3 cm)
CLOSED 4.6 in. (11.7 cm)
OVERALL 7.75 in. (19.7 cm)
WEIGHT 4.7 oz. (133 g)
BOX 087171048505
CLAM -

OPENING Assisted opening with flipper
LOCK Liner lock
POCKETCLIP Reversible deep-carry (right/left, tip-up)

FLOURISH

3935
a KERSHAW ORIGINALS design

STEEL 8Cr13MoV, black-oxide BlackWash™ finish with satin flats
HANDLE G10 with carbon fiber overlay
BLADE 3.5 in. (8.9 cm)
CLOSED 5 in. (12.7 cm)
OVERALL 8.5 in. (21.6 cm)
WEIGHT 5.3 oz. (150 g)
BOX 087171048512
CLAM -

OPENING Assisted opening with flipper
LOCK Liner lock
POCKETCLIP Reversible (right/left, tip-up)
FEATURES Lanyard hole

OBLIVION

3860
a KERSHAW ORIGINALS design

STEEL 8Cr13MoV, stonewashed finish
HANDLE Stainless steel, bead-blasted & stonewashed finish, glass-filled nylon inserts
BLADE 3.5 in. (9 cm)
CLOSED 4.6 in. (11.8 cm)
OVERALL 8.1 in. (20.6 cm)
WEIGHT 5.1 oz. (146 g)
BOX 087171054841
CLAM 087171057903

OPENING Assisted opening with flipper
LOCK Frame lock, lockbar-overtravel stop
POCKETCLIP Reversible deep-carry pocketclip (right/left, tip-up)
FEATURES Decorative pivot cap, lanyard hole

BARSTOW

3960
a KERSHAW ORIGINALS design

STEEL 8Cr13MoV, black-oxide BlackWash™ finish
HANDLE Glass-filled nylon
BLADE 3 in. (7.6 cm)
CLOSED 4 in. (10.1 cm)
OVERALL 7 in. (17.7 cm)
WEIGHT 3.4 oz. (98 g)
BOX 087171048628
CLAM 087171050454

OPENING Assisted opening with flipper
LOCK Liner lock
POCKETCLIP Reversible deep-carry (right/left, tip-up)
FEATURES Anodized aluminum accents
Single-edge sharpened

FATBACK

1935
a KERSHAW ORIGINALS design

STEEL 8Cr13MoV, black-oxide coating
HANDLE Glass-filled nylon
BLADE 3.5 in. (8.9 cm)
CLOSED 4.25 in. (10.8 cm)
OVERALL 7.75 in. (19.7 cm)
WEIGHT 3.6 oz. (102 g)
BOX 087171046105
CLAM 087171045740

OPENING Assisted opening with flipper
LOCK Liner lock
POCKETCLIP 4-position deep-carry (right/left, tip-up/down)

OSO SWEET

1830
a KEN UNION design

STEEL 8Cr13MoV, satin finish
HANDLE Glass-filled nylon
BLADE 3 in. (7.6 cm)
CLOSED 4.1 in. (10.5 cm)
OVERALL 7.1 in. (18 cm)
WEIGHT 2.8 oz. (80 g)
BOX 087171183008
CLAM 087171183015

OPENING Assisted opening with flipper
LOCK Liner lock
POCKETCLIP Reversible (right, tip-up/tip-down)
FEATURES Lanyard hole

CLASH

1605ST • 1605
a KEN UNION design

STEEL 8Cr13MoV, bead-blasted finish
HANDLE Glass-filled nylon
BLADE 3.1 in. (7.9 cm)
CLOSED 4.25 in. (10.7 cm)
OVERALL 7.4 in. (18.7 cm)
WEIGHT 4.3 oz. (122 g)
BOX 087171031132 serrated
087171031125 plain
CLAM 087171031378 serrated
087171031309 plain

OPENING Assisted opening with flipper
LOCK Liner lock
POCKETCLIP Reversible (right, tip-up/down)

CLASH - BLACK, SERRATED

1605CKTST
a KEN UNION design

STEEL 8Cr13MoV, black-oxide coating
HANDLE Glass-filled nylon
BLADE 3.1 in. (7.9 cm)
CLOSED 4.25 in. (10.7 cm)
OVERALL 7.4 in. (18.7 cm)
WEIGHT 4.3 oz. (122 g)
BOX 087171031491
CLAM -

OPENING Assisted opening with flipper
LOCK Liner lock
POCKETCLIP Reversible (right, tip-up/down)



CRYO II

1556TI
a RICK HINDERER design

STEEL 8Cr13MoV, titanium carbo-nitride coating
HANDLE 410 stainless steel, titanium carbo-nitride coating
BLADE 3.25 in. (8.3 cm)
CLOSED 4.4 in. (11.2 cm)
OVERALL 7.75 in. (19.7 cm)
WEIGHT 5.5 oz. (156 g)
BOX 087171034706
CLAM 087171034713

OPENING Assisted opening with flipper or thumb stud
LOCK Frame lock with lockbar stabilizer
POCKETCLIP 4-position deep-carry (right/left, tip-up/down)
FEATURES Lanyard hole



CRYO II - BLACKWASH™

1556BW
a RICK HINDERER design

STEEL 8Cr13MoV, black-oxide BlackWash™ finish
HANDLE 410 stainless steel, black-oxide BlackWash™ finish
BLADE 3.25 in. (8.3 cm)
CLOSED 4.4 in. (11.2 cm)
OVERALL 7.75 in. (19.7 cm)
WEIGHT 5.5 oz. (156 g)
BOX 087171036236
CLAM -

OPENING Assisted opening with flipper or thumb stud
LOCK Frame lock with lockbar stabilizer
POCKETCLIP 4-position deep-carry (right/left, tip-up/down)
FEATURES Lanyard hole



CRYO

1555TI
a RICK HINDERER design

STEEL 8Cr13MoV, titanium carbo-nitride coating
HANDLE 410 stainless steel, titanium carbo-nitride coating
BLADE 2.75 in. (7 cm)
CLOSED 3.75 in. (9.5 cm)
OVERALL 6.5 in. (16.5 cm)
WEIGHT 4.1 oz. (116 g)
BOX 087171033686
CLAM 087171033693

OPENING Assisted opening with flipper or thumb stud
LOCK Frame lock with lockbar stabilizer
POCKETCLIP 4-position deep-carry (right/left, tip-up/down)
FEATURES Lanyard hole



CRYO - BLACKWASH™

1555BW
a RICK HINDERER design

STEEL 8Cr13MoV, black-oxide BlackWash™ finish
HANDLE 410 stainless steel, black-oxide BlackWash™ finish
BLADE 2.75 in. (7 cm)
CLOSED 3.75 in. (9.5 cm)
OVERALL 6.5 in. (16.5 cm)
WEIGHT 4.1 oz. (116 g)
BOX 087171037530
CLAM 087171036830

OPENING Assisted opening with flipper or thumb stud
LOCK Frame lock with lockbar stabilizer
POCKETCLIP 4-position deep-carry (right/left, tip-up/down)
FEATURES Lanyard hole



CRYO - G10

1555G10
a RICK HINDERER design

STEEL 8Cr13MoV, stonewashed finish
HANDLE G10 front, stainless steel back, stonewashed finish
BLADE 2.75 in. (7 cm)
CLOSED 3.75 in. (9.5 cm)
OVERALL 6.5 in. (16.5 cm)
WEIGHT 3.7 oz. (105 g)
BOX 087171036731
CLAM 087171036748

OPENING Assisted opening with flipper or thumb stud
LOCK Frame lock with lockbar stabilizer
POCKETCLIP 4-position deep-carry (right/left, tip-up/down)
FEATURES Lanyard hole



FERRITE

1557TI
a RICK HINDERER design

STEEL 8Cr13MoV, titanium carbo-nitride coating
HANDLE Stainless steel, titanium carbo-nitride coating
BLADE 3.3 in. (8.4 cm)
CLOSED 4.25 in. (10.8 cm)
OVERALL 7.5 in. (19.1 cm)
WEIGHT 4.2 oz. (119 g)
BOX 087171044781
CLAM 087171045610

OPENING Assisted opening with flipper or thumb stud
LOCK Frame lock, lockbar stabilizer
POCKETCLIP Reversible (right/left, tip-up), after-market filler tabs available
FEATURES Lanyard hole



EMBER

3560
a RICK HINDERER design

STEEL 8Cr13MoV, titanium carbo-nitride coating
HANDLE Stainless steel, titanium carbo-nitride coating
BLADE 2 in. (5.1 cm)
CLOSED 2.8 in. (7.1 cm)
OVERALL 4.75 in. (12.1 cm)
WEIGHT 2.2 oz. (62 g)
BOX 087171036908
CLAM 087171036892

OPENING Assisted opening with flipper
LOCK Frame lock
POCKETCLIP 3-position deep-carry (right/left, tip-up; right, tip-down)



DECIMUS

1559
a RICK HINDERER design

STEEL 8Cr13MoV, black-oxide BlackWash™ finish
HANDLE Stainless steel with stonewashed finish, glass-filled nylon overlay
BLADE 3.25 in. (8.3 cm)
CLOSED 4.25 in. (10.8 cm)
OVERALL 7.5 in. (19.1 cm)
WEIGHT 4.3 oz. (123 g)
BOX 087171052380
CLAM -

OPENING Assisted opening with flipper
LOCK Frame lock
POCKETCLIP Reversible (right/left, tip-up)
FEATURES Single-edge sharpened



BOILERMAKER

3475
a LES GEORGE design

STEEL 8Cr13MoV, brown PVD coating, stonewashed finish
HANDLE Stainless steel, brown PVD coating, stonewashed finish
BLADE 3.3 in. (8.5 cm)
CLOSED 4.25 in. (10.8 cm)
OVERALL 7.6 in. (19.2 cm)
WEIGHT 4.4 oz. (127 g)
BOX 087171054797
CLAM 087171055961

OPENING Assisted opening with flipper
LOCK Frame lock
POCKETCLIP Single-position deep-carry (right, tip-up)
FEATURES Decorative pivot cap and backspacer, logo window, blade window



SEGUIN

3490
a LES GEORGE design

STEEL 8Cr13MoV, gray PVD coating
HANDLE Stainless steel, bead-blasted finish
BLADE 3.1 in. (8 cm)
CLOSED 4.25 in. (10.8 cm)
OVERALL 7.25 in. (18.3 cm)
WEIGHT 4.8 oz. (138 g)
BOX 087171054162
CLAM 087171055664

OPENING Assisted opening with flipper
LOCK Frame lock
POCKETCLIP Single-position deep-carry (right, tip-up)
FEATURES Decorative pivot cap and backspacer, custom handle texture



RJ TACTICAL 3.0

1987
a RJ MARTIN design

STEEL 8Cr13MoV, black-oxide coating
HANDLE Glass-filled nylon
BLADE 3 in. (7.6 cm)
CLOSED 4 in. (10.2 cm)
OVERALL 6.9 in. (17.5 cm)
WEIGHT 2.8 oz. (79 g)
BOX 087171039336
CLAM 087171039794

OPENING Assisted opening with flipper
LOCK Liner lock
POCKETCLIP 3-position (right/left, tip-up; right, tip-down)
FEATURES Lanyard hole



VOLT II

3650ST • 3650
an RJ MARTIN design

STEEL 8Cr13MoV, bead-blasted finish
HANDLE Glass-filled nylon
BLADE 3.25 in. (8.3 cm)
CLOSED 3.9 in. (9.8 cm)
OVERALL 7.1 in. (18 cm)
WEIGHT 3.3 oz. (94 g)
BOX 087171031088 serrated
087171031071 plain
CLAM 087171031385 serrated
087171031361 plain

OPENING Assisted opening with flipper
LOCK Liner lock
POCKETCLIP Reversible (right, tip-up/down)
FEATURES Lanyard hole



VOLT II - BLACK, SERRATED

3650CKTST
an RJ MARTIN design

STEEL 8Cr13MoV, black-oxide coating
HANDLE Glass-filled nylon
BLADE 3.25 in. (8.3 cm)
CLOSED 3.9 in. (9.8 cm)
OVERALL 7.1 in. (18 cm)
WEIGHT 3.3 oz. (94 g)
BOX 087171031477
CLAM 087171031620

OPENING Assisted opening with flipper
LOCK Liner lock
POCKETCLIP Reversible (right, tip-up/down)
FEATURES Lanyard hole



VOLT SS

3655
an RJ MARTIN design

STEEL 8Cr13MoV, bead-blasted finish
HANDLE Stainless steel, bead-blasted finish
BLADE 3.5 in. (8.9 cm)
CLOSED 4.25 in. (10.8 cm)
OVERALL 7.75 in. (19.7 cm)
WEIGHT 4.3 oz. (122 g)
BOX 087171033785
CLAM 087171033792

OPENING Assisted opening with flipper
LOCK Frame lock
POCKETCLIP 3-position (right/left, tip-up; right, tip-down)
FEATURES Lanyard hole




ZING SS

1730SS
an RJ MARTIN design

STEEL 8Cr13MoV, bead-blasted finish
HANDLE 410 stainless steel, bead-blasted finish
BLADE 3 in. (7.6 cm)
CLOSED 3.9 in. (9.8 cm)
OVERALL 6.9 in. (17.5 cm)
WEIGHT 3.3 oz. (94 g)
BOX 087171033518
CLAM 087171033525

OPENING Assisted opening with flipper or thumb stud
LOCK Frame lock
POCKETCLIP 3-position (right/left, tip-up; right, tip-down)
FEATURES Lanyard hole



AMPLITUDE 2.5

3870
a TODD REXFORD design

STEEL 8Cr13MoV, satin finish
HANDLE Stainless steel, titanium carbo-nitride coating
BLADE 2.5 in. (6.4 cm)
CLOSED 3.5 in. (8.9 cm)
OVERALL 6 in. (15.2 cm)
WEIGHT 2.6 oz. (74 g)
BOX 087171036816
CLAM 087171036823

OPENING Assisted opening with flipper
LOCK Frame lock
POCKETCLIP Reversible (right/left, tip-up)



SHOWTIME

1955
a TODD REXFORD design

STEEL 8Cr13MoV, black-oxide coating with satin flats
HANDLE Stainless steel, black-oxide coating
BLADE 3 in. (7.6 cm)
CLOSED 4 in. (10.2 cm)
OVERALL 6.75 in. (17.1 cm)
WEIGHT 3.7 oz. (105 g)
BOX 087171044774
CLAM 087171044927

OPENING Assisted opening with flipper
LOCK Frame lock
POCKETCLIP Reversible deep-carry (right/left, tip-up)



EDC-MANUAL SECTION




NEW

CARGO

2033
a KERSHAW ORIGINALS design



STEEL D2, stonewashed finish
HANDLE Glass-filled nylon
BLADE 3.2 in. (8.1 cm)
CLOSED 4.3 in. (10.9 cm)
OVERALL 7.5 in. (19.1 cm)
WEIGHT 2.3 oz. (65 g)
BOX 087171063225
CLAM -



OPENING Manual opening with thumb stud
LOCK Mid-lock
POCKETCLIP Reversible deep-carry (right/left, tip-up)


NEW

DEBRIS

2034
a KERSHAW ORIGINALS design



STEEL D2, stonewashed finish
HANDLE Glass-filled nylon
BLADE 2.75 in. (7 cm)
CLOSED 3.75 in. (9.5 cm)
OVERALL 6.5 in. (16.5 cm)
WEIGHT 2 oz. (57 g)
BOX 087171063232
CLAM -



OPENING Manual opening with thumb stud
LOCK Mid-lock
POCKETCLIP Reversible deep-carry (right/left, tip-up)

NEW

FEDERALIST

4320
a KERSHAW ORIGINALS design



STEEL CPM 154, stonewashed finish
HANDLE Canvas micarta handle, stonewashed finish
BLADE 3.25 in. (8.3 cm)
CLOSED 4.25 in. (10.8 cm)
OVERALL 7.5 in. (19.1 cm)
WEIGHT 2.1 oz. (60 g)
BOX 087171062099
CLAM -



OPENING Manual double detent slippoint with nail nick
LOCK Slipjoint
FEATURES Decorative pivot cap, lanyard hole

NEW

PARLEY

4384
a KERSHAW ORIGINALS design



STEEL 7Cr17MoV, satin finish
HANDLE Canvas micarta, polished finish, stainless steel bolster, satin finish
BLADE 3.1 in. (7.9 cm)
CLOSED 4.1 in. (10.4 cm)
OVERALL 7.2 in. (18.3 cm)
WEIGHT 2.8 oz. (79 g)
BOX 087171061771
CLAM -



OPENING Manual slipjoint with nail nick
LOCK Slipjoint
FEATURES Lanyard hole with brass trim ring, brass liners

NEW

ALLEGORY

4385
a KERSHAW ORIGINALS design



STEEL 7Cr17MoV, satin finish
HANDLE Canvas micarta, polished finish, stainless steel bolsters, satin finish
BLADE 3.1 in. (7.9 cm) • 3.1 in. (7.9 cm)
CLOSED 4 in. (10.2 cm)
OVERALL 7.1 in. (18 cm)
WEIGHT 2.7 oz. (77 g)
BOX 087171061788
CLAM -



OPENING Manual slipjoint with nail nick
LOCK Slipjoint
FEATURES 2 blades, steel liners



NEW

IREDALE

4386

a KERSHAW ORIGINALS design

STEEL 7Cr17MoV, satin finish
HANDLE Canvas micarta, polished finish, stainless steel bolsters, satin finish
BLADE 2.6 in. (6.6 cm) • 2.2 in. (5.6 cm) • 1.6 in. (4.1 cm)
CLOSED 3.6 in. (9.1 cm)
OVERALL 6.2 in. (15.7 cm)
WEIGHT 2.2 oz. (62 g)
BOX 087171061795
CLAM -



OPENING Manual slipjoint with nail nick
LOCK Slipjoint
FEATURES 3 blades, brass liners



NEW

INCEPTION

2031

a KERSHAW ORIGINALS design

STEEL D2, stonewashed finish
HANDLE G10
BLADE 3.25 in. (8.3 cm)
CLOSED 4 in. (10.2 cm)
OVERALL 7.25 in. (18.4 cm)
WEIGHT 3.1 oz. (88 g)
BOX 087171062112
CLAM -



OPENING Manual KVT ball-bearing opening with flipper
LOCK Liner lock
POCKETCLIP Reversible deep-carry (right/left, tip-up)
FEATURES Decorative pivot cap, lanyard hole



NEW

ESTEEM

2032

a KERSHAW ORIGINALS design

STEEL 8Cr13MoV, bead-blasted finish
HANDLE Stainless steel, bead-blasted finish, polished G10 overlays
BLADE 2.5 in. (6.4 cm)
CLOSED 3.4 in. (8.6 cm)
OVERALL 5.9 in. (15 cm)
WEIGHT 1.9 oz. (54 g)
BOX 087171062143
CLAM -



OPENING Manual double detent slippoint with nail nick
LOCK Slippoint
POCKETCLIP Single-position deep-carry (right, tip-up)
FEATURES Decorative pivot cap, bronze PVD coated, lanyard hole



GADSDEN

4381

a KERSHAW ORIGINALS design

STEEL 7Cr17MoV, satin finish
HANDLE G10, polished
BLADE 2.75 in. (7 cm) • 2.75 in. (7 cm)
CLOSED 3.5 in. (8.9 cm)
OVERALL 6.25 in. (16 cm)
WEIGHT 2.7 oz. (77 g)
BOX 087171058214
CLAM -



OPENING Manual on washers opening with nail nick
LOCK Slippoint
POCKETCLIP -
FEATURES Two blades, brass liners, brass pins



BRANDYWINE

4382

a KERSHAW ORIGINALS design

STEEL 7Cr17MoV, satin finish
HANDLE G10, polished
BLADE 2.6 in. (6.6 cm) • 1.8 in. (4.7 cm) • 1.9 in. (5 cm)
CLOSED 3.5 in. (8.9 cm)
OVERALL 6.2 in. (15.8 cm)
WEIGHT 2.3 oz. (65 g)
BOX 087171058207
CLAM -




OPENING Manual on washers opening with nail nick
LOCK Slippoint
POCKETCLIP -
FEATURES Three blades, brass liners, brass pins







CULPEPPER

4383

a KERSHAW ORIGINALS design





STEEL	7Cr17MoV, satin finish
HANDLE	G10, polished
BLADE	3.25 in. (8.3 cm)
CLOSED	4.125 in. (10.6 cm)
OVERALL	7.4 in. (18.7 cm)
WEIGHT	3 oz. (85 g)
BOX	087171058283
CLAM	087171060477

OPENING LOCK

POCKETCLIP

FEATURES

Manual on washers opening with nail nick

Slipjoint


-





Lanyard hole, brass liners, brass pins

DECIBEL

2045

a KERSHAW ORIGINALS design





STEEL	8Cr13MoV, titanium carbo-nitride coating
HANDLE	Stainless steel, titanium carbo-nitride coating
BLADE	3 in. (7.6 cm)
CLOSED	3.75 in. (9.6 cm)
OVERALL	6.6 in. (16.8 cm)
WEIGHT	2.9 oz. (83 g)
BOX	087171055152
CLAM	087171056548

OPENING LOCK

POCKETCLIP

FEATURES

Manual on washers opening with thumb stud

Frame lock


Reversible (right/left, tip-up)





Decorative pivot cap & collar, weight-relieving handle window

ENDGAME

2095

a KERSHAW ORIGINALS design





STEEL	D2, stonewashed finish
HANDLE	Stainless steel with glass-filled nylon insert, bead-blasted finish
BLADE	3.25 in. (8.3 cm)
CLOSED	4.25 in. (10.8 cm)
OVERALL	7.5 in. (19.1 cm)
WEIGHT	3.9 oz. (111 g)
BOX	087171060705
CLAM	-

OPENING LOCK

POCKETCLIP

FEATURES

KVT ball-bearing opening with flipper

Frame lock


Reversible deep-carry (right/left, tip-up)





Decorative pivot cap, bronze PVD coated steel handle overlays

FAULTLINE

8760

a KERSHAW ORIGINALS design





STEEL	8Cr13MoV, black-oxide coating
HANDLE	Glass-filled nylon, rubber insert
BLADE	3 in. (7.6 cm)
CLOSED	4 in. (10.2 cm)
OVERALL	7 in. (17.8 cm)
WEIGHT	3.4 oz. (99 g)
BOX	087171052762
CLAM	087171053516

OPENING LOCK

POCKETCLIP

KVT ball-bearing opening with flipper

Inset liner lock

Single-position deep-carry (right, tip-up)

STRATA

2076

a KERSHAW ORIGINALS design





STEEL	D2, bead-blasted finish
HANDLE	G10 front, stainless steel back, bead-blasted finish
BLADE	4.5 in. (11.4 cm)
CLOSED	5.4 in. (13.7 cm)
OVERALL	9.9 in. (25.1 cm)
WEIGHT	3.7 oz. (105 g)
BOX	087171060651
CLAM	-

OPENING LOCK

POCKETCLIP

FEATURES

KVT ball-bearing opening with flipper

Frame lock

Single-position extra-deep-carry (right, tip-up)

Copper anodized decorative pivot cap and tube spacers

STRATA XL

2077

a KERSHAW ORIGINALS design





STEEL	D2, bead-blasted finish
HANDLE	G10 front, stainless steel back, bead-blasted finish
BLADE	5.4 in. (13.7 cm)
CLOSED	6.6 in. (16.7 cm)
OVERALL	12 in. (30.5 cm)
WEIGHT	5.8 oz. (164 g)
BOX	087171060668
CLAM	-

OPENING LOCK

POCKETCLIP

FEATURES

KVT ball-bearing opening with flipper

Frame lock

Single-position extra-deep-carry (right, tip-up)

Copper anodized decorative pivot cap and tube spacers

NORAD

5510

a KERSHAW ORIGINALS design





STEEL	D2, gray PVD coating with satin grind
HANDLE	Stainless steel with carbon fiber inserts, bead-blasted finish
BLADE	3.3 in. (8.7 cm)
CLOSED	4.5 in. (11.4 cm)
OVERALL	7.9 in. (20.2 cm)
WEIGHT	5.2 oz. (150 g)
BOX	087171058887
CLAM	-

OPENING LOCK

POCKETCLIP

FEATURES

KVT ball-bearing opening with flipper

Frame lock


Reversible (right/left, tip-up)





Decorative pivot cap, flipper hides in open position, finger landing

REVERB XL

1225

a KERSHAW ORIGINALS design





STEEL	8Cr13MoV, titanium carbo-nitride coating
HANDLE	G10, carbon fiber overlay front; steel back, titanium carbo-nitride coating
BLADE	3 in. (7.6 cm)
CLOSED	4.25 in. (10.9 cm)
OVERALL	7.4 in. (18.7 cm)
WEIGHT	2.2 oz. (63 g)
BOX	087171054759
CLAM	087171055923

OPENING LOCK

POCKETCLIP

FEATURES

Manual opening with nail nick

Frame lock


Single-position extra-deep-carry, (right, tip-up)





Carabiner clip

REVERB

1220

a KERSHAW ORIGINALS design





STEEL	8Cr13MoV, titanium carbo-nitride coating with satin flats
HANDLE	G10, carbon fiber overlay front; steel back, titanium carbo-nitride coating
BLADE	2.5 in. (6.4 cm)
CLOSED	3.25 in. (8.3 cm)
OVERALL	6.1 in. (15.6 cm)
WEIGHT	1.6 oz. (46 g)
BOX	087171048642
CLAM	087171048765

OPENING LOCK

POCKETCLIP

FEATURES

Manual opening with nail nick

Frame lock

Single-position extra-deep-carry, (right, tip-up)

Carabiner clip

STATIC

3445

a KERSHAW ORIGINALS design





STEEL	8Cr13MoV, satin finish
HANDLE	Stainless steel, gray PVD coating
BLADE	2.9 in. (7.4 cm),
CLOSED	3.9 in. (9.8 cm)
OVERALL	6.75 in. (17.1 cm)
WEIGHT	4 oz. (113 g)
BOX	087171055749
CLAM	087171059037

OPENING LOCK

POCKETCLIP

FEATURES

KVT ball-bearing opening with flipper

Frame lock

Reversible deep-carry (right/left, tip-up)

Weight-relieving handle window



HIGHBALL XL

7020
a KERSHAW ORIGINALS design

STEEL D2, bead-blasted finish
HANDLE Stainless steel, bead-blasted finish
BLADE 3.3 in. (8.4 cm)
CLOSED 4.3 in. (10.9 cm)
OVERALL 7.5 in. (19.1 cm)
WEIGHT 3.8 oz. (108 g)
BOX 087171060897
CLAM -



OPENING KVT ball—bearing opening with nail nick
LOCK Frame lock
POCKETCLIP Reversible deep-carry (right/left, tip-up)
FEATURES Decorative pivot cap. blue PVD coated



HIGHBALL

7010
a KERSHAW ORIGINALS design

STEEL D2, gray PVD coating with satin grind
HANDLE Stainless steel, gray PVD coating
BLADE 2.8 in. (7.1 cm)
CLOSED 3.8 in. (9.9 cm)
OVERALL 6.75 in. (17.1 cm)
WEIGHT 2.9 oz. (84 g)
BOX 087171057606
CLAM 087171060484



OPENING KVT ball—bearing opening with nail nick
LOCK Frame lock
POCKETCLIP Single-position (right, tip-up)
FEATURES Blue anodized pivot ring



LUCHA - TRAINER

5150TR
a KERSHAW ORIGINALS design



STEEL Sandvik 14C28N, stonewashed finish
HANDLE Stainless steel, bead-blasted finish
BLADE 4.6 in. (11.7 cm) unsharpened
CLOSED 5.8 in. (15 cm)
OVERALL 10.25 in. (26 cm)
WEIGHT 6 oz. (170 g)
BOX 087171060187



OPENING Dual KVT ball-bearing opening
LOCK Latch
POCKETCLIP -
FEATURES Unsharpened edge, rounded tip, anti-stick latch with rounded head profile, steel internal stop pins



NATRIX - CARBON FIBER

7007CF
a KERSHAW ORIGINALS design



STEEL 8Cr13MoV, titanium carbo-nitride coating
HANDLE G10, carbon fiber overlay
BLADE 3.25 in. (8.3 cm)
CLOSED 4.25 in. (10.8 cm)
OVERALL 7.5 in. (19.1 cm)
WEIGHT 2.9 oz. (82 g)
BOX 087171051949
CLAM 087171055756



OPENING KVT ball-bearing opening with flipper
LOCK Sub-Frame Lock
POCKETCLIP Reversible deep-carry (right/left, tip-up)
FEATURES Decorative pivot



BAREKNUCKLE - OLIVE BW

7777OLBW
a KERSHAW ORIGINALS design



STEEL Sandvik 14C28N, black-oxide BlackWash™ finish
HANDLE 6061-T6 aluminum, olive anodized
BLADE 3.5 in. (8.9 cm)
CLOSED 4.7 in. (11.8 cm)
OVERALL 8.2 in. (20.7 cm)
WEIGHT 3.4 oz. (96 g)
BOX 087171053707
CLAM -



OPENING KVT ball-bearing opening with flipper
LOCK Sub-Frame Lock
POCKETCLIP Reversible deep-carry (right/left, tip-up)



BAREKNUCKLE

7777
a KERSHAW ORIGINALS design



STEEL Sandvik 14C28N, stonewashed finish
HANDLE 6061-T6 aluminum, gray anodized
BLADE 3.5 in. (8.9 cm)
CLOSED 4.7 in. (11.8 cm)
OVERALL 8.2 in. (20.7 cm)
WEIGHT 3.4 oz. (96 g)
BOX 087171053363
CLAM -



OPENING KVT ball-bearing opening with flipper
LOCK Sub-Frame Lock
POCKETCLIP Reversible deep-carry (right/left, tip-up)



CONCERGE

4020
a DMITRY SINKEVICH design



STEEL 8Cr13MoV, titanium carbo-nitride coating
HANDLE G10
BLADE 3.25 in. (8.3 cm)
CLOSED 4.25 in. (10.8 cm)
OVERALL 7.25 in. (18.4 cm)
WEIGHT 4 oz. (113 g)
BOX 087171052274
CLAM 087171053547




OPENING KVT ball-bearing opening with flipper
LOCK Liner lock
POCKETCLIP Recessed single-position (right, tip-up)
FEATURES Lanyard hole



KAPSULE

1190
a JENS ANSØ design




STEEL	8Cr13MoV, stonewashed finish
HANDLE	Glass-filled nylon
BLADE	1.9 in. (4.8 cm)
CLOSED	3.25 in. (8.3 cm)
OVERALL	5 in. (12.7 cm)
WEIGHT	2 oz. (57 g)
BOX	087171060644
CLAM	-

OPENING	Manual with sliding button
LOCK	Sliding button lock
POCKETCLIP	Single-position deep-carry (right, tip-down)
FEATURES	Blue anodized aluminum button

AFTEREFFECT

1180
a JENS ANSØ design



STEEL	8Cr13MoV, bead-blasted finish
HANDLE	Glass-filled nylon
BLADE	1.7 in. (4.4 cm)
CLOSED	3 in. (7.6 cm)
OVERALL	4.75 in. (12.1 cm)
WEIGHT	2.1 oz. (60 g)
BOX	087171058269
CLAM	-

OPENING	Manual on washers opening with thumb stud
LOCK	Inset liner lock
POCKETCLIP	Single-position deep-carry (right, tip-up)
FEATURES	Extra large lanyard/keychain hole

ATMOS

4037
a DMITRY SINKEVICH design




STEEL	8Cr13MoV, satin finish with satin sanded flats
HANDLE	G10, carbon fiber overlay
BLADE	3 in. (7.6 cm)
CLOSED	4 in. (10.2 cm)
OVERALL	6.9 in. (17.5 cm)
WEIGHT	1.9 oz. (54 g)
BOX	087171052236
CLAM	087171052793

OPENING	KVT ball-bearing opening with flipper
LOCK	Inset liner lock
POCKETCLIP	Reversible deep-carry (right/left, tip-up)
FEATURES	Lanyard hole

TUMBLER

4038
a DMITRY SINKEVICH design




STEEL	D2, stonewashed finish
HANDLE	G10, carbon fiber inlay
BLADE	3.25 in. (8.3 cm)
CLOSED	4.5 in. (11.4 cm)
OVERALL	7.4 in. (18.7 cm)
WEIGHT	2.6 oz. (75 g)
BOX	087171057613
CLAM	087171060491

OPENING	KVT ball-bearing opening with flipper
LOCK	Sub-Frame Lock
POCKETCLIP	Reversible deep-carry (right/left, tip-up)
FEATURES	Lanyard hole, decorative pivot cap



METHOD

1170
a JENS ANSØ design




STEEL	8Cr13MoV, black-oxide BlackWash™ finish
HANDLE	G10
BLADE	3 in. (7.6 cm)
CLOSED	4.25 in. (10.8 cm)
OVERALL	7.25 in. (18.4 cm)
WEIGHT	2.2 oz. (63 g)
BOX	087171052229
CLAM	-

OPENING	KVT ball-bearing opening with flipper
LOCK	Inset liner lock
POCKETCLIP	Single-position (right, tip-up)
FEATURES	Lanyard hole

XCOM

3425
a LES GEORGE design




STEEL	8Cr13MoV, black-oxide coating
HANDLE	Glass-filled nylon
BLADE	3.6 in. (9.2 cm)
CLOSED	4.4 in. (11.2 cm)
OVERALL	8 in. (20.2 cm)
WEIGHT	4.1 oz. (117 g)
BOX	087171054834
CLAM	087171055947

OPENING	Manual opening with thumb disk
LOCK	Inset liner lock
POCKETCLIP	Reversible deep-carry (right/left, tip-up)
FEATURES	Lanyard hole

CHILL

3410
an RJ MARTIN design




STEEL	8Cr13MoV, bead-blasted finish
HANDLE	G10
BLADE	3.1 in. (7.9 cm)
CLOSED	3.9 in. (9.8 cm)
OVERALL	7 in. (17.8 cm)
WEIGHT	2 oz. (57 g)
BOX	087171030432
CLAM	087171030456

OPENING	Manual opening with flipper
LOCK	Liner lock
POCKETCLIP	Reversible (right, tip-up/down)
FEATURES	Lanyard hole

CQC-4K

6054BRNBLK
an ERNEST EMERSON design




STEEL	8Cr14MoV, black-oxide coating
HANDLE	G10 front; 410 stainless steel back, black-oxide coating
BLADE	3.25 in. (8.3 cm)
CLOSED	4.2 in. (10.7 cm)
OVERALL	7.4 in. (18.8 cm)
WEIGHT	4.1 oz. (116 g)
BOX	087171037592
CLAM	-

OPENING	Manual opening with thumb disk or Emerson wave shaped feature®
LOCK	Frame lock
POCKETCLIP	Reversible (right/left, tip-up)
FEATURES	Lanyard hole

CQC-5K

6074OLBLK
an ERNEST EMERSON design



STEEL	8Cr14MoV, black-oxide coating
HANDLE	G10
BLADE	3 in. (7.6 cm)
CLOSED	4 in. (10.2 cm)
OVERALL	7.1 in. (18 cm)
WEIGHT	3.7 oz. (105 g)
BOX	087171037615
CLAM	-

OPENING	Manual opening with thumb disk or Emerson wave shaped feature®
LOCK	Liner lock
POCKETCLIP	Reversible (right/left, tip-up)
FEATURES	Lanyard hole

CQC-7K

6034T
an ERNEST EMERSON design

STEEL	8Cr14MoV, stonewashed finish with satin flats
HANDLE	G10 front; 410 stainless steel back, bead-blasted finish
BLADE	3.25 in. (8.3 cm)
CLOSED	4.5 in. (11.4 cm)
OVERALL	7.75 in. (19.7 cm)
WEIGHT	5 oz. (142 g)
BOX	087171037295
CLAM	-
OPENING	Manual opening with thumb disk or Emerson wave shaped feature®
LOCK	Frame lock
POCKETCLIP	Reversible (right/left, tip-up)
FEATURES	Lanyard hole

CQC-8K

6044TBLK
an ERNEST EMERSON design

STEEL	8Cr14MoV, black-oxide coating
HANDLE	G10
BLADE	3.5 in. (8.9 cm)
CLOSED	4.6 in. (11.7 cm)
OVERALL	8.1 in. (20.6 cm)
WEIGHT	5.3 oz. (152 g)
BOX	087171037318
CLAM	-
OPENING	Manual opening with thumb disk or Emerson wave shaped feature®
LOCK	Liner lock
POCKETCLIP	Reversible (right/left, tip-up)
FEATURES	Lanyard hole

CQC-9K

6045BLK
an ERNEST EMERSON design

STEEL	8Cr14MoV, black-oxide coating
HANDLE	G10 front; 410 stainless steel back, black-oxide coating
BLADE	3.6 in. (9.1 cm)
CLOSED	5.25 in. (13.3 cm)
OVERALL	8.8 in. (22.4 cm)
WEIGHT	6.4 oz. (181 g)
BOX	087171044767
CLAM	-
OPENING	Manual opening with thumb disk or Emerson wave shaped feature®
LOCK	Frame lock
POCKETCLIP	Reversible (right/left, tip-up)
FEATURES	Lanyard hole

E-TRAIN

6034TRAINER
an ERNEST EMERSON design

STEEL	3Cr13, stonewashed finish
HANDLE	G10 front; 410 stainless steel back, bead-blasted finish
BLADE	3.2 in. (8.1 cm) unsharpened
CLOSED	4.5 in. (11.4 cm)
OVERALL	7.7 in. (19.6 cm)
WEIGHT	5.1 oz. (146 g)
BOX	08717039664
CLAM	-
OPENING	Manual opening with thumb disk or Emerson wave shaped feature®
LOCK	Frame lock
POCKETCLIP	Reversible (right/left, tip-up)
FEATURES	Unsharpened blade, rounded tip, lanyard hole

CQC-10K

6030
an ERNEST EMERSON design

STEEL	8Cr14MoV, stonewashed finish
HANDLE	G10 front; 410 stainless steel back, bead-blasted finish
BLADE	3.5 in. (9 cm)
CLOSED	4.75 in. (12.1 cm)
OVERALL	8.5 in. (21.6 cm)
WEIGHT	5.1 oz. (146 g)
BOX	087171049380
CLAM	-
OPENING	Manual opening with thumb disk or Emerson wave shaped feature®
LOCK	Frame lock
POCKETCLIP	Reversible (right/left, tip-up)
FEATURES	Bowie blade ideal for hunting, lanyard hole

CQC-6K D2

6034D2
an ERNEST EMERSON design

STEEL	D2, stonewashed finish with satin flats
HANDLE	G10 front; 410 stainless steel back, bead-blasted finish
BLADE	3.25 in. (8.3 cm)
CLOSED	4.5 in. (11.4 cm)
OVERALL	7.75 in. (19.7 cm)
WEIGHT	5.1 oz. (146 g)
BOX	087171056166
CLAM	-
OPENING	Manual opening with thumb disk or Emerson wave shaped feature®
LOCK	Frame lock
POCKETCLIP	Reversible (right/left, tip-up)
FEATURES	Lanyard hole

CQC-4KXL D2

6055D2
an ERNEST EMERSON design

STEEL	D2, stonewashed finish with satin flats
HANDLE	G10 front; 410 stainless steel back, bead-blasted finish
BLADE	3.9 in. (9.9 cm)
CLOSED	5 in. (12.7 cm)
OVERALL	9 in. (22.9 cm)
WEIGHT	6.1 oz. (175 g)
BOX	087171056159
CLAM	-
OPENING	Manual opening with thumb disk or Emerson wave shaped feature®
LOCK	Frame lock
POCKETCLIP	Reversible (right/left, tip-up)
FEATURES	Lanyard hole

CQC-11K D2

6031D2
an ERNEST EMERSON design

STEEL	D2, stonewashed finish
HANDLE	G10 front; 410 stainless steel back, bead-blasted finish
BLADE	3.5 in. (9 cm)
CLOSED	4.75 in. (12.1 cm)
OVERALL	8.5 in. (21.6 cm)
WEIGHT	5.8 oz. (166 g)
BOX	087171056173
CLAM	-
OPENING	Manual opening with thumb disk or Emerson wave shaped feature®
LOCK	Frame lock
POCKETCLIP	Reversible (right/left, tip-up)
FEATURES	Big-bellied skinning blade, lanyard hole



MULTI-FUNCTION SECTION



When you're looking for a knife that does more, look to our multifunction pocketknives. They incorporate additional handy features like screwdrivers or bottle openers and just add to the convenience of carrying a knife.

DRIVETRAIN

8655
a KERSHAW ORIGINALS design



STEEL D2, stonewashed finish
HANDLE Glass-filled nylon
BLADE 3.2 in. (8.1 cm)
CLOSED 4.6 in. (11.7 cm)
OVERALL 7.6 in. (19.3 cm)
WEIGHT 4.2 oz. (119 g)
BOX 087171056616
CLAM -



OPENING Assisted opening with flipper or thumb stud
LOCK Liner lock
POCKETCLIP Single-position (right, tip-up)
FEATURES Carbide glassbreaker tip, built-in seatbelt cutter



PLATFORM

2090
a KERSHAW ORIGINALS design



STEEL 8Cr13MoV, bead-blasted finish
HANDLE Glass-filled nylon scale front, stainless steel back, bead-blasted finish
BLADE 2.75 in. (6.9 cm)
CLOSED 4 in. (10.1 cm)
OVERALL 6.75 in. (17.1 cm)
WEIGHT 3.6 oz. (102 g)
BOX 087171060286
CLAM -



OPENING Manual double detent slipjoint with nail nick
LOCK Slipjoint
FEATURES Integrated nail clipper, nail file



DIODE

1230
a KERSHAW ORIGINALS design



STEEL 3Cr13, bead-blasted finish
HANDLE Glass-filled nylon
BLADE 1.6 in. (4.1 cm)
CLOSED 2.9 in. (7.5 cm)
OVERALL 4.5 in. (11.5 cm)
WEIGHT 1.1 oz. (33 g)
BOX -
CLAM 087171058627



OPENING Manual on washers opening with nail nick
LOCK Liner lock
POCKETCLIP -
FEATURES Flat head screwdriver/pry bar, lanyard/keychain hole



FUNXION EMT

8100
a KERSHAW ORIGINALS design



STEEL 8Cr13MoV, black-oxide coating
HANDLE Glass-filled nylon, K-Texture™ insert
BLADE 3 in. (7.6 cm)
CLOSED 4.25 in. (10.7 cm)
OVERALL 7.25 in. (18.4 cm)
WEIGHT 4.8 oz. (137 g)
BOX 087171033853
CLAM -



OPENING SpeedSafe® assisted opening with flipper or thumb stud
LOCK Liner lock
POCKETCLIP Single-position deep-carry (right, tip-down)
FEATURES Carabiner clip, cord cutter, flat head screwdriver, hex wrench, glassbreaker tip



SELECT FIRE

1920
a GRANT & GAVIN HAWK design



STEEL 8Cr13MoV, bead-blasted finish
HANDLE Glass-filled nylon
BLADE 3.4 in. (8.6 cm)
CLOSED 4.25 in. (10.8 cm)
OVERALL 7.6 in. (19.4 cm)
WEIGHT 5 oz. (142 g)
BOX 087171030319
CLAM 087171030333



OPENING Manual on washers opening with thumb stud
LOCK Liner lock
POCKETCLIP Reversible (right/left, tip-down)
FEATURES .25 in. hex drive, 2 flat head, 2 Phillips® bits, ruler



SHUFFLE II - OLIVE

8750TOLBW
a KERSHAW ORIGINALS design



STEEL 8Cr13MoV, black-oxide BlackWash™ finish
HANDLE Glass-filled nylon
BLADE 2.6 in. (6.6 cm)
CLOSED 4 in. (10.2 cm)
OVERALL 6.3 in. (16 cm)
WEIGHT 3 oz. (86 g)
BOX 087171048345
CLAM 087171046204

OPENING Manual on washers opening with thumb stud
LOCK Inset liner lock
POCKETCLIP Reversible (right/left, tip-down)
FEATURES Bottle opener, flat head screwdriver, lanyard hole



SHUFFLE II - BLACK

8750TBLKBW
a KERSHAW ORIGINALS design



STEEL 8Cr13MoV, black-oxide BlackWash™ finish
HANDLE Glass-filled nylon
BLADE 2.6 in. (6.6 cm)
CLOSED 4 in. (10.2 cm)
OVERALL 6.3 in. (16 cm)
WEIGHT 3 oz. (86 g)
BOX 087171039367
CLAM 087171039374

OPENING Manual on washers opening with thumb stud
LOCK Inset liner lock
POCKETCLIP Reversible (right/left, tip-down)
FEATURES Bottle opener, flat head screwdriver, lanyard hole



SHUFFLE II - TAN

8750TTANBW
a KERSHAW ORIGINALS design



STEEL 8Cr13MoV, black-oxide BlackWash™ finish
HANDLE Glass-filled nylon
BLADE 2.6 in. (6.6 cm)
CLOSED 4 in. (10.2 cm)
OVERALL 6.3 in. (16 cm)
WEIGHT 3 oz. (86 g)
BOX 087171039343
CLAM 087171039350

OPENING Manual on washers opening with thumb stud
LOCK Inset liner lock
POCKETCLIP Reversible (right/left, tip-down)
FEATURES Bottle opener, flat head screwdriver, lanyard hole



SHUFFLE

8700
a KERSHAW ORIGINALS design



STEEL 8Cr13MoV, bead-blasted finish
HANDLE Glass-filled nylon, K-Texture™ grip
BLADE 2.4 in. (6.1 cm)
CLOSED 3.25 in. (8.3 cm)
OVERALL 5.75 in. (14.6 cm)
WEIGHT 2.8 oz. (79 g)
BOX 087171035468
CLAM 087171035475

OPENING Manual on washers opening with thumb stud
LOCK Inset liner lock
POCKETCLIP Reversible deep-carry (right/left, tip-up)
FEATURES Bottle opener, flat head screwdriver, lanyard hole



SHUFFLE - BLACK

8700BLK
a KERSHAW ORIGINALS design



STEEL 8Cr13MoV, black-oxide coating
HANDLE Glass-filled nylon, K-Texture™ grip
BLADE 2.4 in. (6.1 cm)
CLOSED 3.25 in. (8.3 cm)
OVERALL 5.75 in. (14.6 cm)
WEIGHT 2.8 oz. (79 g)
BOX 087171037134
CLAM 087171037127

OPENING Manual on washers opening with thumb stud
LOCK Inset liner lock
POCKETCLIP Reversible deep-carry (right/left, tip-up)
FEATURES Bottle opener, flat head screwdriver, lanyard hole



SHUFFLE - LIME

8700LIMEBW
a KERSHAW ORIGINALS design



STEEL 8Cr13MoV, black-oxide BlackWash™ finish
HANDLE Glass-filled nylon, K-Texture™ grip
BLADE 2.4 in. (6.1 cm)
CLOSED 3.25 in. (8.3 cm)
OVERALL 5.75 in. (14.6 cm)
WEIGHT 2.8 oz. (79 g)
BOX 087171038681
CLAM 087171038698

OPENING Manual on washers opening with thumb stud
LOCK Inset liner lock
POCKETCLIP Reversible deep-carry (right/left, tip-up)
FEATURES Bottle opener, flat head screwdriver, lanyard hole



SHUFFLE - TEAL

8700TEALBW
a KERSHAW ORIGINALS design






STEEL 8Cr13MoV, black-oxide BlackWash™ finish
HANDLE Glass-filled nylon, K-Texture™ grip
BLADE 2.4 in. (6.1 cm)
CLOSED 3.25 in. (8.3 cm)
OVERALL 5.75 in. (14.6 cm)
WEIGHT 2.8 oz. (79 g)
BOX 087171038728
CLAM 087171038735

OPENING Manual on washers opening with thumb stud
LOCK Inset liner lock
POCKETCLIP Reversible deep-carry (right/left, tip-up)
FEATURES Bottle opener, flat head screwdriver, lanyard hole



SHUFFLE - PURPLE

8700PURBW
a KERSHAW ORIGINALS design






STEEL	8Cr13MoV, black-oxide BlackWash™ finish
HANDLE	Glass-filled nylon, K-Texture™ grip
BLADE	2.4 in. (6.1 cm)
CLOSED	3.25 in. (8.3 cm)
OVERALL	5.75 in. (14.6 cm)
WEIGHT	2.8 oz. (79 g)
BOX	087171039107
CLAM	087171039114

OPENING LOCK	Manual on washers opening with thumb stud
POCKETCLIP	Inset liner lock
FEATURES	Reversible deep-carry (right/left, tip-up)
	Bottle opener, flat head screwdriver, lanyard hole

SHUFFLE DIY

8720
a KERSHAW ORIGINALS design






STEEL	8Cr13MoV, black-oxide coating
HANDLE	Glass-filled nylon
BLADE	2.4 in. (6.1 cm)
CLOSED	3.25 in. (8.3 cm)
OVERALL	5.75 in. (14.6 cm)
WEIGHT	3.5 oz. (100 g)
BOX	087171048932
CLAM	087171048949

OPENING LOCK	Manual on washers opening with thumb stud
POCKETCLIP	Inset liner lock
FEATURES	Single-position (right, tip-down)
	Bottle opener, bit driver with flat head and Phillips screwdriver bits, keychain ring hole

ANTIC

8710
a KERSHAW ORIGINALS design






STEEL	8Cr13MoV, bead-blasted finish
HANDLE	Stainless steel, blue PVD coating
BLADE	1.7 in. (4.4 cm)
CLOSED	3.8 in. (9.7 cm)
OVERALL	5.5 in. (14 cm)
WEIGHT	3.1 oz. (88 g)
BOX	087171054063
CLAM	087171055671

OPENING LOCK	Manual on washers opening with thumb stud
POCKETCLIP	Frame lock
FEATURES	Single-position (right, tip-down)
	Bottle opener, screwdriver/pry tip, oversized lanyard attachment/key ring

CINDER - COPPER

1025CU
a RICK HINDERER design






STEEL	3Cr13, stonewashed finish
HANDLE	Copper
BLADE	1.4 in. (3.6 cm)
CLOSED	2.6 in. (6.6 cm)
OVERALL	4 in. (10.2 cm)
WEIGHT	1.5 oz. (43 g)
BOX	-
CLAM	087171051963

OPENING LOCK	Manual opening with thumb stud
POCKETCLIP	Liner lock
FEATURES	Bottle opener, lanyard hole

CINDER

1025
a RICK HINDERER design






STEEL	3Cr13, stonewashed finish
HANDLE	Glass-filled nylon
BLADE	1.4 in. (3.6 cm)
CLOSED	2.6 in. (6.6 cm)
OVERALL	4 in. (10.2 cm)
WEIGHT	0.9 oz. (26 g)
BOX	-
CLAM	087171044514

OPENING LOCK	Manual opening with thumb stud
POCKETCLIP	Liner lock
FEATURES	Bottle opener, lanyard hole

PUB - BLACK

4036BLK
a DMITRY SIENKEVICH design






STEEL	8Cr13MoV, stonewashed finish
HANDLE	Aluminum front, black anodized; stainless steel back, stonewashed finish
BLADE	1.6 in. (4.1 cm)
CLOSED	3.1 in. (7.9 cm)
OVERALL	4.5 in. (11.4 cm)
WEIGHT	1.9 oz. (54 g)
BOX	-
CLAM	087171048437

OPENING LOCK	Manual opening with extended tang
POCKETCLIP	Friction folder with detent
FEATURES	Bottle opener, flat head screwdriver/pry bar, key chain attachment

PUB - BLUE

4036BLU
a DMITRY SIENKEVICH design






STEEL	8Cr13MoV, stonewashed finish
HANDLE	Aluminum front, blue anodized; stainless steel back, stonewashed finish
BLADE	1.6 in. (4.1 cm)
CLOSED	3.1 in. (7.9 cm)
OVERALL	4.5 in. (11.4 cm)
WEIGHT	1.9 oz. (54 g)
BOX	-
CLAM	087171048956

OPENING LOCK	Manual opening with extended tang
POCKETCLIP	Friction folder with detent
FEATURES	Bottle opener, flat head screwdriver/pry bar, key chain attachment

PUB - CARBON FIBER

4036CF
a DMITRY SIENKEVICH design






STEEL	8Cr13MoV, stonewashed finish
HANDLE	Carbon fiber front; stainless steel back, stonewashed finish
BLADE	1.6 in. (4.1 cm)
CLOSED	3.1 in. (7.9 cm)
OVERALL	4.5 in. (11.4 cm)
WEIGHT	1.8 oz. (53 g)
BOX	-
CLAM	087171048963

OPENING LOCK	Manual opening with extended tang
POCKETCLIP	Friction folder with detent
FEATURES	Bottle opener, flat head screwdriver/pry bar, key chain attachment

BARRICADE

8650
a KERSHAW ORIGINALS design



STEEL	8Cr13MoV, black-oxide coating
HANDLE	Glass-filled nylon
BLADE	3.5 in. (8.9 cm)
CLOSED	5 in. (12.7 cm)
OVERALL	8.5 in. (21.6 cm)
WEIGHT	4.5 oz. (128 g)
BOX	087171048529
CLAM	087171050362

OPENING LOCK	Assisted opening with flipper or thumb stud
POCKETCLIP	Liner lock
FEATURES	Single-position deep-carry (right, tip-down)
	Carbide glassbreaker tip, built-in cord/seatbelt cutter



FIXED BLADE SECTION

OVERVIEW

- 11 TOTAL • 4 NEW
- 11 ORIGINAL DESIGNS
- 3 PREMIUM BLADE STEEL



Fixed blades are among your most reliable tools during an adventure, providing users with full-tang construction and an ultra-strong blade. Kershaw offers fixed blades in everything from camping tools to everyday carry and more.

NEW

DESCHUTES CAPER

1882
a KERSHAW ORIGINALS design



STEEL D2, stonewashed finish
HANDLE Polypropylene, rubber overlay
BLADE 3.3 in. (8.4 cm)
OVERALL 7 in. (17.8 cm)
WEIGHT 1.7 oz. (48 g)
BOX 3 oz. (85 g) with sheath
CLAM 087171063416

OPENING FEATURES Full-tang construction
Glass-filled nylon sheath with webbing slots, drainage hole, and removable belt strap



NEW

DESCHUTES SKINNER

1882
a KERSHAW ORIGINALS design



STEEL D2, stonewashed finish
HANDLE Polypropylene, rubber overlay
BLADE 3.9 in. (9.9 cm)
OVERALL 8.65 in. (22 cm)
WEIGHT 3.3 oz. (94 g)
BOX 4.9 oz. (139 g) with sheath
CLAM 087171063423

OPENING FEATURES Full-tang construction
Glass-filled nylon sheath with webbing slots, drainage hole, and removable belt strap, lanyard hole



CAMP 5

1083
a KERSHAW ORIGINALS design



STEEL D2, stonewashed finish
HANDLE Glass-filled nylon
BLADE 4.75 in. (12.2 cm)
OVERALL 9.125 in. (23.3 cm)
WEIGHT 5.7 oz. (162 g)
BOX 7.5 oz. (213 g) with sheath
CLAM 087171057965

OPENING FEATURES Full-tang construction
Glass-filled nylon sheath with lock, snap-down strap, belt loop, webbing slots, and tie holes



ION - 3-KNIFE SET

1747BW
a KERSHAW ORIGINALS design



STEEL 3Cr13, black-oxide BlackWash™ finish
HANDLE Full-tang, paracord wrapped
BLADE 4.5 in. (11.4 cm)
OVERALL 9 in. (22.9 cm)
WEIGHT 3.9 oz. (113 g)
BOX 14.4 oz. (409 g) 3 knives with sheath
CLAM 087171039084

OPENING FEATURES Full-tang construction
Spear point, lanyard hole, three-knife set, includes sheath



SECRET AGENT

4007
a KERSHAW ORIGINALS design



STEEL 8Cr13MoV, black-oxide coating
HANDLE Rubberized co-molded
BLADE 4.4 in. (11.2 cm)
OVERALL 8.7 in. (22.1 cm)
WEIGHT 3.1 oz. (90 g)
BOX 4.7 oz. (136 g) with sheath
CLAM 087171036977
087171037165

OPENING FEATURES Full-tang construction
Single-edged spear point, lanyard hole, molded dual-carry sheath



FIXED BLADE

Kershaw

KERSHAWKNIVES.COM



PROJECT ATOM

Project ATOM is a unique lineup of Kershaw fixed blades that are light to carry, easy to collect, and fun to show off. Using an extremely durable polymer blend reinforced with glass fibers, the rust-free blades feature blunt edges and no blade steel, but plenty of strength and sharp tips.

NEW

ELECTRON

1396
a KERSHAW ORIGINALS design



PROJECT
ATOM

MATERIAL PA-66, glass fiber
BLADE 2.4 in. (6.1 cm)
OVERALL 5.1 in. (13 cm)
WEIGHT 0.3 oz. (8.5 g)
BOX -
CLAM 087171060798

OPENING Full-tang construction
FEATURES Stainless steel lanyard hole insert



NEW

INTERVAL

1399
a KERSHAW ORIGINALS design



PROJECT
ATOM

MATERIAL PA-66, glass fiber
BLADE 3.5 in. (8.9 cm)
OVERALL 7.4 in. (18.8 cm)
WEIGHT 0.7 oz. (20 g)
BOX -
CLAM 087171061580

OPENING Full-tang construction
FEATURES Stainless steel lanyard hole insert



BRACE

2085
a KERSHAW ORIGINALS design



STEEL 8Cr13MoV, stonewashed finish
HANDLE 8Cr13MoV with glass-filled nylon overlay, stonewashed finish
BLADE 2 in. (5.1 cm)
OVERALL 4.9 in. (12.4 cm)
WEIGHT 0.9 oz. (26 g)
BOX 1.6 oz. (45 g) with sheath
CLAM 087171060859

OPENING Full-tang construction
FEATURES Polypropylene neck sheath with adjustable cord, webbing slots, and tie holes
Lanyard hole



DUNE

4008
a KERSHAW ORIGINALS design



STEEL 3Cr13, black-oxide coating
HANDLE Glass-filled nylon
BLADE 3.8 in. (9.7 cm)
OVERALL 7.7 in. (19.6 cm)
WEIGHT 2.2 oz. (65 g)
BOX 2.7 oz. (79 g) with sheath
CLAM -

OPENING Full-tang construction
FEATURES Tanto point, lanyard hole, injection-molded neck sheath with adjustable cord



INVERSE

1397
a KERSHAW ORIGINALS design



PROJECT
ATOM

MATERIAL PA-66, glass fiber
BLADE 2.6 in. (6.6 cm)
OVERALL 5.25 in. (13.3 cm)
WEIGHT 0.4 oz. (11.3 g)
BOX -
CLAM 087171060903

OPENING Full-tang construction
FEATURES Lanyard hole, stainless steel overlay, stonewashed finish



ARISE

1398
a KERSHAW ORIGINALS design



PROJECT
ATOM

MATERIAL PA-66, glass fiber
BLADE 4.2 in. (10.7 cm)
OVERALL 8.4 in. (21.3 cm)
WEIGHT 1.8 oz. (51 g)
BOX -
CLAM 087171060910

OPENING Full-tang construction
FEATURES Key ring attachment



OUTDOOR SECTION



We love it out there. If you do, too, you know how handy a pocketknife is for everything from cutting rope to building a campfire. Kershaw also has a range of other outdoor cutting and chopping tools to make your outdoor life even better.

NEW

LONEROCK RBK 2

1891

a KERSHAW ORIGINALS design

STEEL Surgical stainless steel, blade type #60A
HANDLE Glass-filled nylon with rubber overmold
BLADE 2.75 in. (7 cm)
CLOSED 4.25 in. (10.8 cm)
OVERALL 7 in. (17.8 cm)
WEIGHT 2 oz. (57 g)
BOX 087171060897
CLAM -



OPENING Manual opening with thumb stud
LOCK Liner lock
FEATURES Exchangeable blades
Lanyard hole
Includes sheath, "buddy" handle, & 15 extra blades



REPLACEMENT
BLADES
1890RB
087171040721

TASKMASTER SAW 2

2556

a KERSHAW ORIGINALS design

STEEL High-carbon steel, nickel-plated
HANDLE Glass-filled nylon with rubber grip
BLADE 7 in. (17.8 cm)
CLOSED 9.125 in. (23.2 cm)
OVERALL 15.9 in. (40.4 cm)
WEIGHT 8.7 oz. (247 g)
BOX 087171058993
CLAM -



OPENING Manual opening
LOCK Push-button lock
FEATURES Textured rubber grip
Lanyard hole



DESCHUTES

1075

a KERSHAW ORIGINALS design

STEEL 3Cr13, black-oxide-coating
HANDLE Glass-filled nylon, rubber overlay
BLADE 3.5 in. (8.9 cm)
OVERALL 14 in. (35.6 cm)
WEIGHT 1 lb. 9 oz. (711 g),
1 lb. 12 oz. (803 g) with sheath
BOX -
CLAM 087171057439



FEATURES Glass-filled nylon sheath with removable shoulder strap
Textured, rubberized grip
Weight-relieving blade window



CAMP 10

1077

a KERSHAW ORIGINALS design

STEEL 65Mn, powdercoat
HANDLE Rubber overmold
BLADE 10 in. (25.4 cm)
OVERALL 16 in. (40.6 cm)
WEIGHT 1 lb. 2.3 oz. (521 g)
1 lb. 8 oz. (681 g) with sheath
BOX 087171033594
CLAM 087171034065



FEATURES Full-tang construction
Textured, rubberized grip
Includes glass-filled nylon sheath with gear straps and belt loop
Dual lanyard holes



CAMP 10 - TAN

1077TAN

a KERSHAW ORIGINALS design

STEEL 65Mn, powdercoat
HANDLE Rubber overmold
BLADE 10 in. (25.4 cm)
OVERALL 16 in. (40.6 cm)
WEIGHT 1 lb. 2.3 oz. (521 g)
1 lb. 8 oz. (681 g) with sheath
BOX 087171052748
CLAM -



FEATURES Full-tang construction
Textured, rubberized grip
Includes glass-filled nylon sheath with gear straps and belt loop
Dual lanyard holes



FISHING SECTION



What size is your catch? From a pan-sized bluegill to a monster Chinook, Kershaw has the right fillet and processing knife to turn your catch into the fish dinner of your dreams.

7-IN. FILLET

1257
a KERSHAW ORIGINALS design



STEEL 420J2, satin finish
HANDLE Co-polymer
BLADE 7 in. (17.8 cm)
OVERALL 12.25 in. (31.1 cm)
WEIGHT 3.3 oz. (96 g)
4.7 oz. (135 g) with sheath
BOX -
CLAM 087171125701

FEATURES Neon accents for improved visibility
Includes molded sheath with belt loop



9-IN. FILLET

1259
a KERSHAW ORIGINALS design



STEEL 420J2, satin finish
HANDLE Co-polymer
BLADE 9 in. (22.9 cm)
OVERALL 14.25 in. (36.2 cm)
WEIGHT 3.6 oz. (104 g)
5.2 oz. (147 g) with sheath
BOX -
CLAM 087171125909

FEATURES Neon accents for improved visibility
Includes molded sheath with belt loop



7-IN. BONING WITH SPOON

1243SH
a KERSHAW ORIGINALS design



STEEL 420J2, satin finish
HANDLE Glass-filled nylon, rubber overmold
K-Texture™ grip
BLADE 7 in. (17.8 cm)
OVERALL 14.5 in. (36.8 cm)
WEIGHT 3.6 oz. (104 g)
4.3 oz. (123 g) with blade protector
BOX -
CLAM 087171037042

FEATURES Handle ensures grip in marine conditions
Flexible blade
Includes blade protector



7.5-IN. FILLET

1247
a KERSHAW ORIGINALS design



STEEL 420J2, satin finish
HANDLE Glass-filled nylon, rubber overmold,
K-Texture™ grip
BLADE 7.5 in. (19.1 cm)
OVERALL 12.7 in. (32.3 cm)
WEIGHT 2.9 oz. (84 g)
3.7 oz. (105 g) with blade protector
BOX -
CLAM 087171037059

FEATURES Handle ensures grip in marine conditions
Flexible blade
Includes blade protector



9.5-IN. FILLET

1249
a KERSHAW ORIGINALS design



STEEL 420J2, satin finish
HANDLE Glass-filled nylon, rubber overmold,
K-Texture™ grip
BLADE 9.5 in. (24.1 cm)
OVERALL 14.8 in. (37.6 cm)
WEIGHT 3.3 oz. (94 g)
4.1 oz. (116 g) with blade protector
BOX 087171037066
CLAM -

FEATURES Handle ensures grip in marine conditions
Flexible blade
Includes blade protector



12-IN. CURVED

1241

a KERSHAW ORIGINALS design

STEEL

HANDLE

BLADE

OVERALL

WEIGHT

BOX

CLAM

420J2, satin finish

Glass-filled nylon, rubber overmold, K-Texture™ grip

12 in. (30.5 cm)

17.7 in. (45 cm)

8.6 oz. (244 g)

10.6 oz. (301 g) with blade protector

-

087171037028

FEATURES

Handle ensures grip in marine conditions

Flexible blade

Includes blade protector

9-IN. CURVED

1242GE

a KERSHAW ORIGINALS design

STEEL

HANDLE

BLADE

OVERALL

WEIGHT

BOX

CLAM

420J2, satin finish

Glass-filled nylon, rubber overmold, K-Texture™ grip

9 in. (22.9 cm)

14.7 in. (37.3 cm)

5.2 oz. (149 g)

6.4 oz. (182 g) with blade protector

-

087171037035

FEATURES

Handle ensures grip in marine conditions

Flexible blade

Includes blade protector

FOLDING FILLET

1258

a KERSHAW ORIGINALS design

STEEL

HANDLE

BLADE

CLOSED

OVERALL

WEIGHT

BOX

CLAM

420J2, satin finish

Glass-filled nylon, rubber overmold, K-Texture™ grip

6.25 in. (15.9 cm)

7.5 in. (19.1 cm)

13.75 in. (34.9 cm)

4.9 oz. (138.9 g)

-

087171037073

OPENING LOCK

Manual opening

Mid-lock

FEATURES

Handle ensures grip in marine conditions

Flexible blade

Lanyard hole



GEAR SECTION

From handy ways to display and store your Kershaw collection to attractive and practical ways to show your spirit, you'll find it here.



T-SHIRT - ONLY ONE
SHIRTKERONLYONE

- 65% polyester, 35% cotton
- Semi-fitted styling for comfort

S	SHIRTKERONLYONES 087171063515
M	SHIRTKERONLYONEM 087171063522
L	SHIRTKERONLYONEL 087171063539
XL	SHIRTKERONLYONEXL 087171063546
XXL	SHIRTKERONLYONEXXL 087171063553



T-SHIRT - PIXEL
SHIRTKERPIXEL

- 100% pre-shrunk, ring-spun cotton
- Semi-fitted styling for comfort

S	SHIRTKERPIXELS 087171063461
M	SHIRTKERPIXELM 087171063478
L	SHIRTKERPIXELL 087171063485
XL	SHIRTKERPIXELXL 087171063492
XXL	SHIRTKERPIXELXXL 087171063508



KERSHAW NECK GAITER
GAITERKER

- 92% polyester, 8% spandex, one size fits most,
• Width 9.8 in. (24.9 cm) • Height 19.7 in. (50 cm)
- UPC** 087171061016



KERSHAW CAP - MESH
CAPKER181

- Velcro® size adjustable, unstructured cotton
twill front, mesh back
- UPC** 087171052663



T-SHIRT - RED

SHIRTKER182

- 100% pre-shrunk cotton
- Double-needle stitched lay-flat collar

S	SHIRTKER182S 087171052625
M	SHIRTKER182M 087171052847
L	SHIRTKER182L 087171052854
XL	SHIRTKER182XL 087171052861
XXL	SHIRTKER182XXL 087171052878



WINDOW CLING

KERCLING17

6×2 in., transparent background, fade resistant color

UPC 087171049144



T-SHIRT - E.S.B.K.

SHIRTKER2021



- 100% pre-shrunk, ring-spun cotton
- Semi-fitted styling for comfort

S	SHIRTKER2021S 087171061887
M	SHIRTKER2021M 087171061894
L	SHIRTKER2021L 087171061900
XL	SHIRTKER2021XL 087171061917
XXL	SHIRTKER2021AXXL 087171061924



PVC PATCH

KERPATCH17

3.25×1.5 in., PVC patch, Velcro® back

UPC 087171049120



CHALLENGE COIN - NEXT LEVEL

CHALLENGECOINKER

Zinc alloy with antique nickel plating
• Diameter 1.75 in. (4.4 cm) • Weight 0.9 oz. (25 g)

UPC 087171059341



KICKFLIP

SK8TOOL a KERSHAW ORIGINALS design

STEEL	3Cr13, stonewashed & black-oxide BlackWash™ finish
OVERALL	3.25 in. (8.3 cm)
WEIGHT	3.8 oz. (110 g)
CLAM	087171054070

Kingpin pipe wrench • Axle nuts pipe wrench • Small nuts pipe wrench • Hex key wrench • Phillips screwdriver



NEW

RECAP

8830

a KERSHAW ORIGINALS design

STEEL	3Cr13, stonewashed finish
OVERALL	2.37 in. (6 cm)
WEIGHT	0.3 oz. (9 g)
CLAM	087171063638

• Bottle opener • Pry bar
• Flathead screwdriver
• Key ring/lanyard hole



NACHO

8825

a KERSHAW ORIGINALS design

STEEL	3Cr13, stonewashed finish
HANDLE	Glass-filled nylon
OVERALL	2 in. (5.1 cm)
WEIGHT	0.3 oz. (22 g)
CLAM	087171060989

• Bottle opener



DOWNFORCE

8820

a KERSHAW ORIGINALS design

STEEL	3Cr13, black-oxide BlackWash™ finish
OVERALL	3.5 in. (8.9 cm)
WEIGHT	0.6 oz. (17 g)
CLAM	087171060880

• Bottle/can opener • Phillips screwdriver • Mini prybar/flathead screwdriver
• Key ring/lanyard hole



KNIFE OIL

KEROIL

a KERSHAW ORIGINALS design

0.68 fl oz (20 mL) • Allows for smoother operation • Works to prevent corrosion • SMT (Sub-Micron Technology) absorbs into pores of metals for an even conditioning • Non-migrating, non-toxic formula

UPC 087171054087



FIRE STARTER
1019
a KERSHAW ORIGINALS design

STEEL Magnesium firesteel
HANDLE Molded plastic
OVERALL 3.1 in. (7.9 cm)
WEIGHT 1.1 oz. (31 g)
CLAM 087171101910



PT-1
8800
a KERSHAW ORIGINALS design

STEEL 3Cr13, bead-blasted finish
HANDLE Glass-filled nylon, K-Texture™
OVERALL 2.75 in. (7 cm)
WEIGHT 0.8 oz. (24 g)
CLAM 087171048659
• Bottle opener • Flat head screwdriver
• Pry bar • Lanyard hole



PT-2
8810
a KERSHAW ORIGINALS design

STEEL 3Cr13, bead-blasted finish
HANDLE Glass-filled nylon, K-Texture™
OVERALL 3.25 in. (8.2 cm)
WEIGHT 0.8 oz. (24 g)
CLAM 087171048536
• Bottle/can opener • Flat head & Phillips screwdrivers • 3 sizes of hex drives • Wire scraper • Pry bar • Lanyard hole



RATION
1140 • 1140OR • 1140TEAL • 1140GRN
a KERSHAW ORIGINALS design

STEEL 3Cr13, bead-blasted finish
OVERALL 4.6 in. (11.7 cm)
WEIGHT 1.3 oz. (36 g)
CLAM 087171046389
087171052434 • OR
087171052441 • TEAL
087171052427 • GRN
• Fork • Spoon • Bottle opener • Carabiner gate • Food-safe coating



SKEETER III
1216
a KERSHAW ORIGINALS design

STEEL 3Cr13, satin finish
HANDLE Polypropylene
BLADE 1.25 in. (3.2 cm)
OVERALL 4.25 in. (10.8 cm)
WEIGHT 0.7 oz. (22 g)
CLAM 087171056630



MANICURE SET
KMCURE
a KERSHAW ORIGINALS design

STEEL Stainless steel, satin finish
OVERALL 4.25 in. (10.8 cm)
WEIGHT 3.9 oz. (113 g)
BOX 087171056609
• Nail clippers • Cuticle scissors • Nail file • Tweezers • Carrying case



K-TOOL
KT00L
a KERSHAW ORIGINALS design

STEEL 3Cr13, black-oxide BlackWash™ finish
OVERALL 2 in. (5.1 cm)
WEIGHT 0.7 oz. (22 g)
CLAM 087171039657
• Bottle opener • Lanyard hole • Flat head screwdriver • Box cutter



STP PIVOT TOOL
STPTOOL
a KERSHAW ORIGINALS design

HANDLE Stainless steel, titanium carbo-nitride coating
OVERALL 2.75 in. (7 cm)
WEIGHT 2.1 oz. (62 g)
BOX 087171052755



TX-TOOL
TXTOOL
a KERSHAW ORIGINALS design

HANDLE Aluminum
OVERALL 4.8 in. (12.2 cm)
WEIGHT 1.1 oz. (32 g)
BOX 087171044989
For most Kershaw pivots, pocketclip, and handle screws • Torx bits T6, T8, T10, #2 Phillips and flat head screwdriver bits



KNIFE LANYARD
LANYARDKER18
MADE IN USA

Wrapped paracord, custom-molded Kershaw bead
UPC 087171052731
• Made in USA



RATION - XL
1145 • 1145GRN
a KERSHAW ORIGINALS design

STEEL 3Cr13, bead-blasted finish
OVERALL 7.3 in. (18.6 cm)
WEIGHT 2.1 oz. (60 g)
CLAM 087171052465
087171052458 • GRN
• Fork • Spoon • Bottle opener • Carabiner gate • Food-safe coating



TASKMASTER SHEARS 2
1121
a KERSHAW ORIGINALS design

STEEL Stainless steel, satin finish
HANDLE Glass-filled nylon
BLADE 3.5 in. (8.9 cm)
OVERALL 8.9 in. (22.5 cm)
WEIGHT 5.1 oz. (145 g)
BOX 087171057514
CLAM 087171059549
• Nutcracker • Cap lifter • Flat head screwdriver tips • Blades separate for easy cleaning



ULTRA-TEK SHARPENER
2535
a KERSHAW ORIGINALS design

STEEL 600-grit, diamond-coated oval shaft
HANDLE 6061-T6 anodized aluminum
SHAFT 4 in. (10.2 cm)
OVERALL 9 in. (22.9 cm)
WEIGHT 1.7 oz. (51 g)
CLAM 087171253503



KNIFE STORAGE BAG

Z997

Accommodates up to 18 folding knives, with 8-pocket removable center section, and zipper closure. Nylon siding & straps • Overall 13 x 7.5 in. (33 x 19 cm) • Weight 12 oz. (340 g)

UPC 087171045634



SINGLE-KNIFE POUCH

POUCHKER

Cordura exterior, zipper closure, soft interior

UPC 087171059334



COUNTER MAT

MATKER20

Foam-backed, acrylic front 15x10 in.

UPC 087171059280



SINGLE-KNIFE BLADE STAND

DISPLAYKERB14

UPC 087171046808



SINGLE-KNIFE STAND

DISPLAYKER114

UPC 087171046785



TRIPLE-KNIFE STAND

DISPLAYKER314

UPC 087171046792



BLADE STYLES

AMERICAN TANTO

Angles upward to meet the spine. The angled edge can be straight or curved. The American tanto offers a strong, durable tip while the straight edge makes it ideal for push cuts.

CLEAVER

The cleaver blade shape is a high-utility style defined by a slightly curved belly and down-turned tip. The shape makes a good EDC or utility knife and is ideal for slicing and chopping tasks.

CLIP POINT

The tip of the clip point is lower than its spine. The top part of the blade has been “clipped” off so that the blade goes straight from spine to tip. The clip point can also have a concave curve to the tip. Clip points are great for everyday carrying but are also favored for hunting knives.

DROP POINT

The blade’s point drops down below the blade’s spine. Usually has good “belly,” a curved cutting edge. It is one of today’s most widespread blade shapes because it’s a great all-purpose blade.

HAWKBILL

A hawkbill blade is hook-like with a concave belly. It offers ease in cutting ropes, fabrics, and even trimming shrubbery.

RECURVE

Instead of having a fully convex belly, a recurve blade will also have a gentle concave curve along part of the cutting edge. This gives the edge something of an “S” shape. The recurve blade provides good belly for slicing and a concave curve for easy draw or pull cuts.

REVERSE TANTO

Instead of the edge angling up to meet the spine, a reverse tanto’s tip angles down to meet the edge. Like the American tanto, the reverse tanto offers a strong tip for piercing and, generally, a straight edge, ideal for good slicing.

SHEEPSFOOT

A sheepsfoot blade is similar to the Wharncliffe, but it has a steeper slope from spine to edge and a less-pointy tip. They are often favored by emergency responders due to the relative safety of the rounded tip. The straight edge works well for slicing push cuts and general-purpose cutting.

SPEAR POINT

In a spear-point blade, the top and bottom of the blade are symmetrical, and the tip is in line with the center of the blade. It may have one or both edges sharpened. It offers tactical style as well as excellent piercing.

TRAILING POINT

A trailing-point blade has a tip that ends above the spine of the knife. Many trailing point knives also have a deep belly curve for superior slicing, including skinning and hunting use.

WHARNCLIFFE

A Wharncliffe blade has a completely straight cutting edge. The spine of the blade gradually slopes down to meet the edge, forming a tip. The straight edge makes a great blade for slicing push cuts, wood carving, general cutting, and utility work.

BLADE FINISHES & COATINGS

BEAD-BLASTED FINISH

The knife blade is “blasted” or sprayed with a mixture of fine media, including glass and aluminum-oxide beads, under high speed and pressure. This smooths the blade surface and creates a soft, non-reflective, matte look. Depending on the media, this finish can produce a darker or a lighter blade color.

BLACK-OXIDE COATING

A chemical bath converts the surface of the steel to magnetite; it enhances appearance and adds some corrosion resistance.

BLACKWASH™ FINISH

Our BlackWash™ finish produces a vintage look like that of a well-used tool or favorite, broken-in pair of jeans. Kershaw uses its black-oxide coating with the BlackWash™ finish.

CERAKOTE COATING

Cerakote enhances corrosion resistance and wear resistance. This fine yet durable coating gives the blade a unique look.

POWDERCOAT

The coating is applied as a fine powder and cured under heat. This creates a smooth, even, and tough coating.

PVD COATING

PVD stands for Physical Vapor Disposition. Specialized materials are vaporized via a vacuum process. Then the vaporized material is deposited as a thin layer on selected objects. In our case, it enables us to finish our blades and/or handles with a thin coating that adds color and offers excellent wear and corrosion resistance.

SATIN FINISH

A Kershaw satin finish will typically show a faint pattern of vertical lines across the blade. It is a shinier finish than bead blasting and somewhat lighter in color.

STONEWASHED FINISH

Blades are tumbled with ceramic “stones,” which give the blade surface a desirable roughened or scuffed look. The look can be pronounced or subtle. The finish helps hide use scratches and fingerprints.

TITANIUM CARBO-NITRIDE

Kershaw uses titanium carbo-nitride to produce an attractive black or gray blade coating that increases the blade’s hardness, helps maintain the edge, and increases the lifetime of the blade.

TWO-TONE FINISH

Sometimes Kershaw will combine two different blade finishes on a single blade, for example, satin finish on the blade flats and stonewash on the blade grinds.

BLADE STEELS

CPM 20CV

HRC: 59-61
This Crucible powdered metallurgy tool steel has a high volume of vanadium carbides for exceptional wear resistance and edge retention. The highest level of chromium of any high-vanadium steel gives it excellent corrosion resistance.
TOUGHNESS: ▲▲▲▲▲▲▲▲▲▲
EDGE RETENTION: ▲▲▲▲▲▲▲▲▲▲
CORROSION RESISTANCE: ▲▲▲▲▲▲▲▲▲▲
SHARPENING EASE: ▲▲▲▲▲▲▲▲▲▲

CPM S30V

HRC: 59.5-61
Large carbides in this all-around premium knife steel make it take and hold an edge extremely well; it is also very tough and wear resistant.
TOUGHNESS: ▲▲▲▲▲▲▲▲▲▲
EDGE RETENTION: ▲▲▲▲▲▲▲▲▲▲
CORROSION RESISTANCE: ▲▲▲▲▲▲▲▲▲▲
SHARPENING EASE: ▲▲▲▲▲▲▲▲▲▲

CPM 154






HRC: 58-60
This powdered metallurgy steel has a more uniform distribution of carbides, so it takes and holds an excellent edge. Also offers good corrosion resistance, wear resistance, and toughness.
TOUGHNESS: ▲▲▲▲▲▲▲▲▲▲
EDGE RETENTION: ▲▲▲▲▲▲▲▲▲▲
CORROSION RESISTANCE: ▲▲▲▲▲▲▲▲▲▲
SHARPENING EASE: ▲▲▲▲▲▲▲▲▲▲

SANDVIK 14C28N

HRC: 58-60
This high-performance steel was developed in a partnership between Kershaw and Sandvik Steel. Offers excellent corrosion resistance.
TOUGHNESS: ▲▲▲▲▲▲▲▲▲▲
EDGE RETENTION: ▲▲▲▲▲▲▲▲▲▲
CORROSION RESISTANCE: ▲▲▲▲▲▲▲▲▲▲
SHARPENING EASE: ▲▲▲▲▲▲▲▲▲▲

8CR13MOV

HRC: 57-59
Kershaw precision heat-treats 8Cr13MoV steel to bring out its very best high-performance characteristics: the ability to take and hold an edge, strength, and hardness.
TOUGHNESS: ▲▲▲▲▲▲▲▲▲▲
EDGE RETENTION: ▲▲▲▲▲▲▲▲▲▲
CORROSION RESISTANCE: ▲▲▲▲▲▲▲▲▲▲
SHARPENING EASE: ▲▲▲▲▲▲▲▲▲▲



8CR14MOV

HRC: 58-59
The formula for this steel has additional chromium for added stain resistance. It also benefits from Kershaw’s expertise in precision heat treatment.

7CR17MOV

HRC: 57-59
Similar to 440A stainless steel, but with a formula that has added molybdenum and vanadium to improve hardness and wear resistance.

420HC

HRC: 58
This modified 420 steel has higher amounts of carbon and chromium to boost hardenability and corrosion resistance. It is an excellent everyday steel: tough, corrosion resistant, easy to sharpen, and takes a good edge.
TOUGHNESS: ▲▲▲▲▲▲▲▲▲▲
EDGE RETENTION: ▲▲▲▲▲▲▲▲▲▲
CORROSION RESISTANCE: ▲▲▲▲▲▲▲▲▲▲
SHARPENING EASE: ▲▲▲▲▲▲▲▲▲▲

420J

HRC: 56-58
Highly stain resistant, but ductile, this steel is excellent for use where “flex” is desirable, for example, in fillet knives.
TOUGHNESS: ▲▲▲▲▲▲▲▲▲▲
EDGE RETENTION: ▲▲▲▲▲▲▲▲▲▲
CORROSION RESISTANCE: ▲▲▲▲▲▲▲▲▲▲
SHARPENING EASE: ▲▲▲▲▲▲▲▲▲▲

D2

HRC: 59-60
This “semi-stainless” tool steel is known for excellent edge retention, wear resistance, and good toughness.
TOUGHNESS: ▲▲▲▲▲▲▲▲▲▲
EDGE RETENTION: ▲▲▲▲▲▲▲▲▲▲
CORROSION RESISTANCE: ▲▲▲▲▲▲▲▲▲▲
SHARPENING EASE: ▲▲▲▲▲▲▲▲▲▲

65MN




HRC: 56
A tough, durable carbon steel designed for hard-use tools such as Kershaw’s Camp Series machetes.

3CR13

HRC: 54-56
A value-priced high-chromium stainless steel.

4CR14

HRC: 55-57
A value-priced steel; very highly stain resistant.



ELEMENT ► STEEL ▼	CARBON (C)	CHROMIUM (Cr)	MOLYBDE- NIUM (Mo)	VANADIUM (V)	TUNGSTEN (W)	Cobalt (Co)	NICKEL (Ni)	MANGA- NESE (Mn)	SILICON (Si)	SULPHUR (S)	PHOSPHO- RUS (P)	COPPER (Cu)	NIOBIUM (Nb)	NITROGEN (N)
CPM 20CV	1.9%	20%	1%	4%	0.6%	-	-	0.3%	0.3%	-	-	-	-	-
CPM S30V	1.45%	14%	2%	4%	-	-	-	-	-	-	-	-	-	0.2%
CPM 154	1.05%	14%	4.00%	-	-	-	-	-	-	-	-	-	-	-
14C28N	0.62%	14%	0.55%	-	-	-	-	-	0.25	0.015	0.03	-	-	0.08%
8Cr13MoV	0.8%	13%	0.15%	0.1%	-	-	0.2%	0.4%	0.5%	0.01%	0.02%	-	-	-
8Cr14MoV	0.75-0.8%	13.5-14%	0.20-0.25%	0.10-0.15%	-	-	-	0.3-0.6%	0.3-0.6%	0.03%	0.035%	-	-	-
7Cr17MoV	0.6-0.75%	16-18%	0.75%	-	-	-	0.6%	1%	1%	0.03%	0.04%	-	-	-
420HC	0.46%	13%	-	0.3%	-	-	-	0.40%	0.4%	-	-	-	-	-
420J	0.4-0.5%	12-14%	0.6%	0.18%	-	-	-	0.8%	1%	0.02%	0.05%	-	-	-
D2	1.4-1.6%	11-13%	0.7-1.2%	1.1%	-	-	0.3%	0.6%	0.6%	-	-	-	-	-
65Mn	0.57-0.70%	-	-	-	-	-	-	0.6-0.9%	-	0.05%	0.04%	-	-	-
3Cr13	0.35%	13.5%	0.6%	-	-	-	0.5%	0.5%	0.8%	-	-	-	-	-
4Cr14	0.38%	13.94%	0.12%	0.08%	-	-	0.14%	0.41	0.41%	0.003%	0.02%	-	-	-

OPENING SYSTEMS

ASSISTED OPENING - SPEEDSAFE®
When closed, a torsion bar in the handle creates a bias toward the closed position. When opening, the torsion bar adds to the pressure from your finger, and pushes the blade open.

AUTOMATIC
A push-button lock holds the blade in place, but under pressure from a torsion spring. When the button is pressed, the released pressure opens the blade. The Kershaw Launch series features a selection of these sleek, instant-open knives.

MANUAL
No springs or torsion bars, these folders rely on washers for a simple, smooth pivot open. Washers are made of various materials: usually plastic or bronze.

MANUAL KVT BALL-BEARINGS
Relies on a ring of “caged” ball bearings that surround the knife’s pivot and enable the blade to move out of the handle smoothly. KVT makes opening manual knives as smooth, easy, and often as fast as assisted opening.

SLIPJOINT
These folders usually have a detent system (a tension rod or ball and groove) that biases the blade open or closed. To open the blade, simply overcome the detent manually. Some slipjoints use a double detent system. This system includes two steel detent balls, one on each side of the balde, for safe carrying and a controlled open and close.

OPENS WITH

FLIPPER
The flipper is a metal extension found at the back of the blade near the pivot. It can be found on both assisted and manual folders.

NAIL NICK
The nail nick is a groove in the top of the blade, usually halfway down the length of the blade. It is found on manual folders and slipjoints.

PUSH BUTTON
The push button is found in the handle of the folder near the pivot. It is often used in automatic folders.

THUMB STUD
The thumb stud is a small stud at the top of the blade near the pivot. It may be on one or both sides of the blade.

THUMB DISK
The thumb disk is a small disk found at the top of the blade.

EMERSON WAVE SHAPED FEATURE®
This is a wave-shaped hook built into the back end of the blade, similar to the flipper. It allows users to open the knife as it exits the pocket by hooking onto the pants material.



LOCKS

FRAME LOCK
In a frame lock knife, the knife handle—its “frame”—consists of two plates of material on either side of the blade. When the knife is opened, one side of the frame butts up against the back end of the blade and prevents the blade from closing until released. The thickness of the frame material blocking the blade open makes the frame lock extremely sturdy.

LINER LOCK
The most common of today’s blade-locking systems. The handle consists of two metal plates (the “liner”) on either side of the blade. When the knife is opened, one side of the liner butts up against the back end of the blade and prevents the blade from closing until released. A secure and convenient way to make using a Kershaw folding knife even safer.

INSET LINER LOCK
The inset liner lock is a Kershaw variation on the liner lock. Kershaw insets a sturdy steel plate on the inside of the knife’s handle. It is riveted into place in a custom-machined cutout on the interior of the handle. This enables us to make a knife with a slimmer profile that won’t weigh your pocket down, while still providing the strength and security of a locking liner.

MID-LOCK
The oldest of the popular blade-locking systems, yet the principle is the same as with the others. Once the knife is opened, a steel bar locks into place behind the blade and prevents the knife from closing until released by the knife user.

PUSH-BUTTON LOCK
Like Kershaw’s other locking systems, once the blade is open, a mechanism blocks the butt end of the blade and prevents it from closing accidentally. In this case, a spring-loaded lock is built into one side of the handle, and it must be depressed in order to unlock the blade.

SLIPJOINT
A slipjoint knife has no lock. Usually there is a detent system to ensure safe use. Using a tension rod or ball and groove, the blade is biased toward the open or closed position. To close the blade, simply overcome the detent manually.

SUB-FRAME LOCK
The patented Kershaw Sub-Frame Lock is a variation on the traditional frame lock. In this case, a piece of a lighter weight frame, like G10, is machined out, and a piece of steel is screwed into its place. This steel acts like a standard frame lock. It enables us to make a knife with a slimmer profile, while still providing the strength and security of a frame lock. (The Kershaw Sub-Frame Lock is covered under US Patent 9,120,234.)

TIP-LOCK
The Tip-Lock can be found on all Leek, Scallion, and Chive SpeedSafe® knives. It’s a simple slider that, when engaged, ensures the blade will not accidentally open. It’s especially helpful in cases where the knife might be juggled in a briefcase, backpack, or purse.



HANDLE MATERIALS

ANODIZED ALUMINUM
Anodizing makes aluminum stronger and enables Kershaw to add scratch and fade resistant color to knife handles.

CARBON FIBER
Carbon fiber atoms are bonded together in crystals aligned in long strands, then woven together like fibers. Combined with resin to make the fibers rigid, carbon fiber makes a knife handle material that is extremely strong and extremely lightweight.

COPPER
Denser and heavier than iron, this natural metal starts out reddish-orange in color, but over time will gain a patina, like a copper penny. The patina is a result of oxidation, and the colors it turns will change with time as well. Copper makes an interesting knife handle material due to the changing patina. Depending on how you handle and use it, the knife will look different throughout its life.

CO-POLYMER PLASTIC
A co-polymer is a compound of two or more different molecules, chosen for specific characteristics. The co-polymers Kershaw uses for knife handles generally have a slightly rubbery texture to improve grip security.

G10
An epoxy-filled woven glass fiber; it is extremely stable, unaffected by temperature changes, and makes excellent handles and handle scales for knives.

GLASS-FILLED NYLON
Nylon synthetic polymer is reinforced with glass threads for increased strength, stiffness, and dimensional stability, combined with excellent wear resistance.

K-TEXTURE™ GRIP
An exclusive texture and pattern used on the handles of certain Kershaw knives. K-Texture™ enhances a secure grip.

CANVAS MICARTA
A mixture of fiber cloth materials soaked in resin and hardened to create a strong, lightweight, and long-lasting handle. Kershaw micarta handles can be polished or feature a canvas-like texture in a variety of colors.

STAINLESS STEEL
An alloy of iron and carbon, most steel also has additional elements that are alloyed to enhance specific characteristics. As a handle material, stainless steel is strong and attractive.

TRAC-TEC INSERTS
A rough-surfaced rubber insert that provides additional friction for a non-slip grip.



POCKETCLIPS

SINGLE-POSITION
The pocketclip is mounted in a single, fixed position on the knife handle.




REVERSIBLE
Right-handed, tip-up or tip-down
OR
Right- or left-handed, tip-up



3-POSITION
Right-handed, tip-up or tip-down
AND
Left-handed, tip-up



4-POSITION
Right-handed, tip-up or tip-down
AND
Left-handed, tip-up or tip-down





























DEEP-CARRY
This specially designed pocketclip is positioned at the very end of the handle so that the knife can be carried deeper inside the pocket.






























EXTRA-DEEP-CARRY
This wrap-around pocket clip design goes even deeper in the pocket, extending slightly beyond the length of the handle.

























































INDEX




























MODEL	NAME	PHOTO	P.
1019	FIRE STARTER		66
1025	CINDER		50
1025CU	CINDER - COPPER		50
1075	DESCHUTES		57
1083	CAMP 5		53
1077	CAMP 10		57
1077TAN	CAMP 10 - TAN		57
1121	TASKMASTER SHEARS		67
1140	RATION		67
1140GRN	RATION - GREEN		67
1140OR	RATION - ORANGE		67
1140TEAL	RATION - TEAL		67
1145	RATION - XL		67
1145GRN	RATION XL - GREEN		67
1170	METHOD		43
1180	AFTEREFFECT		38
1190	KAPSULE		42
1216	SKEETER III		67
1220	REVERB		39
1225	REVERB XL		39
1230	DIODE		47
1241	12-IN. CURVED		60
1242GE	9-IN. CURVED		60
1243SH	7-IN. BONING WITH SPOON		59
1247	7.5-IN. FILLET		59
1249	9.5-IN. FILLET		59













NUMERICAL BY PRODUCT NUMBER

1257	7-IN. FILLET		59
1258	FOLDING FILLET		60
1259	9-IN. FILLET		59
1301BW	STARTER		14
1313BLK	SPOKE		15
1319	GRINDER		15
1324	CATHODE		14
1365	MISDIRECT		15
1369 NEW	SALVAGE		13
1370	CAMSHAFT		13
1375	VALVE		14
1376 NEW	FLATBED		12
1380	HUSKER		14
1385	AIRLOCK		14
1390	TREMOLO		13
1395	LIGHTYEAR		13
1396 NEW	ELECTRON		55
1397	INVERSE		55
1398	ARISE		55
1399 NEW	INTERVAL		55
1401 NEW	JETPACK		13
1555TI	CRYO		31
1555BW	CRYO - BLACKWASH™		31
1555G10	CRYO G10		31
1556TI	CRYO II		30
1556BW	CRYO II - BLACKWASH™		31
1557TI	FERRITE		31

1559	DECIMUS		32
1600	CHIVE		23
1600PINK	CHIVE - PINK		23
1605	CLASH		29
1605ST	CLASH - SERRATED		29
1605CKTST	CLASH - BLACK, SERRATED		29
1620	SCALLION		22
1620ST	SCALLION - SERRATED		22
1620NB	SCALLION - NAVY BLUE		23
1620OL	SCALLION - OLIVE DRAB		23
1620PUR	SCALLION - PURPLE		23
1660	LEEK		18
1660ST	LEEK - SERRATED		18
1660BLKW	LEEK - BLACKWASH™		19
1660CB	LEEK - COMPOSITE BLADE		19
1660CBBW	LEEK - COMPOSITE BLADE BLACKWASH™		19
1660CF	LEEK - CARBON FIBER		21
1660CKT	LEEK - BLACK		19
1660CKTST	LEEK - BLACK, SERRATED		19
1660CU	LEEK - COPPER		19
1660OL	LEEK - OLIVE DRAB		21
1660OR	LEEK - ORANGE		22
1660PUR	LEEK - PURPLE		22
1660R	LEEK - RANDOM		21
1660RBW	LEEK - RANDOM BLACKWASH™		21
1660SWBLK	LEEK - BLACK, STONEWASH		21
1660TEAL	LEEK - TEAL		22














1670BLK	BLUR - BLACK		17
1670BLKST	BLUR - BLACK, SERRATED		17
1670BW	BLUR - BLACKWASH™		17
1670GBLKST	BLUR - GLASS BREAKER		18
1670NBW	BLUR - NAVY BLUE STONEWASH		18
1670OLBLK	BLUR - OLIVE/BLACK		18
1670S30V	BLUR - S30V STONEWASH		17
1670TBLKST	BLUR - TANTO BLADE, BLACK		18
1730SS	ZING - STAINLESS STEEL		33
1747BW	ION		53
1776OLSW	LINK - OLIVE SW, CPM 20CV		17
1812OLCB	DIVIDEND - OLIVE COMPOSITE BLADE		17
1830	OSO SWEET		29
1835TBLKST	KURO - SERRATED		26
1881	ERIS		27
1882 NEW	DESCHUTES CAPER		53
1883 NEW	DESCHUTES SKINNER		53
1891 NEW	LONEROCK RBK 2		57
1890RB	LONEROCK RBK BLADES		57
1920	SELECT FIRE		47
1935	FATBACK		29
1955	SHOWTIME		33
1987	RJ TACTICAL 3.0		32
1990	BRAWLER		27
2031 NEW	INCEPTION		37
2032 NEW	ESTEEM		37
2033 NEW	CARGO		35

2034 NEW	DEBRIS		35
2045	DECIBEL		38
2049 NEW	LITHIUM		25
2061	CANNONBALL		25
2062ST	ANALYST		25
2064 NEW	OUTLIER		24
2065	GRAVEL		26
2070	BELIEVER		26
2075	PAYOUT		26
2076	STRATA		38
2077	STRATA XL		38
2080	TERRAN		25
2085	BRACE		54
2090	PLATFORM		47
2095	ENDGAME		38
2200	GRID		27
2535	ULTRA-TEK SHARPENER		67
2556	TASKMASTER SAW 2		57
3410	CHILL		43
3425	XCOM		43
3445	STATIC		39
3455	BRACKET		25
3475	BOILERMAKER		32
3490	SEGUIN		32
3560	EMBER		29
3650	VOLT II		32
3650ST	VOLT II - SERRATED		32

3650CKTST	VOLT II - BLACK		33
3655	VOLT SS		33
3860	OBLIVION		28
3870	AMPLITUDE 2.5		33
3930	FLITCH		28
3935	FLOURISH		28
3960	BARSTOW		29
4007	SECRET AGENT		53
4008	DUNE		53
4020	CONCIERGE		41
4036BLK	PUB - BLACK		51
4036BLU	PUB - BLUE		51
4036CF	PUB - CARBON FIBER		51
4037	ATMOS		42
4038	TUMBLER		42
4320 NEW	FEDERALIST		35
4381	GADSDEN		37
4382	BRANDYWINE		37
4383	CULPEPPER		38
4384 NEW	PARLEY		35
4385 NEW	ALLEGORY		35
4386 NEW	IREDALE		37
5150TR	LUCHA - TRAINER		41
5500	COLLATERAL		26
5505	TURISMO		26
5510	NORAD		39
6030	CQC-10K		44


6031D2	CQC-11K D2		45
6034D2	CQC-6K D2		45
6034T	CQC-7K		44
6034TRAINER	E-TRAIN		44
6044TBLK	CQC-8K		44
6045BLK	CQC-9K		44
6054BRNBLK	CQC-4K		43
6055D2	CQC-4KXL D2		45
6074OLBLK	CQC-5K		43
7007CF	NATRIX - CARBON FIBER		41
7010	HIGHBALL		40
7020	HIGHBALL XL		40
7777	BAREKNUCKLE		41
7777OLBW	BAREKNUCKLE - OLIVE, BLACKWASH™		41

8100	FUNXION EMT		47
8310	FRINGE		27
8320	OUTRIGHT		28
8320BLK	OUTRIGHT - BLACK		28
8650	BARRICADE		51
8655	DRIVETRAIN		47
8700	SHUFFLE		48
8700BLK	SHUFFLE - BLACK		48
8700LIMEBW	SHUFFLE - LIME		49
8700PURBW	SHUFFLE - PURPLE		50
8700TEALBW	SHUFFLE - TEAL		50
8710	ANTIC		50
8720	SHUFFLE - DIY		50
8750TBLKBW	SHUFFLE II - BLACK		48

8750TTANBW	SHUFFLE II - TAN		48
8750TOLBW	SHUFFLE II - OLIVE		48
8760	FAULTLINE		38
8800	PT-1		66
8810	PT-2		66
8820	DOWNFORCE		65
8825	NACHO		65
8830 NEW	RECAP		65
KEROIL	KERSHAW KNIFE OIL		65
KMCURE	MANICURE SET		67
KT00L	K-TOOL		66
SK8T00L	KICKFLIP		65
STPT00L	STP PIVOT TOOL		66
TXT00L	TX-TOOL		66

Kai USA, Ltd., founded as Kershaw Knives in 1974, began with one mission: to design and manufacture tools that knife users would be proud to own, carry, and use. Today, premium materials, state-of-the-art manufacturing, extremely tight tolerances, and meticulous craftsmanship ensure that each Kershaw knife or tool provides a lifetime of performance and pride of ownership. The Kershaw brand is especially known for innovative technologies and materials, resulting in numerous industry awards. We manufacture many of our products in our 55,000 sq. ft. facility located south of Portland Oregon, in the city of Tualatin. Our campus houses a state-of-the-art manufacturing facility, our design, engineering, and manufacturing teams, as well as the customer service experts who sell and support our Kershaw brand knives and tools. Kershaw products are backed by a Limited Lifetime Warranty.

AUTHORIZED DEALERS

 Want to be sure the Kershaw you're carrying is the real thing? Buy from our Authorized Dealers. Specially selected by Kershaw for their ability to professionally represent and sell our products, Authorized Dealers carry genuine Kershaw quality products and service. You can be sure your purchase is fully covered under our Limited Lifetime Warranty. Find an Authorized Dealer in your area on our website: [kershawknives.com](https://www.kershawknives.com)

LIMITED LIFETIME WARRANTY

 Kershaw knives from Kai USA Ltd. carry a limited warranty for the lifetime of the original owner, except when stated otherwise. We guarantee our knives against manufacturing defects in material and construction and to perform as advertised when properly used and maintained. The Limited Lifetime Warranty is non-transferable and does not extend to normal signs of wear, rust, damage, or breakage due to improper use, improper maintenance, accidents, loss, or theft. This warranty is void on products that have been modified in any way. Any product we determine to be defective will be repaired or replaced solely at our discretion. To receive warranty repair or replacement, the owner must send the product to be evaluated by Kai USA Warranty Services in our Tualatin, Oregon headquarters. In addition to the provisions of this warranty, the owner may also have other rights that can vary by state. The Limited Lifetime Warranty does not apply to the TX Tool, Fire Starter, or Kershaw Knife Oil. No other warranties are implied or expressed other than what is specifically stated here. Kai USA Ltd. reserves the right to determine what constitutes normal wear, improper use/maintenance, and modification.

We reserve the right to make changes to this warranty at our discretion and without notice.

For warranty information, shipping tips, and the Warranty/Repair Form required for warranty service, please visit our website: [kershawknives.com](https://www.kershawknives.com)

BLADE REPLACEMENT

If you accidentally break your Kershaw folder's blade, we can replace it for just \$25. Blades that break due to a manufacturing defect will still be replaced under warranty, free of charge. For a replacement blade, knives must be shipping to Kai USA. Please see our website for shipping and warranty service information.

REPLACEMENT PARTS

Some replacement parts can be shipped to you. Please see our website for an updated list of what we will ship for free.

VOUCHERS

There may be cases when a Kershaw knife has been evaluated and is eligible for warranty service, but may not be able to be repaired or replaced. This can be true with discontinued models for which we may no longer have parts or stock. In such cases, at our discretion, we will issue a voucher for the original Manufacturer's Suggested

Retail Price. The voucher value can then be applied to the purchase of a current-model Kershaw—directly from us. If you also wish to have your original knife returned, please call our warranty team toll-free: 1-800-325-2891. We will retain the knife for 30 days from the date the voucher is issued. If it is not reclaimed by then, the knife will be recycled.

LIABILITY DISCLAIMER

Kershaw knives are intended and sold for legitimate everyday carry and/or sporting purposes only. The purchase, use, and ownership of knives are subject to a wide variety of federal, state, and local laws and regulations. Always comply with all laws and regulations in effect in your area. Due to the complexity and constantly changing nature of these laws and regulations, it is the responsibility of the buyer to investigate and comply with the laws and regulations that apply in his or her specific area. You, and not Kai USA Ltd., are solely responsible for any claims resulting from violation of these laws and/or regulations.

WARNING!

Knives are extremely sharp tools and should only be used or handled with the utmost care and caution. Any use other than cutting (such as prying or twisting) is considered misuse and abuse—and will void your warranty. Kershaw/Kai USA Ltd. is not responsible for any injuries resulting from misuse or abuse of the product.

Do not use any Kershaw knife as a throwing knife (other than the Ion 1747BW or Aethon 1748 throwing knives) or a stabbing device. Throwing knives and knives developed for stabbing have a distinctly different design and function. Kershaw knives are not intended for throwing or stabbing; they are designed for cutting purposes only.

We reserve the right to change shipping terms, specifications, materials, or discontinue products at any time, without notice.

Kershaw products are covered by one or more pending and issued U.S. patents: 4,715,121; 4,741,106; 5,802,722; 5,815,927; 6,006,385; 6,397,476; 6,388,431; 6,412,130; 6,145,202; 6,223,372; 6,338,431; 6,378,214; 6,397,476; 6,427,334; 6,591,504; 7,086,158; 7,370,421; 7,395,599; 9,120,234; D303,748; D316,802; D317,390; D321,818; D329,185; D348,818; D351,328; D365,725; D366,605; D375,243; D392,131; D410,833; D437,197; D438,085; D450,228; D454,043; D454,768; D455,062; D467,783; D474,669; D479,104; D479,114; D484,770; D488,045; D565,918; D566,222; D569,212; D570,180; D572,542; D572,562; D575,614; D576,466.

ABOUT THE PROP 65 NOTIFICATION

You may have seen more Prop 65 warnings on our products lately.

First, understand that nothing has changed with the materials or manufacturing processes Kai USA uses to make our products.

The one thing that HAS changed are the notification requirements of Proposition 65.

Prop 65 is a 1986 California law that requires California residents to be notified of products that could expose them to chemicals known by the state of California to “cause cancer, birth defects or other reproductive harm.” This law was recently expanded to apply to all retailers as well as those who sell products under a private label.

In fact, there are hundreds of chemicals on the California Prop 65 list—including things like nickel and chromium that have always been a part of knife steel. As a responsible manufacturer, we are including the warning as required by the law. Since we don’t always know where our products are sold, this protects our company and our authorized retailers.

But again, nothing except the notification requirement has changed. Carrying and using our products is no more hazardous than before Prop 65. It will continue to be an important part of the tools you carry with you and use every day.

If you’d like more information, here are links to California government sites:

About the Prop 65 warnings

GENERAL: ⚠️ WARNING

This product can expose you to a chemical (or chemicals) that are known to the State of California to cause cancer or reproductive harm. For more information go to www.P65Warnings.ca.gov.

LEAD: ⚠️ WARNING

This product can expose you to chemicals including lead, which is known to the State of California to cause cancer and birth defects or other reproductive harm. For more information go to www.P65Warnings.ca.gov.

BENZENE: ⚠️ WARNING

This product can expose you to chemicals including benzene, which is known to the State of California to cause cancer and birth defects or other reproductive harm. For more information go to www.P65Warnings.ca.gov.

CARBON MONOXIDE: ⚠️ WARNING

This product can expose you to chemicals including carbon monoxide, which is known to the State of California to cause cancer and birth defects or other reproductive harm. For more information go to www.P65Warnings.ca.gov.

DEHP/BPA: ⚠️ WARNING

This product can expose you to chemicals including di(2-ethylhexyl)phthalate (DEHP), which is known to the State of California to cause cancer, and Bisphenol A (BPA), which is known to the State of California to cause birth defects or other reproductive harm. For more information go to www.P65Warnings.ca.gov.

LIST OF ALL PRODUCTS THAT MAY CONTAIN THE ITEMS LISTED TO THE LEFT

SKU	CHEMICAL
1019X	CARBON MONOXIDE
1025X	LEAD
1025YL	LEAD
1074	BENZENE
1075	LEAD
1077	BENZENE
1077TAN	BENZENE
1083	LEAD
1087	LEAD
1160	LEAD
1170	LEAD
1180	LEAD
1190	LEAD
1195	LEAD
1216X	LEAD
1220	LEAD
1225	LEAD
1230X	LEAD
1241X	LEAD
1242GEX	LEAD
1243SHX	LEAD
1247X	LEAD
1249X	LEAD
1256GLA	LEAD
1256STS	LEAD
1257X	LEAD
1258	LEAD
1259	LEAD
1326	LEAD
1327	LEAD
1328	LEAD
1329	LEAD
1330	LEAD
1332	LEAD
1337	LEAD
1340	LEAD
1341	LEAD
1343	LEAD
1345	LEAD
1346	LEAD
1348	LEAD
1349	LEAD
1351	LEAD
1352	LEAD
1353	LEAD
1354	LEAD
1355	LEAD
1356	LEAD
1359	LEAD
1360	LEAD
1367	LEAD
1368	LEAD
1369	LEAD
1371	LEAD
1372	LEAD
1375BLK	LEAD
1376	LEAD
1380	LEAD
1385OD	LEAD
1386	LEAD
1401	LEAD
1446	LEAD
1558	LEAD
1559	LEAD
1605	LEAD
1830	LEAD
1881	LEAD
1882	LEAD
1883	LEAD
1891	LEAD
1920	LEAD
1935	LEAD
1955	LEAD
1987	LEAD
1987ST	LEAD
1990	LEAD
2031	LEAD
2032	LEAD
2033	LEAD

SKU	CHEMICAL
2034	LEAD
2035	LEAD
2036	LEAD
2045	LEAD
2049	LEAD
2050	LEAD
2055	LEAD
2060	LEAD
2061	LEAD
2064	LEAD
2065	LEAD
2070	LEAD
2075	LEAD
2076	LEAD
2077	LEAD
2080	LEAD
2085	LEAD
2090	LEAD
2095	LEAD
2131	LEAD
2200	LEAD
2555	BENZENE
2556	BENZENE
3410	LEAD
3425	LEAD
3425DW	LEAD
3430	LEAD
3440	LEAD
3445	LEAD
3445CU	LEAD
3445BR	LEAD
3445G10	LEAD
3455	LEAD
3445BLU	LEAD
3445MCB	LEAD
3445MCBBW	LEAD
3445MCG	LEAD
3445MCGBW	LEAD
3455DTC	LEAD
3475	LEAD
3490	LEAD
3560	LEAD
3655	LEAD
3840	LEAD
3850	LEAD
3860	LEAD
3870	LEAD
3920	LEAD
3930	LEAD
3935	LEAD
3960	LEAD
4007	LEAD
4008	LEAD
4020	LEAD
4020WOOD	LEAD
4020MCB	LEAD
4020MCG	LEAD
4037	LEAD
4038	LEAD
4038BRZ	LEAD
4381	LEAD
4381BJB	LEAD
4381RB	LEAD
4382BJB	LEAD
4382RB	LEAD
4383BJB	LEAD
4383RB	LEAD
4383	LEAD
4383CU	LEAD
4383TCU	LEAD
5500	LEAD
5505	LEAD
5510	LEAD
6030	LEAD
7007	LEAD
7007OL	LEAD
7007OLBW	LEAD
7007GRYBW	LEAD
7007BLKBW	LEAD
7007TANBW	LEAD

SKU	CHEMICAL
7008OLBLK	LEAD
7010	LEAD
7010BLK	LEAD
7020	LEAD
8100	LEAD
8300	LEAD
8310	LEAD
8320	LEAD
8320BLK	LEAD
8650	LEAD
8655	LEAD
8700	LEAD
8710	LEAD
8720	LEAD
8760	LEAD
8830	LEAD
43006	LEAD
43007	LEAD
43009	LEAD
1308TANBW	LEAD
1310	LEAD
1311TS	LEAD
1312BW	LEAD
1313BLK	LEAD
1314BW	LEAD
1315BW	LEAD
1551TIX	LEAD
1555BW	LEAD
1555G10	LEAD
1555G10D2	LEAD
1555TI	LEAD
1556	LEAD
1556BW	LEAD
1556TI	LEAD
1557TI	LEAD
1605CKTST	LEAD
1605ST	LEAD
1730BWH3	LEAD
1730SS	LEAD
1730SSST	LEAD
1730SSBLU	LEAD
1730SSBLK	LEAD
1731T	LEAD
1747BW	LEAD
1748	LEAD
1830ODSW	LEAD
1835TBLKST	LEAD
2062ST	LEAD
3650	LEAD
3650CKTST	LEAD
3650GRYBLK	LEAD
3650ST	LEAD
4036BLK	LEAD
4036BLU	LEAD
4036CF	LEAD
4038RD	LEAD
6031D2	LEAD
6034BLK	LEAD
6034D2	LEAD
6034T	LEAD
6034TRAINER	LEAD
6044TBLK	LEAD
6045BLK	LEAD
6054BRNBLK	LEAD
6055D2	LEAD
6074OLBLK	LEAD
7006CU	LEAD
7006BLK	LEAD
7006RDBLK	LEAD
7007CF	LEAD
7007CU	LEAD
7008CU	LEAD
8700BLK	LEAD
8700LIMEBW	LEAD
8700NBSW	LEAD
8700PURBW	LEAD
8700TEALBW	LEAD
8750TBLKBW	LEAD
8750TOLBW	LEAD
8750TTANBW	LEAD