

kershaw®



CANADA 2023



TABLE OF CONTENTS

NEW	NEW PRODUCTS	2
	MANUFACTURING	4
	KERSHAW ORIGINALS	5
	STARTER	8
NEW	EVERYDAY CARRY - ASSISTED	12
NEW	EVERYDAY CARRY - MANUAL	32
	MULTI-FUNCTION	46
	FIXED BLADE	52
	OUTDOOR	56
	FISHING	58
	GEAR	60
NEW	BLADE STYLES, FINISHES, STEELS	68
	OPENING, LOCKS, HANDLES, POCKETCLIPS	70
	INDEX	72
	WARRANTY	75
	PROP 65 INFO	76



NEW LOCKING SYSTEM

DURALOCK

Carry with confidence using Kershaw's DuraLock technology. This lock uses a solid steel crossbar that connects with the blade tang, locking the blade in place. The crossbar extends through both sides of the handle and rests between two steel liners for an ultra-secure lockup. DuraLock knives are fully ambidextrous and are safe and easy to close. Your fingers will never enter the path of the blade edge.



COVALENT

2042



MONITOR

2041



IRIDIUM

2038



HEIST

2037



kershaw®

2023 CANADA CATALOG #1

LEVEL
NEXT

NEW PRODUCTS



FLYBY
1404 • P.27



RADAR
5560 • P.27



MONITOR
2041 • P.39



COVALENT
2042 • P.39

WATCH FOR MORE RELEASES THROUGHOUT 2023



SHORELINE
1845 • P.28



LATERAL
1645 • P.27



**LATERAL -
BLACK SERRATED**
1645BLKST • P.27



OUTCOME
2044 • P.27



CONDUIT
1407 • P.28



HEIST
2037 • P.39



IRIDIUM
2038 • P.39



FRONTRUNNER
2039 • P.40



STRATA - CLEAVER
2078 • P.40



BALANZA
4950TR • P.42



MANUFACTURING



Every Kershaw knife starts with American innovation, American design, and American engineering.

It comes to life with precision manufacturing and meticulous quality control—either in our Tualatin, Oregon factory, located in one of the USA's greatest centers of knife manufacturing, or in our overseas manufacturing facilities. This kind of manufacturing depth enables us to build products for every budget and meet demand throughout the US and worldwide.

While a knife may look simple, it's actually a complex piece of machinery. And when it comes to production brands like Kershaw—building a million knives each year—the complexity only gets amplified. From CNC machines, precision grinders, lasers, and a factory-full of specialized equipment to hand-assembly and sharpening by hundreds of skilled workers, what it takes to get that knife into your hands is nothing short of amazing.



Look for this icon designating knives proudly made in our Oregon USA factory.

All other Kershaw knives are proudly designed, prototyped, engineered, and quality controlled in the USA, and manufactured in China.





AMERICAN



QUALITY

Every Kershaw knife is manufactured to last a lifetime of quality performance. Kai USA's state-of-the-art factory pushes the latest technologies and innovations, manufacturing over one million individual knives every year. Even for models that are imported overseas, all of Kershaw's quality control is meticulously maintained in the USA. No matter what Kershaw you buy, you're guaranteed a dependable tool.

DESIGN

Kershaw's innovative Original Designs are conceptualized by the USA design team. For other models, Kershaw collaborates with many well-known custom knifemakers. In either case, Kershaw's USA team oversees the project from the drawing board to completion.

SERVICE

Kershaw knives are backed by a Limited Lifetime Warranty against manufacturing defects, serviced in the USA. Sharpening, parts replacement, and general customer service are also available.

JOBS

Kershaw employs over 300 employees in the USA, stimulating Oregon's economy and providing jobs in assembly, customer service, packaging, quality control, and more.

kershaw®

ORIGINALS



Kershaw's in-house designs are award-winning, fan-winning, customer-winning originals. From the freshest new industry-leading designs to modern versions of classics, Kershaw Originals bring you a full range of choices. For style, innovative technology, quality materials, and plenty of value, we deliver. Whether it's your first venture into a quality pocketknife or it's time for a top-of-the-line Made in the USA automatic, you can count on Kershaw Originals to bring you the best.



Look for this icon designating
KERSHAW ORIGINALS.

ICONS

Find these icons on products with
special features and materials:



Premium blade steel



Sub-Frame Lock



KVT ball-bearing
opening



Emerson Wave
Shaped Feature®



G10 handle scales



Sheath included



Canvas micarta
handle scales



Composite Blade



Carbon fiber
handle scales



"I always feel comfortable carrying my Kershaw with me. The aesthetic, comfort, color, and the variations - it's without a doubt the best on the market."

**Maycee "The Future" Barber,
UFC Fighter**

Kershaw

STARTER SECTION

OVERVIEW

15 TOTAL PRODUCTS

15 ORIGINAL DESIGNS



This collection is sure to get your blade obsession off to a great start. You get top Kershaw technology, quality, and plenty of style in this series of pocketknives that won't break the budget.

SALVAGE

1369
a KERSHAW ORIGINALS design

STEEL	8Cr13MoV, stonewashed finish
HANDLE	Stainless steel, stonewashed finish, glass-filled nylon overlays
BLADE	2.9 in. (7.4 cm)
CLOSED	3.9 in. (9.9 cm)
OVERALL	6.8 in. (17.3 cm)
WEIGHT	3.4 oz. (96 g)
BOX	087171061559
CLAM	087171064390



OPENING	Assisted opening with flipper
LOCK	Frame lock
POCKETCLIP	Single-position deep-carry (right/left, tip-up)
FEATURES	Custom backspacer



FLATBED

1376
a KERSHAW ORIGINALS design

STEEL	8Cr13MoV, black-oxide BlackWash™ finish
HANDLE	Glass-filled nylon, steel inlay, black-oxide BlackWash™ finish
BLADE	3.125 in. (7.9 cm)
CLOSED	4.125 in. (10.5 cm)
OVERALL	7.25 in. (18.4 cm)
WEIGHT	3.2 oz. (91 g)
BOX	087171061986
CLAM	087171064406



OPENING	Assisted opening with flipper
LOCK	Liner lock
POCKETCLIP	Reversible deep-carry (right/left, tip-up)
FEATURES	Lanyard hole, custom backspacer



JETPACK

1401
a KERSHAW ORIGINALS design

STEEL	8Cr13MoV, stonewashed finish
HANDLE	Stainless steel, stonewashed finish, glass-filled nylon overlays
BLADE	2.75 in. (7 cm)
CLOSED	3.75 in. (9.5 cm)
OVERALL	6.5 in. (16.5 cm)
WEIGHT	2.9 oz. (82 g)
BOX	087171061764
CLAM	-



OPENING	Assisted opening with flipper
LOCK	Liner lock
POCKETCLIP	Reversible deep-carry (right/left, tip-up)
FEATURES	Lanyard hole, custom backspacer



LIGHTYEAR

1395
a KERSHAW ORIGINALS design

STEEL	5Cr15MoV, bead-blasted finish
HANDLE	Glass-filled nylon
BLADE	3.125 in. (7.9 cm)
CLOSED	4.125 in. (10.5 cm)
OVERALL	7.25 in. (18.4 cm)
WEIGHT	2.5 oz. (71 g)
BOX	087171058863
CLAM	087171060941



OPENING	Assisted opening with flipper
LOCK	Liner lock
POCKETCLIP	Reversible deep-carry (right/left, tip-up)
FEATURES	Lanyard hole



TREMOLO

1390
a KERSHAW ORIGINALS design

STEEL	4Cr14, stonewashed finish
HANDLE	Glass-filled nylon
BLADE	3.125 in. (7.9 cm)
CLOSED	4.125 in. (10.5 cm)
OVERALL	7.25 in. (18.4 cm)
WEIGHT	2.8 oz. (79 g)
BOX	087171060934
CLAM	087171062488



OPENING	Assisted opening with flipper
LOCK	Liner lock
POCKETCLIP	Reversible deep-carry (right/left, tip-up)
FEATURES	Steel handle inlays



STARTER

1301BW
a KERSHAW ORIGINALS design



STEEL 4Cr14, black-oxide BlackWash™ finish
HANDLE Stainless steel, black-oxide BlackWash™ finish
BLADE 3.4 in. (8.6 cm)
CLOSED 4.5 in. (11.4 cm)
OVERALL 7.9 in. (20.1 cm)
WEIGHT 6.4 oz. (183 g)
BOX 087171037646
CLAM 087171037653

OPENING Assisted opening with flipper or thumb stud
LOCK Liner lock
POCKETCLIP Single-position deep-carry (right, tip-down)
FEATURES Lanyard hole



LIFTER

1302BW
a KERSHAW ORIGINALS design



STEEL 4Cr14, black-oxide BlackWash™ finish
HANDLE Stainless steel, black-oxide BlackWash™ finish
BLADE 3.5 in. (8.9 cm)
CLOSED 4.5 in. (11.4 cm)
OVERALL 7.9 in. (20.1 cm)
WEIGHT 5.8 oz. (167 g)
BOX 087171037660
CLAM 087171037677

OPENING Assisted opening with flipper or thumb stud
LOCK Frame lock
POCKETCLIP Single-position deep-carry (right, tip-down)
FEATURES Lanyard hole



CAMSHAFT

1370
a KERSHAW ORIGINALS design



STEEL 4Cr14, stonewashed finish
HANDLE Glass-filled nylon
BLADE 3 in. (7.6 cm)
CLOSED 4.25 in. (10.8 cm)
OVERALL 7.25 in. (18.4 cm)
WEIGHT 3.1 oz. (90 g)
BOX 087171057637
CLAM 087171060453

OPENING Assisted opening with flipper
LOCK Liner lock
POCKETCLIP Reversible deep-carry (right/left, tip-up)
FEATURES Lanyard hole, decorative pivot cap, custom backspacer



AIRLOCK

1385
a KERSHAW ORIGINALS design



STEEL 5Cr15MoV, bead-blasted finish
HANDLE Glass-filled nylon
BLADE 3 in. (7.6 cm)
CLOSED 4.25 in. (10.8 cm)
OVERALL 7.25 in. (18.5 cm)
WEIGHT 2.9 oz. (84 g)
BOX 087171058405
CLAM 087171059044

OPENING Assisted opening with flipper
LOCK Inset liner lock
POCKETCLIP Reversible (right/left, tip-up)
FEATURES Lanyard hole, weight-relieving handle window, decorative pivot cap



MISDIRECT

1365
a KERSHAW ORIGINALS design



STEEL 4Cr14, black-oxide BlackWash™ finish
HANDLE Stainless steel, bead-blasted finish
BLADE 2.9 in. (7.6 cm)
CLOSED 4 in. (10.1 cm)
OVERALL 6.8 in. (17.5 cm)
WEIGHT 3.2 oz. (93 g)
BOX 087171055169
CLAM 087171055688

OPENING Assisted opening with flipper
LOCK Frame lock
POCKETCLIP 3-position (right/left, tip up; right, tip-down)
FEATURES Lanyard hole




SPOKE

1313BLK
a KERSHAW ORIGINALS design



STEEL 8Cr13MoV, black-oxide coating
HANDLE Stainless steel, black-oxide coating
BLADE 2 in. (5.1 cm)
CLOSED 2.8 in. (7.1 cm)
OVERALL 4.75 in. (12.1 cm)
WEIGHT 3.1 oz. (88 g)
BOX 087171044446
CLAM -

OPENING Assisted opening with flipper
LOCK Liner lock
POCKETCLIP Reversible deep-carry (right/left, tip-up)



GRINDER

1319
a KERSHAW ORIGINALS design



STEEL 4Cr14, bead-blasted finish
HANDLE Glass-filled nylon
BLADE 3.25 in. (8.3 cm)
CLOSED 4.5 in. (11.4 cm)
OVERALL 7.75 in. (19.7 cm)
WEIGHT 4.5 oz. (128 g)
BOX 087171044736
CLAM 087171045771

OPENING Assisted opening with flipper
LOCK Liner lock
POCKETCLIP Reversible deep-carry (right/left, tip-down)



VALVE

1375
a KERSHAW ORIGINALS design



STEEL 4Cr14, stonewashed finish
HANDLE Stainless steel, bead-blasted finish
BLADE 2.25 in. (5.7 cm)
CLOSED 3.25 in. (8.3 cm)
OVERALL 5.5 in. (14 cm)
WEIGHT 3 oz. (85 g)
BOX 087171057910
CLAM 087171059532

OPENING Assisted opening with flipper
LOCK Frame lock
POCKETCLIP Single-position deep-carry (right, tip-up)
FEATURES Black-oxide pivot cap, bead-blasted steel pocketclip, glass-filled nylon backspacer



CATHODE

1324
a KERSHAW ORIGINALS design



STEEL 4Cr14, stonewashed finish
HANDLE Stainless steel, hot-stamped texture
BLADE 2.25 in. (5.7 cm)
CLOSED 3.25 in. (8.3 cm)
OVERALL 5.5 in. (14 cm)
WEIGHT 2.7 oz. (77 g)
BOX 087171044903
CLAM 087171044910

OPENING Assisted opening with flipper
LOCK Frame lock
POCKETCLIP Reversible (right/left, tip-up)



EDC-ASSISTED SECTION

OVERVIEW

81 TOTAL • 7 NEW
34 MADE IN USA
31 ORIGINAL DESIGNS
12 PREMIUM BLADE STEEL

Kershaw's assisted opening knives are ultra-fast and ultra-reliable. When closed, a torsion bar in the handle creates a bias toward the closed position. To open the knife, apply manual pressure to the thumb stud or flipper to overcome the torsion bar's resistance and open the knife.



LINK - OLIVE SW, CPM 20CV

1776OLSW
a KERSHAW ORIGINALS design

STEEL	CPM 20CV, stonewashed finish
HANDLE	6061-T6 aluminum, olive anodized
BLADE	3.25 in. (8.4 cm)
CLOSED	4.4 in. (11.2 cm)
OVERALL	7.6 in. (19.3 cm)
WEIGHT	4.7 oz. (134 g)
BOX	087171058474
CLAM	-



OPENING	Assisted opening with flipper
LOCK	Liner lock
POCKETCLIP	Reversible deep-carry (right/left, tip-up)
FEATURES	Lanyard hole



DIVIDEND - COMPOSITE

1812OLCB
a KERSHAW ORIGINALS design

STEEL	D2, N690, bead-blasted finish
HANDLE	6061-T6 aluminum, olive anodized
BLADE	3 in. (7.6 cm)
CLOSED	4.25 in. (10.8 cm)
OVERALL	7.25 in. (18.5 cm)
WEIGHT	2.8 oz. (82 g)
BOX	087171058481
CLAM	-



OPENING	Assisted opening with flipper
LOCK	Liner lock
POCKETCLIP	4-position deep-carry (right/left; tip-up/down)
FEATURES	Lanyard hole



BLUR - BLACK

1670BLKST • 1670BLK
a KEN ONION design

STEEL	14C28N, black Cerakote coating
HANDLE	6061-T6 aluminum, black anodized, Trac-Tec inserts
BLADE	3.4 in. (8.6 cm)
CLOSED	4.5 in. (11.4 cm)
OVERALL	7.9 in. (20 cm)
WEIGHT	3.9 oz. (111 g)
BOX	087171167107 serrated 087171167008 plain
CLAM	087171167114 serrated



OPENING	Assisted opening with thumb stud
LOCK	Inset liner lock
POCKETCLIP	Reversible (right, tip-up/down)
FEATURES	Lanyard hole



BLUR - S30V STONEWASH

1670S30V
a KEN ONION design

STEEL	CPM S30V, stonewashed finish
HANDLE	6061-T6 aluminum, black anodized, Trac-Tec inserts
BLADE	3.4 in. (8.6 cm)
CLOSED	4.5 in. (11.4 cm)
OVERALL	7.9 in. (20 cm)
WEIGHT	4 oz. (113 g)
BOX	087171167275
CLAM	-



OPENING	Assisted opening with thumb stud
LOCK	Inset liner lock
POCKETCLIP	Reversible (right, tip-up/down)
FEATURES	Lanyard hole



BLUR - BLACKWASH™

1670BW
a KEN ONION design

STEEL	14C28N, black-oxide BlackWash™ coating
HANDLE	6061-T6 aluminum, black anodized, Trac-Tec inserts
BLADE	3.4 in. (8.6 cm)
CLOSED	4.5 in. (11.4 cm)
OVERALL	7.9 in. (20 cm)
WEIGHT	3.9 oz. (111 g)
BOX	087171036335
CLAM	-



OPENING	Assisted opening with thumb stud
LOCK	Inset liner lock
POCKETCLIP	Reversible (right, tip-up/down)
FEATURES	Lanyard hole



BLUR - NAVY BLUE STONEWASH1670NBSW
a KEN ONION design

STEEL 14C28N, stonewashed finish
HANDLE 6061-T6 aluminum, blue anodized, Trac-Tec inserts
BLADE 3.4 in. (8.6 cm)
CLOSED 4.5 in. (11.4 cm)
OVERALL 7.9 in. (20 cm)
WEIGHT 3.9 oz. (111 g)
BOX 087171039473
CLAM -



OPENING Assisted opening with thumb stud
LOCK Inset liner lock
POCKETCLIP Reversible (right, tip-up/down)
FEATURES Lanyard hole

**BLUR - OLIVE/BLACK**1670OLBLK
a KEN ONION design

STEEL 14C28N, black Cerakote coating
HANDLE 6061-T6 aluminum, olive anodized, Trac-Tec inserts
BLADE 3.4 in. (8.6 cm)
CLOSED 4.5 in. (11.4 cm)
OVERALL 7.9 in. (20 cm)
WEIGHT 3.9 oz. (111 g)
BOX 087171031644
CLAM -



OPENING Assisted opening with thumb stud
LOCK Inset liner lock
POCKETCLIP Reversible (right, tip-up/down)
FEATURES Lanyard hole

**BLUR - GLASS BREAKER**1670GBBLKST
a KEN ONION design

STEEL 14C28N, black Cerakote coating
HANDLE 6061-T6 aluminum, black anodized, Trac-Tec inserts
BLADE 3.4 in. (8.6 cm)
CLOSED 4.5 in. (11.4 cm)
OVERALL 7.9 in. (20 cm)
WEIGHT 3.9 oz. (111 g)
BOX 087171033761
CLAM -



OPENING Assisted opening with thumb stud
LOCK Inset liner lock
POCKETCLIP Reversible (right, tip-up/down)
FEATURES Carbide glassbreaker tip, lanyard hole

**BLUR - TANTO BLACK**1670TBLKST
a KEN ONION design

STEEL 14C28N, black Cerakote coating
HANDLE 6061-T6 aluminum, black anodized, Trac-Tec inserts
BLADE 3.4 in. (8.6 cm)
CLOSED 4.5 in. (11.4 cm)
OVERALL 7.9 in. (20 cm)
WEIGHT 3.9 oz. (111 g)
BOX 087171167602
CLAM 087171167336



OPENING Assisted opening with thumb stud
LOCK Inset liner lock
POCKETCLIP Reversible (right, tip-up/down)
FEATURES Lanyard hole

**LEEK**1660ST • 1660
a KEN ONION design

STEEL 14C28N, bead-blasted finish
HANDLE 410 stainless steel, bead-blasted finish
BLADE 3 in. (7.6 cm)
CLOSED 4 in. (10.2 cm)
OVERALL 7 in. (17.9 cm)
WEIGHT 3 oz. (85 g)
BOX 087171166100 serrated
 087171166001 plain
CLAM 087171166117 serrated
 087171166018 plain



OPENING Assisted opening with flipper
LOCK Frame lock with Tip-Lock Slider
POCKETCLIP Reversible (right, tip-up/down)
FEATURES Lanyard hole



1660

1660ST


LEEK - BLACK

1660CKTST • 1660CKT
a KEN ONION design



STEEL 14C28N, black Cerakote coating
HANDLE 410 stainless steel, black Cerakote coating
BLADE 3 in. (7.6 cm)
CLOSED 4 in. (10.2 cm)
OVERALL 7 in. (17.9 cm)
WEIGHT 3 oz. (85 g)
BOX 087171166148 serrated
087171166049 plain
CLAM 087171166216 plain

OPENING Assisted opening with flipper
LOCK Frame lock with Tip-Lock Slider
POCKETCLIP Reversible (right, tip-up/down)
FEATURES Lanyard hole



1660CKT



1660CKTST


LEEK - COMPOSITE BLACKWASH™

1660CBBW
a KEN ONION design



STEEL D2/14C28N Composite, black-oxide BlackWash™ finish
HANDLE 410 stainless steel, black-oxide BlackWash™ finish
BLADE 3 in. (7.6 cm)
CLOSED 4 in. (10.2 cm)
OVERALL 7 in. (17.9 cm)
WEIGHT 3.1 oz. (88 g)
BOX 087171038254
CLAM -

OPENING Assisted opening with flipper
LOCK Frame lock with Tip-Lock Slider
POCKETCLIP Reversible (right, tip-up/down)
FEATURES Lanyard hole




LEEK - COMPOSITE

1660CB
a KEN ONION design



STEEL D2/14C28N Composite, bead-blasted finish
HANDLE 410 stainless steel, bead-blasted finish
BLADE 3 in. (7.6 cm)
CLOSED 4 in. (10.2 cm)
OVERALL 7 in. (17.9 cm)
WEIGHT 3.1 oz. (88 g)
BOX 087171166155
CLAM -

OPENING Assisted opening with flipper
LOCK Frame lock with Tip-Lock Slider
POCKETCLIP Reversible (right, tip-up/down)
FEATURES Lanyard hole




LEEK - BLACK STONEWASH

1660SWBLK
a KEN ONION design



STEEL 14C28N, stonewashed finish
HANDLE 6061-T6 aluminum, black anodized
BLADE 3 in. (7.6 cm)
CLOSED 4 in. (10.2 cm)
OVERALL 7 in. (17.9 cm)
WEIGHT 2.4 oz. (68 g)
BOX 087171035079
CLAM -

OPENING Assisted opening with flipper
LOCK Liner lock with Tip-Lock Slider
POCKETCLIP Reversible (right, tip-up/down)
FEATURES Lanyard hole



LEEK - BLACKWASH™

1660BLKW
a KEN ONION design



STEEL 14C28N, black-oxide BlackWash™ finish
HANDLE 410 stainless steel, black-oxide BlackWash™ finish
BLADE 3 in. (7.6 cm)
CLOSED 4 in. (10.2 cm)
OVERALL 7 in. (17.9 cm)
WEIGHT 3 oz. (85 g)
BOX 087171038049
CLAM 087171166490

OPENING Assisted opening with flipper
LOCK Frame lock with Tip-Lock Slider
POCKETCLIP Reversible (right, tip-up/down)
FEATURES Lanyard hole





LEEK - COPPER

1660CU
a KEN ONION design



STEEL CPM 154, stonewashed finish
HANDLE Copper, brushed satin finish
BLADE 3 in. (7.6 cm)
CLOSED 4 in. (10.2 cm)
OVERALL 7 in. (17.9 cm)
WEIGHT 4 oz. (115 g)
BOX 087171058078
CLAM -

OPENING Assisted opening with flipper
LOCK Liner lock with Tip-Lock Slider
POCKETCLIP Reversible (right, tip-up/down)
FEATURES Lanyard hole



RANDOM LEEK - BLACKWASH™

1660RBW
a KEN ONION design



STEEL 14C28N, black-oxide BlackWash™ finish
HANDLE 410 stainless steel, black-oxide BlackWash™ finish
BLADE 3 in. (7.6 cm)
CLOSED 4 in. (10.2 cm)
OVERALL 7 in. (17.9 cm)
WEIGHT 2.9 oz. (82 g)
BOX 087171060965
CLAM -

OPENING Assisted opening with flipper
LOCK Frame lock with Tip-Lock Slider
POCKETCLIP Reversible (right, tip-up/down)
FEATURES Reverse tanto blade, lanyard hole



RANDOM LEEK

1660R
a KEN ONION design



STEEL 14C28N, bead-blasted finish
HANDLE 410 stainless steel, bead-blasted finish
BLADE 3 in. (7.6 cm)
CLOSED 4 in. (10.2 cm)
OVERALL 7 in. (17.9 cm)
WEIGHT 2.9 oz. (82 g)
BOX 087171060958
CLAM -

OPENING Assisted opening with flipper
LOCK Frame lock with Tip-Lock Slider
POCKETCLIP Reversible (right, tip-up/down)
FEATURES Reverse tanto blade, lanyard hole



LEEK - CARBON FIBER

1660CF
a KEN ONION design



STEEL CPM 154, stonewashed finish
HANDLE Carbon fiber
BLADE 3 in. (7.6 cm)
CLOSED 4 in. (10.2 cm)
OVERALL 7 in. (17.9 cm)
WEIGHT 2.4 oz. (69 g)
BOX 087171048550
CLAM 087171050324

OPENING Assisted opening with flipper
LOCK Liner lock with Tip-Lock Slider
POCKETCLIP Reversible (right, tip-up/down)
FEATURES Lanyard hole



LEEK - OLIVE

1660OL
a KEN ONION design



STEEL 14C28N, bead-blasted finish
HANDLE 6061-T6 aluminum, olive anodized
BLADE 3 in. (7.6 cm)
CLOSED 4 in. (10.2 cm)
OVERALL 7 in. (17.9 cm)
WEIGHT 2.4 oz. (68 g)
BOX 087171035116
CLAM 087171035123

OPENING Assisted opening with flipper
LOCK Liner lock with Tip-Lock Slider
POCKETCLIP Reversible (right, tip-up/down)
FEATURES Lanyard hole



LEEK - TEAL1660TEAL
a KEN UNION design

STEEL 14C28N, bead-blasted finish
HANDLE 6061-T6 aluminum, teal anodized
BLADE 3 in. (7.6 cm)
CLOSED 4 in. (10.2 cm)
OVERALL 7 in. (17.9 cm)
WEIGHT 2.4 oz. (68 g)
BOX 087171037561
CLAM -

OPENING Assisted opening with flipper
LOCK Liner lock with Tip-Lock Slider
POCKETCLIP Reversible (right, tip-up/down)
FEATURES Lanyard hole

**LEEK - ORANGE**1660OR
a KEN UNION design

STEEL 14C28N, bead-blasted finish
HANDLE 6061-T6 aluminum, orange anodized
BLADE 3 in. (7.6 cm)
CLOSED 4 in. (10.2 cm)
OVERALL 7 in. (17.9 cm)
WEIGHT 2.4 oz. (68 g)
BOX 087171035130
CLAM 087171035147

OPENING Assisted opening with flipper
LOCK Liner lock with Tip-Lock Slider
POCKETCLIP Reversible (right, tip-up/down)
FEATURES Lanyard hole

**LEEK - PURPLE**1660PUR
a KEN UNION design

STEEL 14C28N, bead-blasted finish
HANDLE 6061-T6 aluminum, purple anodized
BLADE 3 in. (7.6 cm)
CLOSED 4 in. (10.2 cm)
OVERALL 7 in. (17.9 cm)
WEIGHT 2.4 oz. (68 g)
BOX 087171035093
CLAM -

OPENING Assisted opening with flipper
LOCK Liner lock with Tip-Lock Slider
POCKETCLIP Reversible (right, tip-up/down)
FEATURES Lanyard hole

**SCALLION**1620ST • 1620
a KEN UNION design

STEEL 420HC, bead-blasted finish
HANDLE Glass-filled nylon
BLADE 2.4 in. (6.1 cm)
CLOSED 3.5 in. (8.9 cm)
OVERALL 5.75 in. (14.6 cm)
WEIGHT 2.3 oz. (65 g)
BOX 087171162102 serrated
 087171162003 plain
CLAM 087171162010 plain

OPENING Assisted opening with flipper
LOCK Liner lock with Tip-Lock Slider
POCKETCLIP Single-position (right, tip-down)
FEATURES Lanyard hole

**SCALLION - FRAME LOCK**1620FL
a KEN UNION design

STEEL 420HC, bead-blasted finish
HANDLE 410 stainless steel, bead-blasted finish
BLADE 2.4 in. (6.1 cm)
CLOSED 3.5 in. (8.9 cm)
OVERALL 5.75 in. (14.6 cm)
WEIGHT 2.9 oz. (82 g)
BOX 087171162201
CLAM 087171162225

OPENING Assisted opening with flipper
LOCK Frame lock with Tip-Lock Slider
POCKETCLIP Single-position (right, tip-down)
FEATURES Lanyard hole



SCALLION - PURPLE

1620PUR
a KEN ONION design



STEEL 420HC, bead-blasted finish
HANDLE 6061-T6 aluminum, purple anodized
BLADE 2.4 in. (6.1 cm)
CLOSED 3.5 in. (8.9 cm)
OVERALL 5.75 in. (14.6 cm)
WEIGHT 2.5 oz. (71 g)
BOX 087171035154
CLAM 087171035161

OPENING Assisted opening with flipper
LOCK Liner lock with Tip-Lock Slider
POCKETCLIP Single-position (right, tip-down)
FEATURES Lanyard hole



SCALLION - OLIVE DRAB

1620OL
a KEN ONION design



STEEL 420HC, bead-blasted finish
HANDLE 6061-T6 aluminum, olive anodized
BLADE 2.4 in. (6.1 cm)
CLOSED 3.5 in. (8.9 cm)
OVERALL 5.75 in. (14.6 cm)
WEIGHT 2.5 oz. (71 g)
BOX 087171035192
CLAM 087171035208

OPENING Assisted opening with flipper
LOCK Liner lock with Tip-Lock Slider
POCKETCLIP Single-position (right, tip-down)
FEATURES Lanyard hole



SCALLION - NAVY BLUE

1620NB
a KEN ONION design



STEEL 420HC, bead-blasted finish
HANDLE 6061-T6 aluminum, navy blue anodized
BLADE 2.4 in. (6.1 cm)
CLOSED 3.5 in. (8.9 cm)
OVERALL 5.75 in. (14.6 cm)
WEIGHT 2.5 oz. (71 g)
BOX 087171035178
CLAM 087171035185

OPENING Assisted opening with flipper
LOCK Liner lock with Tip-Lock Slider
POCKETCLIP Single-position (right, tip-down)
FEATURES Lanyard hole



CHIVE

1600
a KEN ONION design



STEEL 420HC, bead-blasted finish
HANDLE 410 stainless steel, bead-blasted finish
BLADE 1.9 in. (4.8 cm)
CLOSED 2.9 in. (7.4 cm)
OVERALL 4.8 in. (12.2 cm)
WEIGHT 1.7 oz. (48 g)
BOX 087171160009
CLAM 087171160016

OPENING Assisted opening with flipper
LOCK Frame lock with Tip-Lock Slider
POCKETCLIP Single-position (right, tip-down)
FEATURES Lanyard hole




CHIVE - PINK

1600PINK
a KEN ONION design



STEEL 420HC, bead-blasted finish
HANDLE 6061-T6 aluminum, pink anodized
BLADE 1.9 in. (4.8 cm)
CLOSED 2.9 in. (7.4 cm)
OVERALL 4.8 in. (12.2 cm)
WEIGHT 1.5 oz. (43 g)
BOX 087171160276
CLAM -

OPENING Assisted opening with flipper
LOCK Liner lock with Tip-Lock Slider
POCKETCLIP Single-position (right, tip-down)
FEATURES Lanyard hole





NEW

FLYBY

1404

a KERSHAW ORIGINALS design

STEEL D2, black-oxide BlackWash™ finish
HANDLE Stainless steel, gray PVD coating
BLADE 3 in. (7.6 cm)
CLOSED 4.1 in. (10.4 cm)
OVERALL 7.1 in. (18 cm)
WEIGHT 3.4 oz. (96 g)
BOX 087171064352
CLAM 087171065342



OPENING Assisted opening with flipper
LOCK Frame lock
POCKETCLIP Single-position deep-carry (right, tip-up)
FEATURES Custom backspacer



NEW

RADAR

5560

a KERSHAW ORIGINALS design

STEEL 8Cr13MoV, black-oxide BlackWash™ finish
HANDLE Stainless steel, black-oxide BlackWash™ finish
BLADE 2.9 in. (7.4 cm)
CLOSED 3.8 in. (9.7 cm)
OVERALL 6.7 in. (17 cm)
WEIGHT 3.3 oz. (94 g)
BOX 087171064512
CLAM -



OPENING Assisted opening with flipper
LOCK Frame lock
POCKETCLIP 4-position deep-carry (right/left, tip-up/down)
FEATURES Lanyard hole



NEW

LATERAL

1645

a KERSHAW ORIGINALS design

STEEL 8Cr13MoV, stonewashed finish
HANDLE Glass-filled nylon
BLADE 3.1 in. (7.9 cm)
CLOSED 4.3 in. (10.9 cm)
OVERALL 7.4 in. (18.8 cm)
WEIGHT 3.2 oz. (91 g)
BOX 087171064048
CLAM 087171065083



OPENING Assisted opening with flipper
LOCK Liner lock
POCKETCLIP Reversible extra-deep-carry (right/left, tip-up)
FEATURES Lanyard hole, custom backspacer



NEW

LATERAL - BLACK SERRATED

1645BLKST

a KERSHAW ORIGINALS design

STEEL 8Cr13MoV, black-oxide coating
HANDLE Glass-filled nylon
BLADE 3.1 in. (7.9 cm)
CLOSED 4.3 in. (10.9 cm)
OVERALL 7.4 in. (18.8 cm)
WEIGHT 3.2 oz. (91 g)
BOX 087171064055
CLAM -



OPENING Assisted opening with flipper
LOCK Liner lock
POCKETCLIP Reversible extra-deep-carry (right/left, tip-up)
FEATURES Lanyard hole, custom backspacer



NEW

OUTCOME

2044

a KERSHAW ORIGINALS design

STEEL 8Cr13MoV, stonewashed finish
HANDLE Stainless steel, bead-blasted finish
BLADE 2.8 in. (7.1 cm)
CLOSED 3.9 in. (9.9 cm)
OVERALL 6.7 in. (17 cm)
WEIGHT 3.4 oz. (96 g)
BOX 087171064543
CLAM 087171065113



OPENING Assisted opening with flipper
LOCK Frame lock
POCKETCLIP Reversible deep-carry (right/left, tip-up)
FEATURES Custom backspacer



NEW**CONDUIT**

1407

a KERSHAW ORIGINALS design

STEEL	8Cr13MoV, black-oxide coating
HANDLE	Glass-filled nylon
BLADE	2.9 in. (7.4 cm)
CLOSED	3.9 in. (9.9 cm)
OVERALL	6.8 in. (17.3 cm)
WEIGHT	2.6 oz. (74 g)
BOX	087171064420
CLAM	087171065069



OPENING	Assisted opening with flipper
LOCK	Liner lock
POCKETCLIP	Reversible deep-carry (right/left, tip-up)
FEATURES	Lanyard hole

**NEW****SHORELINE**

1845

a KERSHAW ORIGINALS design

STEEL	8Cr13MoV, stonewashed finish
HANDLE	Glass-filled nylon
BLADE	3 in. (7.6 cm)
CLOSED	4.1 in. (10.4 cm)
OVERALL	7.1 in. (18 cm)
WEIGHT	2.6 oz. (74 g)
BOX	087171064062
CLAM	087171065090



OPENING	Assisted opening with flipper
LOCK	Liner lock
POCKETCLIP	Reversible deep-carry (right/left, tip-up)
FEATURES	Lanyard hole, custom backspacer

**LUCID**

2036

a KERSHAW ORIGINALS design

STEEL	8Cr13MoV, stonewashed finish
HANDLE	Glass-filled nylon front, stainless steel back, stonewashed finish
BLADE	3.2 in. (8.1 cm)
CLOSED	4.2 in. (10.7 cm)
OVERALL	7.4 in. (18.8 cm)
WEIGHT	4.3 oz. (122 g)
BOX	087171063683
CLAM	-



OPENING	Assisted opening with flipper
LOCK	Frame lock
POCKETCLIP	Reversible deep-carry (right/left, tip-up)
FEATURES	Decorative pivot and pivot collar, custom backspacer, back handle inlay

**LITHIUM**

2049

a KERSHAW ORIGINALS design

STEEL	8Cr13MoV, bead-blasted finish
HANDLE	Stainless steel, bead-blasted finish, glass-filled nylon
BLADE	3.25 in. (8.3 cm)
CLOSED	4.25 in. (10.8 cm)
OVERALL	7.5 in. (19.1 cm)
WEIGHT	3.4 oz. (96 g)
BOX	087171062082
CLAM	087171063935



OPENING	Assisted opening with flipper
LOCK	Frame lock
POCKETCLIP	Reversible deep-carry (right/left, tip-up)
FEATURES	Split-material handle

**OUTLIER**

2064

a KERSHAW ORIGINALS design

STEEL	8Cr13MoV, black-oxide BlackWash™ finish
HANDLE	Glass-filled nylon, G10 texture
BLADE	2.6 in. (6.6 cm)
CLOSED	5 in. (12.7 cm)
OVERALL	7 in. (17.8 cm)
WEIGHT	3.6 oz. (102 g)
BOX	087171063188
OPENING	Assisted opening with flipper or thumb stud
LOCK	Liner lock



POCKETCLIP	Reversible deep-carry (right/left, tip-up)
FEATURES	Karambit-style blade; steel finger ring





CANNONBALL

2061

a KERSHAW ORIGINALS design



STEEL	D2, black-oxide BlackWash™ finish
HANDLE	Stainless steel, gray PVD coating
BLADE	3.5 in. (8.9 cm)
CLOSED	4.5 in. (11.4 cm)
OVERALL	8 in. (20.3 cm)
WEIGHT	5.4 oz. (153 g)
BOX	087171060163
CLAM	-

OPENING	Assisted opening with flipper
LOCK	Frame lock
POCKETCLIP	Reversible deep-carry (right/left, tip-up)
FEATURES	Decorative pivot cap, custom backspacer, lanyard hole



ANALYST

2062ST

a KERSHAW ORIGINALS design



STEEL	8Cr13MoV, black-oxide BlackWash™ finish
HANDLE	Glass filled nylon
BLADE	3.25 in. (8.3 cm)
CLOSED	4.25 in. (10.8 cm)
OVERALL	7.5 in. (19 cm)
WEIGHT	3.5 oz. (142 g)
BOX	087171060699
CLAM	0871710624951390

OPENING	Assisted opening with flipper
LOCK	Liner lock
POCKETCLIP	4-position deep-carry (right/left; tip-up/down)
FEATURES	Lanyard hole, blade serrations



BRACKET

3455

a KERSHAW ORIGINALS design



STEEL	8Cr13MoV, stonewashed finish
HANDLE	Glass-filled nylon front, stainless steel back, stonewashed finish
BLADE	3.4 in. (8.6 cm)
CLOSED	4.4 in. (11.2 cm)
OVERALL	7.75 in. (19.7 cm)
WEIGHT	4.3 oz. (122 g)
BOX	087171060392
CLAM	087171062549

OPENING	Assisted opening with flipper
LOCK	Frame Lock
POCKETCLIP	Reversible deep-carry (right/left, tip-up)
FEATURES	Lanyard hole



COLLATERAL

5500

a KERSHAW ORIGINALS design



STEEL	D2, satin finish with sanded flats
HANDLE	Stainless steel, titanium carbo-nitride finish, with carbon fiber insert
BLADE	3.4 in. (8.6 cm)
CLOSED	4.6 in. (11.7 cm)
OVERALL	8 in. (20.3 cm)
WEIGHT	4.3 oz. (122 g)
BOX	087171054773
CLAM	-

OPENING	Assisted opening with bronze phosphor washers and small hidden flipper
LOCK	Frame lock
POCKETCLIP	Reversible (right/left, tip-up)
FEATURES	Custom backspacer



TURISMO

5505

a KERSHAW ORIGINALS design



STEEL	D2, satin finish with sanded flats
HANDLE	Stainless steel, black PVD coating
BLADE	2.9 in. (7.3 cm)
CLOSED	3.9 in. (10 cm)
OVERALL	6.75 in. (17.1 cm)
WEIGHT	3.3 oz. (94 g)
BOX	087171054780
CLAM	-

OPENING	Assisted opening with bronze phosphor washers and small hidden flipper
LOCK	Frame lock
POCKETCLIP	Reversible deep-carry (right/left, tip-up)
FEATURES	Custom backspacer



PAYOUT

2075

a KERSHAW ORIGINALS design



STEEL	D2, stonewashed finish
HANDLE	Stainless steel, stonewashed finish, with G10 handle scale
BLADE	3.5 in. (8.9 cm)
CLOSED	4.9 in. (12.6 cm)
OVERALL	8.3 in. (21.3 cm)
WEIGHT	5.3 oz. (150 g)
BOX	087171058085
CLAM	-

OPENING	Assisted opening with flipper
LOCK	Frame lock
POCKETCLIP	Single-position extra-deep-carry (right, tip-up)
FEATURES	Bronze anodized pivot ring, lanyard hole



GRAVEL

2065

a KERSHAW ORIGINALS design



STEEL	8Cr13MoV, black-oxide BlackWash™ finish
HANDLE	Stainless steel, black-oxide BlackWash™ finish
BLADE	2.5 in. (6.4 cm)
CLOSED	3.5 in. (8.9 cm)
OVERALL	5.9 in. (15.2 cm)
WEIGHT	2.7 oz. (78 g)
BOX	087171056487
CLAM	087171056494

OPENING	Assisted opening with flipper
LOCK	Frame lock
POCKETCLIP	Reversible deep-carry (right/left, tip-up)



KURO - SERRATED

1835TBLKST

a KERSHAW ORIGINALS design



STEEL	8Cr13MoV, black-oxide coating
HANDLE	Glass-filled nylon
BLADE	3.1 in. (7.9 cm)
CLOSED	4.1 in. (10.5 cm)
OVERALL	7.25 in. (18.4 cm)
WEIGHT	3.2 oz. (90 g)
BOX	087171033747
CLAM	-

OPENING	Assisted opening with flipper
LOCK	Liner lock
POCKETCLIP	3-position (right/left, tip-up; right, tip-down)
FEATURES	Lanyard hole



BRAWLER

1990

a KERSHAW ORIGINALS design



STEEL	8Cr13MoV, black-oxide coating
HANDLE	Glass-filled nylon
BLADE	3 in. (7.6 cm)
CLOSED	4.1 in. (10.5 cm)
OVERALL	7.1 in. (18 cm)
WEIGHT	3.9 oz. (111 g)
BOX	087171033044
CLAM	087171033075

OPENING	Assisted opening with flipper
LOCK	Liner lock
POCKETCLIP	4-position (right/left, tip-up/down)



OBLIVION

3860

a KERSHAW ORIGINALS design

STEEL	8Cr13MoV, stonewashed finish
HANDLE	Stainless steel, bead-blasted & stonewashed finish, glass-filled nylon inserts
BLADE	3.5 in. (9 cm)
CLOSED	4.6 in. (11.8 cm)
OVERALL	8.1 in. (20.6 cm)
WEIGHT	5.1 oz. (146 g)
BOX	087171054841
CLAM	-

OPENING	Assisted opening with flipper
LOCK	Frame lock, lockbar-overtravel stop
POCKETCLIP	Reversible deep-carry pocketclip (right/left, tip-up)
FEATURES	Decorative pivot cap, lanyard hole



FRINGE

8310

a KERSHAW ORIGINALS design

STEEL	8Cr13MoV, titanium carbo-nitride coating
HANDLE	Stainless steel, titanium carbo-nitride coating, carbon fiber inlay front
BLADE	3 in. (7.6 cm)
CLOSED	4.1 in. (10.5 cm)
OVERALL	7 in. (17.8 cm)
WEIGHT	3.5 oz. (101 g)
BOX	087171052281
CLAM	087171052786

OPENING	Assisted opening with flipper or thumb stud
LOCK	Frame lock
POCKETCLIP	Single-position deep-carry (right, tip-down)
FEATURES	Lanyard hole



FATBACK

1935

a KERSHAW ORIGINALS design

STEEL	8Cr13MoV, black-oxide coating
HANDLE	Glass-filled nylon
BLADE	3.5 in. (8.9 cm)
CLOSED	4.25 in. (10.8 cm)
OVERALL	7.75 in. (19.7 cm)
WEIGHT	3.6 oz. (102 g)
BOX	087171046105
CLAM	087171045740

OPENING	Assisted opening with flipper
LOCK	Liner lock
POCKETCLIP	4-position deep-carry (right/left, tip-up/down)



OUTRIGHT

8320

a KERSHAW ORIGINALS design

STEEL	8Cr13MoV, blue PVD coating
HANDLE	Stainless steel, blue PVD coating, G10 overlay front
BLADE	3 in. (7.6 cm)
CLOSED	4.4 in. (11.1 cm)
OVERALL	7.1 in. (18.1 cm)
WEIGHT	4 oz. (114 g)
BOX	087171052298
CLAM	-

OPENING	Assisted opening with flipper or thumb stud
LOCK	Frame lock
POCKETCLIP	Single-position deep-carry (right, tip-down)



OUTRIGHT - BLACK

8320BLK

a KERSHAW ORIGINALS design

STEEL	8Cr13MoV, black PVD coating
HANDLE	Stainless steel, black PVD coating, G10 overlay front
BLADE	3 in. (7.6 cm)
CLOSED	4.4 in. (11.1 cm)
OVERALL	7.1 in. (18.1 cm)
WEIGHT	4 oz. (114 g)
BOX	087171061061
CLAM	-

OPENING	Assisted opening with flipper or thumb stud
LOCK	Frame lock
POCKETCLIP	Single-position deep-carry (right, tip-down)



GRID

2200
a KERSHAW ORIGINALS design



STEEL 8Cr13MoV, black-oxide coating
HANDLE Stainless steel, titanium carbo-nitride coating
BLADE 3.7 in. (9.4 cm)
CLOSED 4.5 in. (11.4 cm)
OVERALL 8.4 in. (21.3 cm)
WEIGHT 5.3 oz. (150 g)
BOX 087171040912
CLAM 087171045597

OPENING Assisted opening with flipper or thumb stud
LOCK Frame lock
POCKETCLIP Reversible (right/left, tip-up)



ERIS

1881
a KERSHAW ORIGINALS design



STEEL 8Cr13MoV, stonewashed finish with satin flats
HANDLE Stainless steel, titanium carbo-nitride coating
BLADE 3 in. (7.6 cm)
CLOSED 4.1 in. (10.4 cm)
OVERALL 7.2 in. (18.1 cm)
WEIGHT 4.7 oz. (133 g)
BOX 087171047737
CLAM -

OPENING Assisted opening with flipper
LOCK Frame lock
POCKETCLIP Reversible (right/left, tip-up)
FEATURES Lanyard hole




FLOURISH

3935
a KERSHAW ORIGINALS design



STEEL 8Cr13MoV, black-oxide BlackWash™ finish with satin flats
HANDLE G10 with carbon fiber overlay
BLADE 3.5 in. (8.9 cm)
CLOSED 5 in. (12.7 cm)
OVERALL 8.5 in. (21.6 cm)
WEIGHT 5.3 oz. (150 g)
BOX 087171048512
CLAM -

OPENING Assisted opening with flipper
LOCK Liner lock
POCKETCLIP Reversible (right/left, tip-up)
FEATURES Lanyard hole




FLITCH

3930
a KERSHAW ORIGINALS design



STEEL 8Cr13MoV, stonewashed finish
HANDLE Glass-filled nylon
BLADE 3.25 in. (8.3 cm)
CLOSED 4.6 in. (11.7 cm)
OVERALL 7.75 in. (19.7 cm)
WEIGHT 4.7 oz. (133 g)
BOX 087171048505
CLAM -

OPENING Assisted opening with flipper
LOCK Liner lock
POCKETCLIP Reversible deep-carry (right/left, tip-up)



BARSTOW

3960
a KERSHAW ORIGINALS design



STEEL 8Cr13MoV, black-oxide BlackWash™ finish
HANDLE Glass-filled nylon
BLADE 3 in. (7.6 cm)
CLOSED 4 in. (10.1 cm)
OVERALL 7 in. (17.7 cm)
WEIGHT 3.4 oz. (98 g)
BOX 087171048628
CLAM 087171050454

OPENING Assisted opening with flipper
LOCK Liner lock
POCKETCLIP Reversible deep-carry (right/left, tip-up)
FEATURES Single-edge sharpened, anodized aluminum accents





CRYO II

1556TI

a RICK HINDERER design

STEEL	8Cr13MoV, titanium carbo-nitride coating
HANDLE	410 stainless steel, titanium carbo-nitride coating
BLADE	3.25 in. (8.3 cm)
CLOSED	4.4 in. (11.2 cm)
OVERALL	7.75 in. (19.7 cm)
WEIGHT	5.5 oz. (156 g)
BOX	087171034706
CLAM	087171034713

OPENING	Assisted opening with flipper or thumb stud
LOCK	Frame lock with lockbar stabilizer
POCKETCLIP	4-position deep-carry (right/left, tip-up/down)
FEATURES	Lanyard hole



CRYO II - BLACKWASH™

1556BW

a RICK HINDERER design

STEEL	8Cr13MoV, black-oxide BlackWash™ finish
HANDLE	410 stainless steel, black-oxide BlackWash™ finish
BLADE	3.25 in. (8.3 cm)
CLOSED	4.4 in. (11.2 cm)
OVERALL	7.75 in. (19.7 cm)
WEIGHT	5.5 oz. (156 g)
BOX	087171036236
CLAM	-

OPENING	Assisted opening with flipper or thumb stud
LOCK	Frame lock with lockbar stabilizer
POCKETCLIP	4-position deep-carry (right/left, tip-up/down)
FEATURES	Lanyard hole



CRYO

1555TI

a RICK HINDERER design

STEEL	8Cr13MoV, titanium carbo-nitride coating
HANDLE	410 stainless steel, titanium carbo-nitride coating
BLADE	2.75 in. (7 cm)
CLOSED	3.75 in. (9.5 cm)
OVERALL	6.5 in. (16.5 cm)
WEIGHT	4.1 oz. (116 g)
BOX	087171033686
CLAM	087171033693

OPENING	Assisted opening with flipper or thumb stud
LOCK	Frame lock with lockbar stabilizer
POCKETCLIP	4-position deep-carry (right/left, tip-up/down)
FEATURES	Lanyard hole



CRYO - BLACKWASH™

1556BW
a RICK HINDERER design

STEEL 8Cr13MoV, black-oxide BlackWash™ finish
HANDLE 410 stainless steel, black-oxide BlackWash™ finish
BLADE 2.75 in. (7 cm)
CLOSED 3.75 in. (9.5 cm)
OVERALL 6.5 in. (16.5 cm)
WEIGHT 4.1 oz. (116 g)
BOX 087171037530
CLAM 087171036830

OPENING Assisted opening with flipper or thumb stud
LOCK Frame lock with lockbar stabilizer
POCKETCLIP 4-position deep-carry (right/left, tip-up/down)
FEATURES Lanyard hole



CRYO - G10

1556G10
a RICK HINDERER design



STEEL 8Cr13MoV, stonewashed finish
HANDLE G10 front, stainless steel back, stonewashed finish
BLADE 2.75 in. (7 cm)
CLOSED 3.75 in. (9.5 cm)
OVERALL 6.5 in. (16.5 cm)
WEIGHT 3.7 oz. (105 g)
BOX 087171036731
CLAM 087171036748

OPENING Assisted opening with flipper or thumb stud
LOCK Frame lock with lockbar stabilizer
POCKETCLIP 4-position deep-carry (right/left, tip-up/down)
FEATURES Lanyard hole



FERRITE

1557T1
a RICK HINDERER design

STEEL 8Cr13MoV, titanium carbo-nitride coating
HANDLE Stainless steel, titanium carbo-nitride coating
BLADE 3.3 in. (8.4 cm)
CLOSED 4.25 in. (10.8 cm)
OVERALL 7.5 in. (19.1 cm)
WEIGHT 4.2 oz. (119 g)
BOX 087171044781
CLAM 087171045610

OPENING Assisted opening with flipper or thumb stud
LOCK Frame lock with lockbar stabilizer
POCKETCLIP Reversible (right/left, tip-up), after-market filler tabs available
FEATURES Lanyard hole



DECIMUS

1559
a RICK HINDERER design

STEEL 8Cr13MoV, black-oxide BlackWash™ finish
HANDLE Stainless steel with stonewashed finish, glass-filled nylon overlay
BLADE 3.25 in. (8.3 cm)
CLOSED 4.25 in. (10.8 cm)
OVERALL 7.5 in. (19.1 cm)
WEIGHT 4.3 oz. (123 g)
BOX 087171052380
CLAM -

OPENING Assisted opening with flipper
LOCK Frame lock
POCKETCLIP Reversible (right/left, tip-up)
FEATURES Single-edge sharpened



EMBER

3560
a RICK HINDERER design


STEEL 8Cr13MoV, titanium carbo-nitride coating
HANDLE Stainless steel, titanium carbo-nitride coating
BLADE 2 in. (5.1 cm)
CLOSED 2.8 in. (7.1 cm)
OVERALL 4.75 in. (12.1 cm)
WEIGHT 2.2 oz. (62 g)
BOX 087171036908
CLAM 087171036892

OPENING Assisted opening with flipper
LOCK Frame lock
POCKETCLIP 3-position deep-carry (right/left, tip-up; right, tip-down)



CLASH1605ST • 1605
a KEN ONION design

STEEL	8Cr13MoV, bead-blasted finish
HANDLE	Glass-filled nylon
BLADE	3.1 in. (7.9 cm)
CLOSED	4.25 in. (10.7 cm)
OVERALL	7.4 in. (18.7 cm)
WEIGHT	4.3 oz. (122 g)
BOX	087171031132 serrated 087171031125 plain
CLAM	087171031378 serrated 087171031309 plain



1605ST



1605

OPENING Assisted opening with flipper
LOCK Liner lock
POCKETCLIP Reversible (right, tip-up/down)

CLASH - BLACK, SERRATED1605CKTST
a KEN ONION design

STEEL	8Cr13MoV, black-oxide coating
HANDLE	Glass-filled nylon
BLADE	3.1 in. (7.9 cm)
CLOSED	4.25 in. (10.7 cm)
OVERALL	7.4 in. (18.7 cm)
WEIGHT	4.3 oz. (122 g)
BOX	087171031491
CLAM	-



OPENING Assisted opening with flipper
LOCK Liner lock
POCKETCLIP Reversible (right, tip-up/down)

OSO SWEET1830
a KEN ONION design

STEEL	8Cr13MoV, satin finish
HANDLE	Glass-filled nylon
BLADE	3 in. (7.6 cm)
CLOSED	4.1 in. (10.5 cm)
OVERALL	7.1 in. (18 cm)
WEIGHT	2.8 oz. (80 g)
BOX	087171183008
CLAM	087171183015



OPENING Assisted opening with flipper
LOCK Liner lock
POCKETCLIP Reversible (right, tip-up/tip-down)
FEATURES Lanyard hole

RJ TACTICAL 3.01987
a RJ MARTIN design

STEEL	8Cr13MoV, black-oxide coating
HANDLE	Glass-filled nylon
BLADE	3 in. (7.6 cm)
CLOSED	4 in. (10.2 cm)
OVERALL	6.9 in. (17.5 cm)
WEIGHT	2.8 oz. (79 g)
BOX	087171039336
CLAM	087171039794



OPENING Assisted opening with flipper
LOCK Liner lock
POCKETCLIP 3-position (right/left, tip-up; right, tip-down)
FEATURES Lanyard hole

VOLT II3650ST • 3650
an RJ MARTIN design

STEEL	8Cr13MoV, bead-blasted finish
HANDLE	Glass-filled nylon
BLADE	3.25 in. (8.3 cm)
CLOSED	3.9 in. (9.8 cm)
OVERALL	7.1 in. (18 cm)
WEIGHT	3.3 oz. (94 g)
BOX	087171031088 serrated 087171031071 plain
CLAM	087171031385 serrated 087171031361 plain



3650ST



3650

OPENING Assisted opening with flipper
LOCK Liner lock
POCKETCLIP Reversible (right, tip-up/down)
FEATURES Lanyard hole

VOLT II - BLACK, SERRATED

3650CKTST
an RJ MARTIN design

STEEL	8Cr13MoV, black-oxide coating
HANDLE	Glass-filled nylon
BLADE	3.25 in. (8.3 cm)
CLOSED	3.9 in. (9.8 cm)
OVERALL	7.1 in. (18 cm)
WEIGHT	3.3 oz. (94 g)
BOX	087171031477
CLAM	087171031620

OPENING	Assisted opening with flipper
LOCK	Liner lock
POCKETCLIP	Reversible (right, tip-up/down)
FEATURES	Lanyard hole



VOLT SS

3655
an RJ MARTIN design

STEEL	8Cr13MoV, bead-blasted finish
HANDLE	Stainless steel, bead-blasted finish
BLADE	3.5 in. (8.9 cm)
CLOSED	4.25 in. (10.8 cm)
OVERALL	7.75 in. (19.7 cm)
WEIGHT	4.3 oz. (122 g)
BOX	087171033785
CLAM	087171033792

OPENING	Assisted opening with flipper
LOCK	Frame lock
POCKETCLIP	3-position (right/left, tip-up; right, tip-down)
FEATURES	Lanyard hole



ZING SS

1730SS
an RJ MARTIN design

STEEL	8Cr13MoV, bead-blasted finish
HANDLE	410 stainless steel, bead-blasted finish
BLADE	3 in. (7.6 cm)
CLOSED	3.9 in. (9.8 cm)
OVERALL	6.9 in. (17.5 cm)
WEIGHT	3.3 oz. (94 g)
BOX	087171033518
CLAM	087171033525

OPENING	Assisted opening with flipper or thumb stud
LOCK	Frame lock
POCKETCLIP	3-position (right/left, tip-up; right, tip-down)
FEATURES	Lanyard hole



AMPLITUDE 2.5

3870
a TODD REXFORD design

STEEL	8Cr13MoV, satin finish
HANDLE	Stainless steel, titanium carbo-nitride coating
BLADE	2.5 in. (6.4 cm)
CLOSED	3.5 in. (8.9 cm)
OVERALL	6 in. (15.2 cm)
WEIGHT	2.6 oz. (74 g)
BOX	087171036816
CLAM	087171036823

OPENING	Assisted opening with flipper
LOCK	Frame lock
POCKETCLIP	Reversible (right/left, tip-up)




SHOWTIME

1955
a TODD REXFORD design

STEEL	8Cr13MoV, black-oxide coating with satin flats
HANDLE	Stainless steel, black-oxide coating
BLADE	3 in. (7.6 cm)
CLOSED	4 in. (10.2 cm)
OVERALL	6.75 in. (17.1 cm)
WEIGHT	3.7 oz. (105 g)
BOX	087171044774
CLAM	087171044927

OPENING	Assisted opening with flipper
LOCK	Frame lock
POCKETCLIP	Reversible deep-carry (right/left, tip-up)



EDC-MANUAL SECTION

OVERVIEW

46 TOTAL • 7 NEW
6 MADE IN USA
31 ORIGINAL DESIGNS
18 PREMIUM BLADE STEEL

Manual-opening knives can be opened with a thumb stud, flipper, sliding button, or hollow in the blade. Some also feature our KVT ball-bearing opening that enables the blade to move out of the handle smoothly when you pull back on the flipper. KVT makes opening manual knives as easy as assisted.



NEW

DURALOCK

DuraLock technology is a strong, safe, and easy-to-use crossbar lock. The solid steel crossbar connects with the blade tang and securely locks the blade in place. Pull back on the ambidextrous lock to safely close the blade.

NEW

MONITOR

2041
a KERSHAW ORIGINALS design

STEEL D2, black-oxide coating
HANDLE Glass-filled nylon
BLADE 3 in. (7.6 cm)
CLOSED 4.2 in. (10.7 cm)
OVERALL 7.2 in. (18.3 cm)
WEIGHT 2.7 oz. (77 g)
BOX 087171063980
CLAM -



OPENING Manual KVT ball-bearing opening with flipper
LOCK DuraLock
POCKETCLIP Reversible extra-deep-carry (right/left, tip-up)
FEATURES Custom pivot, custom backspacer, lanyard hole



NEW

COVALENT

2042
a KERSHAW ORIGINALS design

STEEL D2, black-oxide BlackWash™ finish
HANDLE Glass-filled nylon
BLADE 3.2 in. (8.1 cm)
CLOSED 4.4 in. (11.2 cm)
OVERALL 7.6 in. (19.3 cm)
WEIGHT 2.8 oz. (79 g)
BOX 087171063997
CLAM 087171065373



OPENING Manual KVT ball-bearing opening with flipper
LOCK DuraLock
POCKETCLIP Reversible extra-deep-carry (right/left, tip-up)
FEATURES Custom pivot, custom backspacer, lanyard hole



NEW

HEIST

2037
a KERSHAW ORIGINALS design

STEEL D2, stonewashed finish
HANDLE Glass-filled nylon
BLADE 3.2 in. (8.1 cm)
CLOSED 4.4 in. (11.2 cm)
OVERALL 7.6 in. (19.3 cm)
WEIGHT 2.8 oz. (79 g)
BOX 087171063966
CLAM 087171065359



OPENING Manual opening with thumb stud
LOCK DuraLock
POCKETCLIP Reversible deep-carry (right/left, tip-up)
FEATURES Custom pivot, custom backspacer, lanyard hole



NEW

IRIDIUM

2038
a KERSHAW ORIGINALS design

STEEL D2, stonewashed finish with satin grinds
HANDLE 6061-T6 aluminum, gray anodized
BLADE 3.4 in. (8.6 cm)
CLOSED 4.5 in. (11.4 cm)
OVERALL 7.9 in. (20 cm)
WEIGHT 3.3 oz. (94 g)
BOX 087171063973
CLAM 087171065366



OPENING Manual KVT ball-bearing opening with thumb stud
LOCK DuraLock
POCKETCLIP Reversible deep-carry (right/left, tip-up)
FEATURES Custom pivot, bronze-anodized backspacer and lanyard hole



NEW**FRONTRUNNER**

2039

a KERSHAW ORIGINALS design



STEEL	D2, stonewashed finish
HANDLE	Stainless steel, stonewashed finish with gray PVD coating, bronze PVD coating, G10
BLADE	2.9 in. (7.4 cm)
CLOSED	4.3 in. (10.9 cm)
OVERALL	7.2 in. (18.3 cm)
WEIGHT	4.1 oz. (116 g)
BOX	087171063959
CLAM	-

OPENING	Manual KVT ball-bearing opening with flipper
LOCK	Frame lock
POCKETCLIP	Single-position deep-carry (right, tip-up)
FEATURES	Single tube spacer works as lanyard pin

**NEW****STRATA-CLEAVER**

2078

a KERSHAW ORIGINALS design



STEEL	D2, stonewashed finish
HANDLE	G10 front, stainless steel back, bead-blasted finish
BLADE	4 in. (10.2 cm)
CLOSED	5.3 in. (13.5 cm)
OVERALL	9.3 in. (23.6 cm)
WEIGHT	4 oz. (113 g)
BOX	087171063928
CLAM	-

OPENING	Manual KVT ball-bearing opening with flipper
LOCK	Frame lock
POCKETCLIP	Single-position extra-deep-carry (right, tip-up)
FEATURES	Bronze PVD coated decorative pivot ring and tube spacers

**STRATA**


2076

a KERSHAW ORIGINALS design



STEEL	D2, bead-blasted finish
HANDLE	G10 front, stainless steel back, bead-blasted finish
BLADE	4.5 in. (11.4 cm)
CLOSED	5.4 in. (13.7 cm)
OVERALL	9.9 in. (25.1 cm)
WEIGHT	3.7 oz. (105 g)
BOX	087171060651
CLAM	-

OPENING	Manual KVT ball-bearing opening with flipper
LOCK	Frame lock
POCKETCLIP	Single-position extra-deep-carry (right, tip-up)
FEATURES	Copper anodized decorative pivot cap and tube spacers

**INTERSTELLAR**

1195

a KERSHAW ORIGINALS design



STEEL	8Cr13MoV, black-oxide BlackWash™ finish
HANDLE	Glass-filled nylon
BLADE	2.7 in. (6.9 cm)
CLOSED	4.25 in. (10.8 cm)
OVERALL	6.9 in. (17.5 cm)
WEIGHT	3.1 oz. (88 g)
BOX	087171063225
CLAM	-

OPENING	Manual with sliding button
LOCK	Sliding button lock
POCKETCLIP	Single-position deep-carry (right, tip-up)
FEATURES	Partially serrated blade, backspacer with integrated bottle opener

**NOVENTA**

2060

a KERSHAW ORIGINALS design



STEEL	D2, black-oxide coating, satin flats
HANDLE	Stainless steel, stonewashed finish, black-oxide coating
BLADE	3.3 in. (8.4 cm)
CLOSED	4.55 in. (11.6 cm)
OVERALL	7.75 in. (19.7 cm)
WEIGHT	4 oz. (113 g)
BOX	087171063621
CLAM	-

OPENING	Manual KVT ball-bearing opening with flipper
LOCK	Frame lock
POCKETCLIP	Reversible deep-carry (right/left, tip-up)
FEATURES	Custom pivot, hidden flipper, custom backspacer with hidden pocket clip screws, lanyard hole








NEW

BALANZA

4950TR

a KERSHAW ORIGINALS design

STEEL	Stainless steel, black-oxide BlackWash™ finish
HANDLE	Stainless steel, black-oxide BlackWash™ finish
BLADE	4.3 in. (10.9 cm)
CLOSED	5.6 in. (14.2 cm)
OVERALL	9.6 in. (24.4 cm)
WEIGHT	4.8 oz. (136 g)
BOX	087171064000
CLAM	-



OPENING	Dual KVT ball-bearing opening
LOCK	Latch
FEATURES	Unsharpened blade, rounded tip, latch, steel internal stop pins




LUCHA - TRAINER

5150TR

a KERSHAW ORIGINALS design

STEEL	14C28N, stonewashed finish
HANDLE	Stainless steel, bead-blasted finish
BLADE	4.6 in. (11.7 cm) unsharpened
CLOSED	5.8 in. (15 cm)
OVERALL	10.25 in. (26 cm)
WEIGHT	6 oz. (170 g)
BOX	087171060187



OPENING	Dual KVT ball-bearing opening
LOCK	Latch
FEATURES	Unsharpened blade, rounded tip, latch, steel internal stop pins



FEDERALIST

4320

a KERSHAW ORIGINALS design

STEEL	CPM 154, stonewashed finish
HANDLE	Canvas micarta handle, stonewashed finish
BLADE	3.25 in. (8.3 cm)
CLOSED	4.25 in. (10.8 cm)
OVERALL	7.5 in. (19.1 cm)
WEIGHT	2.1 oz. (60 g)
BOX	087171062099
CLAM	-



OPENING	Manual double detent slipjoint with nail nick
LOCK	Slipjoint
FEATURES	Decorative pivot cap, lanyard hole





INCEPTION

2031
a KERSHAW ORIGINALS design

STEEL D2, stonewashed finish
HANDLE G10
BLADE 3.25 in. (8.3 cm)
CLOSED 4 in. (10.2 cm)
OVERALL 7.25 in. (18.4 cm)
WEIGHT 3.1 oz. (88 g)
BOX 087171062112
CLAM -

OPENING Manual KVT ball-bearing opening with flipper
LOCK Liner lock
POCKETCLIP Reversible deep-carry (right/left, tip-up)
FEATURES Decorative pivot cap, lanyard hole



ENDGAME

2095
a KERSHAW ORIGINALS design

STEEL D2, stonewashed finish
HANDLE Stainless steel with glass-filled nylon insert, bead-blasted finish
BLADE 3.25 in. (8.3 cm)
CLOSED 4.25 in. (10.8 cm)
OVERALL 7.5 in. (19.1 cm)
WEIGHT 3.9 oz. (111 g)
BOX 087171060705
CLAM -

OPENING Manual KVT ball-bearing opening with flipper
LOCK Frame lock
POCKETCLIP Reversible deep-carry (right/left, tip-up)
FEATURES Decorative pivot cap, bronze PVD coated steel handle overlays



HIGHBALL XL

7020
a KERSHAW ORIGINALS design

STEEL D2, bead-blasted finish
HANDLE Stainless steel, bead-blasted finish
BLADE 3.3 in. (8.4 cm)
CLOSED 4.3 in. (10.9 cm)
OVERALL 7.5 in. (19.1 cm)
WEIGHT 3.8 oz. (108 g)
BOX 087171060897
CLAM -

OPENING KVT ball-bearing opening with nail nick
LOCK Frame lock
POCKETCLIP Reversible deep-carry (right/left, tip-up)
FEATURES Decorative pivot cap, blue PVD coated




REVERB

1220
a KERSHAW ORIGINALS design

STEEL 8Cr13MoV, titanium carbo-nitride coating with satin flats
HANDLE G10, carbon fiber overlay front; steel back, titanium carbo-nitride coating
BLADE 2.5 in. (6.4 cm)
CLOSED 3.25 in. (8.3 cm)
OVERALL 6.1 in. (15.6 cm)
WEIGHT 1.6 oz. (46 g)
BOX 087171048642
CLAM 087171048765

OPENING Manual opening with nail nick
LOCK Frame lock
POCKETCLIP Single-position extra-deep-carry, (right, tip-up)
FEATURES Carabiner clip



PARLEY

4384
a KERSHAW ORIGINALS design

STEEL 7Cr17MoV, satin finish
HANDLE Canvas micarta, polished finish, stainless steel bolster, satin finish
BLADE 3.1 in. (7.9 cm)
CLOSED 4.1 in. (10.4 cm)
OVERALL 7.2 in. (18.3 cm)
WEIGHT 2.8 oz. (79 g)
BOX 087171061771
CLAM 087171063942

OPENING Manual slipjoint with nail nick
LOCK Slipjoint
FEATURES Lanyard hole with brass trim ring, brass liners



ALLEGORY

4385

a KERSHAW ORIGINALS design



STEEL	7Cr17MoV, satin finish
HANDLE	Canvas micarta, polished finish, stainless steel bolsters, satin finish
BLADE	3.1 in. (7.9 cm) • 3.1 in. (7.9 cm)
CLOSED	4 in. (10.2 cm)
OVERALL	7.1 in. (18 cm)
WEIGHT	2.7 oz. (77 g)
BOX	087171061788
CLAM	-

OPENING	Manual slipjoint with nail nick
LOCK	Slipjoint
FEATURES	Two blades, steel liners



IREDALE


4386

a KERSHAW ORIGINALS design



STEEL	7Cr17MoV, satin finish
HANDLE	Canvas micarta, polished finish, stainless steel bolsters, satin finish
BLADE	2.6 in. (6.6 cm) • 2.2 in. (5.6 cm) • 1.6 in. (4.1 cm)
CLOSED	3.6 in. (9.1 cm)
OVERALL	6.2 in. (15.7 cm)
WEIGHT	2.2 oz. (62 g)
BOX	087171061795
CLAM	087171064413

OPENING	Manual slipjoint with nail nick
LOCK	Slipjoint
FEATURES	Three blades, brass liners



GADSDEN

4381

a KERSHAW ORIGINALS design



STEEL	7Cr17MoV, satin finish
HANDLE	G10, polished
BLADE	2.75 in. (7 cm) • 2.75 in. (7 cm)
CLOSED	3.5 in. (8.9 cm)
OVERALL	6.25 in. (16 cm)
WEIGHT	2.7 oz. (77 g)
BOX	087171058214
CLAM	-

OPENING	Manual slipjoint with nail nick
LOCK	Slipjoint
POCKETCLIP	-
FEATURES	Two blades, brass liners, brass pins



BRANDYWINE

4382

a KERSHAW ORIGINALS design



STEEL	7Cr17MoV, satin finish
HANDLE	G10, polished
BLADE	2.6 in. (6.6 cm) • 1.8 in. (4.7 cm) • 1.9 in. (5 cm)
CLOSED	3.5 in. (8.9 cm)
OVERALL	6.2 in. (15.8 cm)
WEIGHT	2.3 oz. (65 g)
BOX	087171058207
CLAM	-

OPENING	Manual slipjoint with nail nick
LOCK	Slipjoint
POCKETCLIP	-
FEATURES	Three blades, brass liners, brass pins



CULPEPPER

4383

a KERSHAW ORIGINALS design



STEEL	7Cr17MoV, satin finish
HANDLE	G10, polished
BLADE	3.25 in. (8.3 cm)
CLOSED	4.125 in. (10.6 cm)
OVERALL	7.4 in. (18.7 cm)
WEIGHT	3 oz. (85 g)
BOX	087171058283
CLAM	087171060477

OPENING	Manual slipjoint with nail nick
LOCK	Slipjoint
POCKETCLIP	-
FEATURES	Lanyard hole, brass liners, brass pins





CARGO

2033
a KERSHAW ORIGINALS design

STEEL	D2, stonewashed finish
HANDLE	Glass-filled nylon
BLADE	3.2 in. (8.1 cm)
CLOSED	4.3 in. (10.9 cm)
OVERALL	7.5 in. (19.1 cm)
WEIGHT	2.3 oz. (65 g)
BOX	087171063225
CLAM	-



OPENING	Manual opening with thumb stud
LOCK	Mid-lock
POCKETCLIP	Reversible deep-carry (right/left, tip-up)



DEBRIS

2034
a KERSHAW ORIGINALS design

STEEL	D2, stonewashed finish
HANDLE	Glass-filled nylon
BLADE	2.75 in. (7 cm)
CLOSED	3.75 in. (9.5 cm)
OVERALL	6.5 in. (16.5 cm)
WEIGHT	2 oz. (57 g)
BOX	087171063232
CLAM	-



OPENING	Manual opening with thumb stud
LOCK	Mid-lock
POCKETCLIP	Reversible deep-carry (right/left, tip-up)



ESTEEM

2032
a KERSHAW ORIGINALS design

STEEL	8Cr13MoV, bead-blasted finish
HANDLE	Stainless steel, bead-blasted finish, polished G10 overlays
BLADE	2.5 in. (6.4 cm)
CLOSED	3.4 in. (8.6 cm)
OVERALL	5.9 in. (15 cm)
WEIGHT	1.9 oz. (54 g)
BOX	087171062143
CLAM	-



OPENING	Manual double detent slipjoint with nail nick
LOCK	Slipjoint
POCKETCLIP	Single-position deep-carry (right, tip-up)
FEATURES	Decorative pivot cap, bronze PVD coated, lanyard hole



FAULTLINE

8760
a KERSHAW ORIGINALS design

STEEL	8Cr13MoV, black-oxide coating
HANDLE	Glass-filled nylon, rubber insert
BLADE	3 in. (7.6 cm)
CLOSED	4 in. (10.2 cm)
OVERALL	7 in. (17.8 cm)
WEIGHT	3.4 oz. (99 g)
BOX	087171052762
CLAM	087171053516



OPENING	Manual KVT ball-bearing opening with flipper
LOCK	Inset liner lock
POCKETCLIP	Single-position deep-carry (right, tip-up)



STATIC

3445
a KERSHAW ORIGINALS design

STEEL	8Cr13MoV, satin finish
HANDLE	Stainless steel, gray PVD coating
BLADE	2.9 in. (7.4 cm)
CLOSED	3.9 in. (9.8 cm)
OVERALL	6.75 in. (17.1 cm)
WEIGHT	4 oz. (113 g)
BOX	087171055749
CLAM	087171059037



OPENING	Manual KVT ball-bearing opening with flipper
LOCK	Frame lock
POCKETCLIP	Reversible deep-carry (right/left, tip-up)
FEATURES	Weight-relieving handle window



ATMOS

4037
a DMITRY SINKEVICH design

STEEL	8Cr13MoV, satin finish with satin sanded flats
HANDLE	G10, carbon fiber overlay
BLADE	3 in. (7.6 cm)
CLOSED	4 in. (10.2 cm)
OVERALL	6.9 in. (17.5 cm)
WEIGHT	1.9 oz. (54 g)
BOX	087171052236
CLAM	087171052793



OPENING	Manual KVT ball-bearing opening with flipper
LOCK	Inset liner lock
POCKETCLIP	Reversible deep-carry (right/left, tip-up)
FEATURES	Lanyard hole



METHOD

1170
a JENS ANSØ design

STEEL	8Cr13MoV, black-oxide BlackWash™ finish
HANDLE	G10
BLADE	3 in. (7.6 cm)
CLOSED	4.25 in. (10.8 cm)
OVERALL	7.25 in. (18.4 cm)
WEIGHT	2.2 oz. (63 g)
BOX	087171052229
CLAM	-



OPENING	Manual KVT ball-bearing opening with flipper
LOCK	Inset liner lock
POCKETCLIP	Single-position (right, tip-up)
FEATURES	Lanyard hole



CHILL

3410
an RJ MARTIN design

STEEL	8Cr13MoV, bead-blasted finish
HANDLE	G10
BLADE	3.1 in. (7.9 cm)
CLOSED	3.9 in. (9.8 cm)
OVERALL	7 in. (17.8 cm)
WEIGHT	2 oz. (57 g)
BOX	087171030432
CLAM	087171030456



OPENING	Manual opening with flipper
LOCK	Liner lock
POCKETCLIP	Reversible (right, tip-up/down)
FEATURES	Lanyard hole






KAPSULE

1190
a JENS ANSØ design

STEEL	8Cr13MoV, stonewashed finish
HANDLE	Glass-filled nylon
BLADE	1.9 in. (4.8 cm)
CLOSED	3.25 in. (8.3 cm)
OVERALL	5 in. (12.7 cm)
WEIGHT	2 oz. (57 g)
BOX	087171060644
CLAM	087171062464

OPENING	Manual with sliding button
LOCK	Sliding button lock
POCKETCLIP	Single-position deep-carry (right, tip-down)
FEATURES	Blue anodized aluminum button



AFTEREFFECT

1180
a JENS ANSØ design

STEEL	8Cr13MoV, bead-blasted finish
HANDLE	Glass-filled nylon
BLADE	1.7 in. (4.4 cm)
CLOSED	3 in. (7.6 cm)
OVERALL	4.75 in. (12.1 cm)
WEIGHT	2.1 oz. (60 g)
BOX	087171058269
CLAM	-

OPENING	Manual on washers opening with thumb stud
LOCK	Inset liner lock
POCKETCLIP	Single-position deep-carry (right, tip-up)
FEATURES	Extra large lanyard/keychain hole



XCOM

3425

a LES GEORGE design

STEEL	8Cr13MoV, black-oxide coating
HANDLE	Glass-filled nylon
BLADE	3.6 in. (9.2 cm)
CLOSED	4.4 in. (11.2 cm)
OVERALL	8 in. (20.2 cm)
WEIGHT	4.1 oz. (117 g)
BOX	087171054834
CLAM	087171055947

OPENING	Manual opening with thumb disk
LOCK	Inset liner lock
POCKETCLIP	Reversible deep-carry (right/left, tip-up)
FEATURES	Lanyard hole

**CQC-4K**

6054BRNBLK

an ERNEST EMERSON design

STEEL	8Cr14MoV, black-oxide coating
HANDLE	G10 front; 410 stainless steel back, black-oxide coating
BLADE	3.25 in. (8.3 cm)
CLOSED	4.2 in. (10.7 cm)
OVERALL	7.4 in. (18.8 cm)
WEIGHT	4.1 oz. (116 g)
BOX	087171037592
CLAM	-

OPENING	Manual opening with thumb disk or Emerson Wave Shaped Feature®
LOCK	Frame lock
POCKETCLIP	Reversible (right/left, tip-up)
FEATURES	Lanyard hole

**CQC-5K**

6074OLBLK

an ERNEST EMERSON design

STEEL	8Cr14MoV, black-oxide coating
HANDLE	G10
BLADE	3 in. (7.6 cm)
CLOSED	4 in. (10.2 cm)
OVERALL	7.1 in. (18 cm)
WEIGHT	3.7 oz. (105 g)
BOX	087171037615
CLAM	-

OPENING	Manual opening with thumb disk or Emerson Wave Shaped Feature®
LOCK	Liner lock
POCKETCLIP	Reversible (right/left, tip-up)
FEATURES	Lanyard hole

**CQC-7K**

6034T

an ERNEST EMERSON design

STEEL	8Cr14MoV, stonewashed finish with satin flats
HANDLE	G10 front; 410 stainless steel back, bead-blasted finish
BLADE	3.25 in. (8.3 cm)
CLOSED	4.5 in. (11.4 cm)
OVERALL	7.75 in. (19.7 cm)
WEIGHT	5 oz. (142 g)
BOX	087171037295
CLAM	-

OPENING	Manual opening with thumb disk or Emerson Wave Shaped Feature®
LOCK	Frame lock
POCKETCLIP	Reversible (right/left, tip-up)
FEATURES	Lanyard hole

**CQC-8K**

6044TBLK

an ERNEST EMERSON design

STEEL	8Cr14MoV, black-oxide coating
HANDLE	G10
BLADE	3.5 in. (8.9 cm)
CLOSED	4.6 in. (11.7 cm)
OVERALL	8.1 in. (20.6 cm)
WEIGHT	5.3 oz. (152 g)
BOX	087171037318
CLAM	-

OPENING	Manual opening with thumb disk or Emerson Wave Shaped Feature®
LOCK	Liner lock
POCKETCLIP	Reversible (right/left, tip-up)
FEATURES	Lanyard hole



E-TRAIN

6034TRAINER
an ERNEST EMERSON design

STEEL 3Cr13, stonewashed finish
HANDLE G10 front; 410 stainless steel back, bead-blasted finish
BLADE 3.2 in. (8.1 cm) unsharpened
CLOSED 4.5 in. (11.4 cm)
OVERALL 7.7 in. (19.6 cm)
WEIGHT 5.1 oz. (146 g)
BOX 08717039664
CLAM -



OPENING Manual opening with thumb disk or Emerson Wave Shaped Feature®
LOCK Frame lock
POCKETCLIP Reversible (right/left, tip-up)
FEATURES Unsharpened blade, rounded tip, lanyard hole



CQC-10K

6030
an ERNEST EMERSON design

STEEL 8Cr14MoV, stonewashed finish
HANDLE G10 front; 410 stainless steel back, bead-blasted finish
BLADE 3.5 in. (9 cm)
CLOSED 4.75 in. (12.1 cm)
OVERALL 8.5 in. (21.6 cm)
WEIGHT 5.1 oz. (146 g)
BOX 087171049380
CLAM -



OPENING Manual opening with thumb disk or Emerson Wave Shaped Feature®
LOCK Frame lock
POCKETCLIP Reversible (right/left, tip-up)
FEATURES Bowie blade ideal for hunting, lanyard hole



CQC-6K D2

6034D2
an ERNEST EMERSON design

STEEL D2, stonewashed finish with satin flats
HANDLE G10 front; 410 stainless steel back, bead-blasted finish
BLADE 3.25 in. (8.3 cm)
CLOSED 4.5 in. (11.4 cm)
OVERALL 7.75 in. (19.7 cm)
WEIGHT 5.1 oz. (146 g)
BOX 087171056166
CLAM -



OPENING Manual opening with thumb disk or Emerson Wave Shaped Feature®
LOCK Frame lock
POCKETCLIP Reversible (right/left, tip-up)
FEATURES Lanyard hole




CQC-4KXL D2

6055D2
an ERNEST EMERSON design

STEEL D2, stonewashed finish with satin flats
HANDLE G10 front; 410 stainless steel back, bead-blasted finish
BLADE 3.9 in. (9.9 cm)
CLOSED 5 in. (12.7 cm)
OVERALL 9 in. (22.9 cm)
WEIGHT 6.1 oz. (175 g)
BOX 087171056159
CLAM -



OPENING Manual opening with thumb disk or Emerson Wave Shaped Feature®
LOCK Frame lock
POCKETCLIP Reversible (right/left, tip-up)
FEATURES Lanyard hole




CQC-11K D2

6031D2
an ERNEST EMERSON design

STEEL D2, stonewashed finish
HANDLE G10 front; 410 stainless steel back, bead-blasted finish
BLADE 3.5 in. (9 cm)
CLOSED 4.75 in. (12.1 cm)
OVERALL 8.5 in. (21.6 cm)
WEIGHT 5.8 oz. (166 g)
BOX 087171056173
CLAM -



OPENING Manual opening with thumb disk or Emerson Wave Shaped Feature®
LOCK Frame lock
POCKETCLIP Reversible (right/left, tip-up)
FEATURES Big-bellied skinning blade, lanyard hole



MULTI-FUNCTION SECTION

OVERVIEW

18 TOTAL PRODUCTS
15 ORIGINAL DESIGNS
1 PREMIUM BLADE STEEL

When you're looking for a knife that does more, look to our multifunction pocketknives. They incorporate additional handy features like screwdrivers or bottle openers and just add to the convenience of carrying a knife.




DRIVETRAIN

8655
a KERSHAW ORIGINALS design

STEEL	D2, stonewashed finish
HANDLE	Glass-filled nylon
BLADE	3.2 in. (8.1 cm)
CLOSED	4.6 in. (11.7 cm)
OVERALL	7.6 in. (19.3 cm)
WEIGHT	4.2 oz. (119 g)
BOX	087171056616
CLAM	-



OPENING	Assisted opening with flipper or thumb stud
LOCK	Liner lock
POCKETCLIP	Single-position (right, tip-up)
FEATURES	Carbide glassbreaker tip, built-in seatbelt cutter




PLATFORM

2090
a KERSHAW ORIGINALS design

STEEL	8Cr13MoV, bead-blasted finish
HANDLE	Glass-filled nylon scale front, stainless steel back, bead-blasted finish
BLADE	2.75 in. (6.9 cm)
CLOSED	4 in. (10.1 cm)
OVERALL	6.75 in. (17.1 cm)
WEIGHT	3.6 oz. (102 g)
BOX	087171060286
CLAM	-



OPENING	Manual double detent slipjoint with nail nick
LOCK	Slipjoint
FEATURES	Integrated nail clipper, nail file



DIODE

1230
a KERSHAW ORIGINALS design

STEEL	3Cr13, bead-blasted finish
HANDLE	Glass-filled nylon
BLADE	1.6 in. (4.1 cm)
CLOSED	2.9 in. (7.5 cm)
OVERALL	4.5 in. (11.5 cm)
WEIGHT	1.1 oz. (33 g)
BOX	-
CLAM	087171058627



OPENING	Manual on washers opening with nail nick
LOCK	Liner lock
POCKETCLIP	-
FEATURES	Flat head screwdriver/pry bar, lanyard/keychain hole



FUNKION EMT

8100
a KERSHAW ORIGINALS design

STEEL	8Cr13MoV, black-oxide coating
HANDLE	Glass-filled nylon, K-Texture™ insert
BLADE	3 in. (7.6 cm)
CLOSED	4.25 in. (10.7 cm)
OVERALL	7.25 in. (18.4 cm)
WEIGHT	4.8 oz. (137 g)
BOX	087171033853
CLAM	-



OPENING	Assisted opening with flipper or thumb stud
LOCK	Liner lock
POCKETCLIP	Single-position deep-carry (right, tip-down)
FEATURES	Carabiner clip, cord cutter, flat head screwdriver, hex wrench, glassbreaker tip



SELECT FIRE

1920
a GRANT & GAVIN HAWK design

STEEL	8Cr13MoV, bead-blasted finish
HANDLE	Glass-filled nylon
BLADE	3.4 in. (8.6 cm)
CLOSED	4.25 in. (10.8 cm)
OVERALL	7.6 in. (19.4 cm)
WEIGHT	5 oz. (142 g)
BOX	087171030319
CLAM	087171030333

OPENING	Manual on washers opening with thumb stud
LOCK	Liner lock
POCKETCLIP	Reversible (right/left, tip-down)
FEATURES	.25 in. hex drive, two flat head, two Phillips® bits, ruler



SHUFFLE DIY

8720

a KERSHAW ORIGINALS design

STEEL	8Cr13MoV, black-oxide coating
HANDLE	Glass-filled nylon
BLADE	2.4 in. (6.1 cm)
CLOSED	3.25 in. (8.3 cm)
OVERALL	5.75 in. (14.6 cm)
WEIGHT	3.5 oz. (100 g)
BOX	087171048932
CLAM	087171048949



OPENING	Manual on washers opening with thumb stud
LOCK	Inset liner lock
POCKETCLIP	Single-position (right, tip-down)
FEATURES	Bottle opener, bit driver with flat head and Phillips screwdriver bits, keychain ring hole



SHUFFLE II - OLIVE

8750TOLBW

a KERSHAW ORIGINALS design

STEEL	8Cr13MoV, black-oxide BlackWash™ finish
HANDLE	Glass-filled nylon
BLADE	2.6 in. (6.6 cm)
CLOSED	4 in. (10.2 cm)
OVERALL	6.3 in. (16 cm)
WEIGHT	3 oz. (86 g)
BOX	087171048345
CLAM	087171046204



OPENING	Manual on washers opening with thumb stud
LOCK	Inset liner lock
POCKETCLIP	Reversible (right/left, tip-down)
FEATURES	Bottle opener, flat head screwdriver, lanyard hole



SHUFFLE II - BLACK

8750TBLKBW

a KERSHAW ORIGINALS design

STEEL	8Cr13MoV, black-oxide BlackWash™ finish
HANDLE	Glass-filled nylon
BLADE	2.6 in. (6.6 cm)
CLOSED	4 in. (10.2 cm)
OVERALL	6.3 in. (16 cm)
WEIGHT	3 oz. (86 g)
BOX	087171039367
CLAM	087171039374



OPENING	Manual on washers opening with thumb stud
LOCK	Inset liner lock
POCKETCLIP	Reversible (right/left, tip-down)
FEATURES	Bottle opener, flat head screwdriver, lanyard hole




SHUFFLE II - TAN

8750TTANBW

a KERSHAW ORIGINALS design

STEEL	8Cr13MoV, black-oxide BlackWash™ finish
HANDLE	Glass-filled nylon
BLADE	2.6 in. (6.6 cm)
CLOSED	4 in. (10.2 cm)
OVERALL	6.3 in. (16 cm)
WEIGHT	3 oz. (86 g)
BOX	087171039343
CLAM	087171039350



OPENING	Manual on washers opening with thumb stud
LOCK	Inset liner lock
POCKETCLIP	Reversible (right/left, tip-down)
FEATURES	Bottle opener, flat head screwdriver, lanyard hole



SHUFFLE - BLACK

8700BLK

a KERSHAW ORIGINALS design

STEEL	8Cr13MoV, black-oxide coating
HANDLE	Glass-filled nylon, K-Texture™ grip
BLADE	2.4 in. (6.1 cm)
CLOSED	3.25 in. (8.3 cm)
OVERALL	5.75 in. (14.6 cm)
WEIGHT	2.8 oz. (79 g)
BOX	087171037134
CLAM	087171037127



OPENING	Manual on washers opening with thumb stud
LOCK	Inset liner lock
POCKETCLIP	Reversible deep-carry (right/left, tip-up)
FEATURES	Bottle opener, flat head screwdriver, lanyard hole





SHUFFLE

8700
a KERSHAW ORIGINALS design



STEEL	8Cr13MoV, bead-blasted finish
HANDLE	Glass-filled nylon, K-Texture™ grip
BLADE	2.4 in. (6.1 cm)
CLOSED	3.25 in. (8.3 cm)
OVERALL	5.75 in. (14.6 cm)
WEIGHT	2.8 oz. (79 g)
BOX	087171035468
CLAM	087171035475

OPENING	Manual on washers opening with thumb stud
LOCK	Inset liner lock
POCKETCLIP	Reversible deep-carry (right/left, tip-up)
FEATURES	Bottle opener, flat head screwdriver, lanyard hole



SHUFFLE - TEAL

8700TEALBW
a KERSHAW ORIGINALS design



STEEL	8Cr13MoV, black-oxide BlackWash™ finish
HANDLE	Glass-filled nylon, K-Texture™ grip
BLADE	2.4 in. (6.1 cm)
CLOSED	3.25 in. (8.3 cm)
OVERALL	5.75 in. (14.6 cm)
WEIGHT	2.8 oz. (79 g)
BOX	087171038728
CLAM	087171038735


OPENING	Manual on washers opening with thumb stud
LOCK	Inset liner lock
POCKETCLIP	Reversible deep-carry (right/left, tip-up)
FEATURES	Bottle opener, flat head screwdriver, lanyard hole



SHUFFLE - LIME8700LIMEBW
a KERSHAW ORIGINALS design


STEEL 8Cr13MoV, black-oxide BlackWash™ finish
HANDLE Glass-filled nylon, K-Texture™ grip
BLADE 2.4 in. (6.1 cm)
CLOSED 3.25 in. (8.3 cm)
OVERALL 5.75 in. (14.6 cm)
WEIGHT 2.8 oz. (79 g)
BOX 087171038681
CLAM 087171038698

OPENING Manual on washers opening with thumb stud
LOCK Inset liner lock
POCKETCLIP Reversible deep-carry (right/left, tip-up)
FEATURES Bottle opener, flat head screwdriver, lanyard hole

**SHUFFLE - PURPLE**8700PURBW
a KERSHAW ORIGINALS design

STEEL 8Cr13MoV, black-oxide BlackWash™ finish
HANDLE Glass-filled nylon, K-Texture™ grip
BLADE 2.4 in. (6.1 cm)
CLOSED 3.25 in. (8.3 cm)
OVERALL 5.75 in. (14.6 cm)
WEIGHT 2.8 oz. (79 g)
BOX 087171039107
CLAM 087171039114

OPENING Manual on washers opening with thumb stud
LOCK Inset liner lock
POCKETCLIP Reversible deep-carry (right/left, tip-up)
FEATURES Bottle opener, flat head screwdriver, lanyard hole

**ANTIC**8710
a KERSHAW ORIGINALS design

STEEL 8Cr13MoV, bead-blasted finish
HANDLE Stainless steel, blue PVD coating
BLADE 1.7 in. (4.4 cm)
CLOSED 3.8 in. (9.7 cm)
OVERALL 5.5 in. (14 cm)
WEIGHT 3.1 oz. (88 g)
BOX 087171054063
CLAM 087171055671

OPENING Manual on washers opening with thumb stud
LOCK Frame lock
POCKETCLIP Single-position (right, tip-down)
FEATURES Bottle opener, screwdriver/pry tip, oversized lanyard attachment/key ring

**CINDER - COPPER**1025CU
a RICK HINDERER design

STEEL 3Cr13, stonewashed finish
HANDLE Copper
BLADE 1.4 in. (3.6 cm)
CLOSED 2.6 in. (6.6 cm)
OVERALL 4 in. (10.2 cm)
WEIGHT 1.5 oz. (43 g)
BOX -
CLAM 087171051963

OPENING Manual opening with thumb stud
LOCK Liner lock
FEATURES Bottle opener, lanyard hole

**CINDER**1025
a RICK HINDERER design

STEEL 3Cr13, stonewashed finish
HANDLE Glass-filled nylon
BLADE 1.4 in. (3.6 cm)
CLOSED 2.6 in. (6.6 cm)
OVERALL 4 in. (10.2 cm)
WEIGHT 0.9 oz. (26 g)
BOX -
CLAM 087171044514

OPENING Manual opening with thumb stud
LOCK Liner lock
FEATURES Bottle opener, lanyard hole



BARRICADE

8650

a KERSHAW ORIGINALS design



STEEL	8Cr13MoV, black-oxide coating
HANDLE	Glass-filled nylon
BLADE	3.5 in. (8.9 cm)
CLOSED	5 in. (12.7 cm)
OVERALL	8.5 in. (21.6 cm)
WEIGHT	4.5 oz. (128 g)
BOX	087171048529
CLAM	087171050362

OPENING	Assisted opening with flipper or thumb stud
LOCK	Liner lock
POCKETCLIP	Single-position deep-carry (right, tip-down)
FEATURES	Carbide glassbreaker tip, built-in cord/seatbelt cutter



MULTI-FUNCTION

kershaw

KERSHAWKNIVES.COM

FIXED BLADE SECTION

OVERVIEW

- 11 TOTAL PRODUCTS
- 11 ORIGINAL DESIGNS
- 3 PREMIUM BLADE STEEL



Fixed blades are among your most reliable tools during an adventure, providing users with full-tang construction and an ultra-strong blade. Kershaw offers fixed blades in everything from camping tools to everyday carry and more.

DESCHUTES CAPER

1882
a KERSHAW ORIGINALS design

STEEL D2, stonewashed finish
HANDLE Polypropylene, rubber overlay
BLADE 3.3 in. (8.4 cm)
OVERALL 7 in. (17.8 cm)
WEIGHT 1.7 oz. (48 g)
3 oz. (85 g) with sheath
BOX 087171063416
CLAM -



OPENING Full-tang construction
FEATURES Glass-filled nylon sheath with webbing slots, drainage hole, and removable belt strap



DESCHUTES SKINNER

1883
a KERSHAW ORIGINALS design

STEEL D2, stonewashed finish
HANDLE Polypropylene, rubber overlay
BLADE 3.9 in. (9.9 cm)
OVERALL 8.65 in. (22 cm)
WEIGHT 3.3 oz. (94 g)
4.9 oz. (139 g) with sheath
BOX 087171063423
CLAM -



OPENING Full-tang construction
FEATURES Glass-filled nylon sheath with webbing slots, drainage hole, and removable belt strap, lanyard hole



CAMP 5

1083
a KERSHAW ORIGINALS design

STEEL D2, stonewashed finish
HANDLE Glass-filled nylon
BLADE 4.75 in. (12.2 cm)
OVERALL 9.125 in. (23.3 cm)
WEIGHT 5.7 oz. (162 g)
7.5 oz. (213 g) with sheath
BOX 087171057965
CLAM -



OPENING Full-tang construction
FEATURES Glass-filled nylon sheath with lock, snap-down strap, belt loop, webbing slots, and tie holes



ION - 3-KNIFE SET

1747BW
a KERSHAW ORIGINALS design

STEEL 3Cr13, black-oxide BlackWash™ finish
HANDLE Full-tang, paracord wrapped
BLADE 4.5 in. (11.4 cm)
OVERALL 9 in. (22.9 cm)
WEIGHT 3.9 oz. (113 g)
14.4 oz. (409 g) 3 knives with sheath
BOX -
CLAM 087171039084



OPENING Full-tang construction
FEATURES Spear point, lanyard hole, three-knife set, includes sheath



SECRET AGENT

4007
a KERSHAW ORIGINALS design

STEEL 8Cr13MoV, black-oxide coating
HANDLE Rubberized co-molded
BLADE 4.4 in. (11.2 cm)
OVERALL 8.7 in. (22.1 cm)
WEIGHT 3.1 oz. (90 g)
4.7 oz. (136 g) with sheath
BOX 087171036977
CLAM 087171037165



OPENING Full-tang construction
FEATURES Single-edged spear point, lanyard hole, molded dual-carry sheath





BRACE

2085
a KERSHAW ORIGINALS design



STEEL	8Cr13MoV, stonewashed finish
HANDLE	8Cr13MoV with glass-filled nylon overlay, stonewashed finish
BLADE	2 in. (5.1 cm)
OVERALL	4.9 in. (12.4 cm)
WEIGHT	0.9 oz. (26 g)
	1.6 oz. (45 g) with sheath
BOX	087171060859
CLAM	087171062471

OPENING FEATURES

Full-tang construction
Polypropylene neck sheath with adjustable cord, webbing slots, and tie holes
Lanyard hole



DUNE

4008
a KERSHAW ORIGINALS design



STEEL	3Cr13, black-oxide coating
HANDLE	Glass-filled nylon
BLADE	3.8 in. (9.7 cm)
OVERALL	7.7 in. (19.6 cm)
WEIGHT	2.2 oz. (65 g)
	2.7 oz. (79 g) with sheath
BOX	-
CLAM	087171039459

OPENING FEATURES

Full-tang construction
Tanto point, lanyard hole, injection-molded neck sheath with adjustable cord



PROJECT ATOM

Project ATOM is a unique lineup of Kershaw fixed blades that are light to carry, easy to collect, and fun to show off. Using an extremely durable polymer blend reinforced with glass fibers, the rust-free blades feature blunt edges and no blade steel, but plenty of strength and sharp tips.

ELECTRON

1396
a KERSHAW ORIGINALS design

MATERIAL PA-66, glass fiber
BLADE 2.4 in. (6.1 cm)
OVERALL 5.1 in. (13 cm)
WEIGHT 0.3 oz. (8.5 g)
BOX -
CLAM 087171060798



PROJECT
ATOM

OPENING Full-tang construction
FEATURES Stainless steel lanyard hole insert



INTERVAL

1399
a KERSHAW ORIGINALS design

MATERIAL PA-66, glass fiber
BLADE 3.5 in. (8.9 cm)
OVERALL 7.4 in. (18.8 cm)
WEIGHT 0.7 oz. (20 g)
BOX -
CLAM 087171061580



PROJECT
ATOM

OPENING Full-tang construction
FEATURES Stainless steel lanyard hole insert



INVERSE


1397
a KERSHAW ORIGINALS design

MATERIAL PA-66, glass fiber
BLADE 2.6 in. (6.6 cm)
OVERALL 5.25 in. (13.3 cm)
WEIGHT 0.4 oz. (11.3 g)
BOX -
CLAM 087171060903



PROJECT
ATOM

OPENING Full-tang construction
FEATURES Lanyard hole, stainless steel overlay, stonewashed finish



ARISE


1398
a KERSHAW ORIGINALS design

MATERIAL PA-66, glass fiber
BLADE 4.2 in. (10.7 cm)
OVERALL 8.4 in. (21.3 cm)
WEIGHT 1.8 oz. (51 g)
BOX -
CLAM 087171060910



PROJECT
ATOM

OPENING Full-tang construction
FEATURES Key ring attachment



OUTDOOR SECTION

OVERVIEW

5 TOTAL PRODUCTS
5 ORIGINAL DESIGNS



We love it out there. If you do, too, you know how handy a knife is for everything from cutting rope to building a campfire. Kershaw has a range of outdoor cutting and chopping tools to make your outdoor life better.

LONEROCK RBK 2

1891
a KERSHAW ORIGINALS design

STEEL	Surgical stainless steel, blade type #60A
HANDLE	Glass-filled nylon with rubber overmold
BLADE	2.75 in. (7 cm)
CLOSED	4.25 in. (10.8 cm)
OVERALL	7 in. (17.8 cm)
WEIGHT	2 oz. (57 g)
BOX	087171060897
CLAM	-



OPENING Manual opening with thumb stud

LOCK FEATURES Liner lock
Exchangeable blades
Lanyard hole
Includes sheath, "buddy" handle, & 15 extra blades



REPLACEMENT
BLADES
1890RB
087171040721

TASKMASTER SAW 2

2556
a KERSHAW ORIGINALS design

STEEL	High-carbon steel, nickel-plated
HANDLE	Glass-filled nylon with rubber grip
BLADE	7 in. (17.8 cm)
CLOSED	9.125 in. (23.2 cm)
OVERALL	15.9 in. (40.4 cm)
WEIGHT	8.7 oz. (247 g)
BOX	087171058993
CLAM	-



OPENING Manual opening

LOCK FEATURES Push-button lock
Textured rubber grip
Lanyard hole



DESCHUTES

1075
a KERSHAW ORIGINALS design

STEEL	3Cr13, black-oxide-coating
HANDLE	Glass-filled nylon, rubber overlay
BLADE	3.5 in. (8.9 cm)
OVERALL	14 in. (35.6 cm)
WEIGHT	1 lb. 9 oz. (711 g)
BOX	-
CLAM	087171057439



FEATURES Glass-filled nylon sheath with removable shoulder strap
Textured, rubberized grip
Weight-relieving blade window



CAMP 10

1077
a KERSHAW ORIGINALS design

STEEL	65Mn, powdercoat
HANDLE	Rubber overmold
BLADE	10 in. (25.4 cm)
OVERALL	16 in. (40.6 cm)
WEIGHT	1 lb. 2.3 oz. (521 g)
BOX	1 lb. 8 oz. (681 g) with sheath
CLAM	087171033594
CLAM	087171034065



FEATURES Full-tang construction
Textured, rubberized grip
Includes glass-filled nylon sheath with gear straps and belt loop
Dual lanyard holes



CAMP 10 - TAN

1077TAN
a KERSHAW ORIGINALS design

STEEL	65Mn, powdercoat
HANDLE	Rubber overmold
BLADE	10 in. (25.4 cm)
OVERALL	16 in. (40.6 cm)
WEIGHT	1 lb. 2.3 oz. (521 g)
BOX	1 lb. 8 oz. (681 g) with sheath
CLAM	087171052748
CLAM	-



FEATURES Full-tang construction
Textured, rubberized grip
Includes glass-filled nylon sheath with gear straps and belt loop
Dual lanyard holes



FISHING SECTION

OVERVIEW

- 8 TOTAL PRODUCTS
- 8 ORIGINAL DESIGNS

What size is your catch? From a pan-sized bluegill to a monster Chinook, Kershaw has the right fillet knife to turn your catch into the fish dinner of your dreams.

7-IN. FILLET

1257
a KERSHAW ORIGINALS design

STEEL	420J2, satin finish
HANDLE	Co-polymer
BLADE	7 in. (17.8 cm)
OVERALL	12.25 in. (31.1 cm)
WEIGHT	3.3 oz. (96 g)
	4.7 oz. (135 g) with sheath
BOX	-
CLAM	087171125701



- FEATURES**
- Neon accents for improved visibility
 - Includes molded sheath with belt loop



9-IN. FILLET

1259
a KERSHAW ORIGINALS design

STEEL	420J2, satin finish
HANDLE	Co-polymer
BLADE	9 in. (22.9 cm)
OVERALL	14.25 in. (36.2 cm)
WEIGHT	3.6 oz. (104 g)
	5.2 oz. (147 g) with sheath
BOX	-
CLAM	087171125909



- FEATURES**
- Neon accents for improved visibility
 - Includes molded sheath with belt loop



7-IN. BONING WITH SPOON

1243SH
a KERSHAW ORIGINALS design

STEEL	420J2, satin finish
HANDLE	Glass-filled nylon, rubber overmold
	K-Texture™ grip
BLADE	7 in. (17.8 cm)
OVERALL	14.5 in. (36.8 cm)
WEIGHT	3.6 oz. (104 g)
	4.3 oz. (123 g) with blade protector
BOX	-
CLAM	087171037042



- FEATURES**
- Handle ensures grip in marine conditions
 - Flexible blade
 - Includes blade protector



7.5-IN. FILLET

1247
a KERSHAW ORIGINALS design

STEEL	420J2, satin finish
HANDLE	Glass-filled nylon, rubber overmold,
	K-Texture™ grip
BLADE	7.5 in. (19.1 cm)
OVERALL	12.7 in. (32.3 cm)
WEIGHT	2.9 oz. (84 g)
	3.7 oz. (105 g) with blade protector
BOX	-
CLAM	087171037059



- FEATURES**
- Handle ensures grip in marine conditions
 - Flexible blade
 - Includes blade protector





9.5-IN. FILLET

1249
a KERSHAW ORIGINALS design



STEEL 420J2, satin finish
HANDLE Glass-filled nylon, rubber overmold, K-Texture™ grip
BLADE 9.5 in. (24.1 cm)
OVERALL 14.8 in. (37.6 cm)
WEIGHT 3.3 oz. (94 g)
BOX 4.1 oz. (116 g) with blade protector
CLAM 087171037066
CLAM -

FEATURES Handle ensures grip in marine conditions
Flexible blade
Includes blade protector



12-IN. CURVED

1241
a KERSHAW ORIGINALS design



STEEL 420J2, satin finish
HANDLE Glass-filled nylon, rubber overmold, K-Texture™ grip
BLADE 12 in. (30.5 cm)
OVERALL 17.7 in. (45 cm)
WEIGHT 8.6 oz. (244 g)
BOX 10.6 oz. (301 g) with blade protector
CLAM -
CLAM 087171037028

FEATURES Handle ensures grip in marine conditions
Flexible blade
Includes blade protector



9-IN. CURVED

1242GE
a KERSHAW ORIGINALS design



STEEL 420J2, satin finish
HANDLE Glass-filled nylon, rubber overmold, K-Texture™ grip
BLADE 9 in. (22.9 cm)
OVERALL 14.7 in. (37.3 cm)
WEIGHT 5.2 oz. (149 g)
BOX 6.4 oz. (182 g) with blade protector
CLAM -
CLAM 087171037035

FEATURES Handle ensures grip in marine conditions
Flexible blade
Includes blade protector



FOLDING FILLET

1258
a KERSHAW ORIGINALS design



STEEL 420J2, satin finish
HANDLE Glass-filled nylon, rubber overmold, K-Texture™ grip
BLADE 6.25 in. (15.9 cm)
CLOSED 7.5 in. (19.1 cm)
OVERALL 13.75 in. (34.9 cm)
WEIGHT 4.9 oz. (138.9 g)
BOX -
CLAM 087171037073

OPENING Manual opening
LOCK Mid-lock
FEATURES Handle ensures grip in marine conditions
Flexible blade
Lanyard hole



GEAR SECTION

From handy ways to display and store your Kershaw collection to attractive and practical ways to show your spirit, you'll find it here.



NEW

HAT - KERSHAW SINCE 1974

CAPKER1974

Five-panel, mesh back, snap tab closure

UPC 087171064840



NEW

KERSHAW GRAY BEANIE

BEANIEKER2023

Polyester super stretch, 2.5 in cuff, faux leather patch

• Width 8 in. (20.3 cm) • Height 11.75 in. (29.8 cm)

UPC 087171065236



NEW

HAT - KERSHAW KNIVES GRAY

CAPKER22

Six-panel, fabric strap with hook & loop closure.

UPC 087171064857



KERSHAW NECK GAITER

GAITERKER

92% polyester, 8% spandex, one size fits most

• Width 9.8 in. (24.9 cm) • Height 19.7 in. (50 cm)

UPC 087171061016



NEW

T-SHIRT - BACKCOUNTRY LIFE

SHIRTKERELK

- 65/35 polyester/cotton blend, with moisture-wicking properties
- Classic fit with tear away label

S	SHIRTKERELKS 087171065052
M	SHIRTKERELKM 087171064918
L	SHIRTKERELKL 087171064925
XL	SHIRTKERELKL 087171064932
XXL	SHIRTKERELKXXL 087171064949



NEW

T-SHIRT - MOUNTAIN SUNSET

SHIRTKERHILLS

- 65/35 polyester/cotton blend, with moisture-wicking properties
- Classic fit with tear away label

S	SHIRTKERHILLSS 087171065007
M	SHIRTKERHILLSM 087171065014
L	SHIRTKERHILLSL 087171065021
XL	SHIRTKERHILLSEXL 087171065038
XXL	SHIRTKERHILLSEXL 087171065045



NEW

T-SHIRT - OFF ROADING

SHIRTKERTRUCK

- 65/35 polyester/cotton blend, with moisture-wicking properties
- Classic fit with tear away label

S	SHIRTKERTRUCKS 087171064956
M	SHIRTKERTRUCKM 087171064963
L	SHIRTKERTRUCKL 087171064970
XL	SHIRTKERTRUCKXL 087171064987
XXL	SHIRTKERTRUCKXXL 087171064994



T-SHIRT - USA KNIVES

SHIRTKERUSAKNIVES



- 90% pre-shrunk cotton, 10% polyester
- Full cut styling for comfort

S	SHIRTKERUSAKNIVESS 087171063560
M	SHIRTKERUSAKNIVESM 087171063577
L	SHIRTKERUSAKNIVESL 087171063584
XL	SHIRTKERUSAKNIVESXL 087171063591
XXL	SHIRTKERUSAKNIVESXXL 087171063607



T-SHIRT - PIXEL

SHIRTKERPIXEL

- 100% pre-shrunk, ring-spun cotton
- Semi-fitted styling for comfort

S	SHIRTKERPIXELS 087171063461
M	SHIRTKERPIXELM 087171063478
L	SHIRTKERPIXELL 087171063485
XL	SHIRTKERPIXELXL 087171063492
XXL	SHIRTKERPIXELXXL 087171063508



T-SHIRT - ONLY ONE

SHIRTKERONLYONE

- 65% polyester, 35% cotton
- Semi-fitted styling for comfort

S	SHIRTKERONLYONES 087171063515
M	SHIRTKERONLYONEM 087171063522
L	SHIRTKERONLYONEL 087171063539
XL	SHIRTKERONLYONEXL 087171063546
XXL	SHIRTKERONLYONEXXL 087171063553



T-SHIRT - E.S.B.K.

SHIRTKER2021



- 100% pre-shrunk, ring-spun cotton
- Semi-fitted styling for comfort

S	SHIRTKER2021S 087171061887
M	SHIRTKER2021M 087171061894
L	SHIRTKER2021L 087171061900
XL	SHIRTKER2021XL 087171061917
XXL	SHIRTKER2021AXXL 087171061924



T-SHIRT - AMERICA

SHIRTAMERICA



- 100% pre-shrunk, ring-spun cotton
- Semi-fitted styling for comfort

S	SHIRTAMERICAS 087171060743
M	SHIRTAMERICAM 087171060736
L	SHIRTAMERICAL 087171060729
XL	SHIRTAMERICAXL 087171060750
XXL	SHIRTAMERICAXXL 087171060767



T-SHIRT - LAUNCH 13

SHIRTKERL13



- 100% pre-shrunk, ring-spun cotton
- Semi-fitted styling for comfort

S	SHIRTKERL13S 087171061931
M	SHIRTKERL13M 087171061948
L	SHIRTKERL13L 087171061955
XL	SHIRTKERL13XL 087171061962
XXL	SHIRTKERL13XXL 087171061979



T-SHIRT - LUCHA

SHIRTLUCHA

- 100% pre-shrunk, ring-spun cotton
- Semi-fitted styling for comfort

S	SHIRTLUCHAS 087171060507
M	SHIRTLUCHAM 087171060514
L	SHIRTLUCHAL 087171060521
XL	SHIRTLUCHAXL 087171060538
XXL	SHIRTLUCHAXXL 087171060545



T-SHIRT - RED

SHIRTKER182

- 100% pre-shrunk cotton
- Double-needle stitched lay-flat collar

S	SHIRTKER182S 087171052625
M	SHIRTKER182M 087171052847
L	SHIRTKER182L 087171052854
XL	SHIRTKER182XL 087171052861
XXL	SHIRTKER182XXL 087171052878



RECAP

8830

a KERSHAW ORIGINALS design

STEEL 3Cr13, stonewashed finish
OVERALL 2.37 in. (6 cm)
WEIGHT 0.3 oz. (9 g)
CLAM 087171063638

- Bottle opener • Pry bar
- Flat head screwdriver
- Key ring/lanyard hole



NACHO

8825

a KERSHAW ORIGINALS design

STEEL 3Cr13, stonewashed finish
HANDLE Glass-filled nylon
OVERALL 2 in. (5.1 cm)
WEIGHT 0.3 oz. (22 g)
CLAM 087171060989

- Bottle opener



DOWNFORCE

8820

a KERSHAW ORIGINALS design

STEEL 3Cr13, black-oxide BlackWash™ finish
OVERALL 3.5 in. (8.9 cm)
WEIGHT 0.6 oz. (17 g)
CLAM 087171060880

- Bottle/can opener • Phillips screwdriver • Mini prybar/flat head screwdriver • Key ring/lanyard hole



KNIFE OIL

KEROIL

a KERSHAW ORIGINALS design

0.68 fl oz. (20 mL) • Allows for smoother operation • Works to prevent corrosion • SMT (Sub-Micron Technology) absorbs into pores of metals for an even conditioning • Non-migrating, non-toxic formula

UPC 087171054087



FIRE STARTER

1019

a KERSHAW ORIGINALS design

STEEL Magnesium firesteel
HANDLE Molded plastic
OVERALL 3.1 in. (7.9 cm)
WEIGHT 1.1 oz. (31 g)
CLAM 087171101910



PT-1

8800

a KERSHAW ORIGINALS design

STEEL 3Cr13, bead-blasted finish
HANDLE Glass-filled nylon, K-Texture™
OVERALL 2.75 in. (7 cm)
WEIGHT 0.8 oz. (24 g)
CLAM 087171048659

- Bottle opener • Pry bar
- Flat head screwdriver
- Lanyard hole



PT-2

8810

a KERSHAW ORIGINALS design

STEEL 3Cr13, bead-blasted finish
HANDLE Glass-filled nylon, K-Texture™
OVERALL 3.25 in. (8.2 cm)
WEIGHT 0.8 oz. (24 g)
CLAM 087171048536

- Bottle/can opener • Flat head & Phillips screwdrivers • Three sizes of hex drives • Wire scraper • Pry bar • Lanyard hole



K-TOOL

KTOOL

a KERSHAW ORIGINALS design

STEEL 3Cr13, black-oxide BlackWash™ finish
OVERALL 2 in. (5.1 cm)
WEIGHT 0.7 oz. (22 g)
CLAM 087171039657

- Bottle opener • Lanyard hole
- Flat head screwdriver
- Box cutter



RATION

1140 • 1140OR • 1140TEAL • 1140GRN
a KERSHAW ORIGINALS design

STEEL 3Cr13, bead-blasted finish
OVERALL 4.6 in. (11.7 cm)
WEIGHT 1.3 oz. (36 g)
CLAM 087171046389
087171052434 • OR
087171052441 • TEAL
087171052427 • GRN
• Fork • Spoon • Bottle opener •
Carabiner gate • Food-safe coating



SKEETER III

1216
a KERSHAW ORIGINALS design

STEEL 3Cr13, satin finish
HANDLE Polypropylene
BLADE 1.25 in. (3.2 cm)
OVERALL 4.25 in. (10.8 cm)
WEIGHT 0.7 oz. (22 g)
CLAM 087171056630



MANICURE SET

KMCURE
a KERSHAW ORIGINALS design

STEEL Stainless steel, satin finish
OVERALL 4.25 in. (10.8 cm)
WEIGHT 3.9 oz. (113 g)
BOX 087171056609
• Nail clippers • Cuticle scissors •
Nail file • Tweezers • Carrying case



RATION - XL

1145 • 1145GRN
a KERSHAW ORIGINALS design

STEEL 3Cr13, bead-blasted finish
OVERALL 7.3 in. (18.6 cm)
WEIGHT 2.1 oz. (60 g)
CLAM 087171052465
087171052458 • GRN
• Fork • Spoon • Bottle opener •
Carabiner gate • Food-safe coating



TASKMASTER SHEARS 2

1121
a KERSHAW ORIGINALS design

STEEL Stainless steel, satin finish
HANDLE Glass-filled nylon
BLADE 3.5 in. (8.9 cm)
OVERALL 8.9 in. (22.5 cm)
WEIGHT 5.1 oz. (145 g)
BOX 087171057514
CLAM 087171059549
• Nutcracker • Cap lifter
• Flat head screwdriver tips
• Blades separate for easy cleaning



ULTRA-TEK SHARPENER

2535
a KERSHAW ORIGINALS design

STEEL 600-grit, diamond-coated oval shaft
HANDLE 6061-T6 anodized aluminum
SHAFT 4 in. (10.2 cm)
OVERALL 9 in. (22.9 cm)
WEIGHT 1.7 oz. (51 g)
CLAM 087171253503



TX-TOOL

TXTOOL
a KERSHAW ORIGINALS design

HANDLE Aluminum
OVERALL 4.8 in. (12.2 cm)
WEIGHT 1.1 oz. (32 g)
BOX 087171044989
For most Kershaw pivots,
pocketclip, and handle screws •
Torx bits T6, T8, T10, #2 Phillips
and flat head screwdriver bits



USA KNIVES DECAL

DECALUSAKNIVES

Clear poly, permanent adhesive on back
3 × 5 in. (7.6 × 12.7 cm)

UPC 087171063676



E.S.B.K. DECAL

DECALESBK

White vinyl, permanent adhesive on back
3 × 5 in. (7.6 × 12.7 cm)

UPC 087171063645



LUCHA DECAL

DECALLUCHA

Clear poly, permanent adhesive on back
5 in. diameter (12.7 cm)

UPC 087171063669



"ONLY ONE" DECAL

DECALONLYONE

White vinyl, permanent adhesive on back
3.5 × 5 in. (8.9 × 12.7 cm)

UPC 087171063652



WINDOW CLING

KERCLING17

6 × 2 in., transparent background,
fade resistant color

UPC 087171049144



CHALLENGE COIN - NEXT LEVEL

CHALLENGECOINKER

Zinc alloy with antique nickel plating
• Diameter 1.75 in. (4.4 cm) • Weight 0.9 oz. (25 g)

UPC 087171059341



NEW

KERSHAW KEYCHAIN LANYARD

KERKEYLANYARD

Polyester + zinc alloy, Kershaw logo on both sides

• Length 7 in. (17.8 cm) • Width 1.25 in. (3.2 cm)

Strap Width 1 in. (2.5 cm)

UPC 087171064673



SINGLE-KNIFE BLADE STAND

DISPLAYKERB14

UPC 087171046808



SINGLE-KNIFE POUCH

POUCHKER

Cordura exterior, zipper closure, soft interior

UPC 087171059334



SINGLE-KNIFE STAND

DISPLAYKER114

UPC 087171046785



KNIFE STORAGE BAG

Z997

Accommodates up to 18 folding knives, with eight-pocket removable center section, and zipper closure. Nylon siding & straps • Overall 13 x 7.5 in. (33 x 19 cm) • Weight 12 oz. (340 g)

UPC 087171045634



TRIPLE-KNIFE STAND

DISPLAYKER314

UPC 087171046792

BLADE STYLES

AMERICAN TANTO

Angles upward to meet the spine. The angled edge can be straight or curved. The American tanto offers a strong, durable tip while the straight edge makes it ideal for push cuts.

CLEAVER

The cleaver blade shape is a high-utility style defined by a slightly curved belly and down-turned tip. The shape makes a good EDC or utility knife and is ideal for slicing and chopping tasks.

CLIP POINT

The tip of the clip point is lower than its spine. The top part of the blade has been "clipped" off so that the blade goes straight from spine to tip. The clip point can also have a concave curve to the tip. Clip points are great for everyday carrying but are also favored for hunting knives.

DROP POINT

The blade's point drops down below the blade's spine. Usually has good "belly," a curved cutting edge. It is one of today's most widespread blade shapes because it's a great all-purpose blade.

HAWKBILL

A hawkbill blade is hook-like with a concave belly. It offers ease in cutting ropes, fabrics, and even trimming shrubbery.

RECURVE

Instead of having a fully convex belly, a recurve blade will also have a gentle concave curve along part of the cutting edge. This gives the edge something of an "S" shape. The recurve blade provides good belly for slicing and a concave curve for easy draw or pull cuts.

REVERSE TANTO

Instead of the edge angling up to meet the spine, a reverse tanto's tip angles down to meet the edge. Like the American tanto, the reverse tanto offers a strong tip for piercing and, generally, a straight edge, ideal for good slicing.

SHEEPSFOOT

A sheepsfoot blade is similar to the Wharncliffe, but it has a steeper slope from spine to edge and a less-pointy tip. They are often favored by emergency responders due to the relative safety of the rounded tip. The straight edge works well for slicing push cuts and general-purpose cutting.

SPEAR POINT



In a spear-point blade, the top and bottom of the blade are symmetrical, and the tip is in line with the center of the blade. It may have one or both edges sharpened. It offers tactical style as well as excellent piercing.

TRAILING POINT

A trailing-point blade has a tip that ends above the spine of the knife. Many trailing point knives also have a deep belly curve for superior slicing, including skinning and hunting use.

WHARNCLIFFE

A Wharncliffe blade has a completely straight cutting edge. The spine of the blade gradually slopes down to meet the edge, forming a tip. The straight edge makes a great blade for slicing push cuts, wood carving, general cutting, and utility work.



BLADE FINISHES & COATINGS

BEAD-BLASTED FINISH

The knife blade is "blasted" or sprayed with a mixture of fine media, including glass and aluminum-oxide beads, under high speed and pressure. This smooths the blade surface and creates a soft, non-reflective, matte look. Depending on the media, this finish can produce a darker or lighter blade color.



BLACK-OXIDE COATING

A chemical bath converts the surface of the steel to magnetite; it enhances appearance and adds some corrosion resistance.



BLACKWASH™ FINISH

Our BlackWash™ finish produces a vintage look like that of a well-used tool or favorite, broken-in pair of jeans. Kershaw uses its black-oxide coating with the BlackWash™ finish.



CERAKOTE COATING

Cerakote enhances corrosion resistance and wear resistance. This fine yet durable coating gives the blade a unique look.



POWDERCOAT

The coating is applied as a fine powder and cured under heat. This creates a smooth, even, and tough coating.



PVD COATING

PVD stands for Physical Vapor Deposition. Specialized materials are vaporized via a vacuum process. Then the vaporized material is deposited as a thin layer on selected objects. In our case, it enables us to finish our blades and/or handles with a thin coating that adds color and offers excellent wear and corrosion resistance.



SATIN FINISH

A Kershaw satin finish will typically show a faint pattern of vertical lines across the blade. It is a shinier finish than bead blasting and somewhat lighter in color.



STONEWASHED FINISH

Blades are tumbled with ceramic "stones," which give the blade surface a desirable roughened or scuffed look. The look can be pronounced or subtle. The finish helps hide use scratches and fingerprints.



TITANIUM CARBO-NITRIDE

Kershaw uses titanium carbo-nitride to produce an attractive black or gray blade coating that increases the blade's hardness, helps maintain the edge, and increases the lifetime of the blade.



TWO-TONE FINISH

Sometimes Kershaw will combine two different blade finishes on a single blade, for example, satin finish on the blade flats and stonewash on the blade grinds.




BLADE STEELS

CPM MAGNACUT

HRC: 60-62

This Crucible powdered metallurgy steel eliminates chromium during heat treatment, allowing for vanadium and niobium to form greater carbides near the cutting edge. This formula creates an exceptional balance of edge retention, toughness, and corrosion resistance.

TOUGHNESS: ▲
EDGE RETENTION: ▲
CORROSION RESISTANCE: ▲
SHARPENING EASE: ▲




CPM 20CV

HRC: 59-61

This Crucible powdered metallurgy tool steel has a high volume of vanadium carbides for exceptional wear resistance and edge retention. The highest level of chromium of any high-vanadium steel gives it excellent corrosion resistance.

TOUGHNESS: ▲
EDGE RETENTION: ▲
CORROSION RESISTANCE: ▲
SHARPENING EASE: ▲




CPM S30V

HRC: 59.5-61

Large carbides in this all-around premium knife steel make it take and hold an edge extremely well; it is also very tough and wear resistant.

TOUGHNESS: ▲
EDGE RETENTION: ▲
CORROSION RESISTANCE: ▲
SHARPENING EASE: ▲




CPM 154

HRC: 58-60

This powdered metallurgy steel has a more uniform distribution of carbides, so it takes and holds an excellent edge. Also offers good corrosion resistance, wear resistance, and toughness.

TOUGHNESS: ▲
EDGE RETENTION: ▲
CORROSION RESISTANCE: ▲
SHARPENING EASE: ▲




14C28N

HRC: 58-60

This high-performance steel was developed in a partnership between Kershaw and a Swedish engineering company specializing in stainless and special steel alloys. 14C28N offers excellent corrosion resistance.

TOUGHNESS: ▲
EDGE RETENTION: ▲
CORROSION RESISTANCE: ▲
SHARPENING EASE: ▲




8CR13MOV

HRC: 57-59

Kershaw precision heat-treats 8Cr13MoV steel to bring out its very best high-performance characteristics: the ability to take and hold an edge, strength, and hardness.

TOUGHNESS: ▲
EDGE RETENTION: ▲
CORROSION RESISTANCE: ▲
SHARPENING EASE: ▲



8CR14MOV

HRC: 58-59

The formula for this steel has additional chromium for added stain resistance. It also benefits from Kershaw's expertise in precision heat treatment.

7CR17MOV

HRC: 57-59


Similar to 440A stainless steel, but with a formula that has added molybdenum and vanadium to improve hardness and wear resistance.

420HC

HRC: 58

This modified 420 steel has higher amounts of carbon and chromium to boost hardenability and corrosion resistance. It is an excellent everyday steel: tough, corrosion resistant, easy to sharpen, and takes a good edge.

TOUGHNESS: ▲
EDGE RETENTION: ▲
CORROSION RESISTANCE: ▲
SHARPENING EASE: ▲




420J

HRC: 56-58

Highly stain resistant, but ductile, this steel is excellent for use where "flex" is desirable, for example, in fillet knives.

TOUGHNESS: ▲
EDGE RETENTION: ▲
CORROSION RESISTANCE: ▲
SHARPENING EASE: ▲




D2

HRC: 59-60

This "semi-stainless" tool steel is known for excellent edge retention, wear resistance, and good toughness.

TOUGHNESS: ▲
EDGE RETENTION: ▲
CORROSION RESISTANCE: ▲
SHARPENING EASE: ▲



65MN

HRC: 56

A tough, durable carbon steel designed for hard-use tools such as Kershaw's Camp Series machetes.

3CR13

HRC: 54-56

A value-priced high-chromium stainless steel.

4CR14

HRC: 55-57

A value-priced steel; very highly stain resistant.

ELEMENT ▶ STEEL ▼	CARBON (C)	CHROMIUM (Cr)	MOLYBDE- NUM (Mo)	VANADIUM (V)	TUNGSTEN (W)	Cobalt (Co)	NICKEL (Ni)	MANGA- NESE (Mn)	SILICON (Si)	SULPHUR (S)	PHOSPHO- RUS (P)	COPPER (Cu)	NIOBIUM (Nb)	NITROGEN (N)
CPM MAGNACUT	1.15%	10.7%	2.00%	4.00%	-	-	-	-	-	-	-	-	2.00%	0.20%
CPM 20CV	1.9%	20%	1.00%	4.00%	0.6%	-	-	0.3%	0.3%	-	-	-	-	-
CPM S30V	1.45%	14%	2.00%	4.00%	-	-	-	-	-	-	-	-	-	0.20%
CPM 154	1.05%	14%	4.00%	-	-	-	-	-	-	-	-	-	-	-
14C28N	0.62%	14%	0.55%	-	-	-	-	-	0.25	0.015	0.03	-	-	0.08%
8Cr13MoV	0.8%	13%	0.15%	0.1%	-	-	0.2%	0.4%	0.5%	0.01%	0.02%	-	-	-
8Cr14MoV	0.75-0.8%	13.5-14%	0.20-0.25%	0.10-0.15%	-	-	-	0.3-0.6%	0.3-0.6%	0.03%	0.035%	-	-	-
7Cr17MoV	0.6-0.75%	16-18%	0.75%	-	-	-	0.6%	1%	1%	0.03%	0.04%	-	-	-
420HC	0.46%	13%	-	0.3%	-	-	-	0.40%	0.4%	-	-	-	-	-
420J	0.4-0.5%	12-14%	0.6%	0.18%	-	-	-	0.8%	1%	0.02%	0.05%	-	-	-
D2	1.4-1.6%	11-13%	0.7-1.2%	1.1%	-	-	0.3%	0.6%	0.6%	-	-	-	-	-
65Mn	0.57-0.70%	-	-	-	-	-	-	0.6-0.9%	-	0.05%	0.04%	-	-	-
3Cr13	0.35%	13.5%	0.6%	-	-	-	0.5%	0.5%	0.8%	-	-	-	-	-
4Cr14	0.38%	13.94%	0.12%	0.08%	-	-	0.14%	0.41	0.41%	0.003%	0.02%	-	-	-

OPENING SYSTEMS

ASSISTED OPENING

When closed, a torsion bar in the handle creates a bias toward the closed position. When opening, the torsion bar adds to the pressure from your finger, and pushes the blade open.

PUSH-BUTTON AUTOMATIC

A push-button lock holds the blade in place, but under pressure from a torsion spring. When the button is pressed, the released pressure opens the blade. The Kershaw Launch series features a selection of these sleek, instant-open knives.

DOUBLE-ACTION OUT-THE-FRONT

Apply pressure to the sliding button to open and close the blade. Sliding the button releases a steel bar from the locked position and activates the blade. This mechanism found in OTF automatics.

MANUAL

No springs or torsion bars, these folders rely on washers for a simple, smooth pivot open. Washers are made of various materials: usually plastic or bronze.

MANUAL KVT BALL-BEARINGS

Relies on a ring of "caged" ball bearings that surround the knife's pivot and enable the blade to move out of the handle smoothly. KVT makes opening manual knives as smooth, easy, and often as fast as assisted opening.

SLIPJOINT

These folders usually have a detent system (a tension rod or ball and groove) that biases the blade open or closed. To open the blade, simply overcome the detent manually. Some slipjoints use a double detent system. This system includes two steel detent balls, one on each side of the blade, for safe carrying and a controlled open and close.

OPENS WITH

FLIPPER

The flipper is a metal extension found at the back of the blade near the pivot. It can be found on both assisted and manual folders.

NAIL NICK

The nail nick is a groove in the top of the blade, usually halfway down the length of the blade. It is found on manual folders and slipjoints.

PUSH BUTTON

The push button is found in the handle of the folder near the pivot. It is often used in automatic folders.

THUMB STUD

The thumb stud is a small stud at the top of the blade near the pivot. It may be on one or both sides of the blade.

THUMB DISK

The thumb disk is a small disk found at the top of the blade.

EMERSON WAVE SHAPED FEATURE®

This is a wave-shaped hook built into the back end of the blade, similar to the flipper. It allows users to open the knife as it exits the pocket by hooking onto the pants material.

OTF SLIDING BUTTON

The sliding button is found on the spine of the handle. It is used to open and close out-the-front automatics.



LOCKS

DURALOCK

The DuraLock, also known as a crossbar lock, is strong, safe, and easy to operate. The solid steel crossbar engages with the blade tang and locks the blade in place. Pull back on the ambidextrous lock to safely close the blade.

FRAME LOCK

In a frame lock knife, the knife handle—its "frame"—consists of two plates of material on either side of the blade. When the knife is opened, one side of the frame butts up against the back end of the blade and prevents the blade from closing until released. The thickness of the frame material blocking the blade open makes the frame lock extremely sturdy.

LINER LOCK

The most common of today's blade-locking systems. The handle consists of two metal plates (the "liner") on either side of the blade. When the knife is opened, one side of the liner butts up against the back end of the blade and prevents the blade from closing until released. A secure and convenient way to make using a Kershaw folding knife even safer.

INSET LINER LOCK

The inset liner lock is a Kershaw variation on the liner lock. Kershaw insets a sturdy steel plate on the inside of the knife's handle. It is riveted into place in a custom-machined cutout on the interior of the handle. This enables us to make a knife with a slimmer profile that won't weigh your pocket down, while still providing the strength and security of a locking liner.

MID-LOCK

The oldest of the popular blade-locking systems, yet the principle is the same as with the others. Once the knife is opened, a steel bar locks into place behind the blade and prevents the knife from closing until released by the knife user.

OTF INTERNAL LOCK

A pair of opposing steel pawls move under spring tension on arcing paths to lock the blade in the open and closed positions. Sliding the button moves a ramp against the corresponding pawl to release it and open or close the blade.

PUSH-BUTTON LOCK

Like Kershaw's other locking systems, once the blade is open, a mechanism blocks the butt end of the blade and prevents it from closing accidentally. In this case, a spring-loaded lock is built into one side of the handle, and it must be depressed in order to unlock the blade.

SLIPJOINT



A slipjoint knife has no lock. Usually there is a detent system to ensure safe use. Using a tension rod or ball and groove, the blade is biased toward the open or closed position. To close the blade, simply overcome the detent manually.

SUB-FRAME LOCK

The patented Kershaw Sub-Frame Lock is a variation on the traditional frame lock. In this case, a piece of a lighter weight frame, like G10, is machined out, and a piece of steel is screwed into its place. This steel acts like a standard frame lock. It enables us to make a knife with a slimmer profile, while still providing the strength and security of a frame lock. (The Kershaw Sub-Frame Lock is covered under US Patent 9,120,234.)

TIP-LOCK

The Tip-Lock can be found on all Leek, Scallion, and Chive assisted open knives. It's a simple slider that, when engaged, ensures the blade will not accidentally open. It's especially helpful in cases where the knife might be juggled in a briefcase, backpack, or purse.




HANDLE MATERIALS



ANODIZED ALUMINUM

Anodizing makes aluminum stronger and enables Kershaw to add scratch and fade resistant color to knife handles.



CARBON FIBER

Carbon fiber atoms are bonded together in crystals aligned in long strands, then woven together like fibers. Combined with resin to make the fibers rigid, carbon fiber makes a knife handle material that is extremely strong and extremely lightweight.



COPPER

Denser and heavier than iron, this natural metal starts out reddish-orange in color, but over time will gain a patina, like a copper penny. The patina is a result of oxidation, and the colors it turns will change with time as well. Copper makes an interesting knife handle material due to the changing patina. Depending on how you handle and use it, the knife will look different throughout its life.




CO-POLYMER PLASTIC

A co-polymer is a compound of two or more different molecules, chosen for specific characteristics. The co-polymers Kershaw uses for knife handles generally have a slightly rubbery texture to improve grip security.



G10

An epoxy-filled woven glass fiber; it is extremely stable, unaffected by temperature changes, and makes an excellent handle and handle scale material for knives.



GLASS-FILLED NYLON

Nylon synthetic polymer is reinforced with glass threads for increased strength, stiffness, and dimensional stability, combined with excellent wear resistance.




K-TEXTURE™ GRIP

An exclusive texture and pattern used on the handles of certain Kershaw knives. K-Texture™ enhances a secure grip.



CANVAS MICARTA

A mixture of fiber cloth materials soaked in resin and hardened to create a strong, lightweight, and long-lasting handle. Kershaw micarta handles can be polished or feature a canvas-like texture in a variety of colors.



STAINLESS STEEL

An alloy of iron and carbon, most steel also has additional elements that are alloyed to enhance specific characteristics. As a handle material, stainless steel is strong and attractive.



TITANIUM

Titanium is a lightweight, corrosion-resistant metal with high tensile strength



TRAC-TEC INSERTS

A rough-surfaced rubber insert that provides additional friction for a non-slip grip.

POCKETCLIPS

SINGLE-POSITION

The pocketclip is mounted in a single, fixed position on the knife handle.



REVERSIBLE

Right-handed, tip-up or tip-down
OR
Right- or left-handed, tip-up



3-POSITION

Right-handed, tip-up or tip-down
AND
Left-handed, tip-up



4-POSITION

Right-handed, tip-up or tip-down
AND
Left-handed, tip-up or tip-down



DEEP-CARRY

This specially designed pocketclip is positioned at the very end of the handle so that the knife can be carried deeper inside the pocket.




























EXTRA-DEEP-CARRY


























This wrap-around pocket clip design goes even deeper in the pocket, extending slightly beyond the length of the handle.









INDEX

NUMERICAL BY PRODUCT NUMBER



























MODEL	NAME	PHOTO	P.
1019	FIRE STARTER		64
1025	CINDER		50
1025CU	CINDER - COPPER		50
1075	DESCHUTES		57
1083	CAMP 5		53
1077	CAMP 10		57
1077TAN	CAMP 10 - TAN		57
1121	TASKMASTER SHEARS 2		65
1140	RATION		65
1140GRN	RATION - GREEN		65
1140OR	RATION - ORANGE		65
1140TEAL	RATION - TEAL		65
1145	RATION - XL		65
1145GRN	RATION XL - GREEN		65
1170	METHOD		42
1180	AFTEREFFECT		43
1190	KAPSULE		43
1195	INTERSTELLAR		34
1216	SKEETER III		65
1220	REVERB		39
1230	DIODE		47
1241	12-IN. CURVED		59
1242GE	9-IN. CURVED		59
1243SH	7-IN. BONING WITH SPOON		58
1247	7.5-IN. FILLET		58
















1249	9.5-IN. FILLET		59
1257	7-IN. FILLET		58
1258	FOLDING FILLET		59
1259	9-IN. FILLET		58
1301BW	STARTER		10
1302BW	LIFTER		10
1313BLK	SPOKE		11
1319	GRINDER		11
1324	CATHODE		11
1365	MISDIRECT		11
1369	SALVAGE		9
1370	CAMSHAFT		10
1375	VALVE		11
1376	FLATBED		9
1385	AIRLOCK		10
1390	TREMOLO		9
1395	LIGHTYEAR		9
1396	ELECTRON		55
1397	INVERSE		55
1398	ARISE		55
1399	INTERVAL		55
1401	JETPACK		9
1404 NEW	FLYBY		21
1407 NEW	CONDUIT		22
1555TI	CRYO		28
1555BW	CRYO - BLACKWASH™		29

1555G10	CRYO G10		29
1556TI	CRYO II		28
1556BW	CRYO II - BLACKWASH™		28
1557TI	FERRITE		29
1559	DECIMUS		29
1600	CHIVE		19
1600PINK	CHIVE - PINK		19
1605	CLASH		30
1605CKTST	CLASH - BLACK, SERRATED		30
1605ST	CLASH - SERRATED		30
1620	SCALLION		18
1620ST	SCALLION - SERRATED		18
1620NB	SCALLION - NAVY BLUE		19
1620OL	SCALLION - OLIVE DRAB		19
1620PUR	SCALLION - PURPLE		19
1645 NEW	LATERAL		21
1645BLKST NEW	LATERAL - BLACK SERRATED		21
1660	LEEK		14
1660ST	LEEK - SERRATED		14
1660BLKW	LEEK - BLACKWASH™		15
1660CB	LEEK - COMPOSITE BLADE		15
1660CBBW	LEEK - COMPOSITE BLADE BLACKWASH™		15
1660CF	LEEK - CARBON FIBER		17
1660CKT	LEEK - BLACK		15
1660CKTST	LEEK - BLACK, SERRATED		15
1660CU	LEEK - COPPER		17
















16600L	LEEK - OLIVE DRAB		17
16600R	LEEK - ORANGE		18
1660PUR	LEEK - PURPLE		18
1660R	LEEK - RANDOM		17
1660RBW	LEEK - RANDOM BLACKWASH™		17
1660SWBLK	LEEK - BLACK, STONEWASH		15
1660TEAL	LEEK - TEAL		18
1670BLK	BLUR - BLACK		13
1670BLKST	BLUR - BLACK, SERRATED		13
1670BW	BLUR - BLACKWASH™		13
1670GBBLKST	BLUR - GLASS BREAKER		14
1670NBSW	BLUR - NAVY BLUE STONEWASH		14
16700LBLK	BLUR - OLIVE/BLACK		14
1670S30V	BLUR - S30V STONEWASH		13
1670TBLKST	BLUR - TANTO BLADE, BLACK		14
1730SS	ZING - STAINLESS STEEL		31
1747BW	ION		53
17760LSW	LINK - OLIVE SW, CPM 20CV		13
18120LCB	DIVIDEND - OLIVE COMPOSITE BLADE		13
1830	OSO SWEET		30
1835TBLKST	KURO - SERRATED		25
1845 NEW	SHORELINE		22
1881	ERIS		27
1882	DESCHUTES CAPER		53
1883	DESCHUTES SKINNER		53
1891	LONEROCK RBK 2		57

1890RB	LONEROCK RBK BLADES		57
1920	SELECT FIRE		47
1935	FATBACK		26
1955	SHOWTIME		31
1987	RJ TACTICAL 3.0		32
1990	BRAWLER		25
2031	INCEPTION		39
2032	ESTEEM		41
2033	CARGO		41
2034	DEBRIS		41
2036	LUCID		22
2037 NEW	HEIST		33
2038 NEW	IRIDIUM		33
2039 NEW	FRONTRUNNER		34
2041 NEW	MONITOR		33
2042 NEW	COVALENT		33
2044 NEW	OUTCOME		21
2049	LITHIUM		22
2060	NOVENTA		34
2061	CANNONBALL		24
2062ST	ANALYST		24
2064	OUTLIER		22
2065	GRAVEL		25
2075	PAYOUT		25
2076	STRATA		34
2078 NEW	STRATA - CLEAVER		34

2085	BRACE		54
2090	PLATFORM		47
2095	ENDGAME		39
2200	GRID		27
2535	ULTRA-TEK SHARPENER		65
2556	TASKMASTER SAW 2		57
3410	CHILL		42
3425	XCOM		44
3445	STATIC		42
3455	BRACKET		24
3560	EMBER		29
3650	VOLT II		30
3650ST	VOLT II - SERRATED		30
3650CKTST	VOLT II - BLACK		31
3655	VOLT SS		31
3860	OBLIVION		31
3870	AMPLITUDE 2.5		31
3930	FLITCH		27
3935	FLOURISH		27
3960	BARSTOW		27
4007	SECRET AGENT		53
4008	DUNE		54
4037	ATMOS		42
4320	FEDERALIST		38
4381	GADSDEN		40
4382	BRANDYWINE		40

4383	CULPEPPER		40
4384	PARLEY		39
4385	ALLEGORY		40
4386	IREDALE		40
4950TR NEW	BALANZA		37
5150TR	LUCHA - TRAINER		37
5500	COLLATERAL		24
5505	TURISMO		24
5560 NEW	RADAR		21
6030	CQC-10K		45
6031D2	CQC-11K D2		45
6034D2	CQC-6K D2		45
6034T	CQC-7K		44
6034TRAINER	E-TRAIN		45
6044TBLK	CQC-8K		44

6054BRNBLK	CQC-4K		44
6055D2	CQC-4KXL D2		45
6074OLBLK	CQC-5K		44
7020	HIGHBALL XL		39
8100	FUNXION EMT		47
8300	DUOJET		26
8320	OUTRIGHT		26
8320BLK	OUTRIGHT - BLACK		26
8650	BARRICADE		51
8655	DRIVETRAIN		47
8700	SHUFFLE		49
8700BLK	SHUFFLE - BLACK		48
8700LIMEBW	SHUFFLE - LIME		50
8700PURBW	SHUFFLE - PURPLE		50
8700TEALBW	SHUFFLE - TEAL		49

8710	ANTIC		50
8720	SHUFFLE - DIY		48
8750TBLKBW	SHUFFLE II - BLACK		48
8750TTANBW	SHUFFLE II - TAN		48
8750TOLBW	SHUFFLE II - OLIVE		48
8760	FAULTLINE		42
8800	PT-1		64
8810	PT-2		64
8820	DOWNFORCE		64
8830	RECAP		64
8825	NACHO		64
KEROIL	KERSHAW KNIFE OIL		64
KMCURE	MANICURE SET		65
KT00L	K-TOOL		64
TXT00L	TX-TOOL		65



Kai USA, Ltd., founded as Kershaw Knives in 1974, began with one mission: to design and manufacture tools that knife users would be proud to own, carry, and use. Today, premium materials, state-of-the-art manufacturing, extremely tight tolerances, and meticulous craftsmanship ensure that each Kershaw knife or tool provides a lifetime of performance and pride of ownership. The Kershaw brand is especially known for innovative technologies and materials, resulting in numerous industry awards. We manufacture many of our products in our 55,000 sq. ft. facility located south of Portland Oregon, in the city of Tualatin. Our campus houses a state-of-the-art manufacturing facility, our design, engineering, and manufacturing teams, as well as the customer service experts who sell and support our Kershaw brand knives and tools. Kershaw products are backed by a Limited Lifetime Warranty.



AUTHORIZED DEALERS

Want to be sure the Kershaw you're carrying is the real thing? Buy from our Authorized Dealers. Specially selected by Kershaw for their ability to professionally represent and sell our products, Authorized Dealers carry genuine Kershaw quality products and service. You can be sure your purchase is fully covered under our Limited Lifetime Warranty. Find an Authorized Dealer in your area on our website: kershawknives.com

LIMITED LIFETIME WARRANTY



Kershaw knives from Kai USA Ltd. carry a limited warranty for the lifetime of the original owner, except when stated otherwise. We guarantee our knives against manufacturing defects in material and construction and to perform as advertised when properly used and maintained. The Limited Lifetime Warranty is non-transferable and does not extend to normal signs of wear, rust, damage, or breakage due to improper use, improper maintenance, accidents, loss, or theft. This warranty is void on products that have been modified in any way. Any product we determine to be defective will be repaired or replaced solely at our discretion. To receive warranty repair or replacement, the owner must send the product to be evaluated by Kai USA Warranty Services in our Tualatin, Oregon headquarters. In addition to the provisions of this warranty, the owner may also have other rights that can vary by state. The Limited Lifetime Warranty does not apply to the TX Tool, Fire Starter, or Kershaw Knife Oil. No other warranties are implied or expressed other than what is specifically stated here. Kai USA Ltd. reserves the right to determine what constitutes normal wear, improper use/maintenance, and modification.

We reserve the right to make changes to this warranty at our discretion and without notice.

For warranty information, shipping tips, and the Warranty/Repair Form required for warranty service, please visit our website: kershawknives.com

BLADE REPLACEMENT

If you accidentally break your Kershaw folder's blade, we can replace it for just \$25. Blades that break due to a manufacturing defect will still be replaced under warranty, free of charge. For a replacement blade, knives must be shipped to Kai USA. Please see our website for shipping and warranty service information.

REPLACEMENT PARTS

Some replacement parts can be shipped to you. Please see our website for an updated list of what we will ship for free.

VOUCHERS

There may be cases when a Kershaw knife has been evaluated and is eligible for warranty service, but may not be able to be repaired or replaced. This can be true with discontinued models for which we may no longer have parts or stock. In such cases, at our discretion, we will issue a voucher for the original Manufacturer's Suggested

Retail Price. The voucher value can then be applied to the purchase of a current-model Kershaw—directly from us. If you also wish to have your original knife returned, please call our warranty team toll-free: 1-800-325-2891. We will retain the knife for 30 days from the date the voucher is issued. If it is not reclaimed by then, the knife will be recycled.

LIABILITY DISCLAIMER

Kershaw knives are intended and sold for legitimate everyday carry and/or sporting purposes only. The purchase, use, and ownership of knives are subject to a wide variety of federal, state, and local laws and regulations. Always comply with all laws and regulations in effect in your area. Due to the complexity and constantly changing nature of these laws and regulations, it is the responsibility of the buyer to investigate and comply with the laws and regulations that apply in his or her specific area. You, and not Kai USA Ltd., are solely responsible for any claims resulting from violation of these laws and/or regulations.

WARNING!

Knives are extremely sharp tools and should only be used or handled with the utmost care and caution. Any use other than cutting (such as prying or twisting) is considered misuse and abuse—and will void your warranty. Kershaw/Kai USA Ltd. is not responsible for any injuries resulting from misuse or abuse of the product.

Do not use any Kershaw knife as a throwing knife (other than the Ion 1747BW or Aethon 1748 throwing knives) or a stabbing device. Throwing knives and knives developed for stabbing have a distinctly different design and function. Kershaw knives are not intended for throwing or stabbing; they are designed for cutting purposes only.

We reserve the right to change shipping terms, specifications, materials, or discontinue products at any time, without notice.

Kershaw products are covered by one or more pending and issued U.S. patents. Here is a list of past and present patents that we have utilized:
4,715,121; 4,741,106; 5,802,722; 5,815,927; 6,006,385; 6,397,476; 6,388,431; 6,412,130;
6,145,202; 6,223,372; 6,338,431; 6,378,214; 6,397,476; 6,427,334; 6,591,504; 7,086,158;
7,370,421; 7,395,599; 9,120,234; D303,748; D316,802; D317,390; D321,818; D329,185;
D348,818; D351,328; D365,725; D366,605; D375,243; D392,131; D410,833; D437,197;
D438,085; D450,228; D454,043; D454,768; D455,062; D467,783; D474,669; D479,104;
D479,114; D484,770; D488,045; D565,918; D566,222; D569,212; D570,180; D572,542;
D572,562; D575,614; D576,466.



ABOUT THE PROP 65 NOTIFICATION

You may have seen more Prop 65 warnings on our products lately.

First, understand that nothing has changed with the materials or manufacturing processes Kai USA uses to make our products.

The one thing that HAS changed are the notification requirements of Proposition 65.

Prop 65 is a 1986 California law that requires California residents to be notified of products that could expose them to chemicals known by the state of California to “cause cancer, birth defects or other reproductive harm.” This law was recently expanded to apply to all retailers as well as those who sell products under a private label.

In fact, there are hundreds of chemicals on the California Prop 65 list—including things like nickel and chromium that have always been a part of knife steel. As a responsible manufacturer, we are including the warning as required by the law. Since we don't always know where our products are sold, this protects our company and our authorized retailers.

But again, nothing except the notification requirement has changed. Carrying and using our products is no more hazardous than before Prop 65. It will continue to be an important part of the tools you carry with you and use every day.

GENERAL: ⚠️ WARNING

This product can expose you to a chemical (or chemicals) that are known to the State of California to cause cancer or reproductive harm. For more information go to www.P65Warnings.ca.gov.

LEAD: ⚠️ WARNING

This product can expose you to chemicals including lead, which is known to the State of California to cause cancer and birth defects or other reproductive harm. For more information go to www.P65Warnings.ca.gov.

BENZENE: ⚠️ WARNING

This product can expose you to chemicals including benzene, which is known to the State of California to cause cancer and birth defects or other reproductive harm. For more information go to www.P65Warnings.ca.gov.

CARBON MONOXIDE: ⚠️ WARNING

This product can expose you to chemicals including carbon monoxide, which is known to the State of California to cause cancer and birth defects or other reproductive harm. For more information go to www.P65Warnings.ca.gov.

DEHP/BPA: ⚠️ WARNING

This product can expose you to chemicals including di(2-ethylhexyl)phthalate (DEHP), which is known to the State of California to cause cancer, and Bisphenol A (BPA), which is known to the State of California to cause birth defects or other reproductive harm. For more information go to www.P65Warnings.ca.gov.

**LIST OF ALL PRODUCTS THAT MAY CONTAIN
THE ITEMS LISTED ON PAGE 84**

SKU	CHEMICAL	SKU	CHEMICAL	SKU	CHEMICAL	SKU	CHEMICAL	SKU	CHEMICAL
1019	CARBON MONOXIDE	2070	LEAD	1241X	LEAD	1730SSX	LEAD	43007X	LEAD
1074	BENZENE	2075	LEAD	1242GEX	LEAD	1830ODSW	LEAD	43009X	LEAD
1077	BENZENE	2076	LEAD	1243SHX	LEAD	1835TBLKST	LEAD	4381JB	LEAD
1083	LEAD	2077	LEAD	1247X	LEAD	1920WM	LEAD	4381RB	LEAD
1087	LEAD	2080	LEAD	1249X	LEAD	1920WMX	LEAD	4382BJB	LEAD
1160	LEAD	2085	LEAD	1257X	LEAD	1920X	LEAD	4382RB	LEAD
1170	LEAD	2090	LEAD	1259X	LEAD	1935X	LEAD	4383BJB	LEAD
1180	LEAD	2095	LEAD	1308TANBW	LEAD	1955X	LEAD	4383CU	LEAD
1190	LEAD	2131	LEAD	1311TSX	LEAD	1987ST	LEAD	4383RB	LEAD
1195	LEAD	2200	LEAD	1312BW	LEAD	1987X	LEAD	4383TCU	LEAD
1220	LEAD	2330	LEAD	1313BLK	LEAD	1990X	LEAD	5500X	LEAD
1225	LEAD	2335	LEAD	1313BLKX	LEAD	2045X	LEAD	5505X	LEAD
1257	LEAD	2555	BENZENE	1314BW	LEAD	2049X	LEAD	6031D2	LEAD
1259	LEAD	2556	BENZENE	1315BW	LEAD	2062ST	LEAD	6034BLK	LEAD
1326	LEAD	3410	LEAD	1332X	LEAD	2062STX	LEAD	6034D2	LEAD
1327	LEAD	3425	LEAD	1337X	LEAD	2065X	LEAD	6034T	LEAD
1328	LEAD	3440	LEAD	1343X	LEAD	2070X	LEAD	6034TX	LEAD
1329	LEAD	3445	LEAD	1351X	LEAD	2085X	LEAD	6044TBLK	LEAD
1330	LEAD	3455	LEAD	1352X	LEAD	2200X	LEAD	6044TBLKX	LEAD
1340	LEAD	3475	LEAD	1354X	LEAD	3410B	LEAD	6045BLK	LEAD
1341	LEAD	3490	LEAD	1355X	LEAD	3410X	LEAD	6054BRNBLK	LEAD
1345	LEAD	3560	LEAD	1356X	LEAD	3425DW	LEAD	6054BRNBLKX	LEAD
1346	LEAD	3650	LEAD	1359X	LEAD	3425X	LEAD	6055D2	LEAD
1348	LEAD	3655	LEAD	1360X	LEAD	3430B	LEAD	60740LBLK	LEAD
1349	LEAD	3840	LEAD	1371X	LEAD	3430X	LEAD	60740LBLKX	LEAD
1355	LEAD	3850	LEAD	1372X	LEAD	3440X	LEAD	7006BLK	LEAD
1367	LEAD	3860	LEAD	1375BLK	LEAD	3445BLU	LEAD	7006CU	LEAD
1368	LEAD	3870	LEAD	1376X	LEAD	3445BR	LEAD	7006RDBLK	LEAD
1369	LEAD	3880	LEAD	1380WM	LEAD	3445CU	LEAD	7007BLKBW	LEAD
1372	LEAD	3920	LEAD	1380WMX	LEAD	3445G10	LEAD	7007CF	LEAD
1376	LEAD	3930	LEAD	1380X	LEAD	3445MCB	LEAD	7007CFX	LEAD
1380	LEAD	3935	LEAD	1385OD	LEAD	3445MCBBW	LEAD	7007CU	LEAD
1385	LEAD	3960	LEAD	1385X	LEAD	3445MCG	LEAD	7007GRYBW	LEAD
1386	LEAD	4007	LEAD	1386X	LEAD	3445MCGBW	LEAD	7007OL	LEAD
1395	LEAD	4020	LEAD	1395NEON	LEAD	3445X	LEAD	7007OLBW	LEAD
1401	LEAD	4037	LEAD	1395X	LEAD	3455X	LEAD	7007TANBW	LEAD
1404	LEAD	4038	LEAD	1555BW	LEAD	3475X	LEAD	7007X	LEAD
1405	LEAD	5500	LEAD	1555BW	LEAD	3490X	LEAD	7008CU	LEAD
1415	LEAD	5505	LEAD	1555G10	LEAD	3560X	LEAD	7008OLBLK	LEAD
1558	LEAD	5510	LEAD	1555G10D2	LEAD	3650CKTST	LEAD	7010BLK	LEAD
1559	LEAD	6030	LEAD	1555G10X	LEAD	3650CKTSTB	LEAD	7010X	LEAD
1605	LEAD	6034	LEAD	1555TI	LEAD	3650GRYBLK	LEAD	8300X	LEAD
1830	LEAD	6055	LEAD	1555TIWM	LEAD	3650ST	LEAD	8310X	LEAD
1881	LEAD	7007	LEAD	1555TIWMX	LEAD	3650X	LEAD	8320BLK	LEAD
1882	LEAD	7010	LEAD	1555TIX	LEAD	3655B	LEAD	8650X	LEAD
1883	LEAD	7020	LEAD	1556BW	LEAD	3655X	LEAD	8700BLK	LEAD
1920	LEAD	8100	LEAD	1556BW	LEAD	3860WM	LEAD	8700BLKX	LEAD
1935	LEAD	8300	LEAD	1556TI	LEAD	3860WMX	LEAD	8700LIMEBW	LEAD
1955	LEAD	8310	LEAD	1556TIX	LEAD	3860X	LEAD	8700LIMEBW	LEAD
1987	LEAD	8320	LEAD	1557TI	LEAD	3870X	LEAD	8700NBSWWMX	LEAD
1990	LEAD	8650	LEAD	1557TIX	LEAD	3880BW	LEAD	8700PURBW	LEAD
2031	LEAD	8655	LEAD	1558X	LEAD	3935X	LEAD	8700TEALBW	LEAD
2032	LEAD	8700	LEAD	1559X	LEAD	3960X	LEAD	8700X	LEAD
2033	LEAD	8710	LEAD	1605CKTST	LEAD	4008X	LEAD	8710X	LEAD
2034	LEAD	8720	LEAD	1605CKTSTB	LEAD	4020MCB	LEAD	8720X	LEAD
2035	LEAD	8760	LEAD	1605CKTSTX	LEAD	4020MCG	LEAD	8750TBLKBW	LEAD
2036	LEAD	1075X	LEAD	1605ST	LEAD	4020WOOD	LEAD	8750TBLKBW	LEAD
2043	LEAD	1077TAN	BENZENE	1605STB	LEAD	4020X	LEAD	8750TOLBW	LEAD
2045	LEAD	1077X	BENZENE	1605STX	LEAD	4036BLKX	LEAD	8750TOLBW	LEAD
2049	LEAD	1087X	LEAD	1605X	LEAD	4036BLUX	LEAD	8750TTANBW	LEAD
2050	LEAD	1190BW	LEAD	1730BWH3X	LEAD	4036CFX	LEAD	8750TTANBW	LEAD
2060	LEAD	1190X	LEAD	1730SS	LEAD	4037X	LEAD	8760X	LEAD
2061	LEAD	1220X	LEAD	1730SSB	LEAD	4038BRZ	LEAD	GMKT1	LEAD
2064	LEAD	1225WM	LEAD	1730SSBLK	LEAD	4038RD	LEAD	TXTOOL	LEAD
2065	LEAD	1225WMX	LEAD	1730SSBLU	LEAD	4038X	LEAD		
		1225X	LEAD	1730SSST	LEAD	43006X	LEAD		



kershaw

 kai U.S.A. Ltd.

18600 SW Teton Avenue
Tualatin, OR 97062
USA
800.325.2891

KERSHAWKNIVES.COM