

2001-2002



**kershaw**  
K N I V E S

"technology with an edge"



# Ken Onion Designs

"technology with an edge"

**Kershaw**  
Ken Onion USA

## State-of-the-Art Technology Meets State-of-the-Art Design

Kershaw introduces our bold, fresh, new "Onions" for 2001-2002. Designed by custom knifemaker, Ken Onion, and manufactured with Kershaw's exacting attention to quality, detail, and craftsmanship, these new knives proudly take their place in Kershaw's popular line of Ken Onion Speed-Safe knives.

- Speed-Safe torsion bar technology for smooth and easy assisted opening
- Quality 440A or high-carbon 420 stainless-steel blades with 55-57 Rockwell hardness rating
- High-tech handle materials including injection-molded Polyamide and stainless steel
- Removable pocket clip included with all models

### On the Cover

*A high-intensity laser cuts the blanks for Kershaw's Boa knives which feature the Speed-Safe ambidextrous Index Finger Opening System.*

**SPEEDSAFE**  
TECHNOLOGY WITH AN EDGE

### SCALLION Model 1620ST

Steel-420 high-carbon  
Handle-Polyamide  
Blade-2 1/4 in. (5.8 cm),  
partially serrated  
Closed-3 1/4 in. (8.4 cm)  
Weight-2.3 oz.



ACTUAL SIZE



### SCALLION Model 1620

Steel-420 high-carbon  
Handle-Polyamide  
Blade-2 1/4 in. (5.8 cm)  
Closed-3 1/4 in. (8.4 cm)  
Weight-2.3 oz.



2001-2002



ACTUAL SIZE

### CHIVE Model 1600

Steel—420 high-carbon  
Handle—410 stainless-steel  
Blade—1 15/16 in. (4.9 cm)  
Closed—2 7/8 in. (7.3 cm)  
Weight—1.9 oz.



### From Design to Final Polish, the Quality is Engineered-In

Custom knifemaker, Ken Onion, oversees the engineering designs for the new Chive, Model 1600. Ken began his quest to design the perfect knife as a Marine machinist. After years of R&D, he created his first Speed-Safe knife. Today, Ken designs a custom selection of knives for Kershaw—all featuring the patented Speed-Safe torsion bar mechanism for assisted opening. His personal involvement ensures each "Onion" meets his high standards for quality. (Kershaw Onion knives are covered by US Patent Number 6,145,202 and other patents pending.)

## Rocky Mountain Elk Foundation



### Join Us in Working for Wildlife

Kershaw's new Elk Model 1560RM was specially designed to help benefit the Rocky Mountain Elk Foundation. A portion of the proceeds from the sale of this product go to benefit the Foundation and its habitat-conservation projects. This international, nonprofit organization's mission is to insure the future of elk, other wildlife, and their habitat for future generations. Learn more at [www.rmef.org](http://www.rmef.org) or 1-800-CALL-ELK.

NOT ACTUAL SIZE

### ELK Model 1560RM

Steel—440A, black, ti-nitride-coated  
Handle—Polyamide  
Blade—3 1/4 in. (8.4 cm)  
Closed—4 1/2 in. (11.5 cm)  
Weight—3.5 oz.



# Ken Onion Designs

"technology with an edge"

**Kershaw**  
Ken Onion USA

## Speed-Safe Index Finger Opening System Provides Truly Ambidextrous Operation

Left-handed? Right-handed? It doesn't matter with Kershaw's Ken Onion Boa knives (Models 1580MCST, 1580, 1580ST, 1580MC). That's because, instead of using your thumb, the Boa opens with your index finger.\* Start the blade out of the handle with pressure from your index finger. Then the Speed-Safe assisted opening technology moves the blade smoothly into position, locking it for safe use.

Kershaw has also refined the Avalanche, Models 1570 and 1570ST, adding handsome, black, titanium-nitride-coated blades.

- Speed-Safe torsion bar technology for smooth and easy assisted opening
- Quality CPM-440V or 440A stainless-steel blades with 55-57 Rockwell hardness rating
- Heat-treated 410 stainless-steel liners
- High-tech handle materials including powder-coated aircraft aluminum, textured G-10, and injection-molded Polyamide
- Removable pocket clip included with all models

\* If you prefer, the Boa can also be opened with the thumbstud.

**SPEEDSAFE™**  
TECHNOLOGY WITH AN EDGE



### **BOA Model 1580MCST**

Steel- CPM-440V,  
Handle- aircraft aluminum  
Blade- 3 3/8 in. (8.6cm.)  
Closed- 4 3/4 in. (12cm.)  
Weight- 4.9 oz.  
Index finger opening

*Employing CNC machining, 6061 T6 aluminum is turned into durable, lightweight handles for Kershaw's new Ken Onion Boa knives.*



### **BOA Model 1580**

Steel- CPM-440V, ti-nitride-coated  
Handle- aircraft aluminum  
Blade- 3 3/8 in. (8.6cm.)  
Closed- 4 3/4 in. (12cm.)  
Weight- 4.9 oz.  
Index finger opening



*Kershaw's BOA Knives feature Speed-Safe Index Finger Opening for left or right-handed operation.*



2001-2002



### BOA Model 1580ST

Steel- CPM-440V, ti-nitride-coated  
Handle- aircraft aluminum  
Blade- 3 3/8 in. (8.6cm.)  
Closed- 4 3/4 in. (12cm.)  
Weight- 4.9 oz.  
Index finger opening



### BOA Model 1580MC

Steel- CPM-440V  
Handle- aircraft aluminum  
Blade- 3 3/8 in. (8.6cm.)  
Closed- 4 3/4 in. (12cm.)  
Weight- 4.9 oz.  
Index finger opening

### AVALANCHE Model 1570/1570ST

Steel- CPM-440V, ti-nitride-coated  
Handle- G-10  
Blade- 3 1/8 in. (7.9cm.)  
Closed- 4 1/2 in. (11.3cm.)  
Weight- 3.5 oz.



Model 1570



Model 1570ST



### WHIRLWIND Model 1560

Steel- 440A  
Handle- Polyamide  
Blade- 3 1/4 in. (8.4cm.)  
Closed- 4 1/2 in. (11.3cm.)  
Weight- 3.5 oz.



### WHIRLWIND Model 1560ST

Steel- 440A  
Handle- Polyamide  
Blade- 3 1/4 in. (8.4cm.)  
Closed- 4 1/2 in. (11.3cm.)  
Weight- 3.5 oz.



### BLACK OUT Model 1550

Steel- 440A, ti-nitride-coated  
Handle- Polyamide  
Blade- 3 1/4 in. (8.4cm.)  
Closed- 4 1/2 in. (11.3cm.)  
Weight- 3.5 oz.



### BLACK OUT Model 1550ST

Steel- 440A, ti-nitride-coated  
Handle- Polyamide  
Blade- 3 1/4 in. (8.4cm.)  
Closed- 4 1/2 in. (11.3cm.)  
Weight- 3.5 oz.



# Multi-Tool

## New Tool Adapter Makes Kershaw's Popular Multi-Tool Even More Versatile

Upgrade your Kershaw Multi-Tool with our new Tool Adapter and Utility Sheath. The Tool Adapter features six different 1/4-hex drive bits—one that's right for just about every job.

Use Kershaw's locking-jaw function to grip the adapter horizontally, at a 45-degree angle, or a 90-degree angle to reach places you can't reach with an ordinary tool.

- Ten handy functions in one well-built Multi-Tool
- Tool Adapter features six additional functions
- Locking-jaw pliers clamp on for hands-free operation and enable use of new Tool Adapter
- Unique design lets you open knife with one hand—without unfolding the Multi-Tool
- Features 440A stainless-steel, drop-point blade with partial serration
- Black nylon or harness-leather sheath for Multi-Tool
- Tool Adapter sheath holds Adapter and fittings; hooks to belt or Multi-Tool sheath

**kershaw**  
MULTI-TOOL USA

"technology with an edge"



ACTUAL SIZE


### KERSHAW MULTI-TOOL

#### Model A100C

Blade—3 in. (7.6 cm),  
440A stainless steel, locking,  
drop-point, partially serrated  
Hacksaw blade—2 1/2 in. (6.4 cm)  
File—2 1/4 in. (5.7 cm)  
Slotted screwdriver—1 1/2 in. (3.8 cm)  
Phillips screwdriver—1 7/8 in. (4.8 cm)  
Can/bottle opener  
Overall length—6 3/4 in. (17.1 cm)  
Weight—8.6 oz.  
Includes black, nylon sheath




2001-2002



### KERSHAW MULTI-TOOL Model A100L

Blade—3 in. (7.6 cm), 440A stainless steel, locking, drop-point, partially serrated  
Hacksaw blade—2 3/8 in. (6 cm)  
File—2 1/4 in. (5.9 cm)  
Slotted screwdriver—1 1/2 in. (3.8 cm)  
Phillips screwdriver—1 7/8 in. (4.8 cm)  
Can/bottle opener—1 1/2 in. (3.8 cm)  
Overall length—6 5/8 in. (17 cm)  
Weight—8.6 oz.  
Includes leather sheath

ACTUAL SIZE



Kershaw Multi-Tools are assembled by hand in the USA and inspected at every step in the process.

### SHEATH WITH TOOL ADAPTER

#### Model A100TA

Tool adapter—3 1/8 in. (8 cm)  
Bits—6 assorted:  
#0 Phillips screwdriver  
#3 Phillips screwdriver  
9/32 Slotted screwdriver  
R1 Square drive  
T-15 Torx®  
T-5 Torx®  
Overall length with bit—3 3/4 in. (9.6 cm)  
Weight—3.1 oz.  
Includes Tool Adapter and black, nylon sheath

### KERSHAW MULTI-TOOL WITH TOOL ADAPTER

#### Model A100CTA

Blade—3 in. (7.6 cm), 440A stainless steel, locking, drop-point, partially serrated  
Hacksaw blade—2 3/8 in. (6 cm)  
File—2 1/4 in. (5.9 cm)  
Slotted screwdriver—1 1/2 in. (3.8 cm)  
Phillips screwdriver—1 7/8 in. (4.8 cm)  
Can/bottle opener—1 1/2 in. (3.8 cm)  
Tool adapter—3 1/8 in. (8 cm)  
Bits—6 assorted (see A100TA)  
Overall length—9 3/4 in. (24.7 cm)  
Weight—11.7 oz.  
Includes Tool Adapter and black, nylon sheath





# Liner Action

"technology with an edge"

## The Perfect, Lightweight Knife for Everyday Use or Sporting Action

Kershaw's Liner Action series remains a favorite with knife enthusiasts across the country. There are lots of good reasons why:

- One-handed opening and closing
- Locking liner holds blade safely in place, releases easily with one hand
- AUS6A stainless-steel blade
- Die-cast-aluminum handle with non-slip, co-polymer inset
- Removable pocket clip comes with all models except 2410 and 2410ST
- Tanto tactical blade available on Models 2420, 2420ST, 2415, and 2415ST
- Extremely lightweight, incredibly sharp



**HANDY POCKET CLIP**



### **LINER ACTION/TANTO** Model 2420TST

Blade—3 1/2 in. (9 cm),  
locking, partially serrated  
Closed—4 1/2 in. (11.8 cm)  
Weight—3.3 oz.



### **LINER ACTION/TANTO**

#### **Model 2420T**

Blade—3 1/2 in.  
(9 cm), locking  
Closed—4 1/2 in. (11.8 cm)  
Weight—3.3 oz.

*The Rockwell Hardness Scale is used to measure the strength and durability of the steels Kershaw uses to make its blades. Here, the Rockwell test is being administered to a blade.*






**LINER ACTION/TANTO Model 2415T**

Blade-2 7/8 in. (7.5 cm), locking  
Closed-3 3/4 in. (9.6 cm)  
Weight-2 oz.



**LINER ACTION/TANTO Model 2415TST**

Blade-2 7/8 in. (7.5 cm), locking,  
partially serrated  
Closed-3 3/4 in. (9.6 cm)  
Weight-2 oz.



**LINER ACTION Model 2410**

Blade-2 5/8 in. (6.7 cm),  
locking, drop-point  
Closed-3 3/8 in. (8.6 cm)  
Weight-1.2 oz.



**LINER ACTION Model 2410ST**

Blade-2 5/8 in. (6.7 cm),  
locking, drop-point,  
partially serrated  
Closed-3 3/8 in. (8.6 cm)  
Weight-1.2 oz.



**LINER ACTION Model 2415**

Blade-2 7/8 in. (7.5 cm),  
locking, drop-point  
Closed-3 3/4 in. (9.6 cm)  
Weight-2 oz.



**LINER ACTION Model 2415ST**

Blade-2 7/8 in. (7.5 cm),  
locking, drop-point,  
partially serrated  
Closed-3 3/4 in. (9.6 cm)  
Weight-2 oz.



**LINER ACTION Model 2420**

Blade-3 1/2 in. (9 cm),  
locking, drop-point  
Closed-4 1/2 in. (11.8 cm)  
Weight-3.3 oz.



**LINER ACTION Model 2420ST**

Blade-3 1/2 in. (9 cm),  
locking, drop-point,  
partially serrated  
Closed-4 1/2 in. (11.8 cm)  
Weight-3.3 oz.



# Cascade Meadow

"technology with an edge"

## Classic, Graceful Styling That's a Pleasure to Own and to Use

Cascade Meadow knives were some of Kershaw's first—and they remain one of our most popular today.

- Quality AUS6A stainless-steel construction
- Slim, satin-finished handle, inlaid with genuine, polished sandalwood
- Four styles available, suited to pocket or purse
- Each blade hand honed to Kershaw's famous 'shaving sharp' edge

## D.W.O.s So Handy and Hard Working, One is Not Enough

We built our D.W.O.s to dish it out and to take it. These are some tough, little knives—perfect for pocket, glove compartment, tool box, or truck box. Kershaw's D.W.O.s are named in memory of Delley Wade Officer who fell victim to a tragic hunting accident. A portion of the proceeds from the sale of each knife goes to Delley's family.

- Non-slip, co-polymer handle is ergonomically designed for comfort
- Quality AUS6A or 440A stainless-steel blades
- Rugged construction
- Blade locks safely into position, releases easily
- Hand-honed to a 'shaving sharp' edge

### SOMMELIER'S TOOL

#### Model 2170

Blade—1 1/2 in. (3.8 cm)  
Corkscrew—2 in. (5.2 cm)  
Bottle cap opener  
Closed—4 1/2 in. (11.7 cm)  
Weight—2.2 oz.  
Includes fine-grain leather sheath



### INDIAN FORD Model 2155

Blade—2 5/8 in. (6.9 cm), locking, modified clip  
Closed—3 1/2 in. (8.9 cm)  
Weight—2.7 oz.



### SQUAW CREEK Model 2150

Blade—2 in. (5.1 cm), locking, modified clip  
Closed—2 5/8 in. (6.8 cm)  
Weight—1.4 oz.



### BLACK BUTTE Model 2165

Blade—1 3/4 in. (4.4 cm), clip  
Scissors—1 5/8 in. (4.3 cm)  
Closed—2 1/4 in. (5.9 cm)  
Weight—2 oz.



### LITTLE DESCHUTES/MONEY CLIP

#### Model 2160

Blade—1 3/4 in. (4.4 cm), clip  
Scissors—1 5/8 in. (4.3 cm)  
Closed—2 1/4 in. (5.9 cm)  
Weight—1.4 oz.





2001-2002

D.W.O.s

D.W.O.s are available with classic black, indigo blue, or easy-to-spot red or orange handles.



D.W.O. CLASSIC  
Model 3000AOR

D.W.O. CLASSIC  
Model 3000ARD

D.W.O. CLASSIC  
Model 3000ABL



### D.W.O. CLASSIC

#### Model 3000A

Blade—2 3/8 in. (6.1 cm),  
locking, clip  
Closed—3 1/4 in. (8.4 cm)  
Weight—1.6 oz.

### D.W.O. III

#### Model 3003ST

Blade—3 1/8 in. (7.9 cm),  
locking, clip,  
partially serrated  
Closed—4 in. (10.4 cm)  
Weight—2.5 oz.

### WADE OFFICER

#### Model 4400ST

Blade 1—3 1/8 in. (7.9 cm),  
locking, clip;  
Blade 2—2 1/8 in. (6.6 cm),  
serrated sheepfoot  
Closed—3 7/8 in. (10 cm)  
Weight—2.5 oz.

### D.W.O.


#### Model 3000ST

Blade—2 1/4 in. (5.9 cm),  
locking, serrated sheepfoot  
Closed—3 1/4 in. (8.3 cm)  
Weight—1.6 oz.

### D.W.O. II

#### Model 3002

Blade—2 in. (5.1 cm),  
locking, clip  
Closed—2 5/8 in. (6.6 cm)  
Weight—.8 oz.



Kershaw uses a SmartScope with high-definition camera to ensure all parts are to specification.



# Officer Ranch

"technology with an edge"

## When Performance Counts, Count on Officer Ranch Knives

Kershaw introduces two new classics—the Double Cross (Model 4380) and the Double Duty (Model 4390). Both double-bladed knives feature one-handed opening and employ a single liner to lock both blades. With their traditional good looks, these are knives you'll feel good about carrying.

The same goes for the rest of the Officer Ranch line of ranch-tough work knives. These hardworking knives combine good looks with real-world performance. Field tested at the Officer Ranch in Grant County, Oregon, these handsome knives have proven themselves again and again.

- AUS6A premium-quality, stainless-steel blades
- Two handle styles—satin-finished steel with sandalwood inlay; sintered-metal alloy inset with cross-grooved ABS scales and drilled to accept a lanyard
- Blades lock safely into position, release easily
- Ruggedly built to last a lifetime



### SHOTGUN SHELL Model 12GAD

Blade—2 in. (5.1 cm), clip  
Screwdriver/file—2 in. (5.1 cm),  
Closed—2 5/8 in. (6.7 cm)



### DOUBLE CROSS Model 4380

Blade 1—2 3/8 in. (5.9 cm), locking drop point  
Blade 2—1 7/8 in. (4.7 cm), Wharncliffe  
Closed—3 1/2 in. (8.9 cm)  
Weight—2.2 oz.

*Every Kershaw knife must pass the 'paper test.' If it can't shave newsprint like a hot knife through butter, it's not 'shaving sharp' enough for Kershaw.*



### DOUBLE DUTY Model 4390

Blade 1—2 3/4 in. (7.1 cm), locking clip point  
Blade 2—2 5/8 in. (6.7 cm), spey  
Closed—4 1/8 in. (10.5 cm)  
Weight—3.1 oz.



2001-2002



### WILDCAT RIDGE

#### Model 3140

Blade—3 1/2 in. (9 cm),  
locking, clip  
Closed—4 7/8 in. (12.5 cm)  
Weight—4.3 oz.  
Includes nylon sheath



### BLACK GULCH Model 3120

Blade—3 in. (7.6 cm), locking, clip  
Closed—4 1/8 in. (10.5 cm)  
Weight—4.3 oz.  
Includes nylon sheath

### BLACK GULCH

#### Model 3120ST (Not Shown)

Blade—3 in. (7.6 cm),  
locking, partially serrated  
Closed—4 1/8 in. (10.5 cm)  
Weight—4.3 oz.  
Includes nylon sheath



### BLUE MOUNTAIN

#### Model 3130

Blade 1—3 in. (7.6 cm),  
locking, clip  
Blade 2—2 1/2 in. (6.3 cm),  
sheepfoot  
Closed—4 1/8 in. (10.7 cm)  
Weight—5.7 oz.  
Includes nylon sheath

### CORRAL CREEK Model 3115

Blade—2 1/2 in. (6.2 cm),  
locking, clip  
Closed—3 3/8 in. (8.6 cm)  
Weight—2.2 oz.



### JUNIPER CANYON Model 3110

Blade 1—1 7/8 in. (4.9 cm), locking, clip  
Blade 2—1 3/4 in. (4.5 cm), drop-point  
Closed—2 5/8 in. (6.8 cm)  
Weight—1.6 oz.



### GRANT COUNTY Model 3100

Blade—1 7/8 in. (4.9 cm),  
locking, clip  
Closed—2 5/8 in. (6.8 cm)  
Weight—1.2 oz.



### WHISKEY GAP Model 4100

Blade—2 1/4 in. (5.9 cm),  
locking, clip  
Closed—3 1/8 in. (7.9 cm)  
Weight—1.9 oz.



### WILD TURKEY Model 4150

Blade—3 1/8 in. (7.9 cm),  
locking, modified clip  
Closed—3 7/8 in. (10 cm)  
Weight—2.2 oz.



# Folding Work Knives

"technology with an edge"

## Quality Work Knives Built Tough To Stay Tough

They fit your task like they were born to it—and fit your hand like a glove. Kershaw's line of folding work knives feature the robust performance of premium-quality, stainless-steel blades and durable, co-polymer handles.

Plus—new for 2001-2002, Kershaw is proud to pair the Black Horse with an equally tough, made-in-the-USA Mini Mag-lite®, complete with AA batteries.

- Premium 440A or 440C stainless-steel blades
- Finger-contoured, co-polymer handles for secure, comfortable grip in any condition
- Some models feature oval holes for one-handed opening
- Lock-back design enables easy release, secure locking



### CANYON CITY II Model 1066AST

Steel—440C  
Blade—3 3/4 in. (9.8 cm),  
locking, serrated, drop-point  
Closed—4 7/8 in. (12.5 cm)  
Weight—4.6 oz.  
Includes nylon sheath



### BLACK HORSE II Model 1060A

Steel—440A  
Blade—3 3/4 in. (9.8 cm), locking, clip  
Closed—4 7/8 in. (12.5 cm)  
Weight—4.6 oz.  
Includes nylon sheath



2001-2002



## BLACK HORSE II/GUT HOOK

### Model 1060AGH

Steel-440A  
Blade-3 3/4 in. (9.8 cm),  
locking, with gut hook  
Closed-4 7/8 in. (12.5 cm)  
Weight-4.6 oz.  
Includes nylon sheath

## OUTLAW BILL II Model 1065A

Steel-440C  
Blade-3 3/4 in. (9.8 cm), locking, clip  
Closed-4 7/8 in. (12.5 cm)  
Weight-4.6 oz.  
Includes nylon sheath



## BLACK HORSE II/ EDGE-TEK SHARPENER

### Model 1060A-2

Model 1060A  
PLUS Model 2525 Sharpener  
Total weight-6.4 oz.  
Includes nylon sheath

## BLACK HORSE II/ ULTRA-TEK SHARPENER

### Model 1060A-2S

Model 1060A  
PLUS Model 2535 Sharpener  
Total weight-6.8 oz.  
Includes nylon sheath

## BLACK COLT II

### Model 1045A

Steel-440A  
Blade-3 in. (7.5 cm),  
locking, clip  
Closed-4 1/8 in. (10.4 cm)  
Weight-3.5 oz.  
Includes nylon sheath



## EDGE-TEK SHARPENER

### Model 2525

Pulse-arc-fused carbides, tapered shaft  
Length-8 1/2 in. (21.5 cm)  
Weight-1.7 oz.  
Includes nylon sheath

## ULTRA-TEK SHARPENER

### Model 2535

600 grit, diamond coated, oval shaft  
Length-9 1/2 in. (24.5 cm)  
Weight-2.0 oz.



## BLACK HORSE/MAG-LITE® COMBO

### 1060A-2F

Model 1060A  
PLUS Mini-Mag-lite,  
Energizer AA batteries  
Total weight-7.1 oz.  
Includes nylon sheath



# Fixed Blades

"technology with an edge"

## Reliable, Quality-Built Companions for Any Outdoor Adventure

Kershaw's fixed blade knives provide performance and control under even the most extreme conditions. Our NEW Echo hunting knife, designed by Ken Onion, offers the same strong performance, plus the unique, sure-grip handle design of an 'Onion' knife.

- Most popular blade shapes available
- Premium AUS6A and AUS8A steel, polished to a satin or mirror finish
- Wide selection of sport-specific handle materials—from finger-contoured phenolic to non-slip co-polymer to hardwood and steel
- All hunters include harness-leather sheath
- **Sea Hunters feature:**
  - Blunt-tip or regular double-edge blade
  - Cord-cutting hook
  - Easy-to-spot neon and black design
  - Diver's sheath with adjustable straps and quick-release buckles
- **Amphibian features:**
  - Double-edged blade
  - Open-tang handle for reduced weight
  - Diver's sheath or leather boot sheath
- **Trooper features:**
  - Mirror-polished, stainless-steel blade, pommel, and guard
  - Ebony hardwood handle
  - Presentation case with engraving plate
  - Leather sheath with boot clip
  - Serial numbered



### **ECHO Model 1070**

Steel—AUS8A  
Blade—4 in. (10.2 cm), fixed, drop-point  
Overall—8 5/8 in. (22 cm)  
Handle—Polyamide  
Weight—4.8 oz.



### **KERSHAW CAMP AX**

**Model 1018**  
Steel—one-piece, drop forged high-carbon  
Handle—Krayton  
Weight—14.5 oz.

### **SEA HUNTER**

#### **Model 1008**

Steel—420J2  
Blade—3 3/4 in. (9.8 cm), double-edged, serrated, with cord-cutting hook  
Overall—7 3/4 in. (19.8 cm)  
Weight—3 oz.  
Includes diver's sheath

### **SEA HUNTER**

#### **Model 1008 BL-P**

Steel—420J2  
Blade—3 1/2 in. (9 cm), blunt-tip, double-edged, serrated, with cord-cutting hook  
Overall—7 5/8 in. (19.5 cm)  
Weight—3 oz.  
Includes diver's sheath





2001-2002



### ROUGHNECK II Model 2010

Steel-AUS6A  
Handle-co-polymer  
Blade-6 1/4 in. (15.8 cm), bowie-style, serrated back  
Overall-11 1/8 in. (28.3 cm)  
Weight-8.3 oz.



### ROUGHNECK Model 1010

Steel-AUS6A  
Handle-co-polymer  
Blade-6 1/4 in. (15.8 cm),  
Overall-11 1/8 in. (28.3 cm)  
Weight-6.3 oz.

A computer-controlled laser etches the Kershaw logo into a quality blade for the Whirlwind with Speed-Safe assisted opening.



### ELK SKINNER II Model 2014

Steel-AUS6A  
Handle-co-polymer  
Blade-4 1/2 in. (11.4 cm), skinning,  
Overall-9 3/8 in. (24.4 cm)  
Weight-7.5 oz.



### ELK SKINNER Model 1014

Steel-AUS6A  
Handle-co-polymer  
Blade-4 1/2 in. (11.4 cm), skinning, with gut hook  
Overall-9 1/2 in. (24.4 cm)  
Weight-5.1 oz.



### DEER HUNTER Model 1030

Steel-AUS8A  
Handle-co-polymer  
Blade-4 in. (10.2 cm), drop-point  
Overall-8 1/4 in. (21 cm)  
Weight-8.2 oz.



### FOLDING FIELD Model 1050

Steel-AUS8A  
Handle-phenolic and brass  
Blade-3 3/4 in. (9.5 cm), drop-point  
Closed-4 3/4 in. (12 cm)  
Weight-8.6 oz.



### AMPHIBIAN Model 1006L

Steel-420J2  
Handle-steel with co-polymer inset  
Blade-3 3/4 in. (9.5 cm), drop-point  
Overall-7 3/4 in. (19.7 cm)  
Weight-3.2 oz.  
Includes leather boot sheath

### AMPHIBIAN Model 1006P

(not shown)  
Available with diver's sheath



### TROOPER

#### Model 1007

Steel-AUS8A  
Handle-ebony and steel  
Blade-5 1/4 in. (13.4 cm), double-edged  
Overall-9 1/2 in. (24.5 cm)  
Weight-7.8 oz.



# Blade Traders

"technology with an edge"

## More Tools in Less Space-That's the Beauty of the Blade Trader System

Kershaw's Blade Trader technology gives you the convenience of multiple, interchangeable blades in a single handle.

- Exclusive, Quik-Lock mechanism lets you safely trade blades in seconds
- Non-slip Blade Trader handles are ergonomically designed to reduce hand fatigue
- Convenient storage system included with all Blade Traders
- **CampTool Trader features:**
  - Six tools for outdoor & indoor cooking
  - Angled spatula, fork, spoon for natural use
  - Two handles
  - Storage system with handy hook



### **CAMP TOOL TRADER** Model 1091CT

Steel-420J2; saw steel for saw  
Cook's blade-6 in. (15.2 cm)  
Fish fillet blade-6 in. (15.2 cm)  
Saw blade-6 in. (15.2)  
Spatula-3 5/8in. (9.2 cm)  
Spoon-3 5/8in. (9.2 cm)  
Fork-3 in. (7.5 cm)  
Weight-27.6 oz.  
Includes nylon storage system



## DELUXE BLADE TRADER

### Model KER1099DBT

Steel-420J2; saw steel for saw  
Cook's blade-6 in. (15.2 cm)  
Fish fillet blade-6 in. (15.2 cm)  
Saw blade-6 in. (15.2)  
Carving blade-6 in. (15.2 cm)  
Bread slicing blade-6 in. (15.2 cm)  
Paring/utility blade-4 in. (10.5 cm)  
Weight-19.3 oz.  
Includes nylon sheath

## ALASKAN BLADE TRADER Model 1098AK

Steel-AUS6A (Skinning), 420J2 (Hunting), Saw Steel  
Skinning blade with  
gut hook-4 3/8 in. (11 cm)  
Saw blade-6 in. (15.2)  
Hunting blade-3 1/2 in. (9 cm)  
Weight-11.6 oz.  
Includes harness-leather sheath



## HUNTERS BLADE TRADER

### Model 1094HBTL

Steel-420J2; saw steel for saw  
Saw blade-6 in. (15.2)  
Hunting blade-3 1/2 in. (9 cm)  
Weight-9.2 oz.  
Includes harness-leather sheath

## FISHERMAN'S BLADE TRADER

### Model 1096FBT

Steel-420J2  
Fish fillet blade-9 in. (22.9 cm),  
partially serrated  
Fish fillet blade-6 in. (15.2 cm)  
Weight-8.9 oz.  
Includes nylon sheath



## SPORTSMAN'S BLADE TRADER

### Model 1095SBT

Steel-420J2; saw steel for saw  
Saw blade-6 in. (15.2)  
Hunting blade-3 1/2 in. (9 cm)  
Fish fillet blade-6 in. (15.2 cm)  
Weight-13.1 oz.  
Includes nylon sheath

### Model 1095SBTL

Steel-420J2; saw steel for saw  
Saw blade-6 in. (15.2)  
Hunting blade-3 1/2 in. (9 cm)  
Fish fillet blade-6 in. (15.2 cm)  
Weight-13.1 oz.  
Includes harness-leather sheath



# Angler's Knives & Shears

"technology with an edge"

## Blades and Shears Matched to Your Task-Outdoor or Indoor

Always have the right tool for the job with this quality collection of blades and shears.

- **Fillet knives feature:**

- Non-slip handle
- Adjustable or fixed blades

- **Sportsman shears:**

- Feature AUS6A stainless-steel construction
- Unhinge for easy cleaning
- Have TaskMaster handles for sure grip
- Unhinge to provide skinning blade and gut hook
- Provide serrated edge for gripping, bone notch, bottle openers, nutcracker, jar opener, lifter/screwdriver

- **Trout/Bird and TaskMaster shears:**


- Feature AUS6A stainless-steel construction
- Unhinge for easy cleaning
- Have TaskMaster handles for sure grip

- **Fly-tying Scissors feature:**

- Wide finger loops for comfort and control
- High-carbon, stainless steel

- **Sewing scissors and shears feature:**

- Premium grade, tempered, stainless-steel blades
- Super-sharp, hand-honed edges
- Contours to reduce hand fatigue



### SEVEN-STEP ADJUSTABLE FILLET KNIFE

#### Model 1240

Steel-420J2  
Blade-adjusts from 5 1/2 in. (14.3 cm)  
to 9 in. (23 cm)  
Weight-3.2 oz.  
Includes ABS sheath

### FILLET KNIFE

#### Model 1259

Steel-420J2  
Blade-9 1/4 in. (23.3 cm)  
Overall-14 1/4 in. (36.6 cm)  
Weight-3.8 oz.  
Includes ABS sheath

### FILLET KNIFE

#### Model 1257

Steel-420J2  
Blade-7 in. (18 cm)  
Overall-12 in. (30.5 cm)  
Weight-3.5 oz.  
Includes ABS sheath

### BARRAMUNDI FILLET KNIFE

#### Model 1246ST

Steel-420J2  
Blade-6 in. (15.6 cm),  
fully serrated  
Overall-11 3/4 in. (29.9 cm)  
Weight-3.9 oz.  
Includes ABS sheath



2001-2002

### DRESSMAKER SHEARS WITH SHEATH

#### Model 6000-3K

Overall with sheath—  
8 in. (20.5 cm) x 9 1/4 in.  
(24.5 cm)  
Total weight—15 oz



### NEEDLECRAFT SCISSORS

#### Model 6005K

Overall—3 7/8 in. (9.8 cm)  
Weight—.3 oz.

### SEWING SCISSORS

#### Model 6015K

Overall—6 1/2 in. (16.5 cm)  
Weight—2 oz.

### DRESSMAKER SHEARS

#### Model 6020K

Overall—8 3/8 in. (21.4 cm)  
Weight—4 oz.



*Kershaw serrations  
are CNC-machined to  
a precision edge.*



### TASKMASTER SHEARS

#### Model 1120 & 1120S

Overall—8 7/8 in.  
(22.5 cm)  
Weight—5.1 oz.

Model 1120S includes  
harness-leather sheath



### TROUT/BIRD KNIFE & SHEARS

#### Model 1120CB

Steel—AUS6A  
Blade—3 1/2 in.  
(9 cm), drop-point  
Knife overall—  
7 1/2 in. (19.3 cm)  
Shears overall—8 7/8 in. (22.5 cm)  
Weight—9.1 oz.  
Includes harness-leather sheath

### SKEETER I FLY-TYING SCISSORS

#### Model 1210

Overall—4 1/4 in. (10.7 cm)  
Weight—.8 oz.



### SPORTSMAN'S SHEARS Model 1130

Steel—AUS6A  
Blade—3 3/4 in. (9.7 cm),  
modified drop-point  
Overall—8 1/4 in. (21 cm)  
Weight—7.2 oz.  
Includes harness-leather sheath



### SKEETER II FLY-TYING SCISSORS, SERRATED

#### Model 1215

Overall—4 1/4 in. (10.7 cm)  
Weight—.8 oz.



# Pocket Knives

"technology with an edge"

## Personalized or Plain, These Executive Models Make the Perfect Pocket Knives

Ruggedly dependable and classically handsome, these Kershaw pocket knives are the right choice in the office or out on the town.

### • Silver Spur features:

- Comfortable, grooved, flared design
- Lightweight, aircraft-aluminum alloy handle
- 55-56 Rockwell rating
- Drilled lanyard or keyring hole

### • Stainless steel knife features:

- Slim design
- Flat, satin-finish frame perfect for personalization

### • Money clip and keychain knives feature:

- Rosewood inlay
- Flat frame for personalization



### SILVER SPUR II Model 2825

Steel-AUS6A  
Blade-2 1/4 in. (5.7 cm),  
locking, trailing-point  
Closed-3 in. (7.6 cm)  
Weight-.9 oz.

### SILVER SPUR Model 2800

Steel-AUS6A  
Blade-1 7/8 in. (4.7 cm),  
locking, trailing-point  
Closed-2 1/2 in. (6.4 cm)  
Weight-.6 oz.



### STAINLESS STEEL POCKET KNIFE Model 5000

Steel-420J2  
Blade-1 3/4 in. (4.5 cm), locking, trailing-point  
Closed-2 1/4 in. (5.9 cm)  
Weight-1.1 oz.

### STAINLESS STEEL POCKET KNIFE

#### Model 5200S

Steel-420J2  
Blade-2 3/8 in.  
(6 cm), locking,  
clip-point  
Closed-3 in.  
(7.6 cm)  
Weight-1.7 oz.



### MONEY CLIP KNIFE/ ROSEWOOD INLAY

#### Model 6400

Steel-AUS6A  
Blade-1 5/8 in. (4.1 cm)  
Scissors-1 5/8 in. (4.1 cm)  
Nail file-1 5/8 in. (4.1 cm)  
Closed-2 in. (5.4 cm)  
Weight-1.2 oz.

### KEYCHAIN KNIFE/ ROSEWOOD INLAY

#### Model 6500

Steel-AUS6A  
Blade-1 5/8 in. (4.1 cm)  
Scissors-1 5/8 in. (4.1 cm)  
Nail file-1 5/8 in. (4.1 cm)  
Closed-2 in. (5.4 cm)  
Weight-1.6 oz.





2001-2002

# Kershaw Gear

## Cool Kershaw Wearables in a Selection of Handsome Colors

You asked for it, you've got it—Kershaw and Ken Onion shirts and caps.

- 100% cotton
- Computer embroidered
- Leather accents on caps



### KERSHAW BUTTON-FRONT SHIRT

Soft, 100% cotton shirts, generously sized in Medium, Large, and Extra-Large only with the Kershaw logo tastefully embroidered above left pocket. Choose Khaki, Dark Blue, Light Blue, Olive.



### KERSHAW KEN ONION CAP

In black cotton, embroidered with the Kershaw/Ken Onion logo in red and white. Leather adjustment strap in back so one size fits all.

### KERSHAW LOGO CAP

In olive and khaki cotton, embroidered with the Kershaw logo in dark olive. Leather adjustment strap in back so one size fits all.

# Engraving

## Three Ways to Put Your Name on Our Quality Products

Choose uncommon craftsmanship in the premiums, presentation gifts, corporate awards, and personal gifts you give. Choose Kershaw. We offer three different ways to emblazon your company's name and logo on our quality products.



### Laser Engraving

Produces rich, accurately detailed scenes, deeply cut quality hardwoods. Ideal for intricate artwork and logos. Provides a dramatic look.



### Classic Metal Engraving

Accurately reproduces logos and symbols, initials, names, and text in a variety of typefaces. Provides a subtle, classy look.



### Electro-Etching

Effectively reproduces logos or initials on stainless-steel blades or handles. Stands out more than metal engraving. Provides a bold look.



# Kitchen & Steak Knife Sets

"technology with an edge"

## The KAI Corporation—a History of Quality and Precision

KAI Corporation has been Japan's premier blade producer for more than 90 years. The company's innovative approach to product development is based on the close coordination of its research and development, production, marketing, and distribution functions. As KAI Corporation continues to expand its product lines and international trade, it will continue to earn the admiration and trust of its industry and customers.

- KAI is led by Chief Executive Officer Koji Endo.
- KAI today produces over 10,000 superior products.
- The company is especially noted for its innovative K-3 razor, the world's first triple-bladed razor.

KAI is proud to be able to bring you a selection of its fine products, including these quality cutlery sets.



### SEVEN-PIECE STEAK KNIFE SET IN WOOD BLOCK

#### Model 9922-7

Includes:  
6 Model 9922 steak knives,  
hardwood block

### KITCHEN CUTLERY IN WOOD BLOCK

#### Model 9900-7

Set Includes:  
Model 9900 paring knife, Model 9921 utility knife, Model 9940 chef's knife, Model 9970 slicing knife, Model 9990 sharpening steel, Model 1120 kitchen shears, hardwood block.



2001-2002



kai USA Ltd.

"technology with an edge"

## Bonvivant & Kershaw Kitchen Cutlery

### SEVEN-PIECE STEAK KNIFE SET IN STORAGE BLOCK

Model BV54S-6

Includes:  
6 Model BV54S steak knives, coated,  
wooden storage block

### SIX-PIECE CUTLERY SET IN STORAGE BLOCK

Model BV2956

Includes:  
Model BV18 chef's knife,  
Model BV29 slicing knife,  
Model BV38 bread knife,  
Model BV93V utility knife,  
Model BV93 paring knife,  
coated, wooden  
storage block





# Quality Cutlery

"technology with an edge"

## Highly Efficient, Strikingly Beautiful Bonvivant Kitchen Cutlery

Bonvivant provides a complete line of kitchen knives and other kitchen tools. There's a Bonvivant knife for every food preparation task. This is top-of-the-line, quality cutlery you'll be proud to own and use.

- Unique, smooth design makes it easy to keep knives sparkling clean and sanitary
- IK6 Daido high-carbon, stainless-steel blades hold an edge and sharpen easily
- 18-8 stainless-steel handle provides durability and balance
- Ergonomic handles offer comfortable, less fatiguing grip
- A style for every task—from paring knife to Chinese Chef's knife
- Full-tang construction for strength

### CHEF'S KNIFE

#### Model BV110

Blade—10 in. (25.5 cm)  
Overall—14 1/2 in. (37 cm)  
Weight—6.8 oz.



### CHINESE CHEF'S KNIFE

#### Model BV77

Blade—7 in. (18 cm)  
Overall—12 in. (30.5 cm)  
Weight—9.6 oz.



2001-2002



### SLICING KNIFE

#### Model BV29

Blade—9 in. (22.6 cm)  
Overall—13 3/4 in. (35 cm)  
Weight—5.4 oz.



### CHEF'S KNIFE

#### Model BV18

Blade —8 in. (20 cm)  
Overall—12 1/2 in. (32 cm)  
Weight—6.5 oz.



### PARING KNIFE

#### Model BV93

Blade —3 in. (7.5 cm)  
Overall—7 1/4 in. (18.4 cm)  
Weight—2 oz.



### UTILITY BLADE

#### Model BV93V

Blade —3 1/4 in. (8.4 cm)  
Overall—7 1/2 in. (19 cm)  
Weight—2.2 oz.



### BREAD SLICING KNIFE

#### Model BV38

Blade —8 in. (20.5 cm)  
Overall—12 5/8 in. (32 cm)  
Weight—4.6 oz.



### SANTOKU KNIFE

#### Model BV87

Blade —6 3/4 in. (17.2 cm)  
Overall—11 7/8 in. (29.8 cm)  
Weight—5.2 oz.



### BONING KNIFE

#### Model BV46

Blade —6 in. (15.2 cm)  
Overall—10 3/4 in. (27 cm)  
Weight—4 oz.



### STEAK KNIFE

#### Model BV54S

Blade —4 3/4 in. (12 cm)  
Overall—8 3/4 in. (22.5 cm)  
Weight—2.2 oz.



# Kitchen Cutlery

"technology with an edge"


## 'Shaving Sharp' Cutlery with Soft- Touch Handles

This quality Kershaw kitchen cutlery offers the blend of durability and sharpening ease good cooks prefer. With proper care, they're corrosion resistant and dishwasher safe, too.

- 420J high-carbon, stainless-steel blades
- Soft-touch, co-polymer handles reduce hand fatigue and provide secure grip
- Handsome black-and-white styling is clean and elegant
- Eleven different styles, plus kitchen shears and sharpening steel, are available
- Clam-shell packing is specially designed to allow customers to grasp the unique handle for themselves

### SLICING KNIFE Model 9970

Blade -9 in. (23 cm)  
Overall-14 in. (35.5 cm)  
Weight-4 oz.



### CHEF'S KNIFE Model 9945

Blade -8 in. (20 cm)  
Overall-13 in. (33 cm)  
Weight-6.4 oz.





2001-2002

**SHARPENING STEEL** Model 9990

Steel -9 in. (23 cm)  
Overall-14 in. (36 cm)  
Weight-13.2 oz.



**BREAD KNIFE** Model 9960

Blade -8 in. (20.1 cm)  
Overall-12 3/4 in. (32.5 cm)  
Weight-3.3 oz.



**PARING KNIFE**

**Model 9900**

Blade -2 7/8 in. (7.4 cm)  
Overall-7 in. (17.6 cm)  
Weight-1.4 oz.



**VEGETABLE KNIFE**

**Model 9910**

Blade -3 1/4 in. (8 cm)  
Overall-7 1/4 in. (18.5 cm)  
Weight-1.4 oz.



**PARING KNIFE**

**Model 9915**

Blade -3 3/4 in. (9.6 cm)  
Overall-7 3/4 in. (19.5 cm)  
Weight-1.4 oz.



**UTILITY KNIFE**

**Model 9921**

Blade -4 5/8 in. (11.8 cm)  
Overall-8 5/8 in. (22 cm)  
Weight-1.6 oz.



**STEAK KNIFE**

**Model 9922**

Blade -4 5/8 in. (11.8 cm)  
Overall-8 5/8 in. (22 cm)  
Weight-1.6 oz.



**BONING KNIFE**

**Model 9920**

Blade -5 1/2 in. (14.2 cm)  
Overall-10 1/2 in. (26.6 cm)  
Weight-2.8 oz.



**ORIENTAL CHEF'S KNIFE**

**Model 9950**

Blade -7 in. (18 cm)  
Overall-12 in. (30.5 cm)  
Weight-4 oz.



**CHEF'S KNIFE**

**Model 9940**

Blade -6 3/8 in. (16.3 cm)  
Overall-11 1/2 in. (29.2 cm)  
Weight-4 oz.





# Kitchen Cutlery Sets

"technology with an edge"

## CARVING KNIFE & FORK SET

### Model BVS205

Includes:  
Knife—8 in. (20.5 cm)  
Fork—6 1/4 in. (16 cm)



## CHEESE SET

### Model BVG301

Includes:  
Cheese plane overall—8 7/8 in. (22.5 cm)  
Cheese knife overall—8 1/4 in. (21 cm)

## PARING & VEGETABLE KNIFE SET

### Model BVS211

Includes:  
Paring knife blade—3 in. (7.5 cm)  
Vegetable knife blade—3 1/4 in. (8.4 cm)



## UTILITY, PARING & VEGETABLE KNIFE SET

### Model BVS322

Includes:  
Utility knife blade—4 3/4 in. (12 cm)  
Paring knife blade—3 in. (7.5 cm)  
Vegetable knife blade—3 1/4 in. (8.4 cm)

## STEAK KNIFE SET

### Model BVS321

Includes:  
3 knives—4 3/4 in. blades (12 cm) each





2001-2002



### CHEF'S SET

#### Model CB-3

Includes:  
Model 9940 chef's knife,  
Model 9900 paring knife, solid  
wood cutting board  
Note: wooden cutting boards  
should not be placed in the  
dishwasher.

Note: wooden cutting boards should not be placed in the dishwasher.



### THREE-KNIFE GIFT PACK

#### Model 9920-3

Includes:  
Model 9920 boning knife, Model  
9921 utility knife, Model 9900  
paring knife



### TASKMASTER KITCHEN SHEARS

#### Model 1120

Includes:  
Model 1120 shears (see pg. 20 for  
product details)



### SOMMELIER'S TOOL

#### Model 2170

Includes:  
Blade, cork screw, bottle cap  
opener, fine-grain leather  
sheath



### COUNTER TOP DISPLAY

#### Model 9900-12

Includes:  
12 Model 9900 paring  
knives, attractive,  
countertop display

### PARING KNIFE SET

#### Model 9900-2

Includes:  
Model 9900-2 paring knife,  
Model 9910 vegetable knife





# Point-of-Sale Displays

"technology with an edge"



## M1 DISPLAY

- Products are secured by industrial magnets and plastic clips
- Locks securely to protect your investment
- Comes assembled, you add the merchandise
- Dimensions: 7 in. deep x 13 in. wide x 16 in. high



## M-2 DISPLAY

- All the features of the M-1, but with two handsome display faces to hold a greater selection of Kershaw products
- Rotating base for easy viewing
- Includes room for storage
- Dimensions: 13 1/2 in. deep x 13 in. wide x 16 in. high



## M-4 DISPLAY

- All the features of the M-1 and M-2 with four display faces
- Cases securely mount on top of each other



## MULTI-TOOL STAND

- Stainless-steel stand lets you display the Kershaw Multi-Tool and its locking needle-nose pliers feature

## POPSS ONION KNIFE FLASHING DISPLAY



- Displays Speed-Safe 'Onion' knife with black, titanium-nitride-coated blade
- Blinker LED attracts customer attention
- Adhesive foam mounts display securely on counter
- Blades and tip are blunted for safety

## KERSHAW BANNER

- 18 X 48 inch white vinyl banner with red and black Kershaw logo; corner grommets for easy mounting



## MULTI-TOOL 12-PACK DISPLAY

- Countertop display features full-color photo of the unique Kershaw Multi-Tool
- Comes stocked with 12 Model A100C Multi-Tools in Open-View packaging



## POPSS2 ONION KNIFE FLASHING DISPLAY

- All the features of the POPSS, but with a silver blade

## D-SHELF

- D-Shelf adds new selling space directly under the top of a glass showcase
- Clear, acrylic shelf is equipped with four sturdy suction cups
- Won't obscure view of products displayed on the lower shelves



### LIMITED LIFETIME WARRANTY

Kershaw products are guaranteed for the lifetime of the original owner to be free of defects when received from the factory. Any product we find to be defective in its original material, construction, or workmanship will be repaired or replaced with the same item or one of equal value at no charge. (Of course, normal wear, abuse such as prying with the knife, or neglect are excluded from this non-transferable warranty.) For warranty service, please return product via UPS or insured mail. Include your name, address, telephone number, proof of purchase (sales slip), and a short explanation of the warranty service requested to the address below.

### LIABILITY DISCLAIMER

Kershaw Knives are intended and sold for legitimate sporting purposes only. The purchase, use, and ownership of knives are subject to a wide variety of local laws and regulations. Even airports have their own set of rules about what may or may not be permitted on planes or property. Due to the complexity and constantly changing nature of these laws and regulations, it is impossible for Kershaw Knives to be aware of every restriction in every location in which our knives are sold or carried. It is the responsibility of the buyer to investigate and comply with the laws and regulations that apply in his or her specific area. You, and not Kershaw Knives, are solely responsible for any claims resulting from violation of these laws and/or regulations.

**kershaw**  
K N I V E S

**kai** USA Ltd.

25300 SW Parkway Avenue • Wilsonville, Oregon 97070 • (503) 682-1966 • 1-800-325-2891  
FAX: (503) 682-7168 • Or visit our website at [kershawknives.com](http://kershawknives.com)

Printed in USA GAC 11/00 150M

We reserve the right to change specifications or materials at any time without notice

Kershaw products are made in the USA, Japan, Taiwan, and China as indicated on the blade of the product.