


Only  
the Highest  
of Quality  
and  
Craftsmanship!

# Kershaw®

K N I V E S



TECHNOLOGY WITH AN EDGE



# Index:

Designer Bio.....	02
The SpeedSafe Story.....	03
Junkyard Dogs.....	04-05
Groove-Lahar-NRGs.....	06-07
Bumps-OffSet-Needs Work.....	08-09
Cyclones.....	10-11
Boas-Blackouts-Avalanches.....	12
Whirlwinds.....	13
Centofante Onions.....	13
Baby Boa-Mini Mojito.....	13
Blurs.....	14-15
Chives.....	16-17
Scallions.....	18-19
Leeks.....	20-21
Storms-Vapors.....	22-23
Rescue Blurs-Responders.....	24
Ripcord-Trooper-Military.....	25
Gentlemen's Pocket Knives.....	26-27
Small Knives-Money Clips-Key Chains.....	28-29
Two Cans.....	29
Work Knives.....	30-31
Extreme Sports.....	32
E.T.s-Carabiner Tools.....	33
Fishing Knives.....	34-35
Hunting Knives.....	36-37
Camo Knives.....	38
NWTF.....	39
Outdoor-Camping.....	40-41
Blade Traders.....	42-43
Hats-Shirts-Sheaths-Misc.....	44-45
P.O.P. Displays.....	46
Limited Lifetime Warranty-Steel Chart.....	47

# Designer Bio:

**Ken Onion...**A Master of his trade, Ken Onion, is one of the most-sought-after custom knife-makers in the industry. His custom knives can be found in the most prestigious private knife collections as well as in the pockets of his world-wide following.

When Ken was 5 years old he received his first knife. It was a cheap brand that his dad brought home from work and, after grinding off the point to make it as dull as possible, he gave it to Ken. Of course, this wasn't going to work and after countless hours of hard work on the sidewalk Ken managed to restore the point and cutting edge, only to have his dad confiscate it, scold him, and make it dull again.

Ken's early years were spent in Wellington, Ohio and Rochester, New York. When he was 12 his family moved to Palestine, West Virginia to a 213-acre farm where a teenaged Ken Onion was inspired by Vernon Ott, blacksmith and maker of garden tools and knives. In 1981, Ken graduated from high school, joined the United States Marine Corps and became a F4 Phantom mechanic for VMFA 212 out of Kaneohe Marine Corps Air Station. This move marked the beginning of Ken's quest to design the perfect knife. While stationed in Hawaii, Ken worked part time for Advance Aviation, restoring vintage aircraft. Since leaving the Corps in 1985 Ken has worked in various fields including construction, heavy equipment repair, and hydraulics repair.

In 1987 Ken moved to Anderson, South Carolina where he worked with robotics and automation for the Robert Bosch Corporation. After two years, Ken was hired by BHP Petroleum, in Hawaii and worked as a machinist and inspector. While shopping with his wife, Ken saw his first knife magazine, and after reading it from cover to cover, realized he wasn't the only enthusiast with a passion for knives. He subscribed to every knife magazine and annual available and became consumed by the knife craft. In November 1991, Ken met Stan Fujisaka, a very talented knife-maker who agreed to teach Ken the art of knife making.

After years of preparation—and some inspiration while working on a Harley cam for a friend—Ken created his first SpeedSafe knife. Today, Ken designs a custom selection of knives for Kershaw, many featuring the patented SpeedSafe torsion bar system for assisted opening. His personal involvement throughout the design and manufacturing process ensures each knife meets his high standards for performance and quality.



# The SpeedSafe® Story...

## What is SpeedSafe?

SpeedSafe® is the patented, assisted-opening system built into many of Kershaw's best-selling Ken Onion knives. SpeedSafe assists the user to smoothly open the knife with a manual push on the blade's thumb-stud or Index-Open system. (Index-Open uses a protruding portion of the blade's finger guard to give the user an alternative to the thumb-stud. The user manually pulls back on the protrusion with the index-finger to open the blade.)

## How does SpeedSafe work?

The heart of the SpeedSafe system is its torsion bar. Closed, the torsion bar helps keep the knife closed, preventing it from being opened by "gravity." In order to open the knife, the user must apply manual pressure to the thumb-stud to overcome the resistance of the torsion bar. After the blade is out of the handle, the torsion bar moves along its half-moon track and takes over. The blade opens smoothly and locks into position, ready for use.

## Is a SpeedSafe knife a switchblade? NO!

There are many unique features of SpeedSafe knives that make them quite different than knives that are considered switchblades. Unlike a switchblade, SpeedSafe blades DO NOT deploy with the push of a button in the handle or by gravity alone. Instead, the user must manually overcome the torsion bar's resistance—using the thumb-stud or Index-Open protrusion on the blade itself—in order to engage the SpeedSafe system. Because the user must manually overcome the torsion bar's resistance, SpeedSafe knives fall fully outside the Federal definition of a switchblade. However, due to the complexity and constantly changing nature

of these laws and regulations, it is impossible for Kershaw Knives to be aware of every restriction in every location in which our knives are sold or carried. It is the responsibility of the buyer to investigate and comply with the laws and regulations that apply in his or her specific area. At Kershaw, we are proud to be able to offer this convenient, secure technology.

## Who are our SpeedSafe customers?

SpeedSafe was specifically designed for sporting and work situations where one-handed opening is preferable and safer. Its safe, efficient opening has made it a popular choice for hunters, fishermen, and those who require the one-hand opening function on the job-site.

## How Safe is SpeedSafe?

Very. SpeedSafe technology is designed to be safe and secure. The blade opens ONLY when the user manually deploys it using either the thumb-stud or Index-Open protrusion. Once deployed, a locking system secures the blade in position so that it cannot close accidentally. When releasing the lock, the blade does not snap shut due to resentence provided by the torsion bar. This bar also provides a bias towards the closed position (which holds the blade securely closed). New SpeedSafe users can ensure safe use of the technology by practicing to proficiency.

TECHNOLOGY WITH AN EDGE

**AKTI** SM  
**AMERICAN**  
**KNIFE & TOOL**  
**INSTITUTE**  
EDUCATE • PROMOTE • INFORM  
**MEMBER**

Kershaw SpeedSafe knives are covered by one or more pending and issued U.S. patents, including: 5,802,722; 5,815,927; 6,145,202; 6,338,431; 6,378,214; 6,397,476; 6,427,334; 6,591,504; D438,085; D450,228; D454,043; D454,768; D455,062; D474,669; & D488,045.



# JYD JUNKYARD DOGS

Kershaw Flipper knives are covered by one or more pending or issued U.S. patents.

NEW07

JUNKYARD DOG

Model 1720ST

Steel.....Sandvik 13C26 stainless-steel  
Handle...410 stainless-steel  
with CNC machined rivets  
and Airforce markings  
Lock.....Frame  
Blade.....3 in. (7.5 cm)  
partially serrated  
Closed...4 in. (10.3 cm)  
Weight...4.0 oz.

NEW07

JUNKYARD DOG

Model 1720

Steel.....Sandvik 13C26 stainless-steel  
Handle...410 stainless-steel  
with CNC machined rivets  
and Airforce markings  
Lock.....Frame  
Blade.....3 in. (7.5 cm)  
Closed...4 in. (10.3 cm)  
Weight...4.0 oz.



Not all  
Junkyard Dogs are  
Ugly... Take a Look at these Beauties

The new made-in-the-USA Junkyard Dogs feature stainless-steel construction for heavy-duty performance. The blade is Sandvik 13C26, a stainless-steel that provides high hardness and excellent corrosion resistance.

The handle of the JYD's are 410 stainless-steel for impact strength and corrosion resistance and feature CNC machined rivets and Airforce markings. The JYD2's have lighter weight G-10 scales (with CNC machined rivets) attached to a sturdy steel frame. A new one-handed, index-finger opening system first builds up pressure and then propels the blade out of the handle for



# JYD<sub>2</sub>



## NEW<sup>07</sup>

### JUNKYARD DOG II

#### Model 1725

Steel.....Sandvik 13C26 stainless-steel  
Handle...Textured G-10 with CNC machined rivets  
Lock.....Locking liner  
Liner.....410 stainless-steel  
Blade.....3 3/4 in. (9.8 cm)  
Closed...4 7/8 in. (12.5 cm)  
Weight...5.2 oz.

## NEW<sup>07</sup>

### JUNKYARD DOG II

#### Model 1725ST

Steel.....Sandvik 13C26 stainless-steel  
Handle...Textured G-10  
with CNC machined rivets  
Lock.....Locking liner  
Liner.....410 stainless-steel  
Blade.....3 3/4 in. (9.8 cm)  
partially serrated  
Closed...4 7/8 in. (12.5 cm)  
Weight...5.2 oz.



NEW  
PRODUCTS

easy deployment by either left or right-handed knife users. A frame lock secures the blade in place, while a removable pocket clip keeps the JYD's close at hand.

MADE  
Designed by  
Tim Galyean  
IN  
USA



# Super Style and a New "FLIPPER" Opening

RJ Martin's Groove features a unique 3-D machined blade with a 'groovy' striated pattern. For durability, hardness, excellent corrosion and wear resistance, the machined blade

## NEW07

### GROOVE

#### Model 1730

Steel.....Sandvik 13C26 stainless-steel  
with 3-D machined grooves  
Handle...410 stainless-steel  
with Textured G-10 overlays  
Lock.....Frame lock  
Blade.....3 1/2 in. (8.9 cm)  
Closed...4 1/2 in. (11.5 cm)  
Weight...5.2 oz.

Designed by  
**RJ Martin**

## NEW07

### LAHAR

#### Model 1750

Steel.....VG-10 stainless-steel  
Handle...Textured G-10  
Lock.....Locking Liner  
Liner.....410 stainless-steel  
Blade.....3 1/2 in. (8.9 cm)  
Closed...4 7/8 in. (12.3 cm)  
Weight...5.5 oz.

Designed by  
**Tim Galyean**

is made of Sandvik 13C26. The Groove also features a dramatic curving handle pattern that is a signature Martin design. Built of 410 stainless-steel with G-10 overlays, the handle provides an extra-secure grip. The Groove's new one-handed, index-finger opening system first builds up pressure and then pops the blade up out of the handle for easy deployment by either left and right-handed knife users. The secure frame lock makes the Groove safe and easy to use. There's also a removable pocket clip that can be reversed for tip up or tip down carry.

### The Lahar (named after a volcanic flow)

features an ambidextrous one-handed index-finger opening system. All that's needed is a slight roll of the wrist to assist the blade during the opening motion. The blade is VG10 (super cutting performance) stainless-steel which is also found in KAI's elite Shun kitchen cutlery. Textured G-10 scales offer a superior grip in wet conditions and the pocket clip is both removable and reversible.



# Feature

Kershaw Flipper knives are covered by one or more pending or issued U.S. patents.

## NEW07

NRG (energy)

### Model 1740

Steel.....Sandvik 13C26 stainless-steel

Handle...Textured, G-10 with

Trac-Tec inserts

Lock.....Locking liner

Liner.....410 stainless-steel

Blade.....2 13/16 in. (7.2 cm)

Closed...3 3/4 in. (9.5 cm)

Weight...2.2 oz.



## NEW07

NRG (energy)

### Model 1745

Steel.....Sandvik 13C26 stainless-steel

Handle...Textured, G-10 with

Trac-Tec inserts

Lock.....Locking liner

Liner.....410 stainless-steel

Blade.....3 1/2 in. (8.9 cm)

Closed...4 3/4 in. (12.0 cm)

Weight...4.9 oz.

Kershaw introduces a new breed of easy open knives designed by Lee Williams. Lee calls his new opener a "Flipper" and it incorporates his patent pending Pseunetic™ opening feature. The blade is held securely in the closed position until deployed by pulling on the extended tang at the front of the spine. This allows the blade to open quickly and easily.

*Reversible  
Removable  
Pocket Clip*  
The NRG's handles are drilled for a tip-up or tip-down clip carry, or the clip can be removed completely.

NEW  
PRODUCTS

MADE  
Designed by IN  
Lee Williams USA

07



# SCAFFOLD

## “Re-curve” Blade Provides Maximum Performance with Minimal Mass

### SPEED•BUMP

#### Model 1595

Steel.....Sandvik 13C26 stainless-steel  
Handle...Double injection-molded  
Akulon® with Santoprene®  
over-mold  
Lock.....Stud-lock  
Liner.....410 stainless-steel  
Blade.....3 5/8 in. (9.2 cm)  
Closed...4 15/16 in. (12.5 cm)  
Weight...5.0 oz.

### SPEC•BUMP

#### Model 1596

Steel.....S30V stainless-steel  
with Tungsten DLC coating  
Handle...Black G-10, 3-D machined  
Lock.....Stud-lock  
Liner.....410 stainless-steel  
Blade.....3 5/8 in. (9.2 cm)  
Closed...4 15/16 in. (12.5 cm)  
Weight...5.2 oz.

Kershaw SpeedSafe, Stud-Lock knives are covered by one or more pending and issued U.S. patents, including: 5,802,722; 5,815,927; 6,345,202; 6,338,431; 6,378,214; 6,397,476; 6,427,334; 6,591,504; D438,085; D450,228; D454,043; D454,768; D455,062; D467,783; D474,669; D479,114; & D488,045.

**T**he Spec Bump and Speed Bump feature an innovative re-curve blade that provides minimal mass, maximum performance, and multi-tasking efficiency. The Bump re-curve offers ideal leverage in tough cutting situations and a precisely centered point to handle piercing tasks. Kershaw's famous SpeedSafe assisted-opening system ensures easy opening and smooth operation. Our patented Stud Lock keeps the blade secure while in the open position. Choose the Speed Bump for a lighter weight knife with a tough, but lightweight Akulon®

handle with secure-grip Santoprene® over-mold. For a non reflective knife, choose the Spec Bump with Tungsten DLC coated blade and 3-D machined, black G-10 handle. High function with high style, that's the Kershaw "Bump" series.

### Complex Blade Geometry and New "Double Pumper" Opening Technology

The Offset's rugged and complex blade geometry is provided through state-of-the-art Metal Injection Molding (MIM) and hot isostatic pressing. The result is a precision blade with two bevel geometries, hollow and flat, for incredible cutting power. This process produces a premium 440C-PM



# Offset

# NEEDS work

Offset model 1597  
Blade Magazine's Overall Knife of the Year  
2005




## NEW07

### G-10 OFFSET

#### Model 1597G10

Steel.....Metal injection-molded (MIM)  
440C stainless-steel with  
Chromium Nitride coating  
Handle...Black G-10, 3-D machined  
Lock.....Stud-lock  
Liner.....410 stainless-steel  
Blade.....3 3/4 in. (9.5 cm)  
Closed...5 1/4 in. (13.3 cm)  
Weight...8.5 oz.



## NEW07

### NEEDS WORK

#### Model 1820

Steel.....Sandvik 13C26  
stainless-steel  
Handle...Polyimide  
Lock.....Locking liner  
Liner.....410 stainless-steel  
Blade.....3 in. (7.5 cm)  
Closed...4 1/8 in. (10.5 cm)  
Weight...3.5 oz.



# MADE IN USA

Designed by  
Ken Onion

stainless-steel blade with complex, true 3-D geometry. The Offset also features the latest SpeedSafe configuration. It's our "Double Pumper" design and it features two torsion bars to ensure easy assisted-opening for folding knives with larger blades—such as the Offset. The Offset comes with a 3D machined G-10 handle.

### Put It Through Its Paces

The Needs Work is a lightweight utility-style knife that is perfect for everyday carry. The blade is Sandvik 13C26 for excellent corrosion and wear resistance.

The handle is polyimide, an engineering polymer that exhibits an exceptional combination of thermal stability and mechanical toughness. The NW features the patented Ken Onion SpeedSafe® assisted-opening system for smooth, easy opening. A locking liner ensures the blade stays securely in place until the user closes it. For convenient carrying, a removable pocket clip is also included.



# To SpeedSafe or Not to SpeedSafe... That is the Question

## CYCLONE

### Model 1635

Steel.....Sandvik 13C26 stainless-steel  
Handle...6061-T6 anodized aluminum  
Lock.....Locking liner  
Liner.....410 stainless-steel  
Blade.....3 3/16 in. (8.1 cm)  
Closed...4 1/4 in. (10.8 cm)  
Weight...5.3 oz.



## CYCLONE

### Model 1635ST


Steel.....Sandvik 13C26 stainless-steel  
Handle...6061-T6 anodized aluminum  
Lock.....Locking liner  
Liner.....410 stainless-steel  
Blade.....3 3/16 in. (8.1 cm)  
partially serrated  
Closed...4 1/4 in. (10.8 cm)  
Weight...5.3 oz.



## CYCLONE

### Model 1630

Steel.....Sandvik 13C26 stainless-steel  
Handle...6061-T6 anodized aluminum  
Lock.....Locking liner  
Liner.....410 stainless-steel  
Blade.....3 3/4 in. (9.5 cm)  
Closed...5 in. (12.7 cm)  
Weight...6.3 oz.



**K**ershaw's Cyclones feature an innovative "On/Off Option" that lets you decide when to use the SpeedSafe assisted-opening system or when to use the manual operation. Simply flip the roll-switch on the knife's spine to choose manual opening or to engage the Cyclone's ambidextrous SpeedSafe system.

The high-performance blade is Sandvik 13C26 stainless-steel for durability and edge

retention. Handsome, anodized aluminum handles provide lightweight strength and make the new Cyclones ideal for pocket carrying—in regular or "mini" size. The Cyclone series offers blade-style choices, too. Choose straight, partially serrated, or non-reflective Tungsten DLC-coated blades. Each one is suited to your task and designed with a look that will blow you away. New for 2007 is our Cyclone with a Tanto blade for cutting power and black, Tungsten DLC coating for durability.



The Cyclone series offers a unique new feature, the SpeedSafe On/Off roll lock. In the on position the knife functions like all our SpeedSafe knives. In the off position, the torsion bar is disengaged and the knife will only open manually.



# TANTO



## NEW07

### TANTO CYCLONE

#### Model 1630TBLKST

Steel.....Sandvik 13C26 stainless-steel  
with Tungsten DLC coating  
Handle...6061-T6 anodized aluminum  
Lock.....Locking liner  
Liner.....410 stainless-steel  
Blade.....3 3/4 in. (9.5 cm)  
partially serrated  
Closed...5 in. (12.7 cm)  
Weight...6.3 oz.

### CYCLONE

#### Model 1630ST

Steel.....Sandvik 13C26 stainless-steel  
Handle...6061-T6 anodized aluminum  
Lock.....Locking liner  
Liner.....410 stainless-steel  
Blade.....3 3/4 in. (9.5 cm)  
partially serrated  
Closed...5 in. (12.7 cm)  
Weight...6.3 oz.

### BLACK CYCLONE

#### Model 1630BLKST

Steel.....Sandvik 13C26 stainless-steel  
with Tungsten DLC coating  
Handle...6061-T6 anodized aluminum  
Lock.....Locking liner  
Liner.....410 stainless-steel  
Blade.....3 3/4 in. (9.5 cm)  
partially serrated  
Closed...5 in. (12.7 cm)  
Weight...6.3 oz.

Kershaw SpeedSafe knives are covered by one or more pending and issued U.S. patents, including: 5,802,722; 5,815,927; 6,145,202; 6,338,431; 6,378,214; 6,397,476; 6,427,334; 6,591,504; 6,438,085; 6,450,228; 6,454,043; 6,454,768; 6,455,062; 6,467,783; 6,474,669; 6,479,114; & 6,488,045.

# ON/OFF

# NEW PRODUCT

**Reversible  
Removable  
Pocket Clip**  
The Cyclone handles  
are drilled for a  
tip-up or tip-down  
clip carry, or the  
clip can be removed  
completely.



**MADE  
IN  
USA**  
Designed by  
Ken Onion



2000  
Boa model 1580 IWA International Knife Award

# BLACKOUT AVALANCHE BOA

Reliable Performance...Day or Night



## BLACKOUT

### Model 1550

Steel.....Sandvik 13C26  
stainless-steel  
with Tungsten DLC  
coating  
Handle...Polyimide  
Lock.....Locking liner  
Liner.....410 stainless-steel  
Blade.....3 1/4 in. (8.4 cm)  
Closed...4 1/2 in. (11.3 cm)  
Weight...3.5 oz.

## BLACKOUT

### Model 1550ST

Steel.....Sandvik 13C26  
stainless-steel  
with Tungsten DLC  
coating  
Handle...Polyimide  
Lock.....Locking liner  
Liner.....410 stainless-steel  
Blade.....3 1/4 in. (8.4 cm)  
partially serrated  
Closed...4 1/2 in. (11.3 cm)  
Weight...3.5 oz.

## AVALANCHE

### Model 1570

Steel.....S30V stainless-steel  
with Tungsten DLC  
coating  
Handle...Textured G-10  
Lock.....Locking liner  
Liner.....410 stainless-steel  
Blade.....3 1/4 in. (8.4 cm)  
Closed...4 1/2 in. (11.3 cm)  
Weight...3.5 oz.

## AVALANCHE

### Model 1570ST

Steel.....S30V stainless-steel  
with Tungsten DLC  
coating  
Handle...Textured G-10  
Lock.....Locking liner  
Liner.....410 stainless-steel  
Blade.....3 1/4 in. (8.4 cm)  
partially serrated  
Closed...4 1/2 in. (11.3 cm)  
Weight...3.5 oz.

## BOA

### Model 1580

Steel.....S30V stainless-steel  
with Tungsten DLC  
coating  
Handle...6061-T6 anodized  
aluminum  
Lock.....Locking liner  
Liner.....410 stainless-steel  
Blade.....3 3/8 in. (8.6 cm)  
Closed...4 3/4 in. (12.0 cm)  
Weight...4.9 oz.

## BOA

### Model 1580ST

Steel.....S30V stainless-steel  
with Tungsten DLC coating  
Handle...6061-T6 anodized aluminum  
Lock.....Locking liner  
Liner.....410 stainless-steel  
Blade.....3 3/8 in. (8.6 cm)  
partially serrated  
Closed...4 3/4 in. (12.0 cm)  
Weight...4.9 oz.

They're some of the first of Kershaw's Ken Onion SpeedSafe knives and still among the best. All feature premium stainless-steel blades for strength and corrosion resistance. The blades are also coated with scratch-resistant Tungsten DLC for a handsome, non-reflective surface. All knives include a contoured handle and are extremely durable

with a comfortable and stable grip. Stainless-steel liners add to the overall handle strength.

**The Mini Mojito** packs a lot of style and function in a smaller knife. It features a Bump-style re-curve blade of Sandvik 13C26 stainless-steel for top cutting performance and corrosion resistance.



#### WHIRLWIND

##### Model 1560

Steel.....Sandvik 13C26  
stainless-steel  
Handle...Polyimide  
Lock.....Locking liner  
Liner.....410 stainless-steel  
Blade.....3 1/4 in. (8.4 cm)  
Closed...4 1/2 in. (11.3 cm)  
Weight...3.5 oz.

#### WHIRLWIND

##### Model 1560ST

Steel.....Sandvik 13C26  
stainless-steel  
Handle...Polyimide  
Lock.....Locking liner  
Liner.....410 stainless-steel  
Blade.....3 1/4 in. (8.4 cm)  
partially serrated  
Closed...4 1/2 in. (11.3 cm)  
Weight...3.5 oz.

#### MINI MOJITO

##### Model 1800

Steel.....Sandvik 13C26  
stainless-steel  
Handle...410 stainless-steel  
with G-10 insert  
Lock.....Stud-lock  
Liner.....410 stainless-steel  
Blade.....2 3/8 in. (6.1 cm)  
Closed...3 1/2 in. (8.9 cm)  
Weight...3.1 oz.

1999  
Blackout model 1550  
Blade Magazine's Best Buy of the Year



#### CENTOFANTE- ONION

##### Model 1615

Steel.....Sandvik 13C26  
stainless-steel  
Handle...410 polished  
stainless-steel  
with Tungsten  
DLC coating and  
Pearl inlays  
Lock.....Locking liner  
Liner.....410 stainless-steel  
Blade.....2 1/4 in. (5.7 cm)  
Closed...3 1/8 in. (7.9 cm)  
Weight...2.4 oz.

#### CENTOFANTE- ONION

##### Model 1610

Steel.....Sandvik 13C26  
stainless-steel  
Handle...6061-T6 anodized  
aluminum  
Lock.....Locking liner  
Liner.....410 stainless-steel  
Blade.....2 1/4 in. (5.7 cm)  
Closed...3 1/8 in. (7.9 cm)  
Weight...2.4 oz.

#### BABY BOA

##### Model 1585BR

Steel.....Sandvik 13C26  
with high polish finish  
Handle...6061-T6 smoked  
anodized aluminum  
Lock.....Locking liner  
Liner.....410 stainless-steel  
Blade.....2 in. (5.1 cm)  
Closed...4 3/4 in. (7.0 cm)  
Weight...1.7 oz.

**Designed by Frank Centofante and Ken Onion,** both knives feature the patented SpeedSafe assisted-opening system for smooth, easy opening. Model 1615 has polished 410 stainless-steel handles with scratch-resistant black Tungsten DLC coating for strength and beauty. Genuine pearl handle inlays complete this all-star design. Model 1610 offers lightweight aluminum scales designed for comfortable use and anodized in a rich, red-burgundy color.

**Want a smaller Boa?** Choose the Baby Boa with its high-polish, high-carbon Sandvik 13C26 stainless-steel blade and lightweight anodized aluminum handle.

TECHNOLOGY WITH AN EDGE

MADE  
Designed by  
Ken Onion  
IN  
USA



Stone Washed, Silver G-10, Black or Red  
with Trac-Tec  
Inserts... You Choose

Stone  
Washed

NEW07

S30V BLUR

Model 1670S30V

Steel.....S30V stainless-steel  
with stone washed finish  
Handle...6061-T6 anodized aluminum with  
Trac-Tec inserts  
Lock.....Locking liner  
Liner.....410 stainless-steel  
Blade.....3 3/8 in. (8.6 cm)  
Closed...4 1/2 in. (11.5 cm)  
Weight...4.0 oz.



SILVER BLUR

Model 1670SG10

Steel.....Sandvik 13C26  
stainless-steel with  
Tungsten DLC coating  
Handle...6061-T6 anodized aluminum  
with silver twill G-10 inserts  
Lock.....Locking liner  
Liner.....410 stainless-steel  
Blade.....3 3/8 in. (8.6 cm)  
Closed...4 1/2 in. (11.5 cm)  
Weight...4.2 oz.

TANTO BLUR

Model 1670TBLKST

Steel.....Sandvik 13C26  
stainless-steel with  
Tungsten DLC coating  
Handle...6061-T6 anodized aluminum  
with Trac-Tec inserts  
Lock.....Locking liner  
Liner.....410 stainless-steel  
Blade.....3 3/8 in. (8.6 cm)  
partially serrated Tanto  
Closed...4 1/2 in. (11.5 cm)  
Weight...4.2 oz.

For top performance and attention-getting style, it's the Kershaw Ken Onion Blur series. Blurs feature premium Sandvik 13C26 stainless-steel blades for strength and corrosion resistance. Choose standard or partially serrated blades. Blurs are Speed-Safe equipped for smooth, one-handed assisted-opening. The anodized aluminum handles are durable and lightweight. For extra traction and a secure grip, the handles are outfitted with Trac-Tec inserts. The rough Trac-Tec material provides a non-slip grip even in wet and slippery conditions.

Ideal for extreme or everyday situations, the Blur series offers power and performance. New for 2007, we've added a Stone Washed Blur with its terrific handle look and S30V stainless-steel blade for toughness and ease of sharpening.



Kershaw SpeedSafe knives are covered by one or more pending and issued U.S. patents, including: 5,802,722; 5,815,927; 6,145,202; 6,338,431; 6,378,214; 6,397,476; 6,427,334; 6,591,504; 6,438,085; 6,450,228; 6,454,043; 6,454,768; 6,455,062; 6,467,783; 6,474,669; 6,479,114; & 6,488,045.



#### BLACK BLUR

##### Model 1670BLK

Steel.....Sandvik 13C26  
stainless-steel with  
Tungsten DLC coating  
Handle.....6061-T6 anodized aluminum  
with Trac-Tec inserts  
Lock.....Locking liner  
Liner.....410 stainless-steel  
Blade.....3 3/8 in. (8.6 cm)  
Closed...4 1/2 in. (11.5 cm)  
Weight...4.2 oz.



#### BLACK BLUR

##### Model 1670BLKST

Steel.....Sandvik 13C26  
stainless-steel with  
Tungsten DLC coating  
Handle.....6061-T6 anodized aluminum  
with Trac-Tec inserts  
Lock.....Locking liner  
Liner.....410 stainless-steel  
Blade.....3 3/8 in. (8.6 cm)  
partially serrated  
Closed...4 1/2 in. (11.5 cm)  
Weight...4.2 oz.



#### BLUR

##### Model 1670RD

Steel.....Sandvik 13C26  
stainless-steel  
Handle...6061-T6 anodized aluminum  
with Trac-Tec inserts  
Lock.....Locking liner  
Liner.....410 stainless-steel  
Blade.....3 3/8 in. (8.6 cm)  
Closed...4 1/2 in. (11.5 cm)  
Weight...4.2 oz.



#### BLUR

##### Model 1670RDST

Steel.....Sandvik 13C26 stainless-steel  
Handle...6061-T6 anodized aluminum  
with Trac-Tec inserts  
Lock.....Locking liner  
Liner.....410 stainless-steel  
Blade.....3 3/8 in. (8.6 cm)  
partially serrated  
Closed...4 1/2 in. (11.5 cm)  
Weight...4.2 oz.

#### Reversible Removable Pocket Clip

The Blur handles  
are drilled for a  
tip-up or tip-down  
clip carry, or the  
clip can be removed  
completely.



TECHNOLOGY WITH AN EDGE

MADE  
Designed by Ken Onion IN  
USA



# Small but Powerful...In a Rainbow of Colors

Blade Magazine's American Made  
2007 Knife of the Year



## RAINBOW CHIVE

### Model 1600VIB

Steel.....420HC stainless-steel  
with Titanium-Oxide coating  
Handle...410 stainless-steel  
with Titanium-Oxide coating  
Lock.....Frame lock  
Blade.....1 15/16 in. (4.9 cm)  
Closed...2 7/8 in. (7.3 cm)  
Weight...1.9 oz.  
Includes gift tin

## BLACK CHIVE

### Model 1600BLK

Steel.....420HC stainless-steel  
with Tungsten DLC coating  
Handle...410 stainless-steel  
with Tungsten DLC coating  
Lock.....Frame lock  
Blade.....1 15/16 in. (4.9 cm)  
Closed...2 7/8 in. (7.3 cm)  
Weight...1.9 oz.  
Includes gift tin

## POLISHED CHIVE

### Model 1600SS

Steel.....420HC stainless-steel  
with highly polished finish  
Handle...410 stainless-steel  
with highly polished finish  
Lock.....Frame lock  
Blade.....1 15/16 in. (4.9 cm)  
Closed...2 7/8 in. (7.3 cm)  
Weight...1.9 oz.  
Includes gift tin

## NEW07

## PINK CHIVE

### Model 1600PINK

Steel.....420HC stainless-steel  
Handle...6061-T6 anodized aluminum  
Lock.....Locking liner  
Liner.....410 stainless-steel  
Blade.....1 15/16 in. (4.9 cm)  
Closed...2 7/8 in. (7.3 cm)  
Weight...1.9 oz.


The Chive® series features Kershaw's SpeedSafe ambidextrous assisted-opening system for smooth, easy opening by both right and left-handed users. Closed, the Chive is less than three inches long—perfect for pocket carry. The blade is made of high carbon 420HC stainless-steel for good edge retention, easy resharpening, and excellent toughness. Some also feature high-tech coatings for enhanced performance and aesthetic appeal. The Chive series also offers a variety of handle materials and finishes,

Tungsten DLC, Titanium Oxide rainbow and our “smoked” anodized aluminum finish in two handsome colors. Our newest handle is anodized aluminum in fashionable pink. All Chives also feature the Safety Tip Lock to ensure the blade stays securely inside the handle until the user releases it, and a removable pocket clip for easy carrying. The Chive may be the smallest member of the “Onion” family, but it's got all the advanced features knife users demand.



*The Tip Safety Lock is available on many of the Ken Onion SpeedSafe models and provides added security to assure that the blade will not deploy while clipped into your pocket.*

Kershaw SpeedSafe knives are covered by one or more pending and issued U.S. patents, including: 5,802,722; 5,815,927; 6,145,202; 6,338,431; 6,378,214; 6,397,476; 6,427,334; 6,591,504; D438,085; D450,228; D454,043; D454,768; D455,062; D467,783; D474,669; D479,114; & D488,045.



**Removable Pocket Clip**  
The Chive handles are drilled for a tip-down clip carry, or the clip can be removed completely.

#### CHIVE

##### Model 1600BR

(Black & Red)  
Steel.....420HC stainless-steel  
Handle...6061-T6 smoked anodized aluminum  
Lock.....Locking liner  
Liner.....410 stainless-steel  
Blade.....1 15/16 in. (4.9 cm)  
Closed...2 7/8 in. (7.3 cm)  
Weight...1.9 oz.

#### CHIVE

##### Model 1600BB

(Black & Blue)  
Steel.....420HC stainless-steel  
Handle...6061-T6 smoked anodized aluminum  
Lock.....Locking liner  
Liner.....410 stainless-steel  
Blade.....1 15/16 in. (4.9 cm)  
Closed...2 7/8 in. (7.3 cm)  
Weight...1.9 oz.

#### CHIVE

##### Model 1600TR (Rainbow Trout)

Steel.....420HC stainless-steel  
Handle...6061-T6 anodized aluminum with Rainbow Trout art  
Lock.....Locking liner  
Liner.....410 stainless-steel  
Blade.....1 15/16 in. (4.9 cm)  
Closed...2 7/8 in. (7.3 cm)  
Weight...1.9 oz.

#### CHIVE

##### Model 1600

Steel.....420HC stainless-steel  
Handle...410 stainless-steel  
Blade.....1 15/16 in. (4.9 cm)  
Lock.....Frame lock  
Closed...2 7/8 in. (7.3 cm)  
Weight...1.9 oz.



TECHNOLOGY WITH AN EDGE

**MADE**  
Designed by **IN**  
Ken Onion **USA**



# Scallion's®, Big Brother to the Chive's... Also Come in a Rainbow of Colors

## SCALLION

### Model 1620

Steel.....420HC stainless-steel  
Handle...Polyimide  
Lock.....Locking liner  
Liner.....410 stainless-steel  
Blade.....2 1/4 in. (5.8 cm)  
Closed...3 1/2 in. (8.4 cm)  
Weight...2.3 oz.



## SCALLION

### Model 1620ST

Steel.....420HC stainless-steel  
Handle...Polyimide  
Lock.....Locking liner  
Liner.....410 stainless-steel  
Blade.....2 1/4 in. (5.8 cm)  
partially serrated  
Closed...3 1/2 in. (8.4 cm)  
Weight...2.3 oz.

## SCALLION

### Model 1620TROUT

(Rainbow Trout)  
Steel.....420HC stainless-steel  
Handle...6061-T6 anodized aluminum  
with Rainbow Trout art  
Lock.....Locking liner  
Liner.....410 stainless-steel  
Blade.....2 1/4 in. (5.8 cm)  
Closed...3 1/2 in. (8.4 cm)  
Weight...2.3 oz.

## SCALLION


### Model 1620BL

Steel.....420HC stainless-steel  
Handle...6061-T6 anodized aluminum  
Lock.....Locking liner  
Liner.....410 stainless-steel  
Blade.....2 1/4 in. (5.8 cm)  
Closed...3 1/2 in. (8.4 cm)  
Weight...2.3 oz.

Kershaw's Ken Onion Scallion offers high-performance styling and all the convenience of the SpeedSafe ambidextrous assisted-opening system in a slightly larger knife. It's ideal for everyday carrying. The blade is built of high-carbon 420 stainless-steel for good edge retention and excellent corrosion resistance. For lighter weight, the Scallion series features anodized aluminum or polyimide handles.

All Scallions include a secure liner lock to keep the blade securely in place until the user closes it and a Safety Tip Lock to keep the blade stored in the handle.





The Tip Safety Lock is available on many of the Ken Onion SpeedSafe models and provides added security to assure that the blade will not deploy while clipped into your pocket.

Kershaw SpeedSafe knives are covered by one or more pending and issued U.S. patents, including: 5,802,722; 5,815,927; 6,145,202; 6,338,431; 6,378,214; 6,397,476; 6,427,334; 6,591,504; D438,085; D450,228; D454,043; D454,768; D455,062; D467,783; D474,669; D479,114; & D488,045.



#### SCALLION

##### Model 1620GRNST

Steel.....420HC stainless-steel  
Handle...6061-T6  
anodized aluminum  
Lock.....Locking liner  
Liner.....410 stainless-steel  
Blade.....2 1/4 in. (5.8 cm)  
partially serrated  
Closed...3 1/2 in. (8.4 cm)  
Weight...2.3 oz.

#### SCALLION

##### Model 1620RD

Steel.....420HC stainless-steel  
Handle...6061-T6  
anodized aluminum  
Lock.....Locking liner  
Liner.....410 stainless-steel  
Blade.....2 1/4 in. (5.8 cm)  
Closed...3 1/2 in. (8.4 cm)  
Weight...2.3 oz.

#### SCALLION

##### Model 1620RDST

Steel.....420HC stainless-steel  
Handle...6061-T6  
anodized aluminum  
Lock.....Locking liner  
Liner.....410 stainless-steel  
Blade.....2 1/4 in. (5.8 cm)  
partially serrated  
Closed...3 1/2 in. (8.4 cm)  
Weight...2.3 oz.

#### SCALLION

##### Model 1620GRN

Steel.....420HC stainless-steel  
Handle...6061-T6  
anodized aluminum  
Lock.....Locking liner  
Liner.....410 stainless-steel  
Blade.....2 1/4 in. (5.8 cm)  
Closed...3 1/2 in. (8.4 cm)  
Weight...2.3 oz.

#### SCALLION

##### Model 1620BLST

Steel.....420HC stainless-steel  
Handle...6061-T6  
anodized aluminum  
Lock.....Locking liner  
Liner.....410 stainless-steel  
Blade.....2 1/4 in. (5.8 cm)  
partially serrated  
Closed...3 1/2 in. (8.4 cm)  
Weight...2.3 oz.



#### Removable Pocket Clip

The Scallion handles are drilled for a tip-down clip carry, or the clip can be removed completely.

TECHNOLOGY WITH AN EDGE

MADE  
Designed by IN  
Ken Onion  
USA



# All Black, Black & Blue, Black Rainbow, Trout Stone Wa

NEW07



## RANDOM LEAK

### Model 1660TGRYST

Steel.....S30V stainless-steel  
with Chromium Nitride  
coating  
Handle.....410 stainless-steel  
with Chromium Nitride  
coating  
Lock.....Frame lock  
Blade.....3 in. (7.5 cm)  
partially serrated  
Closed...4 in. (10.3 cm)  
Weight...3.1 oz.

## G-10 LEAK

### Model 1660G10

Steel.....S30V stainless-steel  
Handle...Textured G-10  
Lock.....Locking liner  
Liner.....410 stainless-steel  
Blade.....3 in. (7.5 cm)  
with stone washed  
finish  
Closed...4 in. (10.3 cm)  
Weight...2.3 oz.

## BLACK LEAK

### Model 1660CKT

Steel.....Sandvik 13C26  
stainless-steel with  
Tungsten DLC coating  
Handle...410 stainless-steel  
with Tungsten DLC  
coating  
Lock.....Frame lock  
Blade.....3 in. (7.5 cm)  
Closed...4 in. (10.3 cm)  
Weight...3.1 oz.

## BLACK LEAK

### Model 1660CKTST

Steel.....Sandvik 13C26  
stainless-steel with  
Tungsten DLC coating  
Handle...410 stainless-steel  
with Tungsten DLC  
coating  
Lock.....Frame lock  
Blade.....3 in. (7.5 cm)  
partially serrated  
Closed...4 in. (10.3 cm)  
Weight...3.1 oz.

## RAINBOW LEAK

### Model 1660VIB

Steel.....Sandvik 13C26  
stainless-steel with  
Titanium-Oxide coating  
Handle...410 stainless-steel with  
Titanium-Oxide coating  
Lock.....Frame lock  
Blade.....3 in. (7.5 cm)  
Closed...4 in. (10.3 cm)  
Weight...3.1 oz.  
Includes soft zipper case

NEW07

## RAINBOW LEAK

### Model 1660VIBST

Steel.....Sandvik 13C26 stainless-steel  
with Titanium-Oxide coating  
Handle...410 stainless-steel  
with Titanium-Oxide coating  
Lock.....Frame lock  
Blade.....3 in. (7.5 cm)  
partially serrated  
Closed...4 in. (10.3 cm)  
Weight...3.1 oz.  
Includes soft zipper case

The Leek® series includes some of our most popular knives. And no wonder. Kershaw's Leeks offer Ken Onion's distinctive design as well as the SpeedSafe ambidextrous assisted-opening system. With SpeedSafe, the user can smoothly and easily deploy the blade with one hand, either left or right. Leeks come in a variety of handle

styles, some with technologically advanced coatings for enhanced performance. For example, the bead-blasted stainless-steel handle offers strength and beauty. A handle with black Tungsten DLC coating produces a Leek with a non-reflective surface. For light-weight and a one-of-a-kind look, choose our "smoked" double-anodized aluminum finish in two colors.



## In Even More Rainbow Colors

NEW07

Kershaw SpeedSafe knives are covered by one or more pending and issued U.S. patents, including: 5,802,722; 5,815,927; 6,145,202; 6,338,431; 6,378,214; 6,397,476; 6,427,334; 6,591,504; D438,085; D450,228; D454,043; D454,768; D455,062; D467,783; D474,669; D479,114; & D488,045.



### PINK LEEK

#### Model 1660PINK

Steel.....Sandvik 13C26  
stainless-steel  
Handle...6061-T6  
anodized aluminum  
Lock.....Locking liner  
Liner.....410 stainless-steel  
Blade.....3 in. (7.5 cm)  
Closed...4 in. (10.3 cm)  
Weight...3.1 oz.

### LEEK

#### Model 1660

Steel.....Sandvik 13C26  
stainless-steel  
Handle...410 stainless-steel  
Lock.....Frame lock  
Blade.....3 in. (7.5 cm)  
Closed...4 in. (10.3 cm)  
Weight...3.1 oz.

### LEEK

#### Model 1660ST

Steel.....Sandvik 13C26  
stainless-steel  
Handle...410 stainless-steel  
Lock.....Frame lock  
Blade.....3 in. (7.5 cm)  
partially serrated  
Closed...4 in. (10.3 cm)  
Weight...3.1 oz.

### LEEK

#### Model 1660BR

Steel.....Sandvik 13C26  
stainless-steel  
Handle...6061-T6 smoked  
anodized aluminum  
Lock.....Locking liner  
Liner.....410 stainless-steel  
Blade.....3 in. (7.5 cm)  
Closed...4 in. (10.3 cm)  
Weight...3.1 oz.

### LEEK

#### Model 1660BB

Steel.....Sandvik 13C26  
stainless-steel  
Handle...6061-T6 smoked  
anodized aluminum  
Lock.....Locking liner  
Liner.....410 stainless-steel  
Blade.....3 in. (7.5 cm)  
Closed...4 in. (10.3 cm)  
Weight...3.1 oz.

### LEEK

#### Model 1660TROUT

(Rainbow Trout)

Steel.....Sandvik 13C26  
stainless-steel  
Handle...6061-T6  
anodized aluminum  
with Rainbow Trout art  
Lock.....Locking liner  
Liner.....410 stainless-steel  
Blade.....3 in. (7.5 cm)  
Closed...4 in. (10.3 cm)  
Weight...3.1 oz.

Rainbow Leek  
model 1660VIB  
Blade Magazine's  
Overall Knife of the Year

Or choose our new Pink Leek with its fashionable pink anodized aluminum handle, the Rainbow Leek with its titanium oxide coating that produces a highly scratch resistant, brilliant, rainbow finish. Also new in 2007 is our Random Leek with a modified Tanto blade for cutting power and chromium nitride coating for hardness and corrosion resistance. For ease of carrying, all Leeks include a reversible/removable pocket clip.

**Reversible  
Removable  
Pocket Clip**  
The Leek handles  
are drilled for a  
tip-up or tip-down  
clip carry, or the  
clip can be removed  
completely.

NEW  
PRODUCTS

MADE  
Designed by IN  
Ken Onion  
USA



# The Perfect Storm...with or without Guilherme Marchi's likeness & signature



## STORM

### Model 1470

Steel.....Sandvik 13C26 stainless-steel  
Handle...410 stainless-steel with Trac-Tec inserts  
Lock.....Frame  
Blade.....3 in. (7.5 cm)  
Closed...4 in. (10.3 cm)  
Weight...4.2 oz.

## STORM

### Model 1470ST

Steel.....Sandvik 13C26 stainless-steel  
Handle...410 stainless-steel with Trac-Tec inserts  
Lock.....Frame  
Blade.....3 in. (7.5 cm) partially serrated  
Closed...4 in. (10.3 cm)  
Weight...4.2 oz.



## STORM II

### Model 1475

Steel.....Sandvik 13C26 stainless-steel  
Handle...410 stainless-steel with Trac-Tec inserts  
Lock.....Frame  
Blade.....3 1/2 in. (8.8 cm)  
Closed...4 3/4 in. (12.0 cm)  
Weight...5.6 oz.

## STORM II

### Model 1475ST

Steel.....Sandvik 13C26 stainless-steel  
Handle...410 stainless-steel with Trac-Tec inserts  
Lock.....Frame  
Blade.....3 1/2 in. (8.8 cm) partially serrated  
Closed...4 3/4 in. (12.0 cm)  
Weight...5.6 oz.



## NEW07

### RODEO STORM II

### Model 1475GMST

Steel.....Sandvik 13C26 stainless-steel  
Handle...410 stainless-steel with Trac-Tec inserts  
Lock.....Frame  
Blade.....3 1/2 in. (8.8 cm) partially serrated  
Closed...4 3/4 in. (12.0 cm)  
Weight...5.6 oz.  
Includes Guilherme Marchi's likeness & signature

Designed by  
Ken Onion  
**IN  
USA**

### Reversible Removable Pocket Clip

The Storm handles are drilled for a tip-up or tip-down clip carry, or the clip can be removed completely.

Built Guilherme tough, the Storm series has a bold look, a super-smooth feel, and a grip that just won't quit. Designed by Ken Onion, the Storm's blade is built for multi-tasking and top performance. The Sandvik 13C26 stainless-steel contributes high durability and edge retention. The 410 steel handle has a contoured shape with Trac-Tec inserts for

a safe, secure grip—even under extreme conditions. Knife users will appreciate the Storm's smooth, ambidextrous one-handed thumb-stud or index-finger opening. Simply flip your wrist to open. Choose from two sizes in straight or partially serrated blades.



# Style Meets Value...Designed by Ken Onion

## VAPOR

### Model 1640

Steel.....AUS6A stainless-steel  
Handle...410 stainless-steel  
Lock.....Frame  
Blade.....3 in. (7.5 cm)  
Closed...4 in. (10.3 cm)  
Weight...3.2 oz.

## VAPOR

### Model 1640ST

Steel.....AUS6A stainless-steel  
Handle...410 stainless-steel  
Lock.....Frame  
Blade.....3 in. (7.5 cm) partially serrated  
Closed...4 in. (10.3 cm)  
Weight...3.2 oz.

## BLACK VAPOR

### Model 1640BLK

Steel.....AUS6A stainless-steel with Titanium  
Handle...410 stainless-steel with Titanium  
Lock.....Frame  
Blade.....3 in. (7.5 cm)  
Closed...4 in. (10.3 cm)  
Weight...3.2 oz.

## BLACK VAPOR

### Model 1640BLKST

Steel.....AUS6A stainless-steel with Titanium  
Handle...410 stainless-steel with Titanium  
Lock.....Frame  
Blade.....3 in. (7.5 cm) partially serrated  
Closed...4 in. (10.3 cm)  
Weight...3.2 oz.

## VAPOR II

### Model 1650

Steel.....AUS6A stainless-steel  
Handle...410 stainless-steel  
Lock.....Frame  
Blade.....3 1/2 in. (8.8 cm)  
Closed...4 1/2 in. (11.5 cm)  
Weight...4.5 oz.

## VAPOR II

### Model 1650ST

Steel.....AUS6A stainless-steel  
Handle...410 stainless-steel  
Lock.....Frame  
Blade.....3 1/2 in. (8.8 cm) partially serrated  
Closed...4 1/2 in. (11.5 cm)  
Weight...4.5 oz.

## BLACK VAPOR II

### Model 1650BLK

Steel.....AUS6A stainless-steel with Titanium  
Handle...410 stainless-steel with Titanium  
Lock.....Frame  
Blade.....3 1/2 in. (8.8 cm)  
Closed...4 1/2 in. (11.5 cm)  
Weight...4.5 oz.

## BLACK VAPOR II

### Model 1650BLKST

Steel.....AUS6A stainless-steel with Titanium  
Handle...410 stainless-steel with Titanium  
Lock.....Frame  
Blade.....3 1/2 in. (8.8 cm) partially serrated  
Closed...4 1/2 in. (11.5 cm)  
Weight...4.5 oz.

NEW  
PRODUCT


The Vapor series offers a unique "drilled" industrial design combined with butter smooth, one-handed, manual opening. The open handle is built of heat-treated, high strength 410 steel while the drilled design enhances the knife's airy look and feel. The blade is made of premium AUS 6A stainless-steel. For extra strength, the blade is flat

ground to Kershaw's famous, "shaving sharp" edge. The blade opens manually as the user pushes on the thumb-stud and rotates the blade into position. A frame lock holds it securely in position. Choose from two sizes and two finishes with straight or partially serrated blades.



# Ready for Whatever Life Throws at You

Rescue Blurs feature  
a carbide tip for  
emergency glass  
breaking



## RESCUE BLUR

### Model 1675BLKST

Steel.....Sandvik 13C26  
stainless-steel with  
Tungsten DLC coating  
Handle.....6061-T6 anodized aluminum  
with Trac-Tec inserts  
Lock.....Locking liner  
Liner.....410 stainless-steel  
Blade.....3 3/8 in. (8.6 cm)  
partially serrated  
Closed...4 1/2 in. (11.5 cm)  
Weight...4.2 oz.

## RESCUE BLUR

### Model 1675RDST

Steel.....Sandvik 13C26  
stainless-steel  
Handle.....6061-T6 anodized aluminum  
with Trac-Tec inserts  
Lock.....Locking liner  
Liner.....410 stainless-steel  
Blade.....3 3/8 in. (8.6 cm)  
partially serrated  
Closed...4 1/2 in. (11.5 cm)  
Weight...4.2 oz.



## RESPONDER

### Model 1078

Steel.....AUS8A stainless-steel with  
Black Teflon® coating  
Handle...Double injection-molded  
Santoprene®  
Blade.....3 3/4 in. (9.8 cm)  
Overall...8 3/4 in. (22.3 cm)  
Weight...4.8 oz.  
Includes Kydex® sheath



## RESPONDER

### Model 1078YL

Steel.....AUS8A stainless-steel with  
Black Teflon® coating  
Handle...Double injection-molded  
Santoprene®  
Blade.....3 3/4 in. (9.8 cm)  
Overall...8 3/4 in. (22.3 cm)  
Weight...4.8 oz.  
Includes Kydex® sheath

## Reversible Removable Pocket Clip

The Rescue Blur handles  
are drilled for a  
tip-up or tip-down  
clip carry, or the  
clip can be removed  
completely.

Rescue Blurs feature a rounded dull-tip blade for safe cutting in close or dangerous situations. Blurs are SpeedSafe equipped for smooth, one-handed assisted-opening. The anodized aluminum handles with Trac-Tec inserts provide a non-slip grip even in wet conditions. Rescue Blurs also feature a carbide glass-breaker tip for emergency use.

The Responders feature a full-tang fixed-blade with a double injection-molded handle for a secure grip. The highly visible neon yellow Responder includes a carbide glass-breaker tip. The partially serrated blade with its cutting hook, zip through most material—including seat belts—and features a blunt tip for safety. The multi-function sheath has both cord eyelets and strap slots.



## RIPCORD

### Model 3200

Steel.....Sandvik 13C26 stainless-steel with Tungsten DLC coating  
Handle...6061-T6 anodized aluminum with Trac-Tec inserts  
Blade.....3 7/16 in. (8.6 cm)  
Closed...4 3/8 in. (11.1 cm)  
Weight...4.2 oz.  
Includes belt clip with deployment knob

## MILITARY KNIFE

### Model 4351

Steel.....One-piece, drop-forged  
1.4116 German stainless-steel  
Handle...POM scales  
Blade.....4 1/2 in. (11.5 cm)  
Overall...9 in. (22.9 cm)  
Weight...4.4 oz.  
Includes multi-use sheath and strap system

## TROOPER®

### Model 1007

Steel.....AUS8A stainless-steel  
Handle...AUS8A stainless-steel bolsters with Phenolic, and drilled for lanyard  
Blade.....5 1/4 in. (13.4 cm) double-edged  
Overall...9 1/2 in. (24.5 cm)  
Weight...7.8 oz.  
Includes leather boot sheath  
Individually serial numbered

Kershaw's Ripcord is covered by one or more pending or issued U.S. patents, including: 7,086,158.

**The Ripcord's** unique, patented design provides the strength and stability of a fixed-blade knife, yet stores as compactly as a folding knife. The key is Kershaw's "Out the Front" (OTF) design. With OTF, the blade slides out the front of the handle into a secure, fixed-blade position. A convenient belt clip doubles as the OTF deployment system. The knob engages or disengages the locking function. Simply rotate the handle 90° forward and slide it backward or forward to deploy or retract the blade. The Ripcord's handle is lightweight anodized aluminum with Trac-Tec inserts for a secure grip.

**The Classic fixed-blade** Military Knife and Trooper have withstood the test of time with their classic designs and proven durability. The Military Knife features a bead-blasted matte gray finish with steel riveted POM scales. The Trooper sports a polished mirror finish, a rich ebony Phenolic handle and comes in a presentation case, engraving plate, and genuine leather boot clip sheath. In addition, each Trooper is serial numbered.



# Gentlemen

Suit-Worthy Style &

Top Performance

**NEW07**

**GENTLEMEN'S FOLDER**

**Model 1993-2**

Steel.....VG-10 stainless-steel  
Handle...Micarta  
Lock.....Lockback  
Liner.....Brass  
Blade.....3 1/8 in. (7.9 cm)  
Closed...4 1/4 in. (10.8 cm)  
Weight...3.1 oz.  
Includes leather clip-sheath

**SPLINTER**

**Model 1460**

Steel.....AUS8A stainless-steel  
Lock.....Locking liner  
Liner.....420 stainless-steel  
Handle...Quince wood  
Blade.....3 in. (7.5 cm)  
Closed...4 in. (10.3 cm)  
Weight...2.3 oz.



**T**he new gentleman's folding knife features a premium-quality VG-10 stainless-steel blade that sharpens to an extremely keen edge. VG-10 offers excellent edge retention and corrosion resistance, too. The black Micarta handle, accented with steel and brass rivets, is extremely hard, dense, and durable. (Micarta is made by applying heat and pressure to layers of paper or glass cloth impregnated with synthetic resin. A chemical reaction called polymerization transforms the layers into a laminated plastic.) The knife's lockback design opens easily and locks securely. This knife is available in limited production runs only.

**NAKAMURA**

**Model 1480**

Steel.....Clad VG10 stainless-steel  
center core with 420J2 outer layers  
Lock.....Locking liner  
Liner.....420 stainless-steel  
Handle...Quince wood  
Bolster...Mokume style (10 layers):  
SUS410 stainless-steel (base layer)  
Copper (5 layers) Brass (4 layers)  
Blade.....2 7/8 in. (7.3 cm)  
Closed...3 7/8 in. (10.0 cm)  
Weight...3.2 oz.

**SHOTGUN SHELL**

**Model 12GAD**

Steel.....AUS6A stainless-steel  
Liner.....Brass  
Handle...Rosewood  
Bolster...Polished brass  
Blade-A...2 in. (5.1 cm) non-locking  
Blade-B...2 in. (5.1 cm) non-locking  
screwdriver/file  
Closed...2 5/8 in. (6.7 cm)  
Weight...1.2 oz.

**The Splinter** features a smooth, sleek profile. The quince wood handle offers complex color variations that blend wood tones ranging from dark espresso to warm caramel and is polished to a smooth, matte finish.

**The Nakamura's** bolster features 19 layers of steel and vari-colored copper, expertly worked so that the colors are exposed in intricate patterns. The result is a bolster that's incredibly beautiful matched with a



#### WHISKEY GAP

##### Model 4100

Steel.....AUS6A stainless-steel  
Lock.....Lockback  
Liner.....Brass  
Handle...Satin-finished bolsters with rosewood inlay  
Blade.....2 1/4 in. (5.9 cm)  
Closed...3 1/8 in. (7.9 cm)  
Weight...1.9 oz.

#### INDIAN FORD

##### Model 2155

Steel.....AUS6A stainless-steel  
Lock.....Lockback  
Liner.....420 stainless-steel  
Handle...Satin-finish with rosewood inlay  
Blade.....2 5/8 in. (6.9 cm)  
Closed...3 1/2 in. (8.9 cm)  
Weight...2.7 oz.



#### SQUAW CREEK

##### Model 2150

Steel.....AUS6A stainless-steel  
Lock.....Lockback  
Liner.....420 stainless-steel  
Handle...Satin-finish  
with rosewood inlay  
Blade.....2 in. (5.1 cm)  
Closed...2 5/8 in. (6.8 cm)  
Weight...1.4 oz.

#### WILD TURKEY

##### Model 4150

Steel.....AUS6A stainless-steel  
Lock.....Lockback  
Liner.....Brass  
Handle...Satin-finished bolsters  
with rosewood inlay  
Blade.....3 1/8 in. (7.9 cm)  
Closed...3 7/8 in. (10.0 cm)  
Weight...2.2 oz.

#### DOUBLE CROSS

##### Model 4380

Steel.....AUS6A stainless-steel  
Lock.....Locking liner  
Liner.....420 stainless-steel  
Handle...Polished bolsters  
with staminawood inlay  
Blade-A..2 3/8 in. (5.9 cm)  
Blade-B..1 7/8 in. (4.7 cm)  
Closed...3 1/2 in. (8.9 cm)  
Weight...2.2 oz.

#### DOUBLE DUTY

##### Model 4390

Steel.....AUS6A stainless-steel  
Lock.....Locking liner  
Liner.....420 stainless-steel  
Handle...Polished bolsters  
with staminawood inlay  
Blade-A..2 3/4 in. (7.1 cm)  
Blade-B..2 5/8 in. (6.7 cm)  
Closed...4 1/8 in. (10.5 cm)  
Weight...3.1 oz.



blade that's incredibly hard. The blade has a core of VG-10 "Super Steel" layered with 420J2 stainless. The handle is exotic quince wood, known for its handsome and complex color variations.

**The Classic Rosewood** series offers the right carrying knife for every gentleman. All knives in the series feature satin-finished bolsters with genuine rosewood handles or inlays for beauty and durability.

**The Double Duty & Double Cross** offer classic looks—and innovative technology. On the classic side, the knives feature nickel bolsters, brass and stainless-steel liners, and polished, hardwood handles. On the technological side, both knives offer smooth, one-handed opening. Both use a single locking liner to secure both blades, which enables the knives to have slimmer profiles.



# Small

## Executive Style & Convenience

# Folders

### LFK

#### Model 1700

Steel.....AUS6A stainless-steel  
Lock.....Locking liner  
Liner.....420 stainless-steel  
Handle...anodized aluminum  
Blade.....2 1/8 in. (5.4 cm)  
locking liner  
Closed...3 in. (7.6 cm)  
Weight...1.1 oz.



### SILVER SPUR

#### Model 2800

Steel.....AUS6A stainless-steel  
Lock.....Lockback  
Handle...aluminum  
Blade.....1 7/8 in. (4.7 cm)  
Closed...2 1/2 in. (6.4 cm)  
Weight...0.6 oz.



### SILVER SPUR II

#### Model 2825

Steel.....AUS6A stainless-steel  
Lock.....Lockback  
Handle...aluminum  
Blade.....2 1/4 in. (5.7 cm)  
Closed...3 in. (7.6 cm)  
Weight...0.9 oz.



### STAINLESS STEEL POCKET KNIFE

#### Model 5200S

Steel.....420J2 stainless-steel  
Lock.....Lockback  
Liner.....420 stainless-steel  
Blade.....2 3/8 in. (6.0 cm)  
Closed...3 in. (7.6 cm)  
Weight...1.7 oz.



### STAINLESS STEEL POCKET KNIFE

#### Model 5000

Steel.....420J2 stainless-steel  
Lock.....Lockback  
Liner.....420 stainless-steel  
Blade.....1 3/4 in. (4.5 cm)  
Closed...2 1/4 in. (5.9 cm)  
Weight...1.1 oz.



The LFK has the features many customers prefer in a smaller carrying knife—lightweight, an attractive look, and a comfortable price. The LFK's light weight is made possible, in part, by its anodized 6061-T6 aircraft-aluminum handles. Anodized aluminum is very durable and the matte black finish is highly scratch-resistant. The LFK also offers a compact blade of AUS6A high-carbon stainless-steel. The knife features a thumb-stud for Kershaw's super-smooth, one-handed, manual opening. A stainless-steel locking liner holds the blade securely in position after the blade is deployed.

**Sometimes the simplest answer is the best.** That's why these sleek stainless-steel knives from Kershaw are perennial favorites. Both have 420J2 stainless-steel blades for toughness and excellent corrosion resistance. Choose the smaller clip point blade or the larger drop point. Both fit precisely into the slim, durable stainless-steel handle. The locking back keeps the blade safely in place when opened.



#### KEY CHAIN

##### Model 6500

Steel.....AUS6A stainless-steel  
Handle.....satin-finished bolster  
with Rosewood inlay  
Blade.....1 5/8 in. (4.1 cm)  
Scissors...1 5/8 in. (4.1 cm)  
Nail file...1 5/8 in. (4.1 cm)  
Closed.....2 in. (5.4 cm)  
Weight.....1.2 oz.

#### TWO CAN

##### Model 1001BLK

Steel.....420J2 stainless-steel  
Handle.....Anodized aluminum  
Blade.....1 1/2 in. (3.5 cm)  
Scissors...1 1/8 in. (2.9 cm)  
Closed.....2 3/4 in. (7.0 cm)  
Weight.....0.9 oz.

#### TWO CAN

##### Model 1001BL

Steel.....420J2 stainless-steel  
Handle.....Anodized aluminum  
Blade.....1 1/2 in. (3.5 cm)  
Scissors...1 1/8 in. (2.9 cm)  
Closed.....2 3/4 in. (7.0 cm)  
Weight.....0.9 oz.

#### TWO CAN

##### Model 1001RD

Steel.....420J2 stainless-steel  
Handle.....Anodized aluminum  
Blade.....1 1/2 in. (3.5 cm)  
Scissors...1 1/8 in. (2.9 cm)  
Closed.....2 3/4 in. (7.0 cm)  
Weight.....0.9 oz.

#### TWO CAN

##### Model 1001

Steel.....420J2 stainless-steel  
Handle.....303 stainless-steel  
Blade.....1 1/2 in. (3.5 cm)  
Scissors...1 1/8 in. (2.9 cm)  
Closed.....2 3/4 in. (7.0 cm)  
Weight.....0.9 oz.

Kershaw's Two Can is covered by one or more pending or issued U.S. patents.

#### MONEY CLIP

##### Model 6400

Steel.....AUS6A stainless-steel  
Handle.....satin-finished bolster  
with Rosewood inlay  
Blade.....1 5/8 in. (4.1 cm)  
Scissors...1 5/8 in. (4.1 cm)  
Nail file...1 5/8 in. (4.1 cm)  
Closed.....2 in. (5.4 cm)  
Weight.....1.2 oz.

**For style and convenience,** choose our sleek money clip pocket tool or key chain pocket tool. They feature satin-finished steel with genuine rosewood inlays for both beauty and durability. All blades and tools are AUS6A high-carbon stainless-steel for top wear resistance and excellent toughness. Closed, the money clip and pocket tool are a pocket-perfect two inches long.

**The Two Can** is a combination knife and scissors tool. Open one blade and use the Two Can like any pocket knife. But when only a pair of scissors will get the job done, open the Two Can's second blade and you've got an easy-to-use pair of scissors that can be operated by pressing the two blades together between thumb and forefinger. The Two Can features Kershaw's quality construction, too. The blades are tough 420J2 stainless-steel and fold into a 303 stainless-steel or anodized aluminum handles. Users deploy the blades with nail-nicks slotted in each blade. There's even has a mini-carabineer built into the handle to make it easy to attach the tool to key chain or zipper pull for easy access to this handy tool.



# Officer Ranch, Proven-Tough Work Knives...

## CORRAL CREEK

### Model 3115

Steel.....AUS6A stainless-steel  
Lock.....Lockback  
Handle...Zinc die-cast alloy with  
cross-grooved ABS inlay  
Blade.....2 1/2 in. (6.2 cm)  
Closed...3 3/8 in. (8.6 cm)  
Weight...2.2 oz.

## BLACK GULCH

### Model 3120

Steel.....AUS6A stainless-steel  
Lock.....Lockback  
Handle...Zinc die-cast alloy with  
cross-grooved ABS inlay  
Blade.....3 in. (7.6 cm)  
Closed...4 1/8 in. (10.5 cm)  
Weight...4.3 oz.  
Includes black nylon sheath

## WILDCAT RIDGE

### Model 3140

Steel.....AUS6A stainless-steel  
Lock.....Lockback  
Handle...Zinc die-cast alloy with  
cross-grooved ABS inlay  
Blade.....3 1/2 in. (9.0 cm)  
Closed...4 7/8 in. (12.5 cm)  
Weight...4.3 oz.  
Includes black nylon sheath

## GRANT COUNTY

### Model 3100

Steel.....AUS6A stainless-steel  
Lock.....Lockback  
Handle...Zinc die-cast alloy with  
cross-grooved ABS inlay  
Blade.....1 7/8 in. (4.9 cm)  
Closed...2 5/8 in. (6.8 cm)  
Weight...1.2 oz.



30

These Western Style knives are sturdy work knives, pure and simple. The handle is built of die-cast zinc alloy, which can be cast to extremely tight tolerances and offers excellent mechanical properties. The handles are inlaid with cross-grooved ABS polymer for a secure grip under a wide variety of environmental conditions.

The AUS6A stainless-steel blades offer a good balance of toughness, edge sharpness, and corrosion resistance. The lockback design keeps the blade securely in place when deployed.



## And Durable Work Knives with a Non-Slip Grip

### BLACK HORSE II

#### Model 1060A

Steel.....440A stainless-steel  
Lock.....Lockback  
Liner.....420 stainless-steel  
Handle...co-polymer

Blade.....3 3/4 in. (9.8 cm)  
Closed...4 7/8 in. (12.5 cm)  
Weight...4.6 oz.  
Includes nylon sheath

### D.W.O. CLASSICS

#### Model 3000OR

#### Model 3000BL

#### Model 3000RD

#### Model 3000

Steel.....AUS6A stainless-steel  
Lock.....Lockback  
Liner.....420 stainless-steel  
Handle...Co-Polymer  
Blade.....2 3/8 in. (6.1 cm)  
Closed...3 1/4 in. (8.4 cm)  
Weight...1.6 oz.

### BLACK COLT II

#### Model 1045A

Steel.....440A stainless-steel  
Lock.....Lockback  
Liner.....420 stainless-steel  
Handle...co-polymer

Blade.....3 in. (7.5 cm)  
Closed...4 1/8 in. (10.4 cm)  
Weight...3.5 oz.  
Includes nylon sheath

### D.W.O. II

#### Model 3002

Steel.....AUS6A stainless-steel  
Lock.....Lockback  
Liner.....420 stainless-steel  
Handle...Co-Polymer  
Blade.....2 in. (5.1 cm)  
Closed...2 5/8 in. (6.6 cm)  
Weight...0.8 oz.

**These work-tough knives** are the ideal companions for pocket, glove compartment, toolbox, or truck box. Each features a resilient co-polymer handle that ensures a secure grip in most any outdoor condition—from desert hot and dry to monsoon wet. To easily spot your knife when you need it, choose one of our colorful DWO Classics. For a more subtle look, try the classic black of the Black Colt II or Black Horse II. The lock back ensures each blade locks safely into position and releases easily when needed.

TECHNOLOGY WITH AN EDGE



# Water-Worthy Sports Knives and...

## SEA HUNTER

### Model 1008BL-P

Steel.....420J2 stainless-steel  
 Handle...Injection-molded neon plastic with co-polymer overmold  
 Blade.....3 1/2 in. (9.0 cm) blunt-tip, double-edged, partially serrated with cord cutter  
 Overall...7 5/8 in. (19.5 cm)  
 Weight...3.0 oz.  
 Includes Kydex® multi-function sheath with leg straps

## SEA HUNTER

### Model 1008

Steel.....420J2 stainless-steel  
 Handle...Injection-molded neon plastic with co-polymer overmold  
 Blade.....3 3/4 in. (9.5 cm) double-edged, partially serrated with cord cutter  
 Overall...7 3/4 in. (19.7 cm)  
 Weight...3.0 oz.  
 Includes Kydex® multi-function sheath with leg straps

## AMPHIBIAN

### Model 1006K

Steel.....420J2 stainless-steel  
 Handle...420J2 stainless-steel skeleton with co-polymer insert  
 Blade.....3 3/4 in. (9.5 cm) double-edged and partially serrated  
 Overall...7 3/4 in. (19.7 cm)  
 Weight...3.2 oz.  
 Includes Kydex® multi-function sheath with leg straps

Kershaw's water sports knives feature sturdy stainless-steel construction, yet their open-tang handle design cuts down on unnecessary weight. Both Sea Hunter models offer blades of highly corrosion resistant 420J2 stainless-steel. The injection-molded handles feature neon accents so they're easy to see in a marine environment. Both Sea Hunters and the Amphibian come with the Kershaw Diver's Sheath with quick-release buckles.

**The E.T. series designed by Grant & Gavin Hawk** features Kershaw's new External Toggle. The External Toggle enables the user to open or close the blade with one hand, either right or left. With just a little practice it is fast and easy to use. And for extreme blade security, just fold the blade in, engage the E.T. safety, and the blade is secure no matter how or where you choose to carry it.



# The Perfect Fillet Knife Every Time...**Electric, Fixed, Folding or even Expandable!**

Power through even the largest catch. Kershaw fillet knives always feature quality high-carbon stainless-steel blades with the ideal degree of flex for fast and easy filleting.

## ELECTRIC FILLET

### Model 1260

Steel.....410 stainless-steel  
Handle...injection-molded plastic  
Blades A.....6 in. (15.3 cm)  
Blades B.....8 in. (20.4 cm)  
Handle...12 in. (30.5 cm)  
Weight...22.1 oz.  
Includes nylon storage bag



So what could be better? Power. Plug our new Electric Fillet Knife into any standard outlet and glide through every fillet job. The Electric Fillet comes with two removable dual action blades—a 6-inch dual blade and an 8-inch dual blade, sized right for every fish.

The handle is double injection-molded for durability and contoured for filleting comfort. For safety, the On/Off switch must be depressed to operate, while a convenient trigger controls the blade. The Electric Fillet even comes with its own storage bag.

## The Perfect Fillet Knife Every Time

Kershaw offers a range of convenient filleting knives, all with high-carbon stainless-steel blades that provide the ideal degree of flex for fast and easy filleting. Choose one of our fixed-blade fillet knives with sure-grip co-polymer handles—including our new 6-inch fillet. For the ultimate in versatility, choose our 7-Step Fillet Knife, which adjusts from 5 1/2 to 9 inches. Its injection-molded handle is contoured for a secure grip, even in slippery conditions. For compact filleting, select the 6-inch Folding Fillet Knife with its folding spoon.





### SKEETER I SCISSORS

#### Model 1210

Overall...4 1/4 in. (10.7 cm)  
Weight...0.8 oz.

### SKEETER II SERRATED SCISSORS

#### Model 1215

Overall...4 1/4 in. (10.7 cm)  
Weight...0.8 oz.



### SEVEN-STEP ADJUSTABLE FILLET KNIFE

#### Model 1240

Steel...420J2 stainless-steel  
Handle...Non-slip injection-molded  
Blade...Adjust from 5 1/2 in. - 9 in.  
(14.3 cm) - (23.0 cm)  
Weight...3.2 oz.  
Includes ABS sheath

### NEW 07

#### 6" FILLET KNIFE

#### Model 1250

Steel...420J2 stainless-steel  
Handle...Injection-molded  
Blade...6 in. (15.3 cm)  
Overall...10 7/8 in. (27.6 cm)  
Weight...3.5 oz.  
Includes ABS sheath

#### 7" FILLET KNIFE

#### Model 1257

Steel...420J2 stainless-steel  
Handle...Co-polymer  
Blade...7 in. (18.0 cm)  
Overall...12 in. (30.5 cm)  
Weight...3.5 oz.  
Includes ABS sheath

#### 9" FILLET KNIFE

#### Model 1259

Steel...420J2 stainless-steel  
Handle...Co-polymer  
Blade...9 1/4 in. (23.3 cm)  
Overall...14 1/4 in. (36.6 cm)  
Weight...3.8 oz.  
Includes ABS sheath

### FOLDING FILLET KNIFE

#### Model 1256

Steel...AUS6A stainless-steel  
Handle...Co-polymer  
Blade...6 in. (15.3 cm)  
Overall...13 1/8 in. (33.7 cm)  
Weight...5.6 oz.  
Includes spoon with lanyard hole

### Handy Scissors

Compact and durable, the Skeeter series of scissors are designed to cut through a wide variety of materials with ease. An extra fine point provides for precise trimming. The comfortable finger loops provide precise control during use. Choose serrated (ideal for cutting very coarse fishing line) or non-serrated blades.

NEW  
PRODUCT

TECHNOLOGY WITH AN EDGE



## NEW07

### NORTHSIDE HUNTER

#### Model 1090

Steel.....AUS8A stainless-steel  
Handle...Injection-molded  
Santoprene®  
Lock.....Mid lock  
Blade.....4 1/2 in. (11.4 cm)  
Closed...4 7/8 in. (12.3 cm)  
Weight...4.7 oz.  
Includes sheath



## NEW07

### NORTHSIDE HUNTER

#### Model 1090GH

Steel.....AUS8A stainless-steel  
Handle...Injection-molded  
Santoprene®  
Lock.....Mid lock  
Blade.....4 1/2 in. (11.4 cm)  
with Gut-Hook  
Closed...4 7/8 in. (12.3 cm)  
Weight...4.7 oz.  
Includes sheath



### ELK SKINNER II

#### Model 1078GH

Steel.....AUS8A stainless-steel  
Handle...Double injection-molded  
Santoprene®  
Blade.....3 3/4 in. (9.5 cm)  
with Gut-Hook  
Overall...8 3/4 in. (22.3 cm)  
Weight...4.7 oz.  
Includes nylon sheath



## Built to Handle E

Designed for the serious hunter, Kershaw's Northside series includes a tough drop-point folder and a compact, folding Gut Hook. Both feature AUS8A stainless-steel blades for toughness and excellent corrosion resistance. The angled blade design ensures that field dressing is a faster and easier task. And the injection-molded handles feature an ergonomic design that provides a superior grip even in wet and slippery conditions. The Northside series features rock-solid designs that are both extremely rugged and lightweight. No matter the task, they won't let you down. A sturdy leather sheath is included.

### BEAR HUNTER II

#### Model 1029

Steel.....AUS8A stainless-steel  
Handle...Co-polymer  
Blade.....4 1/2 in. (11.4 cm)  
Overall...9 1/2 in. (24.4 cm)  
Weight...5.3 oz.  
Includes harness-leather sheath



### ANTELOPE HUNTER II

#### Model 1028

Steel.....AUS8A stainless-steel  
Handle...Co-polymer  
Blade.....3 5/8 in. (9.2 cm)  
Overall...8 in. (20.3 cm)  
Weight...3.6 oz.  
Includes harness-leather sheath



### Handsome, High Performance Blades

Knife designer Tom Veff created these handsome hunting knives for extreme efficiency and task-specific performance. The blades are high-carbon AUS8A stainless-steel for durability and an exceptionally sharp edge. The Majesty features a skinning blade with angled gut hook that keeps your hands clear of the hide while un-zipping. The Kaper is ideal for a wide variety of hunting tasks.



very

## FOLDING FIELD

### Model 1050

Steel.....AUS8A stainless-steel  
Handle...phenolic and brass  
Blade.....3 3/4 in. (9.5 cm)  
Closed...4 3/4 in. (12.0 cm)  
Weight...8.6 oz.  
Includes harness-leather sheath

# Outdoor Adventure ...Even Bear

## KAPER

### Model 2300

Steel.....AUS8A stainless-steel  
Handle...Cocobolo wood  
Blade.....3 1/8 in. (7.9 cm)  
Overall...7 1/8 in. (18.2 cm)  
Weight...2.0 oz.  
Includes harness-leather sheath

## DEER HUNTER

### Model 1030

Steel.....AUS8A stainless-steel  
Handle...Phenolic & brass  
Blade.....4 in. (10.3 cm)  
Overall...8 1/4 in. (21 cm)  
Weight...8.2 oz.  
Includes harness-leather sheath

## ROUGHNECK

### Model 1010

Steel.....AUS6A stainless-steel  
Handle...Co-polymer  
Blade.....6 1/4 in. (15.8 cm)  
partially serrated top  
Overall...11 1/8 in. (28.3 cm)  
Weight...6.3 oz.  
Includes harness-leather sheath

## MAJESTY

### Model 2314

Steel.....AUS8A stainless-steel  
Handle...Cocobolo wood  
Blade.....3 1/4 in. (8.2 cm)  
with Gut-Hook  
Overall...7 3/4 in. (19.7 cm)  
Weight...5.2 oz.  
Includes harness-leather sheath

## KAPER/MAJESTY COMBO

### Model 2314-2

Steel.....AUS8A stainless-steel  
Handle...Skeleton and Cocobolo wood  
Blade.....3 1/8 in. (7.9 cm)  
3 1/4 in. (8.2 cm)  
with Gut-Hook  
Overall...7 1/8 in. (18.2 cm)  
7 3/4 in. (19.7 cm)  
Weight...6.4 oz.  
Includes harness-leather sheath

Both knives feature full-tang construction for strength and top serration for extra cutting power. Both include Cocobolo wood handles. This extremely dense wood contains a large amount of natural oil, which waterproofs the wood even with prolonged exposure to water. A harness-leather sheath is included to protect the knives.

NEW  
PRODUCTS

TECHNOLOGY WITH AN EDGE



# CAMO Versions of Some of Our Most Popular Hunting Knives

## Rocky Mountain Elk Foundation



### CAMO WHIRLWIND

#### Model 1560RMEF

Steel.....Santoku 13C26 stainless-steel  
Handle...Injection-molded Polyimide with  
RealTree® Hardwoods HD  
Blade.....3 1/4 in. (8.4 cm)  
Closed...4 1/2 in. (11.3 cm)  
Weight...3.5 oz.

### CAMO BLACK HORSE II

#### Model 1060ART

Steel.....440A stainless-steel  
Handle...co-polymer with RealTree® Hardwoods HD  
Blade.....3 3/4 in. (9.8 cm)  
Closed...4 7/8 in. (12.5 cm)  
Weight...4.6 oz.  
Includes nylon sheath with RealTree® Hardwoods HD

### CAMO ECHO

#### Model 1070C

Steel.....AUS8A stainless-steel  
with full tang construction  
Handle...RealTree® Hardwoods HD  
Polyimide  
Blade.....4 in. (10.2 cm)  
Overall...8 5/8 in. (22 cm)  
Weight...4.8 oz.  
Includes RealTree® Hardwoods HD  
laminated leather sheath

### CAMO SCALLION

#### Model 1620C

Steel.....420HC stainless-steel  
Handle...6061-T6 anodized  
aluminum with  
RealTree® Hardwoods HD  
Blade.....2 1/4 in. (5.8 cm)  
Closed...3 1/2 in. (8.4 cm)  
Weight...2.3 oz.

**K**ershaw also offers camo versions of some of our most popular knives—the Scallion (see pages 18-19 for more on Scallions), Whirlwind (page 13), Black Horse II (page 31), or Echo. The Echo combines Ken Onion's contoured handle with a powerful drop-point blade of durable AUS8A stainless-steel. The Echo's handle is all weather, molded Polyimide,

contoured for an extremely comfortable, secure grip. This unique shape means using the knife is less fatiguing—even when in use for long periods of time. The handle is drilled to accept a lanyard and is full-tang construction. The Echo comes complete with its own camouflaged laminated-leather sheath that secures easily to your belt.



## NWTF TROUT/BIRD KNIFE & SHEARS

### Model 1120CBTF

Steel.....AUS6A stainless-steel  
Handle...Co-polymer  
Blade.....3 1/2 in. (9 cm)  
Knife.....7 1/2 in. (19.3 cm)  
Shears...8 7/8 in. (22.5 cm)  
Weight...9.1 oz.  
Includes harness-leather sheath

## NWTF WILD TURKEY

### Model 4150TF

Steel.....AUS6A stainless-steel  
Handle...Satin-finished bolsters  
with rosewood inlay  
Blade.....3 1/8 in. (7.9 cm)  
Closed...3 7/8 in. (10.0 cm)  
Weight...2.2 oz.

## NWTF KAPER

### Model 2300TF

Steel.....AUS8A stainless-steel  
Handle...Cocobolo wood  
Blade.....3 1/8 in. (7.9 cm)  
Overall...7 1/8 in. (18.2 cm)  
Weight...2.0 oz.  
Includes harness-leather sheath

## NWTF CAMO ECHO

### Model 1070CTF

Steel.....AUS8A stainless-steel, full tang  
Handle...Polyimide with RealTree® Hardwoods HD  
Blade.....4 in. (10.2 cm)  
Overall...8 5/8 in. (22 cm)  
Weight...4.8 oz.  
Includes RealTree® (Hardwoods HD)  
laminated leather sheath

## NWTF CAMO SCALLION

### Model 1620CTF

Steel.....420HC stainless-steel  
Handle...6061-T6 anodized aluminum  
with RealTree® Hardwoods HD  
Blade.....2 1/4 in. (5.8 cm)  
Closed...3 1/2 in. (8.4 cm)  
Weight...2.3 oz.

## High-Performance Hunting Knives Benefit NWTF

Kershaw's Wild Turkey Editions include the popular Ken Onion-designed Echo, a fixed-blade hunting knife with RealTree® camouflage handle and its own sheath; the Ken Onion Scallion with SpeedSafe and RealTree® camouflage scales; the Tom Veff-designed Kaper hunting knife with Cocobolo wood scales; the Trout & Bird Knife and Shears set, which comes with a

harness-leather sheath; and the handsome Wild Turkey. All Wild Turkey Edition knives feature premium blade steels and quality handle materials. A portion of the proceeds from each sale benefits the National Wild Turkey Federation.



# An Efficient Collection of Camp Tools

The Kershaw Sportsman's Shears are covered by issued and pending patents, including the following patent: 0437,197.

## TASKMASTER SHEARS

### Model 1120

Overall...8 7/8 in. (22.5 cm)  
Weight...5.1 oz.



## FIRE STARTER

### Model 1019

Steel.....Magnesium steel  
Handle...Molded plastic  
Shaft.....1 3/4 in. (4.6 cm)  
Overall...3 1/8 in. (8.0 cm)  
Weight...1.1 oz.

## TASKMASTER SHEARS

### Model 1120S

Overall...8 7/8 in. (22.5 cm)  
Weight...5.1 oz.  
Includes harness-leather sheath

## TROUT/BIRD KNIFE & SHEARS

### Model 1120CB

Steel.....AUS6A stainless-steel  
Handle...Co-polymer  
Blade.....3 1/2 in. (9 cm)  
Knife.....7 1/2 in. (19.3 cm)  
Shears...8 7/8 in. (22.5 cm)  
Weight...9.1 oz.  
Includes harness-leather sheath

The co-polymer handle provides a secure grip, even in wet or other extreme environmental conditions. You also get a pair of Taskmaster Sportsman's Shears and a harness-leather sheath to contain them both.

## Fire Starter

This magnesium fire starter always strikes a 3000° spark—even in damp conditions. A molded plastic handle makes it easy to use and a nylon cord keeps it handy when you need it.

## Outcast-Designed by Ken Onion

The Outcast Bush Knife features a big D-2 tool-steel blade for wear resistance and superior toughness. For stain resistance, the





#### OUTCAST

##### Model 1079

Steel.....D2 tool steel with  
black Teflon® coating  
Handle...Double-injection-molded  
Santoprene® (glass filled  
nylon)  
Blade.....10 in. (25.4 cm)  
Overall...16 in. (40.6 cm)  
Weight...22.0 oz.  
Includes Kydex® sheath

#### CAMP AX

##### Model 1018

Steel.....One-piece, drop forged  
high-carbon steel  
Handle...Krayton  
Blade.....3 1/2 in. (9.0 cm)  
Overall...11 in. (27.8 cm)  
Weight...14.5 oz.

#### FOLDING SAW

##### Model 2550

Steel.....Swedish saw steel  
Handle...Santoprene  
Blade.....7 in. (17.6 cm)  
Overall...16 in. (40.6 cm)  
Weight...6.4 oz.

big blade is coated with black Teflon®. A textured Santoprene® handle ensure a sure, comfortable grip and a Kydex® sheath protects the blade.

#### Camp Axe

This sturdy axe is drop forged in a single piece for reliable durability. Drop forging aligns and stretches the metal's grain structure for improved strength. For secure grip, we added a non-slip Krayton® handle and a handy sheath to protect the blade.

#### Folding Saw

Cut through bone and wood with this compact tool. The blade releases quickly and locks securely with the press of a button. The Swedish saw steel blade is coated for stain resistance and designed to function on both the push and the pull stroke. When the task is done, the blade folds compactly into a secure-grip Santoprene® handle.



# Blade

## Fit More Tools in Less Space



### ALASKAN BLADE TRADER

#### Model 1098AK

Steel.....AUS6A stainless-steel  
 gut hook  
 420J2 stainless-steel  
 hunting blade  
 and saw steel  
 Handle.....Co-polymer  
 Gut hook blade.....6 in. (15.2 cm)  
 Hunting blade.....3 1/2 in. (9.0 cm)  
 Saw blade.....6 in. (15.2 cm)  
 Weight.....11.6 oz.  
 Includes harness-leather sheath



### HUNTER'S BLADE TRADER

#### Model 1094HBT

Steel.....420J2 stainless-steel  
 and saw steel  
 Handle.....Co-polymer  
 Hunting blade.....3 1/2 in. (9.0 cm)  
 Saw blade.....6 in. (15.2 cm)  
 Weight.....9.2 oz.  
 Includes black nylon sheath



### SPORTSMAN'S BLADE TRADER

#### Model 1095SBT

Steel.....420J2 stainless-steel  
 and saw steel  
 Handle.....Co-polymer  
 Hunting blade.....3 1/2 in. (9.0 cm)  
 Saw blade.....6 in. (15.2 cm)  
 Fillet blade.....6 in. (15.2 cm)  
 Weight.....13.1 oz.  
 Includes black nylon sheath



### FISHERMAN'S BLADE TRADER

#### Model 1096FBT

Steel.....420J2  
 stainless-steel  
 Handle.....Co-polymer  
 Fillet blade.....7 in. (18.0 cm)  
 Fillet blade.....9 in. (22.9 cm)  
 partially serrated  
 Weight.....8.9 oz.  
 Includes black nylon sheath

Kershaw's Blade Trader technology provides the convenience of multiple, interchangeable blades and tools in a single handle. With the Blade Trader's exclusive Quik-Lock mechanism, you can quickly, easily, and safely trade blades and tools—in seconds. The quality steel used to make each blade or tool is matched to its specific use. Each non-slip Blade Trader handle is designed to reduce hand fatigue. All Blade Traders also include a handy storage system.

There are six different Blade Trader sets—from combinations for hunters and fishermen to our campsite-ready Camp Tool Trader that includes two Blade Trader handles for extra convenience around the camp stove.





## CAMP TOOL TRADER

### Model 1091CT

Steel.....	420J2 stainless-steel and saw steel
Handles.....	Co-polymer (two)
Cook's blade.....	6 in. (15.2 cm)
Fish fillet blade.....	6 in. (15.2 cm)
Saw blade.....	6 in. (15.2 cm)
Spatula.....	3 5/8 in. (9.2 cm)
Spoon.....	3 5/8 in. (9.2 cm)
Fork.....	3 in. (7.5 cm)
Cutting board.....	10 3/4" x 8" (27.3 cm x 20.3 cm)
Weight.....	48.9 oz.
Includes Hunter green case	



## DELUXE BLADE TRADER

### Model 1099DBT

Steel.....	420J2 stainless-steel and saw steel
Handles.....	Co-polymer (two)
Cook's blade.....	6 in. (15.2 cm)
Fish fillet blade.....	6 in. (15.2 cm)
Saw blade.....	6 in. (15.2 cm)
Carving blade.....	6 in. (15.2 cm)
Bread blade.....	6 in. (15.2 cm)
Utility blade.....	4 in. (10.2 cm)
Weight.....	29.3 oz.
Includes black nylon storage case	



## Changeable Blades

Grasp the handle; and with your thumbs, press upwards on the underside of the Quick-Lock mechanism, continue pressing upward on the mechanism until the blade and "bow tie" are exposed. The blade or tool can be removed from the "bow tie" and a new blade or tool seated onto the "bow tie" (when seating the blade or tool onto the "bow tie," make sure to guide it into place, top edge first; if you attempt to start with the bottom edge of the blade or tool the locking mechanism may not return to its down position). Complete the task by returning the mechanism to its closed (down) position as shown by the red arrow.

## Quick-Lock Mechanism

It is normal for a slight gap to be visible from the under side on the mechanism between the blade and the handle, exposing part of the bow tie as shown above by the two arrows.

TECHNOLOGY WITH AN EDGE



# Kershaw Gear and Accessories



## NEW07

### KEY CHAIN TORX® TOOL

#### Model TORXTOOL

Handle...Aluminum with Teflon® coating

Overall...4 in. (10.3 cm)

Weight...0.7 oz.

Includes: #1 phillips, T-6 & T-8



### ULTRA-TEK SHARPENER

#### Model 2535

Steel.....600 grit, diamond coated, oval shaft

Handle....6061-T6 aircraft aluminum

Shaft.....3 3/4 in. (9.6 cm)

Overall...9 1/2 in. (24.5 cm)

Weight...2.0 oz.



### ZIPPER CASE

#### Model 1625E

Fits folding models with a 4 inch or less handle

Includes full zipper and sheep skin liner



### ZIPPER CASE

#### Model 1596E

Fits folding models with a 5 1/4 inch or less handle

Includes full zipper and sheep skin liner



### KNIFE STORAGE BAG

#### Model Z997

Double zipper case comes with 26 padded knife pockets and carry straps. Includes two 8 pocket removable center sections. Ideal for carrying multiple knives.



### NYLON

#### Model 3120E

Fits models:

1045A, 1570, 1570ST, All 1620's, 1640, 1640ST, 2420, 2420ST & 3120

Mounts vertically or horizontally on your belt



### NYLON

#### Model 1060E

Fits models:

1060A, 1550, 1550ST, 1560, 1560ST 1580, 1580ST, 1650, 1650ST & 3140

Mounts vertically or horizontally on your belt



### NYLON

#### Model 1060CE

Fits models:

1060A, 1550, 1550ST, 1560, 1560ST 1580, 1580ST, 1650, 1650ST & 3140

Mounts vertically or horizontally on your belt



### LEATHER

#### Model 1050L

Fits models:

1060, 1050, 1550, 1550ST, 1560, 1560ST, 1580, 1580ST, 1650, 1650ST & 3140



### NYLON

#### Model 1060EGH

Fits models:

1550, 1550ST, 1560, 1560ST, 1580, 1580ST, 1650 & 1650ST

The TorxTool is great for changing the position of your pocket clip or just tightening your knife on occasion. It includes a section of Torx bits, T6 and T8, plus a Philips head driver. Conveniently, they all store in the handle. Tip is magnetized to keep bits in, and hold onto screws. The TorxTool also includes a removable key chain ring.

**Protect your investment** in Kershaw quality with one of our handsome, easy-carry sheaths. Choose from our zipper cases to our heavy-duty nylon or harness leather sheaths. Sheaths fit any of the Kershaw knives listed with each model. Or choose our heavy-duty nylon multiple knife carrying case, great for knife collectors.





**BASEBALL HAT**

**Model HAT1**

Heavy-duty black  
with red Kershaw logo



**BASEBALL HAT**

**Model HAT2**

Heavy-duty tan  
with leather patch  
Kershaw logo



**POLO SHIRT**

**Model SHIRT1**

100% cotton, machine  
washable black sport  
shirt with Kershaw logo  
embroidery. Available  
in M, L, XL & XXL.



NEW  
PRODUCT

TECHNOLOGY WITH AN EDGE

**And protect your** Kershaw pride with some of our top-quality Kershaw apparel. Choose from baseball caps in two styles and colors, our heavy-duty, logo embroidered shirt.



# Sales Generating Support



**POP-UP DISPLAYS** (23.5 in x 82 in)

Model BANNER1660VIB • BANNER1098AK • BANNER1257



**DISPLAY BANNER** (24 in x 48 in) Model SMBANNER



## P.O.P. DISPLAY

### Model M3 TOP

- Three sided display case mounts on top of storage unit or store counter
- Magnetic and plastic clip systems to securely display knives

### Model M3 BOTTOM

- Both units lock to secure inventory
- Dimensions:
  - Top—23 1/4" W x 25" D
  - 21 1/2" H
  - Bottom—20 1/2" W x
  - 20 1/2" D x 39" H
- Weight:
  - Top—49 pounds
  - Bottom—79 pounds

## P.O.P. DISPLAY

(single sided)

### Model DISPLAYK1

- Locking case rests on counter top, mounts on pegboard, or slat wall
- Magnetic and plastic clip systems to securely display knives
- Dimensions:
  - 18" W x 20" D x 6" H
- Weight: 15 1/2 pounds



## DISPLAY SHELF Model D-SHELF

- Using the suction cups, the shelf mounts on the under side of the glass top of a store display counter



The Kershaw Removable Display Case Shelf is covered by issued and pending patents, including the following patent: D392,131.



Model DISPLAYPOPSS1600

Model DISPLAYPOPSS1620

Model DISPLAYPOPSS1660

Model DISPLAYPOPSS

Model DISPLAYPOPSS2



Model DISPLAYPOPET



Model DISPLAYPOPSS1004



Model DISPLAYSK1  
Holds a single knife



Model DISPLAYWK3  
Holds 3 small to medium knives



Model DISPLAYSE3  
Holds 3 medium to large knives

46 **S**ell more quality Kershaw products when you use these eye-catching displays. Each Kershaw display is built of high-quality, durable materials and enables you to display a variety of Kershaw products to your customers. From our large pop-up banners or floor model display stand to our smaller

countertop displays that hold a single knife, we have the perfect display to suit your needs. Whichever one you choose, you'll appreciate the convenience and sales-generating power of these handsome displays.



# Steel Chart

STEEL	CARBON	CHROMIUM	COBALT	COPPER	MANGANESE	MOLYBDENUM	NICKEL	NITROGEN	PHOSPHORUS	SILICON	SULPHUR	TUNGSTEN	VANADIUM	HRC
A-2	0.95-1.05	4.75-5.50	-	-	1.00	0.90-1.40	0.30	-	-	0.50	-	-	0.15-0.50	57-62
D-2	1.40-1.60	11.00-13.00	-	-	0.60	0.70-1.20	0.30	-	-	0.60	-	-	1.10	57-61
M-2	0.95-1.05	3.75-4.50	-	-	0.15-0.40	4.75-6.50	0.30	-	-	0.20-0.45	-	5.00-6.75	2.25-2.75	60-65
5160	0.56-0.64	0.70-0.90	-	-	0.75-1.00	-	-	-	0.035	0.15-0.30	-	-	-	57-60
420	0.15	12.00-14.00	-	-	1.00	-	-	-	0.04	1.00	0.03	-	-	52-56
420 MODIFIED	0.40-0.50	12.00-14.00	-	-	0.80	0.60	-	-	0.05	1.00	0.02	-	0.18	54-56
425 MODIFIED	0.40-0.54	13.50-15.00	-	-	0.50	0.60-1.00	-	-	0.035	0.80	0.03	-	0.10	56-60
440A	0.65-0.75	16.00-18.00	-	-	1.00	0.75	-	-	0.04	1.00	0.03	-	-	55-57
440B	0.75-0.95	16.00-18.00	-	-	1.00	0.75	-	-	0.04	1.00	0.03	-	-	57-59
440C	0.95-1.20	16.00-18.00	-	-	1.00	0.75	-	-	0.04	1.00	0.03	-	-	58-60
AUS6A	0.55-0.65	13.00-14.50	-	-	1.00	-	0.49	-	0.04	1.00	0.03	-	0.10-0.25	57-58
AUS8A	0.70-0.75	13.00-14.50	-	-	0.50	0.10-0.30	0.49	-	0.04	1.00	0.03	-	1.10-0.26	58-59
AUS-10	0.95-1.10	13.00-14.50	-	-	0.50	0.10-0.31	0.49	-	0.02	1.00	0.03	-	0.10-0.27	59-60
GIN-1	0.90	15.50	-	-	0.60	0.30	-	-	0.03	0.37	0.03	-	-	58-60
ATS-34	1.05	14.00	-	-	0.40	4.00	-	-	-	0.35	0.02	-	-	59-61
154CM	1.05	14.00	-	-	0.50	4.00	-	-	-	0.30	-	-	-	59-61
ATS-55	1.00	14.00	0.40	0.20	0.50	0.60	-	-	0.03	0.40	-	-	-	60-62
VG-10	0.95-1.05	14.50-15.50	1.30-1.50	-	0.50	0.90-1.20	-	-	-	0.60	-	-	0.10-0.30	60-62
BG-42	1.15	14.50	-	-	0.50	4.00	-	-	-	0.30	-	-	1.20	61-63
CPM S30V	1.45	14.00	-	-	-	2.00	-	0.20	-	-	-	-	4.00	57-59
CPM S60V	2.10	17.00	-	-	0.40	0.40	-	-	-	0.40	-	-	5.50	55-57
CPM S90V	2.30	14.00	-	-	-	1.00	-	-	-	-	-	-	9.00	56-58
CPM 10V	2.45	5.25	-	-	0.50	1.30	-	-	-	0.90	0.07	-	9.75	56-58
CPM 3V	0.80	7.50	-	-	-	1.30	-	-	-	-	-	-	2.75	58-60
SANDVIK 13C26	0.68	13.00	-	-	-	0.70	-	-	0.025	0.40	0.01	-	-	58-60

## LIABILITY DISCLAIMER

Kershaw Knives are intended and sold for legitimate sporting purposes only. The purchase, use, and ownership of knives are subject to a wide variety of local laws and regulations. Certain knife styles, blade designs, and blade lengths are not allowed in specific areas. In light of recent events involving national security, knives may not be permitted in government buildings or on government property (such as court houses, federal offices, national monuments, and airports), and government officials may take the position that knives are "weapons" under applicable laws. Due to the complexity and constantly changing nature of these laws and regulations, it is impossible for Kershaw Knives, to be aware of every restriction in every location in which our knives may be sold or carried. It is the responsibility of the buyer to investigate and comply with the laws and regulations that apply in his or her specific area. You, and not Kershaw Knives, are solely responsible for any claims resulting from violation of these laws and/or regulations.

Kershaw products are made in the USA, Japan, Taiwan, Mexico, Sweden and China as indicated on the product.

We reserve the right to change specifications, materials, or discontinue products at any time without notice.

## LIMITED LIFETIME WARRANTY

Kershaw products are guaranteed for the lifetime of the original owner to be free of defects when received from the factory. Any product we find to be defective in its original material, construction, or workmanship will be repaired or replaced with the same item or one of equal value at no charge. (Of course, normal wear, abuse such as prying with the knife, or neglect are excluded from this non-transferable warranty.) For warranty service, please return product via UPS or insured mail. Include your name, address, telephone number, proof of purchase (sales slip), and a short explanation of the warranty service requested to the address below. Please allow 4-6 weeks for delivery.


Kershaw Knives  
Attn: Warranty Department  
18600 SW Teton Avenue  
Tualatin, OR 97062





# kershaw®

K N I V E S



kai USA Ltd.

18600 SW Teton Avenue • Tualatin, OR 97062  
Toll Free: 800.325.2891 • [www.kershawknives.com](http://www.kershawknives.com)